

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
14/06/2014	F1634257	Miscellaneous Fire	Miscellaneous Fire (NEW)	Carls Jr Takanini	230 GREAT SOUTH ROAD
30/05/2014	F1625205	Miscellaneous Fire	Rubbish bin, Skip fire	Railway Crossing Walters Road	WALTERS ROAD
7/05/2014	F1610837	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		GREAT SOUTH RD and WALTERS RD
6/05/2014	F1610257	False Alarm	False alarm: Defective	Awhinatia Health Day Clinic	5-19 GREAT SOUTH ROAD
6/05/2014	F1610244	False Alarm	False alarm: Defective	Awhinatia Health Day Clinic	5-19 GREAT SOUTH ROAD
21/04/2014	F1602059	Good Intent Calls	False alarm good intent: Call cleared prior to arrival	WELLINGTON PARK	GREAT SOUTH ROAD
8/04/2014	F1591149	False Alarm	False alarm: Defective		12 LONGFORD PARK DRIVE
2/04/2014	F1587654	False Alarm	False alarm: Accidental operation	Access Pacific Warehouse	7 INLET ROAD
13/03/2014	F1574531	False Alarm	False alarm: Accidental operation	Trade Depot	UNKN0001 INLET ROAD
25/02/2014	F1563035	Miscellaneous Fire	Outside rubbish fire		121 LONGFORD PARK DRIVE
22/02/2014	F1560125	False Alarm	False alarm: Defective	Southgate Retail Centre	230 GREAT SOUTH ROAD
11/02/2014	F1553227	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire		INLET ROAD
1/02/2014	F1547473	Rescue, Emergency, Medical Call	Medical call: No ambulance present/Ambulance delayed	South Auckland Car Club	1 GREAT SOUTH ROAD
23/01/2014	F1541216	False Alarm	False alarm: Defective	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
18/01/2014	F1538241	False Alarm	False alarm: Malicious	Pak N Save Papakura	337-347 GREAT SOUTH ROAD
26/12/2013	F1525753	False Alarm	False alarm: Malicious	Countdown Takanini	226 GREAT SOUTH ROAD
15/12/2013	F1519297	Miscellaneous Fire	Miscellaneous fire - not classified above	Southgate Retail Centre (REPCO SOUTHGATE)	230 GREAT SOUTH ROAD
6/12/2013	F1513551	False Alarm	False alarm: Fire Service equipment fault	The Warehouse Takanini (TAKANINI VILLAGE BUILDING 1)	30 WALTERS ROAD
5/12/2013	F1512627	False Alarm	False alarm: Defective	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
21/11/2013	F1503790	Structure Fire	Structure fire with no damage		6 LONGFORD PARK DRIVE
20/11/2013	F1502608	False Alarm	False alarm: Defective	Carters Papakura	12 WALTERS ROAD
16/11/2013	F1500447	False Alarm	False alarm: Undetermined alarm activation	Carters Papakura	12 WALTERS ROAD
27/10/2013	F1487616	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Countdown Takanini	226 GREAT SOUTH ROAD
14/10/2013	F1478283	Special Service Calls	Domestic, Commercial water problem		GREAT SOUTH RD and WALTERS RD

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
8/10/2013	F1475356	Special Service Calls	Assist Police	Railway Crossing Walters Road	WALTERS ROAD
8/10/2013	F1475295	Special Service Calls	Assist Police		15 WALTERS ROAD
6/10/2013	F1474365	False Alarm	False alarm: Defective	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME)	21 YOUNGS ROAD
5/10/2013	F1473822	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		GS RD and TRENTHAM RD
9/09/2013	F1456220	Miscellaneous Fire	Outside rubbish fire		16-18 INLET ROAD
3/09/2013	F1453135	Good Intent Calls	False alarm good intent: Authorised controlled burn	Pak N Save Papakura	337-347 GREAT SOUTH ROAD
26/08/2013	F1448577	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke	45 South Motorcycle Club	9 TIRONUI ROAD
21/08/2013	F1445526	False Alarm	False alarm: Accidental operation	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
9/08/2013	F1439089	Mobile Properties Hazardous Incidents	Gas, Liquid spill: Vehicle accident		WALTERS ROAD
27/07/2013	F1432363	Good Intent Calls	False alarm good intent: Lights thought to be fire	Fonterra Brands NZ Warehouse	11 UNA STREET
16/07/2013	F1426079	False Alarm	False alarm: Undetermined alarm activation	Fonterra Brands NZ Warehouse	11 UNA STREET
15/07/2013	F1425309	False Alarm	False alarm: Accidental activation of turnout system	Fonterra Brands N Z Beverages Basement Takanini	22 UNA STREET
14/07/2013	F1425210	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		21A WATERVIEW ROAD
11/07/2013	F1423311	False Alarm	False alarm: Undetermined alarm activation	Wilson Home South	82 LONGFORD PARK DRIVE
30/06/2013	F1416695	False Alarm	False alarm: Accidental operation	Brands N Z Logistics Takanini	UNKN0002 UNA STREET
26/06/2013	F1414474	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		GLENORA RD and GS RD
16/06/2013	F1406644	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		12A TIRONUI STATION ROAD
4/06/2013	F1400145	False Alarm	False alarm: Excess Smoke, Heat	Wilson Home South	82 LONGFORD PARK DRIVE
4/06/2013	F1400144	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke	Southgate Retail Centre	230 GREAT SOUTH ROAD
22/05/2013	F1393194	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Southgate Retail Centre	230 GREAT SOUTH ROAD
13/04/2013	F1369938	False Alarm	False alarm: Malicious	Wilson Home South	82 LONGFORD PARK DRIVE
1/04/2013	F1362817	False Alarm	False alarm: Accidental operation	Brands N Z Logistics Takanini	UNKN0002 UNA STREET

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
31/03/2013	F1362375	Miscellaneous Fire	Hangi, Umu fire, Cultural cooking fire		5 SHEPHERDS ROAD
25/03/2013	F1358180	Miscellaneous Fire	Outside fire: Material burnt has definable value		28 MOSS CRESCENT
14/03/2013	F1351589	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	THOROUGHBRED SPORTS BAR	2-10 THE FURLONG
11/02/2013	F1328930	False Alarm	False alarm: Excess Smoke, Heat	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
17/01/2013	F1313513	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Countdown Takanini	226 GREAT SOUTH ROAD
13/01/2013	F1311143	Structure Fire	Structure fire with no damage	Southgate Retail Centre	230 GREAT SOUTH ROAD
6/12/2012	F1289464	False Alarm	False alarm: Undetermined alarm activation	Fonterra Brands N Z Beverages Basement Takanini	22 UNA STREET
3/12/2012	F1287232	False Alarm	False alarm: Defective		12 TIRONUI STATION ROAD
1/12/2012	F1285902	Structure Fire	Structure fire with damage		3B BRAEBURN PLACE
22/11/2012	F1280777	Miscellaneous Fire	Outside rubbish fire		WALTERS ROAD
23/10/2012	F1262962	False Alarm	False alarm: Undetermined alarm activation	Wilson Home South	82 LONGFORD PARK DRIVE
4/10/2012	F1252879	Rescue, Emergency, Medical Call	Assist ambulance		188 PORCHESTER ROAD
18/09/2012	F1243621	Miscellaneous Fire	Outside fire: Material burnt has definable value		15 INLET ROAD
5/09/2012	F1236668	Structure Fire	Structure fire with no damage	Fonterra Brands N Z Beverages Basement Takanini	22 UNA STREET
30/08/2012	F1233122	Electrical Hazards	Arcing, shorted electrical equipment	Selwyn Oaks Retirement Village	21 YOUNGS ROAD
24/08/2012	F1230448	False Alarm	False alarm: Defective	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME)	21 YOUNGS ROAD
28/07/2012	F1215908	False Alarm	False alarm: Accidental operation		67 LONGFORD PARK DRIVE
26/07/2012	F1214759	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini	22 UNA STREET
23/07/2012	F1213103	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		GREAT SOUTH RD and TRENTHAM RD
13/07/2012	F1207838	False Alarm	False alarm: Accidental operation	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
23/06/2012	F1197115	Mobile Properties Hazardous Incidents	Gas, Liquid spill: Vehicle accident		GREAT SOUTH RD and WALTERS RD
21/06/2012	F1195858	False Alarm	False alarm: Accidental operation	Toyota Takanini	292 GREAT SOUTH ROAD
17/06/2012	F1193357	Structure Fire	Structure fire with damage		70 LONGFORD PARK DRIVE
14/06/2012	F1191967	False Alarm	False alarm: Accidental operation	Toyota Takanini	292 GREAT SOUTH ROAD
10/06/2012	F1190017	Miscellaneous Fire	Outside rubbish fire		TIRONUI STATION ROAD

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
30/05/2012	F1184392	False Alarm	False alarm: Accidental operation	Brands N Z Logistics Takanini	UNKN0001 UNA STREET
23/05/2012	F1180940	False Alarm	False alarm: Excess Smoke, Heat		25 LONGFORD PARK DRIVE
23/05/2012	F1180492	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		WALTERS RD and ARION RD
15/05/2012	F1176116	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini	15 UNA STREET
14/05/2012	F1175526	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini	15 UNA STREET
17/04/2012	F1161001	False Alarm	False alarm: Accidental operation	Brands N Z Logistics Takanini	UNKN0002 UNA STREET
16/04/2012	F1160029	Structure Fire	Structure fire with no damage		16 TIRONUI STATION ROAD
6/04/2012	F1155308	Miscellaneous Fire	Outside rubbish fire		12A TIRONUI STATION ROAD
23/03/2012	F1147612	False Alarm	False alarm: Undetermined alarm activation	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
25/02/2012	F1128895	Not Recorded	Not Recorded		32 YOUNGS ROAD
18/02/2012	F1125220	False Alarm	False alarm: Undetermined alarm activation	Metrotile NZ	1C INLET ROAD
9/02/2012	F1120294	Not Recorded	Not Recorded		2 WATERVIEW ROAD
12/01/2012	F1105755	Not Recorded	Not Recorded		INLET ROAD
8/01/2012	F1103150	Not Recorded	Not Recorded	Selwyn Oaks Retirement Village	21 YOUNGS ROAD
27/12/2011	F1098029	Not Recorded	Not Recorded	Tironui Business Park	3 TIRONUI STATION ROAD
23/12/2011	F1095517	False Alarm	False alarm: Undetermined alarm activation	Toyota Takanini	292 GREAT SOUTH ROAD
14/12/2011	F1090381	Not Recorded	Not Recorded		254 GREAT SOUTH ROAD
1/12/2011	F1083005	False Alarm	False alarm: Undetermined alarm activation	Brands N Z Logistics Takanini (NZ DAIRY FOODS ROSS STORE TAKANINI)	UNKN0001 UNA STREET
30/11/2011	F1082127	Not Recorded	Not Recorded		23 GREAT SOUTH ROAD
29/11/2011	F1082071	Not Recorded	Not Recorded	Pak N Save Papakura	337-347 GREAT SOUTH ROAD
9/11/2011	F1070518	Not Recorded	Not Recorded		15 WATERVIEW ROAD
20/10/2011	F1059561	Not Recorded	Not Recorded		21 YOUNGS ROAD
13/10/2011	F1055710	Not Recorded	Not Recorded		48 TIRONUI ROAD
6/10/2011	F1052482	False Alarm	False alarm: Accidental operation	THOROUGHbred SPORTS BAR	2-10 THE FURLONG
23/09/2011	F1045506	Not Recorded	Not Recorded		64B TIRONUI ROAD
12/09/2011	F1039462	Not Recorded	Not Recorded		20 GREAT SOUTH ROAD

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
9/09/2011	F1037775	Not Recorded	Not Recorded		47A YOUNGS ROAD
24/08/2011	F1029521	False Alarm	False alarm: Defective	Tironui Business Park Block 2	3 TIRONUI STATION ROAD
20/08/2011	F1027053	Not Recorded	Not Recorded		WALTERS ROAD
30/05/2011	F0983310	False Alarm	False alarm: Defective	South Auckland Car Club	1 GREAT SOUTH ROAD
17/05/2011	F0975867	Good Intent Calls	False alarm good intent: Call cleared prior to arrival	Fonterra Brands N Z Milk Beverages Takanini (NZ DAIRY MILK BEVERAGES PLANT)	15 UNA STREET
9/05/2011	F0970795	Electrical Hazards	Power line down	Kids Count Education Centre Takanini (FRIENDS CHILDCARE CENTRE)	25 WALTERS ROAD
3/05/2011	F0966235	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY TAKANINI)	22 UNA STREET
2/05/2011	F0965891	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		272 GREAT SOUTH ROAD
21/04/2011	F0959422	Vegetation Fire	Single tree fire		2 TIRONUI ROAD
11/04/2011	F0952352	Electrical Hazards	Arcing, shorted electrical equipment		INLET ROAD
22/03/2011	F0938659	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Selwyn Oaks Retirement Village	21 YOUNGS ROAD
22/03/2011	F0938638	False Alarm	False alarm: Undetermined alarm activation	Selwyn Oaks Retirement Village	21 YOUNGS ROAD
18/02/2011	F0910366	False Alarm	False alarm: Defective	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
26/01/2011	F0894031	Good Intent Calls	False alarm good intent: Smell of smoke		39 TIRONUI ROAD
14/01/2011	F0881972	Good Intent Calls	False alarm good intent: Hazardous substance no action taken	McDonalds Family Restaurant Takanini	226 GREAT SOUTH ROAD
9/01/2011	F0878176	Electrical Hazards	Arcing, shorted electrical equipment		4 WAIONE COURT
7/12/2010	F0847479	Good Intent Calls	False alarm good intent: Smell of smoke		TIRONUI ROAD
22/11/2010	F0833627	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini (NZ DAIRY MILK BEVERAGES PLANT)	15 UNA STREET
13/11/2010	F0824319	Structure Fire	Structure fire with no damage	McDonalds Family Restaurant Takanini	226 GREAT SOUTH ROAD
28/10/2010	F0809612	Structure Fire	Structure fire with no damage	Southgate Retail Centre	230 GREAT SOUTH ROAD
15/10/2010	F0798844	Miscellaneous Fire	Outside rubbish fire		64A TIRONUI ROAD
12/10/2010	F0796204	False Alarm	False alarm: Accidental operation	Countdown Takanini (FOODTOWN TAKANINI)	226 GREAT SOUTH ROAD
11/10/2010	F0795440	Special Service Calls	Repair roof		48 LONGFORD PARK DRIVE
11/10/2010	F0795355	Special Service Calls	Repair roof		46 LONGFORD PARK DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
10/10/2010	F0794878	False Alarm	False alarm: Defective	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
4/10/2010	F0789984	False Alarm	False alarm: Undetermined alarm activation	Wilson Home South	82 LONGFORD PARK DRIVE
24/09/2010	F0781998	False Alarm	False alarm: Accidental operation	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
23/09/2010	F0780668	False Alarm	False alarm: Defective	Countdown Takanini (FOODTOWN TAKANINI)	226 GREAT SOUTH ROAD
14/09/2010	F0771267	False Alarm	False alarm: Defective	Carters Papakura	12 WALTERS ROAD
14/09/2010	F0770413	False Alarm	False alarm: Undetermined alarm activation	Countdown Takanini (FOODTOWN TAKANINI)	226 GREAT SOUTH ROAD
13/09/2010	F0769703	False Alarm	False alarm: Undetermined alarm activation	Carters Papakura	12 WALTERS ROAD
11/09/2010	F0768161	Miscellaneous Fire	Bonfire		23 GREAT SOUTH ROAD
5/09/2010	F0758819	Structure Fire	Structure fire with damage	Selwyn Oaks Retirement Village	21 YOUNGS ROAD
24/08/2010	F0750038	Miscellaneous Fire	Rubbish bin, Skip fire	KNIGHT ENGINEERING	30 TIRONUI ROAD
24/08/2010	F0749686	Miscellaneous Fire	Outside rubbish fire		27 TIRONUI ROAD
10/08/2010	F0741062	Miscellaneous Fire	Outside rubbish fire		64 TIRONUI ROAD
3/08/2010	F0736498	False Alarm	False alarm: Undetermined alarm activation	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
22/07/2010	F0729273	False Alarm	False alarm: Accidental operation	Countdown Takanini (FOODTOWN TAKANINI)	226 GREAT SOUTH ROAD
17/07/2010	F0726131	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Administration Building Takanini (NZ DAIRY FOODS OFFICE TAKANINI)	15 UNA STREET
16/07/2010	F0725580	Miscellaneous Fire	Outside rubbish fire		TIRONUI ROAD
15/07/2010	F0724837	False Alarm	False alarm: Accidental operation	Countdown Takanini (FOODTOWN TAKANINI)	226 GREAT SOUTH ROAD
9/07/2010	F0720310	Structure Fire	Structure fire with no damage	Selwyn Oaks Retirement Village	21 YOUNGS ROAD
29/06/2010	F0713583	Electrical Hazards	Arcing, shorted electrical equipment	South Auckland Car Club	1 GREAT SOUTH ROAD
28/06/2010	F0712894	False Alarm	False alarm: Excess Smoke, Heat	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
24/06/2010	F0710837	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		12 TIRONUI STATION ROAD
10/06/2010	F0701849	False Alarm	False alarm: Accidental operation	The New Hub	321 GREAT SOUTH ROAD
3/06/2010	F0697492	False Alarm	False alarm: Defective	Tui House	2 TRENTHAM ROAD
22/05/2010	F0688743	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		GREAT SOUTH ROAD

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
19/04/2010	F0663583	Miscellaneous Fire	Outside rubbish fire		WALTERS ROAD
12/04/2010	F0658405	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Southgate Retail Centre	230 GREAT SOUTH ROAD
7/04/2010	F0654731	False Alarm	False alarm: Excess Smoke, Heat	Wilson Home South	82 LONGFORD PARK DRIVE
29/03/2010	F0647677	Structure Fire	Structure fire with no damage	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
8/03/2010	F0631131	Miscellaneous Fire	Outside rubbish fire		18 WATERVIEW ROAD
11/02/2010	F0611997	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini (NZ DAIRY MILK BEVERAGES PLANT)	15 UNA STREET
30/01/2010	F0603694	Special Service Calls	Animal rescue		WALTERS RD and ARION RD
15/01/2010	F0593268	Miscellaneous Fire	Rubbish bin, Skip fire		25 GREAT SOUTH ROAD
5/01/2010	F0586526	Good Intent Calls	False alarm good intent: Wrong locality		12 GREAT SOUTH ROAD
19/12/2009	F0574920	Not Recorded	Not Recorded		TRENTHAM ROAD
18/12/2009	F0574083	Not Recorded	Not Recorded		TIRONUI STATION ROAD
18/12/2009	F0573929	Not Recorded	Not Recorded		TIRONUI STATION ROAD
17/12/2009	F0573712	Not Recorded	Not Recorded		5 LONGFORD PARK DRIVE
15/12/2009	F0572146	False Alarm	False alarm: Defective	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
28/10/2009	F0535778	Not Recorded	Not Recorded	Waste Management Papakura	25 INLET ROAD
21/10/2009	F0531941	Not Recorded	Not Recorded		GREAT SOUTH RD and WALTERS RD
19/10/2009	F0530569	Not Recorded	Not Recorded		226 GREAT SOUTH ROAD
11/10/2009	F0525838	Not Recorded	Not Recorded	Tiffanys Escort Agency	325 GREAT SOUTH ROAD
9/10/2009	F0524508	Not Recorded	Not Recorded	Tui House	2 TRENTHAM ROAD
1/10/2009	F0519495	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		301 GREAT SOUTH ROAD
11/09/2009	F0506416	False Alarm	False alarm: Accidental operation	Tui House	2 TRENTHAM ROAD
7/09/2009	F0503334	False Alarm	False alarm: Defective	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
5/09/2009	F0501992	Not Recorded	Not Recorded		TIRONUI ROAD
28/08/2009	F0496783	False Alarm	False alarm: Defective		226 GREAT SOUTH ROAD
5/08/2009	F0482008	Miscellaneous Fire	Miscellaneous Fire (NEW)		TIRONUI ROAD
4/08/2009	F0481131	Electrical Hazards	Electrical hazard - not classified above	Z ENERGY PAPA KURA NORTH (SHELL PAPA KURA NORTH)	345 GREAT SOUTH ROAD

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
30/07/2009	F0477876	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		36 MOREWA PLACE
28/07/2009	F0476585	Miscellaneous Fire	Miscellaneous Fire (NEW)		38 TIRONUI ROAD
24/07/2009	F0474134	Miscellaneous Fire	Rubbish bin, Skip fire		TIRONUI STATION ROAD
15/07/2009	F0467839	False Alarm	False alarm: Accidental operation	Tui House	2 TRENTHAM ROAD
6/07/2009	F0460920	False Alarm	False alarm: Defective	Kids Count Education Centre Takanini (FRIENDS CHILDCARE CENTRE)	25 WALTERS ROAD
28/06/2009	F0456673	Special Service Calls	Domestic, Commercial water problem		60 TIRONUI ROAD
2/06/2009	F0438411	Vegetation Fire	Hedge, Shelterbelt fire		GREAT SOUTH RD and TRENTHAM RD
1/06/2009	F0437803	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident	Southgate Retail Centre	230 GREAT SOUTH ROAD
25/05/2009	F0433466	Structure Fire	Structure fire with no damage	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME)	21A YOUNGS ROAD
25/05/2009	F0432988	False Alarm	False alarm: Defective	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
19/05/2009	F0428720	False Alarm	False alarm: Accidental operation	Papakura Private Hospital	7A YOUNGS ROAD
18/05/2009	F0428075	Structure Fire	Structure fire with no damage	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
16/05/2009	F0427052	Good Intent Calls	False alarm good intent: Call cleared prior to arrival	Stewart Panelbeaters	21 TIRONUI ROAD
13/05/2009	F0424729	False Alarm	False alarm: Accidental operation	Southgate Retail Centre	230 GREAT SOUTH ROAD
28/04/2009	F0414554	Rescue, Emergency, Medical Call	Assist ambulance		39 TIRONUI ROAD
21/04/2009	F0409615	False Alarm	False alarm: Accidental operation	Wilson Home South	82 LONGFORD PARK DRIVE
16/04/2009	F0406246	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini (NZ DAIRY MILK BEVERAGES PLANT)	15 UNA STREET
14/04/2009	F0404594	False Alarm	False alarm: Accidental operation	Southgate Retail Centre	230 GREAT SOUTH ROAD
7/04/2009	F0399512	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY TAKANINI)	22 UNA STREET
2/04/2009	F0395965	Miscellaneous Fire	Outside fire: Material burnt has definable value		TIRONUI STATION ROAD
29/03/2009	F0391884	Miscellaneous Fire	Rubbish bin, Skip fire		INLET ROAD
23/03/2009	F0387270	Structure Fire	Structure fire with damage	MIKE S AUTOS	9 WALTERS ROAD
21/03/2009	F0385292	False Alarm	False alarm: Defective		12 LONGFORD PARK DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
15/03/2009	F0380640	Miscellaneous Fire	Outside rubbish fire		16 TIRONUI STATION ROAD
28/02/2009	F0368406	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Southgate Retail Centre (MITRE 10 MEGA TAKANINI)	230 GREAT SOUTH ROAD
15/02/2009	F0357837	False Alarm	False alarm: Defective	Lewis Equipment	66 TAKANINI ROAD
4/02/2009	F0348635	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		WALTERS ROAD
19/01/2009	F0335904	Miscellaneous Fire	Outside rubbish fire		14 TIRONUI STATION ROAD
5/01/2009	F0325894	Structure Fire	Structure fire with no damage	Countdown Takanini (FOODTOWN TAKANINI)	228 GREAT SOUTH ROAD
19/12/2008	F0314485	Good Intent Calls	False alarm good intent: not classified above		331 GREAT SOUTH ROAD
18/12/2008	F0313169	Special Service Calls	Assist Police		GREAT SOUTH RD and WALTERS RD
18/12/2008	F0313090	False Alarm	False alarm: Defective	Tui House	2 TRENTHAM ROAD
29/11/2008	F0298425	Miscellaneous Fire	Outside rubbish fire		TIRONUI ROAD
29/11/2008	F0298171	Structure Fire	Structure fire with no damage	Southgate Retail Centre	230 GT SOUTH ROAD
13/11/2008	F0284685	False Alarm	False alarm: Accidental operation	Lewis Equipment (PRENAIL FACTORY)	66 TAKANINI ROAD
29/10/2008	F0273137	False Alarm	False alarm: Defective	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
20/10/2008	F0266632	False Alarm	False alarm: Defective	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
14/10/2008	F0262926	False Alarm	False alarm: Accidental activation of turnout system	Tui House	2 TRENTHAM ROAD
14/10/2008	F0262790	False Alarm	False alarm: Accidental activation of turnout system	Tui House	2 TRENTHAM ROAD
14/10/2008	F0262776	False Alarm	False alarm: Accidental activation of turnout system	Tui House	2 TRENTHAM ROAD
14/10/2008	F0262738	False Alarm	False alarm: Defective	Tui House	2 TRENTHAM ROAD
13/10/2008	F0261663	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Countdown Takanini (FOODTOWN TAKANINI)	228 GREAT SOUTH ROAD
30/09/2008	F252001	Good Intent Calls	False alarm good intent: Smell of smoke	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
28/09/2008	F251132	False Alarm	False alarm: Defective	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
14/09/2008	F240212	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		MOREWA PLACE
7/09/2008	F236214	False Alarm	False alarm: Defective	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
3/09/2008	F233793	False Alarm	False alarm: Accidental operation	Tironui Business Park	3 TIRONUI STATION ROAD

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
30/08/2008	F231081	False Alarm	False alarm: Accidental operation	Tui House	2 TRENTHAM ROAD
15/08/2008	F221743	False Alarm	False alarm: Accidental operation		3 TIRONUI STATION ROAD
6/08/2008	F216057	False Alarm	False alarm: Undetermined alarm activation	Tironui Business Park	3 TIRONUI STATION ROAD
23/07/2008	F202634	False Alarm	False alarm: Accidental operation	Trade Depot (NAMCO FACTORY)	UNKN00001 INLET ROAD
16/07/2008	F198572	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY TAKANINI)	22 UNA STREET
14/07/2008	F197287	Good Intent Calls	False alarm good intent: Smell of smoke	Southgate Retail Centre	230 GREAT SOUTH ROAD
9/07/2008	F194325	Structure Fire	Structure fire with damage		20 INLET ROAD
8/07/2008	F193542	False Alarm	False alarm: Accidental operation	Trade Depot (NAMCO FACTORY)	UNKN00001 INLET ROAD
5/07/2008	F191107	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		LONGFORD PARK DRIVE
10/06/2008	F175433	False Alarm	False alarm: Accidental operation		3 TIRONUI STATION ROAD
22/05/2008	F162273	False Alarm	False alarm: Accidental operation	Wilson Home South	82 LONGFORD PARK DRIVE
17/05/2008	F159127	Overpressure, Rupture, Explosives, Over Heating	Air, Gas rupture	Wattyl Trade Centre Papakura	349 GREAT SOUTH ROAD
17/05/2008	F159056	False Alarm	False alarm: Defective	Tironui Business Park	3 TIRONUI STATION ROAD
15/05/2008	F157742	Structure Fire	Structure fire with no damage		41 MOSS CRESCENT
12/05/2008	F155644	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		WALTERS RD and GREAT SOUTH RD
12/05/2008	F155598	False Alarm	False alarm: Defective	Wilson Home South	82 LONGFORD PARK DRIVE
30/04/2008	F147513	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
27/04/2008	F145219	False Alarm	False alarm: Undetermined alarm activation	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME)	21A YOUNGS ROAD
21/04/2008	F140593	False Alarm	False alarm: Accidental operation	Wilson Home South	82 LONGFORD PARK DRIVE
20/04/2008	F139686	False Alarm	False alarm: Undetermined alarm activation	Papakura Private Hospital	7A YOUNGS ROAD
17/04/2008	F137835	Structure Fire	Structure fire with damage		10 GLENBURN PLACE
16/04/2008	F136708	Special Service Calls	Domestic, Commercial water problem		25 YOUNGS ROAD
4/04/2008	F127566	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Z ENERGY PAPA KURA NORTH (SHELL PAPA KURA NORTH)	345 GREAT SOUTH ROAD

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
23/03/2008	F118589	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		WALTERS ROAD
8/03/2008	F105791	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini (NZ DAIRY MILK BEVERAGES PLANT)	15 UNA STREET
3/03/2008	F102003	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
3/03/2008	F101750	False Alarm	False alarm: Defective	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
26/02/2008	F097593	False Alarm	False alarm: Accidental operation	Wilson Home South	82 LONGFORD PARK DRIVE
15/02/2008	F088762	False Alarm	False alarm: Accidental operation	Carters Papakura	12 WALTERS ROAD
15/02/2008	F088734	False Alarm	False alarm: Defective	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
10/02/2008	F085429	Miscellaneous Fire	Outside rubbish fire		GREAT SOUTH RD and THE FURLONG
19/01/2008	F067333	False Alarm	False alarm: Defective	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
4/01/2008	F056498	False Alarm	False alarm: Accidental operation	Trade Depot (NAMCO FACTORY)	UNKN00001 INLET ROAD
25/12/2007	F050135	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		GREAT SOUTH RD and WALTERS RD
19/12/2007	F046095	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
16/12/2007	F043870	Vegetation Fire	Hedge, Shelterbelt fire	Countdown Takanini (FOODTOWN TAKANINI)	228 GREAT SOUTH ROAD
3/12/2007	F033908	Miscellaneous Fire	Rubbish bin, Skip fire		GREAT SOUTH ROAD
27/11/2007	F028262	False Alarm	False alarm: Accidental operation	Countdown Takanini (FOODTOWN TAKANINI)	228 GREAT SOUTH ROAD
16/11/2007	F019099	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		YOUNGS ROAD
22/10/2007	A753912	Structure Fire	Structure fire with damage		GLENORA ROAD
22/10/2007	A753912	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		GLENORA ROAD
14/10/2007	A752005	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY TAKANINI)	22 UNA STREET
29/09/2007	A748679	Structure Fire	Structure fire with damage		64 TIRONUI ROAD
15/09/2007	A744947	False Alarm	False alarm: Accidental operation	Wilson Home South	82 LONGFORD PARK DRIVE
13/09/2007	A744577	Miscellaneous Fire	Outside rubbish fire		WALTERS RD and GREAT SOUTH RD

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
28/08/2007	A740638	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY TAKANINI)	22 UNA STREET
2/08/2007	A734470	False Alarm	False alarm: Defective	Lewis Equipment (PRENAIL FACTORY)	66 TAKANINI ROAD
31/07/2007	A733942	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini (NZ DAIRY MILK BEVERAGES PLANT)	15 UNA STREET
4/07/2007	A723995	False Alarm	False alarm: Undetermined alarm activation	Awhinatia Health Day Clinic	5-19 GREAT SOUTH ROAD
2/07/2007	A723490	False Alarm	False alarm: Defective	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
1/07/2007	A723399	Miscellaneous Fire	Outside rubbish fire		18 TIRONUI STATION ROAD
16/06/2007	A719367	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini (NZ DAIRY MILK BEVERAGES PLANT)	15 UNA STREET
15/06/2007	A719329	False Alarm	False alarm: Defective	Selwyn Oaks Retirement Village	21 YOUNGS ROAD
2/06/2007	A716330	Good Intent Calls	False alarm good intent: not classified above		11E WALTERS ROAD
27/05/2007	A714381	Miscellaneous Fire	Outside rubbish fire		WALTERS ROAD
26/05/2007	A714310	Miscellaneous Fire	Outside fire: Material burnt has definable value		GREAT SOUTH ROAD
23/05/2007	A713516	False Alarm	False alarm: Accidental operation	Placemakers Takanini	8 GREAT SOUTH ROAD
17/05/2007	A711843	Miscellaneous Fire	Outside rubbish fire		3 YOUNGS ROAD
10/05/2007	A710151	Vegetation Fire	Vegetation Fire (specify Area of Vegetation burnt)		TIRONUI STATION ROAD
20/04/2007	A704730	False Alarm	False alarm: Defective	Brands N Z Logistics Takanini (NZ DAIRY FOODS ROSS STORE TAKANINI)	UNKN00001 UNA STREET
12/04/2007	A702655	Special Service Calls	Domestic, Commercial water problem		TIRONUI ROAD
1/04/2007	A699587	Good Intent Calls	False alarm good intent: Smell of smoke		TRENTHAM ROAD
11/03/2007	A692444	False Alarm	False alarm: Accidental operation	Southgate Retail Centre	230 GREAT SOUTH ROAD
11/03/2007	A692443	False Alarm	False alarm: Accidental operation	Southgate Retail Centre	230 GREAT SOUTH ROAD
8/03/2007	A691762	Structure Fire	Structure fire with no damage	Lewis Equipment (PRENAIL FACTORY)	66 TAKANINI ROAD
7/03/2007	A691389	False Alarm	False alarm: Malicious		WALTERS ROAD
26/02/2007	A688579	Special Service Calls	Assist Police		6 TIRONUI ROAD
18/02/2007	A686081	Miscellaneous Fire	Outside fire: Material burnt has definable value		TIRONUI ROAD
17/01/2007	A677599	False Alarm	False alarm: Accidental operation	Tui House	2 TRENTHAM ROAD

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
16/01/2007	A677222	False Alarm	False alarm: Defective	Longford Park Village Apartments ()	1 LONGFORD PARK DRIVE
11/01/2007	A676247	False Alarm	False alarm: Accidental operation		25 YOUNGS ROAD
29/12/2006	A673193	Good Intent Calls	False alarm good intent: not classified above		GREAT SOUTH RD and WALTERS RD
28/12/2006	A672871	False Alarm	False alarm: Defective		18A TIRONUI ROAD
24/12/2006	A671995	False Alarm	False alarm: Undetermined alarm activation		11 GLENBURN PLACE
13/12/2006	A669108	False Alarm	False alarm: Accidental operation	Awhinatia Health Day Clinic	5-19 GREAT SOUTH ROAD
8/12/2006	A667906	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		GREAT SOUTH ROAD
29/11/2006	A665367	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		8 BRAEBURN PLACE
29/11/2006	A665237	False Alarm	False alarm: Defective	Trade Depot (NAMCO FACTORY)	UNKN00002 INLET ROAD
24/11/2006	A664004	Special Service Calls	Domestic, Commercial water problem	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME)	21A YOUNGS ROAD
23/11/2006	A663793	False Alarm	False alarm: Defective	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME)	21A YOUNGS ROAD
17/11/2006	A662222	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini (NZ DAIRY MILK BEVERAGES PLANT)	15 UNA STREET
3/11/2006	A657065	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	M and N Car Painters (M AND N CAR PAINTERS LTD)	19 TIRONUI ROAD
25/10/2006	A654463	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Countdown Takanini (FOODTOWN TAKANINI)	228 GREAT SOUTH ROAD
18/10/2006	A652546	False Alarm	False alarm: Defective	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME)	21A YOUNGS ROAD
22/09/2006	A645272	Miscellaneous Fire	Outside fire: Material burnt has definable value		7A YOUNGS ROAD
22/09/2006	A645272	Vegetation Fire	Single tree fire	Papakura Private Hospital	7A YOUNGS ROAD
8/09/2006	A641786	False Alarm	False alarm: Telecom line fault	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY TAKANINI)	22 UNA STREET
8/09/2006	A641780	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY TAKANINI)	22 UNA STREET
5/09/2006	A640873	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Southgate Retail Centre	230 GREAT SOUTH ROAD
30/08/2006	A639626	Special Service Calls	Domestic, Commercial water problem	WELLINGTON PARK	GREAT SOUTH ROAD

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
14/08/2006	A635791	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini (NZ DAIRY MILK BEVERAGES PLANT)	15 UNA STREET
14/07/2006	A629111	False Alarm	False alarm: Accidental operation	Tui House	2 TRENTHAM ROAD
27/06/2006	A624959	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Roller Doors Northern	6 THE FURLONG
13/06/2006	A621807	False Alarm	False alarm: Accidental operation	Southgate Retail Centre	230 GREAT SOUTH ROAD
12/06/2006	A620643	False Alarm	False alarm: Defective	Fonterra Brands N Z Milk Beverages Takanini (NZ DAIRY MILK BEVERAGES PLANT)	15 UNA STREET
2/06/2006	A618754	Miscellaneous Fire	Outside rubbish fire	TIRONUI RAILWAY STATION	TIRONUI STATION ROAD
23/05/2006	A616433	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		GLENORA ROAD
12/05/2006	A613807	False Alarm	False alarm: Accidental operation	Southgate Retail Centre	230 GREAT SOUTH ROAD
1/05/2006	A611227	False Alarm	False alarm: Accidental activation of turnout system	Awhinatia Health Day Clinic	5-19 GREAT SOUTH ROAD
27/04/2006	A610165	False Alarm	False alarm: Accidental operation	Southgate Retail Centre (MITRE 10 MEGA TAKANINI)	230 GREAT SOUTH ROAD
23/04/2006	A609218	Good Intent Calls	False alarm good intent: Smell of smoke		TIRONUI ROAD
3/04/2006	A604550	False Alarm	False alarm: Defective	Southgate Retail Centre	230 GREAT SOUTH ROAD
31/03/2006	A603830	Structure Fire	Structure fire with no damage		313 GREAT SOUTH ROAD
8/03/2006	A598058	False Alarm	False alarm: Defective	Papakura Private Hospital	7A YOUNGS ROAD
2/03/2006	A596447	Electrical Hazards	Arcing, shorted electrical equipment		180 GREAT SOUTH ROAD
24/02/2006	A594760	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini (116652)	15 UNA STREET
24/02/2006	A594625	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini (NZ DAIRY MILK BEVERAGES PLANT)	15 UNA STREET
23/02/2006	A594584	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	THOROUGHbred SPORTS BAR	2-6 THE FURLONG
22/02/2006	A594163	False Alarm	False alarm: Accidental operation	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
15/02/2006	A592307	Overpressure, Rupture, Explosives, Over Heating	Bomb, Munition explosion: No fire		58 TIRONUI ROAD
15/02/2006	A592090	Chemical, Biohazard, Radioactive Incident	Chemical emergency		TIRONUI
13/02/2006	A591657	False Alarm	False alarm: Undetermined alarm activation	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
12/02/2006	A591615	False Alarm	False alarm: Excess Smoke, Heat	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
12/02/2006	A591606	False Alarm	False alarm: Excess Smoke, Heat	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
8/02/2006	A590694	Overpressure, Rupture,	Air, Gas rupture	Countdown Takanini	228 GREAT SOUTH ROAD

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
		Explosives, Over Heating		(FOODTOWN TAKANINI)	
27/01/2006	A588206	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	McDonalds Family Restaurant Takanini	226 GREAT SOUTH ROAD
26/01/2006	A587988	False Alarm	False alarm: Defective	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
14/01/2006	A584510	False Alarm	False alarm: Accidental operation	Wilson Home South	82 LONGFORD PARK DRIVE
4/01/2006	A582350	False Alarm	False alarm: Accidental operation	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
12/12/2005	A577305	Vegetation Fire	Hedge, Shelterbelt fire		TIRONUI STATION ROAD
27/11/2005	A573459	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TIRONUI ROAD
26/11/2005	A573184	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini (NZ DAIRY MILK BEVERAGES PLANT)	15 UNA STREET
28/10/2005	A564626	False Alarm	False alarm: Accidental operation	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
16/10/2005	A561998	False Alarm	False alarm: Accidental operation	Wilson Home South	82 LONGFORD PARK DRIVE
15/09/2005	A555621	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		TIRONUI STATION ROAD
1/08/2005	A546476	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini (NZ DAIRY MILK BEVERAGES PLANT)	15 UNA STREET
29/07/2005	A545997	False Alarm	False alarm: Malicious		1C YOUNGS ROAD
10/07/2005	A541968	Structure Fire	Structure fire with no damage		34 LONGFORD PARK DRIVE
2/07/2005	A540414	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		INLET ROAD
1/07/2005	A540322	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		1C YOUNGS ROAD
26/06/2005	A539137	Structure Fire	Structure fire with damage		343 GREAT SOUTH ROAD
25/06/2005	A538979	False Alarm	False alarm: Excess Smoke, Heat	Southgate Retail Centre (MITRE 10 MEGA TAKANINI)	230 GREAT SOUTH ROAD
13/06/2005	A536588	Rescue, Emergency, Medical Call	Rescue: In or under machinery	Selwyn Oaks Retirement Village ()	21 YOUNGS ROAD
13/06/2005	A536529	False Alarm	False alarm: Excess Smoke, Heat	Selwyn Oaks Retirement Village ()	21 YOUNGS ROAD
12/06/2005	A536457	False Alarm	False alarm: Malicious		27 GREAT SOUTH ROAD
23/05/2005	A531926	False Alarm	False alarm: Defective		3 TIRONUI STATION ROAD
23/05/2005	A531912	False Alarm	False alarm: Defective	THOROUGHbred SPORTS BAR ()	2 THE FURLONG
29/04/2005	A526003	False Alarm	False alarm: Accidental activation of turnout system	Longford Park Village Apartments	1 LONGFORD PARK DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
27/04/2005	A525620	False Alarm	False alarm: Defective	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
27/04/2005	A525601	False Alarm	False alarm: Defective	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
21/04/2005	A524141	Miscellaneous Fire	Outside rubbish fire		WALTERS ROAD
7/04/2005	A521017	Structure Fire	Structure fire with no damage	Z ENERGY PAPA KURA NORTH (SHELL PAPA KURA NORTH)	345 GREAT SOUTH ROAD
31/03/2005	A519479	Miscellaneous Fire	Outside rubbish fire		45 TIRONUI ROAD
25/03/2005	A518203	Electrical Hazards	Power line down		37 WALTERS ROAD
19/03/2005	A516711	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	BRIGGS M J MOTOR PAINTERS	23 TIRONUI ROAD
19/03/2005	A516639	Mobile Properties Hazardous Incidents	Mobile property hazardous incident - not classified above		GT SOUTH RD
26/02/2005	A511453	Good Intent Calls	False alarm good intent: Smell of smoke	Countdown Takanini (FOODTOWN TAKANINI)	228 GREAT SOUTH ROAD
23/02/2005	A510815	Miscellaneous Fire	Outside rubbish fire	WELLINGTON PARK	GREAT SOUTH ROAD
16/02/2005	A509138	False Alarm	False alarm: Accidental operation	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
16/02/2005	A509044	False Alarm	False alarm: Undetermined alarm activation	Mitre 10 Mega Takanini	230 GREAT SOUTH ROAD
3/02/2005	A506347	Miscellaneous Fire	Outside rubbish fire	Tui House (LEANNE REST HOME)	104 PORCHESTER ROAD
1/02/2005	A505678	Structure Fire	Derelict building fire		INLET ROAD
31/01/2005	A505601	Electrical Hazards	Arcing, shorted electrical equipment		TIRONUI STATION ROAD
29/01/2005	A504963	Miscellaneous Fire	Outside rubbish fire		TIRONUI STATION ROAD
27/01/2005	A504487	False Alarm	False alarm: Accidental operation	Tui House (LEANNE REST HOME)	2 TRENTHAM ROAD
17/01/2005	A502251	False Alarm	False alarm: Defective	Papakura Private Hospital	7A YOUNGS ROAD
30/12/2004	A498643	Miscellaneous Fire	Rubbish bin, Skip fire		18 TIRONUI ROAD
24/12/2004	A497579	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini (NZ DAIRY MILK BEVERAGES PLANT)	15 UNA STREET
19/12/2004	A496475	False Alarm	False alarm: not classified above	Tui House (LEANNE REST HOME)	2 TRENTHAM ROAD
17/12/2004	A496086	False Alarm	False alarm: Accidental activation of turnout system	Papakura Private Hospital	7A YOUNGS ROAD
19/11/2004	A489694	False Alarm	False alarm: Defective		37 TIRONUI ROAD
9/11/2004	A487431	Rescue, Emergency, Medical Call	Assist ambulance		51 YOUNGS ROAD
6/11/2004	A486594	False Alarm	False alarm: Defective	Selwyn Oaks Retirement Village	21A YOUNGS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
				(SELWYN OAKS RETIREMENT HOME)	
20/10/2004	A482070	Mobile Property Fire	Derelict mobile property fire		9 INLET ROAD
19/10/2004	A481862	False Alarm	False alarm: Excess Smoke, Heat	Windsor Doors ()	347 GREAT SOUTH ROAD
28/09/2004	A477881	False Alarm	False alarm: Accidental operation	Wilson Home South	82 LONGFORD PARK DRIVE
26/09/2004	A477529	Structure Fire	Structure fire with damage		4 TRENTHAM ROAD
26/09/2004	A477529	Structure Fire	Structure fire with damage	Tui Village Resthome ()	6 TRENTHAM ROAD
20/09/2004	A476189	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini (NZ DAIRY MILK BEVERAGES PLANT)	15 UNA STREET
10/09/2004	A474279	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		1 WALTERS ROAD
3/09/2004	A473080	Miscellaneous Fire	Outside rubbish fire		INLET ROAD
21/08/2004	A470471	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		47 MOREWA PLACE
12/08/2004	A468996	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Milk Beverages Takanini (NZ DAIRY MILK BEVERAGES PLANT)	15 UNA STREET
11/07/2004	A462604	False Alarm	False alarm: Undetermined alarm activation	Brands N Z Logistics Takanini (NZ DAIRY FOODS ROSS STORE TAKANINI)	UNKN00002 UNA STREET
10/07/2004	A462460	Miscellaneous Fire	Rubbish bin, Skip fire		25 TAKATU PLACE
19/05/2004	A452409	Structure Fire	Structure fire with no damage		305 GREAT SOUTH ROAD
9/05/2004	A450126	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY TAKANINI)	22 UNA STREET
6/05/2004	A449726	Structure Fire	Structure fire with damage		10 GREAT SOUTH ROAD
23/04/2004	A447077	False Alarm	False alarm: Excess Smoke, Heat	Access Pacific Warehouse (GEORGE GRANT ENGINEERING)	7 INLET ROAD
30/03/2004	A442106	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Windsor Doors	347 GREAT SOUTH ROAD
16/03/2004	A439077	False Alarm	False alarm: Defective	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME)	21A YOUNGS ROAD
16/03/2004	A439061	False Alarm	False alarm: Defective	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME)	21A YOUNGS ROAD
14/03/2004	A438427	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		WALTERS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
12/03/2004	A438174	Good Intent Calls	False alarm good intent: Call in the vicinity of another fire		TIRONUI STATION ROAD
12/03/2004	A438129	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY TAKANINI)	22 UNA STREET
10/03/2004	A437539	Miscellaneous Fire	Outside rubbish fire		WALTERS ROAD
5/03/2004	A436568	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire		39 TIRONUI ROAD
29/02/2004	A435424	Special Service Calls	Repair roof		327 GREAT SOUTH ROAD
21/02/2004	A433124	False Alarm	False alarm: Accidental operation	Wilson Home South	82 LONGFORD PARK DRIVE
5/02/2004	A429377	Miscellaneous Hazardous Condition	Miscellaneous hazardous condition - not classified above	BARRYS CAR SALES LMVD (BARRYS CAR SALES LTD LMVD)	303 GREAT SOUTH ROAD
14/01/2004	A424644	Miscellaneous Fire	Outside rubbish fire		THE FURLONG
5/01/2004	A422625	Miscellaneous Fire	Outside rubbish fire		LONGFORD PARK DRIVE
3/01/2004	A422153	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		19 WATERVIEW ROAD
31/12/2003	A421588	Miscellaneous Fire	Outside rubbish fire		YOUNGS ROAD
12/12/2003	A417592	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY)	22 UNA STREET
12/12/2003	A417585	False Alarm	False alarm: Defective	Countdown Takanini (FOODTOWN TAKANINI)	228 GREAT SOUTH ROAD
27/11/2003	A414395	Miscellaneous Fire	Outside rubbish fire		GREAT SOUTH ROAD
8/11/2003	A409706	False Alarm	False alarm: Accidental activation of turnout system	Fonterra Brands N Z Cool Stores Takanini (NZ DAIRY FOODS COOLSTORE)	UNKN00003 UNA STREET
6/11/2003	A409363	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		MOREWA PLACE
5/11/2003	A408949	Vegetation Fire	Vegetation fire - not classified above		67 LONGFORD PARK DRIVE
31/10/2003	A407553	False Alarm	False alarm: Accidental operation		15 UNA STREET
24/10/2003	A406053	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY)	22 UNA STREET
13/10/2003	A403762	Miscellaneous Fire	Outside rubbish fire		
30/09/2003	A401324	False Alarm	False alarm: not classified above		UNKN00001 UNA STREET
1/08/2003	A390320	False Alarm	False alarm: Accidental operation	Longford Park Village Apartments	1 LONGFORD PARK DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
24/07/2003	A388797	False Alarm	False alarm: Excess Smoke, Heat	Tui House (LEANNE REST HOME)	2 TRENTHAM ROAD
21/07/2003	A388104	False Alarm	False alarm: Accidental operation	Roller Doors Northern	6 THE FURLONG
20/07/2003	A387933	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TIRONUI STATION ROAD
2/07/2003	A384696	False Alarm	False alarm: Defective	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME)	21 YOUNGS ROAD
28/06/2003	A383975	False Alarm	False alarm: Excess Smoke, Heat	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME)	21 YOUNGS ROAD
9/06/2003	A380060	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		17 TIRONUI ROAD
25/05/2003	A377006	False Alarm	False alarm: Malicious	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY)	22 UNA STREET
20/05/2003	A376076	Structure Fire	Structure fire with damage		51 LONGFORD PARK DRIVE
20/05/2003	A375898	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY)	22 UNA STREET
2/05/2003	A372679	False Alarm	False alarm: Accidental operation	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
6/04/2003	A366622	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY)	22 UNA STREET
1/04/2003	A365658	Chemical, Biohazard, Radioactive Incident	Biohazard emergency	Fonterra Brands N Z Administration Building Takanini (NZ DAIRY FOODS OFFICE)	15 UNA STREET
30/03/2003	A365245	False Alarm	False alarm: Defective		UNKN00001 UNA STREET
28/03/2003	A364955	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY)	22 UNA STREET
8/03/2003	A360640	Miscellaneous Fire	Outside rubbish fire		12 WATERVIEW ROAD
7/03/2003	A360501	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	BRIGGS M J MOTOR PAINTERS	23 TIRONUI ROAD
2/02/2003	A352923	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY LAB AND FACTORY)	UNKN00002 UNA STREET
27/01/2003	A351613	Vegetation Fire	Wetland fire		74 LONGFORD PARK DRIVE
20/01/2003	A350101	Vegetation Fire	Vegetation fire - not classified above		8 Waqiore ROAD
3/01/2003	A347024	False Alarm	False alarm: Defective	Awhinatia Health Day Clinic (AWHINITIA HEALTH)	19 GREAT SOUTH ROAD
26/12/2002	A345435	False Alarm	False alarm: Malicious	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY)	22 UNA STREET

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
19/12/2002	A344270	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Z ENERGY PAKAKURA NORTH	345 GREAT SOUTH ROAD
14/11/2002	A336752	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Toyota Takanini	300 GREAT SOUTH ROAD
6/11/2002	A335119	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY)	22 UNA STREET
12/10/2002	A329991	False Alarm	False alarm: Malicious	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY)	22 UNA STREET
10/09/2002	A324129	Structure Fire	Structure fire with no damage		18 TIRONUI ROAD
7/09/2002	A323632	False Alarm	False alarm: Defective		295 GREAT SOUTH ROAD
3/09/2002	A322967	Good Intent Calls	False alarm good intent: Smell of smoke		4 TIRONUI STATION ROAD
12/08/2002	A319001	Structure Fire	Structure fire with no damage	Southgate Retail Centre (GLENORA HOUSE)	230 GREAT SOUTH ROAD
12/08/2002	A318972	Structure Fire	Structure fire with no damage	Southgate Retail Centre (GLENORA HOUSE)	230 GREAT SOUTH ROAD
1/08/2002	A316943	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Plant Takanini	UNA STREET
29/07/2002	A316388	Miscellaneous Fire	Outside rubbish fire		MOSS CRESCENT
11/07/2002	A312820	Structure Fire	Chimney fire	Kids Count Education Centre Takanini	25 WALTERS ROAD
2/07/2002	A311202	Electrical Hazards	Arcing, shorted electrical equipment		YOUNGS ROAD
25/06/2002	A309989	False Alarm	False alarm: Defective		UNKN00003 UNA STREET
24/06/2002	A309578	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		50 WALTERS ROAD
17/06/2002	A306843	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		280 GREAT SOUTH ROAD
9/06/2002	A305341	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		11 GLENBURN PLACE
9/06/2002	A305308	False Alarm	False alarm: Defective	Papakura Private Hospital	7A YOUNGS ROAD
1/06/2002	A303841	False Alarm	False alarm: Accidental operation		UNKN00003 UNA STREET
17/05/2002	A300158	Structure Fire	Structure fire with damage		64 TIRONUI ROAD
16/05/2002	A299842	False Alarm	False alarm: Accidental operation		15 UNA STREET
6/05/2002	A297463	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY)	22 UNA STREET
23/04/2002	A294732	False Alarm	False alarm: Accidental operation	Lewis Equipment (GLENORA HOUSE)	230 GREAT SOUTH ROAD
14/04/2002	A292560	Vegetation Fire	Vegetation fire - not classified above		18 SHEPHERDS ROAD
19/03/2002	A286031	Structure Fire	Structure fire with no damage		39 TIRONUI ROAD

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
15/03/2002	A284998	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY)	22 UNA STREET
28/02/2002	A281756	Structure Fire	Structure fire with no damage	Brands N Z Logistics Takanini (NZ DAIRY FOODS ROSS STORE)	UNKN00001 UNA STREET
18/02/2002	A279032	Good Intent Calls	False alarm good intent: Unauthorised controlled burn		249 GREAT SOUTH ROAD
13/02/2002	A278049	False Alarm	False alarm: Accidental operation	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
12/02/2002	A277835	False Alarm	False alarm: Accidental operation	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
9/02/2002	A277348	Miscellaneous Fire	Outside rubbish fire		31 MOSS CRESCENT
3/02/2002	A275718	False Alarm	False alarm: Excess Smoke, Heat	Tui House (LEANNE REST HOME)	2 TRENTHAM ROAD
1/02/2002	A274843	Special Service Calls	Smoke problem		10 YOUNGS ROAD
28/01/2002	A273913	False Alarm	False alarm: Accidental operation	Tui House (LEANNE REST HOME)	2 TRENTHAM ROAD
26/01/2002	A273608	False Alarm	False alarm: Undetermined alarm activation	Longford Park Village Apartments	1 LONGFORD PARK DRIVE
26/01/2002	A273503	Good Intent Calls	False alarm good intent: Unauthorised controlled burn		SHEPHERDS ROAD
21/01/2002	A272198	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY)	22 UNA STREET
18/01/2002	A271564	Miscellaneous Fire	Outside rubbish fire		23 YOUNGS ROAD
2/01/2002	A267873	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Z ENERGY PAPA KURA NORTH	345 GREAT SOUTH ROAD
31/10/2001	A252669	Miscellaneous Fire	Outside rubbish fire		254 GREAT SOUTH ROAD
27/10/2001	A251766	False Alarm	False alarm: Accidental operation		UNKN00003 UNA STREET
14/10/2001	A248990	Mobile Properties Hazardous Incidents	Gas, Liquid spill: Vehicle accident	Z ENERGY PAPA KURA NORTH	345 GREAT SOUTH ROAD
29/09/2001	A245783	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY)	22 UNA STREET
14/09/2001	A242382	False Alarm	False alarm: Defective	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME)	21 YOUNGS ROAD
17/08/2001	A236717	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB AND FACTORY)	22 UNA STREET
7/07/2001	A228653	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	NEW MAGNUM JOINERY (NEW MAGNUM JOINERY LTD)	17 WALTERS ROAD
22/06/2001	A225228	False Alarm	False alarm: Accidental operation	Tui House (LEANNE REST HOME)	2 TRENTHAM ROAD

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
11/06/2001	A222884	False Alarm	False alarm: Accidental operation		14 UNA STREET
6/06/2001	A221731	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB & FACTORY)	22 UNA STREET
30/05/2001	A220240	False Alarm	False alarm: Defective		15 UNA STREET
26/04/2001	A212704	Miscellaneous Fire	Outside rubbish fire	Fonterra Brands N Z Cool Stores Takanini (NZ DAIRY FOODS COOLSTORE)	UNKN0 GREAT SOUTH ROAD
16/04/2001	A210760	Vegetation Fire	Scrub fire (excluding gorse)		TIRONUI STATION ROAD
15/04/2001	A210532	False Alarm	False alarm: Malicious	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB & FACTORY)	22 UNA STREET
14/04/2001	A210273	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB & FACTORY)	22 UNA STREET
20/03/2001	A203968	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		31 TIRONUI ROAD
14/02/2001	A195782	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB & FACTORY)	22 UNA STREET
8/02/2001	A194450	False Alarm	False alarm: Accidental activation of turnout system	Lewis Equipment (CARTER HOLT BUILDING SUPPLIES)	UNKN00010 GREAT SOUTH ROAD
30/12/2000	A185014	False Alarm	False alarm: Defective		15 UNA STREET
12/12/2000	A179990	False Alarm	False alarm: Undetermined alarm activation	Tironui Business Park	3 TIRONUI STATION ROAD
9/12/2000	A179073	Miscellaneous Fire	Outside rubbish fire		33 LONGFORD PARK DRIVE
3/12/2000	A177570	Structure Fire	Structure fire with damage		Walters ROAD
20/11/2000	A174146	Miscellaneous Fire	Outside rubbish fire		Shepards ROAD
19/11/2000	A173874	False Alarm	False alarm: Accidental operation	Tui House (LEANNE REST HOME)	2 TRENTHAM ROAD
10/11/2000	A171112	Good Intent Calls	False alarm good intent: not classified above		229 GREAT SOUTH ROAD
31/10/2000	A168511	False Alarm	False alarm: Defective		TIRONUI STATION ROAD
31/10/2000	A168226	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB & FACTORY)	18 UNA STREET
28/10/2000	A167602	Structure Fire	Structure fire with damage		INLET ROAD
21/10/2000	A165810	False Alarm	False alarm: Accidental operation		27D YOUNGS ROAD
11/10/2000	A163283	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		311 GREAT SOUTH ROAD
6/10/2000	A162141	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB & FACTORY)	18 UNA STREET

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
27/09/2000	A160102	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (NZ DAIRY FOODS LAB & FACTORY)	18 UNA PLACE
22/09/2000	A158659	False Alarm	False alarm: Defective	Lewis Equipment (CARTER HOLT BUILDING SUPPLIES)	WALTERS ROAD
1/08/2000	A144979	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		UNA PLACE
14/07/2000	A139121	Good Intent Calls	False alarm good intent: Smell of smoke		TIRONUI ROAD
11/07/2000	A137961	Good Intent Calls	False alarm good intent: Smell of smoke		UNA PLACE
10/07/2000	A137718	Rescue, Emergency, Medical Call	Assist ambulance		7/327 GREAT STH ROAD
6/07/2000	A136648	Structure Fire	Structure fire with no damage	Tiffanys Escort Agency (THE PITT STOPPE CAFE)	325 GRT SOUTH ROAD
6/07/2000	A136473	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire		305 GRT SOUTH ROAD
5/07/2000	A136249	False Alarm	False alarm: Accidental operation	Roller Doors Northern (111363)	6 THE FURLONG
22/06/2000	A131393	Mobile Properties Hazardous Incidents	Chemical spill: Incorrect vehicle loading		CNR WALTERS/GRT STH
19/06/2000	A130290	False Alarm	False alarm: Accidental operation	Countdown Takanini (111375)	GLENORA ROAD
8/06/2000	A126978	False Alarm	False alarm: Defective	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME)	YOUNGS ROAD
7/06/2000	A126654	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (113171)	UNA PLACE
30/05/2000	A124136	False Alarm	False alarm: Accidental activation of turnout system	Brands N Z Logistics Takanini (113520)	UNA PLACE
27/05/2000	A123240	False Alarm	False alarm: Defective		UNA PLACE
4/05/2000	A115941	Miscellaneous Fire	Outside rubbish fire		33 TIRONUI ROAD
4/05/2000	A115650	Electrical Hazards	Arcing, shorted electrical equipment	Fonterra Brands N Z Beverages Basement Takanini (113170)	22 UNA PLACE
12/04/2000	A109210	Miscellaneous Fire	Rubbish bin, Skip fire		GREAT SOUTH ROAD
5/04/2000	A107615	Vegetation Fire	Grass fire		TIRONUI STN ROAD
23/03/2000	A104486	Special Service Calls	Assist public		51 YOUNGS ROAD
20/03/2000	A103719	Miscellaneous Fire	Barbecue fire: Wood, Charcoal		YOUNGS ROAD
6/03/2000	A100368	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TIRONUI ROAD
18/02/2000	A096474	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Beverages Basement Takanini	UNA PLACE

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
				(113171)	
10/02/2000	A094769	False Alarm	False alarm: Defective	Selwyn Oaks Retirement Village (111811)	21 YOUNGS ROAD
7/02/2000	A093989	False Alarm	False alarm: Accidental activation of turnout system	Fonterra Brands N Z Beverages Basement Takanini (113171)	UNA PLACE
21/01/2000	A090709	Special Service Calls	Assist Police		LONGFORD PARK D
9/12/1999	A082042	Mobile Properties Hazardous Incidents	Chemical spill: Vehicle accident	Brands N Z Logistics Takanini (113520)	UNA PLACE
19/11/1999	A078285	Good Intent Calls	False alarm good intent: Smell of smoke		54 TIRONOI
17/11/1999	A077889	False Alarm	False alarm: Defective		UNA PLACE
16/11/1999	A077761	False Alarm	False alarm: Defective		UNA PLACE
8/11/1999	A076435	Structure Fire	Derelict building fire		WALTERS ROAD
22/10/1999	A073357	False Alarm	False alarm: Defective		UNA PALCE
18/10/1999	A072636	Chemical, Biohazard, Radioactive Incident	Chemical emergency		UNA PLACE
16/10/1999	A072297	Vegetation Fire	Grass fire		WALTERS ROAD
14/10/1999	A072004	False Alarm	False alarm: Accidental operation		UNA PLACE
10/10/1999	A071308	Structure Fire	Structure fire with damage		7 GLENBURN PLACE
26/09/1999	A068925	Vegetation Fire	Grass fire		GREAT SOUTH ROAD
18/08/1999	A062421	False Alarm	False alarm: Accidental operation	Fonterra Brands N Z Beverages Basement Takanini (115060)	UNA PLACE
21/07/1999	A057912	False Alarm	False alarm: Defective	Tui House (115048)	TRENTHAM ROAD
21/07/1999	A057911	False Alarm	False alarm: Defective		UNA STREET
21/07/1999	A057907	False Alarm	False alarm: Undetermined alarm activation		INLET ROAD
3/07/1999	A055324	False Alarm	False alarm: Defective	Fonterra Brands N Z Beverages Basement Takanini (113171)	UNA PLACE
24/06/1999	A053632	Good Intent Calls	False alarm good intent: Smell of smoke		UNA PLACE
23/05/1999	A047692	False Alarm	False alarm: Defective	Papakura Private Hospital (113799)	7A YOUNGS ROAD
18/05/1999	A046887	Miscellaneous Fire	Outside rubbish fire	BERNASCONI MOTORS (JOHN BERNASCONI MOTORS LTD)	TIRONUI ROAD
13/05/1999	A045947	Chemical, Flammable Liquid or Gas Fire	Flammable liquid, Gas fire		LONGFORD PK DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
6/05/1999	A044765	False Alarm	False alarm: Defective		CNR GSR/THE FURLONG
3/05/1999	A044026	False Alarm	False alarm: Accidental activation of turnout system	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME PAPAURA SOUTH AUCKLAND)	YOUNGS ROAD
3/04/1999	A038938	Structure Fire	Structure fire with no damage		1 INLET ROAD
28/03/1999	A038028	False Alarm	False alarm: Defective	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME PAPAURA SOUTH AUCKLAND)	YOUNGS ROAD
12/03/1999	A035136	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		LONGFORD PK DRIVE
27/02/1999	A032966	Miscellaneous Fire	Outside rubbish fire		INLET ROAD
20/02/1999	A031351	False Alarm	False alarm: Accidental operation	Tui House (115048)	TRENTHAM ROAD
11/02/1999	A029657	False Alarm	False alarm: Defective	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME PAPAURA SOUTH AUCKLAND)	YOUNGS ROAD
10/02/1999	A029545	False Alarm	False alarm: Defective		YOUNGS ROAD
27/01/1999	A027250	False Alarm	False alarm: Defective		UNA PLC
22/01/1999	A026253	False Alarm	False alarm: Defective		UNA PLC
21/01/1999	A025869	Miscellaneous Fire	Outside rubbish fire		6 WATERVIEW CRES
14/01/1999	A024723	False Alarm	False alarm: Excess Smoke, Heat	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME PAPAURA SOUTH AUCKLAND)	YOUNG ROAD
5/01/1999	A023332	Miscellaneous Fire	Outside rubbish fire		TIRONUI ST EAST
11/12/1998	A019452	False Alarm	False alarm: Defective	Selwyn Oaks Retirement Village (SELWYN OAKS RETIREMENT HOME PAPAURA SOUTH AUCKLAND)	YOUNGS ROAD
29/11/1998	A017704	False Alarm	False alarm: Defective		UNA PLACE
29/11/1998	A017568	Electrical Hazards	Arcing, shorted electrical equipment		INLET ROAD
17/11/1998	A015410	Vegetation Fire	Grass fire		12 TIRONUI STN ROAD
16/11/1998	A015191	False Alarm	False alarm: Accidental operation		3 GREAT SOUTH ROAD
3/11/1998	A012936	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		197 GT SOUTH ROAD
26/10/1998	A011806	Mobile Property Fire	Caravan, Camper van, Mobile home fire (not in transit)		CNR GT STH /TAKA STREET
8/10/1998	A009574	Miscellaneous Fire	Outside rubbish fire	BERNASCONI MOTORS	GT STH ROAD

OIA 2014-068 - NZFS Incidents within 500m of 15-25 Inlet Rd, Papakura

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time) (DRURY PANELBEATERS)	Address
22/09/1998	A007321	False Alarm	False alarm: Defective		UNA PLACE
16/09/1998	A006553	False Alarm	False alarm: Defective		UNA PLACE
7/09/1998	A005190	Miscellaneous Fire	Rubbish bin, Skip fire		GT SOUTH ROAD
4/09/1998	A004853	Structure Fire	Structure fire with no damage		UNA PLACE

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
13/06/2014	F1633720	False Alarm	False Alarm (NEW)	As Safe As Houses Properties	14 TRITON DRIVE
6/06/2014	F1628968	False Alarm	False alarm: Excess Smoke, Heat	Life North (LIFE CHURCH)	25 ARRENWAY DRIVE
3/06/2014	F1627036	False Alarm	False alarm: Accidental operation	Triton Plaza	33 TRITON DRIVE
28/05/2014	F1623182	False Alarm	False alarm: Defective	Ritchies Coachlines North Shore	3A HENRY ROSE PLACE
28/05/2014	F1623172	False Alarm	False alarm: Accidental operation	Life North (LIFE CHURCH)	25 ARRENWAY DRIVE
9/05/2014	F1612018	False Alarm	False alarm: Accidental operation		34 TRITON DRIVE
8/05/2014	F1611813	False Alarm	False alarm: Undetermined alarm activation		11 CANAVERAL DRIVE
7/05/2014	F1610836	False Alarm	False alarm: Defective		12 TRITON DRIVE
6/05/2014	F1610453	False Alarm	False alarm: Defective	McLaughlin Law (104 ROSEDALE ROAD)	104 ROSEDALE ROAD
2/05/2014	F1608223	False Alarm	False alarm: Accidental operation	McLaughlin Law (104 ROSEDALE ROAD)	104 ROSEDALE ROAD
23/04/2014	F1602931	False Alarm	False alarm: Accidental operation	Waitemata District Health Board Community Dialysis Centre	96 APOLLO DRIVE
20/04/2014	F1601701	False Alarm	False alarm: Undetermined alarm activation	Ritchies Coachlines North Shore	3A HENRY ROSE PLACE
15/04/2014	F1595479	False Alarm	False alarm: Accidental operation		30A ARRENWAY DRIVE
25/03/2014	F1582384	Structure Fire	Structure fire with no damage	Lollipops Educare Rosedale	19 CANAVERAL DRIVE
3/03/2014	F1567060	Rescue, Emergency, Medical Call	Medical call: No ambulance present/Ambulance delayed		36 PUKATEA AVENUE
17/02/2014	F1556833	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Waitemata District Health Board Community Dialysis Centre	96 APOLLO DRIVE
17/02/2014	F1556797	False Alarm	False alarm: not classified above	Billabong Head Office	44 ARRENWAY DRIVE
7/02/2014	F1550861	False Alarm	False alarm: Accidental operation	Brightpoint New Zealand	48 ARRENWAY DRIVE
3/02/2014	F1548351	False Alarm	False alarm: Accidental operation		14-22 TRITON DRIVE
21/01/2014	F1539798	False Alarm	False alarm: Accidental operation	Solution Dynamics	18 CANAVERAL DRIVE
11/01/2014	F1533992	False Alarm	False alarm: Defective	Ritchies Coachlines North Shore	3A HENRY ROSE PLACE
20/12/2013	F1522324	False Alarm	False alarm: Excess Smoke, Heat	As Safe As Houses Properties	14 TRITON DRIVE
13/12/2013	F1517809	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		ROSEDALE RD and TRITON DR
3/12/2013	F1511698	False Alarm	False alarm: Accidental operation	Mustangs Gentlemans Club	14 TAWA DRIVE
24/11/2013	F1505567	False Alarm	False alarm: Defective	New Shoots Childrens Centre Albany	100 ROSEDALE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
16/10/2013	F1481021	False Alarm	False alarm: Undetermined alarm activation	Westcon Group NZ (HIGH MODULUS LTD)	32 CANAVERAL DRIVE
15/10/2013	F1479987	False Alarm	False alarm: Undetermined alarm activation	Westcon Group NZ (HIGH MODULUS LTD)	32 CANAVERAL DRIVE
28/09/2013	F1469973	False Alarm	False alarm: Accidental operation	Westcon Group NZ (HIGH MODULUS LTD)	32 CANAVERAL DRIVE
22/09/2013	F1466155	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		ROSEDALE RD and TAWA DR
22/09/2013	F1466097	Electrical Hazards	Electrical hazard - not classified above	Supercheap Auto Albany	24 TAWA DRIVE
20/09/2013	F1464963	False Alarm	False alarm: Accidental operation		34 TRITON DRIVE
30/07/2013	F1434022	Mobile Properties Hazardous Incidents	Gas, Liquid spill: Vehicle accident		97B ROSEDALE ROAD
21/07/2013	F1428575	Structure Fire	Structure fire with damage	Natural Steps Early Childhood Centre Albany (INGRAM MICRO NZ)	78 APOLLO DRIVE
6/07/2013	F1420249	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill	AK4 Northern MW (Southbound Greville > Constellation)	AK4 NORTHERN MOTORWAY
4/07/2013	F1419108	False Alarm	False alarm: Accidental operation		33 TRITON DRIVE
29/06/2013	F1416663	False Alarm	False alarm: Defective		33 TRITON DRIVE
26/06/2013	F1414508	False Alarm	False alarm: Undetermined alarm activation	Billabong Head Office	44 ARRENWAY DRIVE
7/05/2013	F1384336	False Alarm	False alarm: Defective		33 TRITON DRIVE
6/05/2013	F1383874	False Alarm	False alarm: Undetermined alarm activation		33 TRITON DRIVE
1/05/2013	F1381175	False Alarm	False alarm: Accidental operation	Billabong Head Office	44 ARRENWAY DRIVE
1/05/2013	F1381148	False Alarm	False alarm: Undetermined alarm activation	Rosedale Power Station	171 ROSEDALE ROAD
25/04/2013	F1377967	False Alarm	False alarm: Accidental operation	Triton Plaza (NZ POST TRITON PLAZA)	33 TRITON DRIVE
16/04/2013	F1371670	False Alarm	False alarm: Accidental operation	Ritchies Coachlines North Shore	3A HENRY ROSE PLACE
1/04/2013	F1362846	False Alarm	False alarm: Excess Smoke, Heat	Ritchies Coachlines North Shore	3A HENRY ROSE PLACE
22/03/2013	F1356612	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		4 COWLEY PLACE
19/03/2013	F1355025	Miscellaneous Fire	Rubbish bin, Skip fire		5 MIRO PLACE
18/03/2013	F1353958	Miscellaneous Fire	Rubbish bin, Skip fire		8 HENRY ROSE PLACE
18/03/2013	F1353933	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		8 HENRY ROSE PLACE
17/03/2013	F1353549	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		TAWA DR and GREVILLE RD OFF-RAMP

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
5/03/2013	F1344932	Electrical Hazards	Arcing, shorted electrical equipment		CANAVERAL DR and TRITON DR
15/02/2013	F1332116	False Alarm	False alarm: Excess Smoke, Heat	Salvation Army Albany Bays Corps	90 ROSEDALE ROAD
13/02/2013	F1330468	False Alarm	False alarm: Defective		33 TRITON DRIVE
7/02/2013	F1326922	False Alarm	False alarm: Defective		33 TRITON DRIVE
1/02/2013	F1322926	False Alarm	False alarm: Defective		33 TRITON DRIVE
27/01/2013	F1319240	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Order Of St John Rosedale	101 APOLLO DRIVE
20/01/2013	F1314891	False Alarm	False alarm: Defective		6B DALLAN PLACE
15/01/2013	F1312389	False Alarm	False alarm: Accidental operation		14-22 TRITON DRIVE
3/01/2013	F1305426	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		ROSEDALE ROAD
25/12/2012	F1300586	False Alarm	False alarm: Defective	Wedge Offices	102 ROSEDALE ROAD
11/12/2012	F1292030	False Alarm	False alarm: Accidental operation		42 TAWA DRIVE
4/12/2012	F1287279	False Alarm	False alarm: Defective	Ritchies Coachlines North Shore	3A HENRY ROSE PLACE
9/11/2012	F1272784	False Alarm	False alarm: Excess Smoke, Heat	Elite International School of Beauty And Spa Therapies	40C TRITON DRIVE
22/10/2012	F1262225	False Alarm	False alarm: Undetermined alarm activation		40 ARRENWAY DRIVE
13/10/2012	F1257600	Special Service Calls	Repair roof	Brightpoint New Zealand	48 ARRENWAY DRIVE
13/10/2012	F1257529	False Alarm	False alarm: Defective		33 TRITON DRIVE
11/10/2012	F1256384	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		79 APOLLO DRIVE
6/10/2012	F1253887	Special Service Calls	Assist Police		79 ROSEDALE ROAD
21/09/2012	F1245646	False Alarm	False alarm: Accidental operation	Westcon Group NZ (HIGH MODULUS LTD)	32 CANAVERAL DRIVE
24/08/2012	F1230218	False Alarm	False alarm: Excess Smoke, Heat	Billabong Head Office	44 ARRENWAY DRIVE
17/08/2012	F1226564	False Alarm	False alarm: Undetermined alarm activation		11 CANAVERAL DRIVE
16/08/2012	F1226159	False Alarm	False alarm: Undetermined alarm activation		115 HUGH GREEN DRIVE
16/08/2012	F1225840	False Alarm	False alarm: Defective	McLaughlin Law (104 ROSEDALE ROAD)	104 ROSEDALE ROAD
10/08/2012	F1222587	Good Intent Calls	False alarm good intent: Smell of smoke		12 TRITON DRIVE
30/07/2012	F1216641	Electrical Hazards	Arcing, shorted electrical equipment		TRITON DR and CANAVERAL DR
26/07/2012	F1214873	False Alarm	False alarm: Accidental operation	3M on Ridgeline	94 APOLLO DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
14/07/2012	F1208104	False Alarm	False alarm: Accidental operation	Cameron Sports	14 TAWA DRIVE
6/07/2012	F1203950	Good Intent Calls	False alarm good intent: Smell of smoke	Tawa Drive Office Park Building B	42B TAWA DRIVE
3/07/2012	F1202472	Electrical Hazards	Arcing, shorted electrical equipment		72 APOLLO DRIVE
22/06/2012	F1196624	Good Intent Calls	False alarm good intent: Authorised controlled burn		2 TAWA DRIVE
6/06/2012	F1188149	False Alarm	False alarm: Undetermined alarm activation		40 ARRENWAY DRIVE
23/05/2012	F1181069	Good Intent Calls	False alarm good intent: Call cleared prior to arrival	Burger King Apollo Drive	112 APOLLO DRIVE
21/05/2012	F1179286	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	AK4 Northern MW (Southbound Greville > Constellation)	AK4 NORTHERN MOTORWAY
17/05/2012	F1177437	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		ROSEDALE RD and APOLLO DR
16/05/2012	F1177229	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		TAWA DR and GREVILLE RD
26/04/2012	F1165774	False Alarm	False alarm: Accidental operation		19D ORBIT DRIVE
21/04/2012	F1163498	Miscellaneous Fire	Rubbish bin, Skip fire	Burger King Apollo Drive (BURGER KING APOLLO DR)	112 APOLLO DRIVE
16/04/2012	F1160095	False Alarm	False alarm: Defective	Turners Auctions North Shore	5 ARRENWAY DRIVE
14/04/2012	F1159538	Structure Fire	Structure fire with no damage		32 PUKATEA AVENUE
10/04/2012	F1157250	False Alarm	False alarm: Undetermined alarm activation		33 TRITON DRIVE
24/03/2012	F1147793	False Alarm	False alarm: Undetermined alarm activation	McLaughlin Law (104 ROSEDALE ROAD)	104 ROSEDALE ROAD
21/03/2012	F1145927	Not Recorded	Not Recorded	Tawa Drive Office Park Building C	42C TAWA DRIVE
10/03/2012	F1139237	Not Recorded	Not Recorded		11 CANAVERAL DRIVE
6/03/2012	F1136640	Not Recorded	Not Recorded		ROSEDALE RD and HUGH GREEN DR
30/12/2011	F1099387	Not Recorded	Not Recorded		40 ARRENWAY DRIVE
25/12/2011	F1097116	Not Recorded	Not Recorded	Burger King Apollo Drive	112 APOLLO DRIVE
16/12/2011	F1091877	Not Recorded	Not Recorded		33 TRITON DRIVE
21/11/2011	F1076628	Not Recorded	Not Recorded		33 TRITON DRIVE
15/11/2011	F1073157	Not Recorded	Not Recorded	Elite International School of Beauty And Spa Therapies	40C TRITON DRIVE
7/11/2011	F1068801	Not Recorded	Not Recorded		33 TRITON DRIVE
6/11/2011	F1068320	False Alarm	False alarm: Undetermined alarm activation		3 TAIT PLACE

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
31/10/2011	F1064556	False Alarm	False alarm: Undetermined alarm activation	Westcon Group NZ (HIGH MODULUS LTD)	32 CANAVERAL DRIVE
17/10/2011	F1057508	Not Recorded	Not Recorded		33 TRITON DRIVE
4/10/2011	F1051197	Not Recorded	Not Recorded		HENRY ROSE PLACE
19/09/2011	F1043149	Not Recorded	Not Recorded		73 ROSEDALE ROAD
2/07/2011	F1000914	False Alarm	False alarm: Accidental operation	Wedge Offices	102 ROSEDALE ROAD
1/06/2011	F0984345	False Alarm	False alarm: Accidental operation	Zest Products (FAST CARGO INTERNATIONAL)	6 TAWA DRIVE
27/05/2011	F0981411	False Alarm	False alarm: Defective		79 APOLLO DRIVE
19/05/2011	F0976791	False Alarm	False alarm: Accidental operation	Westcon Group NZ (HIGH MODULUS LTD)	32 CANAVERAL DRIVE
17/05/2011	F0975589	False Alarm	False alarm: Accidental operation	Billabong Head Office	44 ARRENWAY DRIVE
2/05/2011	F0965948	False Alarm	False alarm: Defective	Reefbreak Holdings (REEFBREAK HOLDINGS LTD)	7 CANAVERAL DRIVE
20/04/2011	F0958739	Chemical, Biohazard, Radioactive Incident	Chemical emergency		ROSEDALE RD and TRITON DR
18/04/2011	F0957018	False Alarm	False alarm: Accidental operation		33 TRITON DRIVE
13/04/2011	F0954009	False Alarm	False alarm: Accidental operation		TRITON DR and CANAVERAL DR
23/03/2011	F0939160	False Alarm	False alarm: Accidental operation	Solar Group	19 ARRENWAY DRIVE
16/03/2011	F0934338	Structure Fire	Structure fire with no damage	Solution Dynamics	18 CANAVERAL DRIVE
15/03/2011	F0933515	Miscellaneous Fire	Rubbish bin, Skip fire		117 ROSEDALE ROAD
22/02/2011	F0914058	False Alarm	False alarm: Undetermined alarm activation	Web Drive (TEN CANAVERAL DRIVE UNIT 5)	10 CANAVERAL DRIVE
13/02/2011	F0906893	False Alarm	False alarm: Accidental operation		40 ARRENWAY DRIVE
9/02/2011	F0904331	False Alarm	False alarm: Undetermined alarm activation	National Mini Storage Titoki Place	1 TITOKI PLACE
7/02/2011	F0902749	False Alarm	False alarm: Defective	New Shoots Childrens Centre Albany (NATURAL STEPS EARLY CHILDHOOD CENTRE ALBANY)	100 ROSEDALE ROAD
2/02/2011	F0899934	False Alarm	False alarm: Defective	NZ Post Delivery Rosedale	7 TAWA DRIVE
27/01/2011	F0894160	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke	Solution Dynamics	18 CANAVERAL DRIVE
21/01/2011	F0888682	False Alarm	False alarm: Accidental operation		33 TRITON DRIVE
19/01/2011	F0887398	False Alarm	False alarm: Defective	Billabong Head Office	44 ARRENWAY DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
13/01/2011	F0881218	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		5 TAIT PLACE
5/01/2011	F0875099	Structure Fire	Structure fire with damage	Burger King Apollo Drive	112 APOLLO DRIVE
22/12/2010	F0861983	False Alarm	False alarm: Accidental operation	National Mini Storage Titoki Place	1 TITOKI PLACE
20/12/2010	F0859236	False Alarm	False alarm: Accidental operation		33 TRITON DRIVE
20/12/2010	F0859146	False Alarm	False alarm: Undetermined alarm activation		2 TAWA DRIVE
18/12/2010	F0858140	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		9 HENRY ROSE PLACE
17/12/2010	F0857129	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		COWLEY PLACE
17/12/2010	F0856537	False Alarm	False alarm: Accidental operation		33 TRITON DRIVE
16/12/2010	F0855911	False Alarm	False alarm: Defective	Ritchies Coachlines North Shore	3A HENRY ROSE PLACE
6/12/2010	F0846640	Miscellaneous Fire	Rubbish bin, Skip fire	Westcon Group NZ (HIGH MODULUS)	32 CANAVERAL DRIVE
4/12/2010	F0844472	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill	AK4 Northern MW (Southbound Greville > Constellation)	AK4 NORTHERN MOTORWAY
19/11/2010	F0830904	Structure Fire	Structure fire with no damage	BP Rosedale Road (BP 2GO ROSEDALE RD)	52 ROSEDALE ROAD
9/11/2010	F0820733	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire	AK4 Northern MW (Southbound Greville > Constellation)	AK4 NORTHERN MOTORWAY
12/10/2010	F0796879	False Alarm	False alarm: Defective	Rosedale Power Station	171 ROSEDALE ROAD
19/09/2010	F0776623	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill	McLaughlin Law (104 ROSEDALE ROAD)	104 ROSEDALE ROAD
13/09/2010	F0768976	False Alarm	False alarm: Defective		64 APOLLO DRIVE
6/09/2010	F0760188	False Alarm	False alarm: Accidental operation	Web Drive (TEN CANAVERAL DRIVE UNIT 5)	10 CANAVERAL DRIVE
29/07/2010	F0732964	False Alarm	False alarm: Undetermined alarm activation	McLaughlin Law (104 ROSEDALE ROAD)	104 ROSEDALE ROAD
20/07/2010	F0727536	False Alarm	False alarm: Defective		1G HENRY ROSE PLACE
1/07/2010	F0715126	Good Intent Calls	False alarm good intent: Smell of smoke	Billabong Head Office	44 ARRENWAY DRIVE
30/06/2010	F0714130	False Alarm	False alarm: Undetermined alarm activation	McLaughlin Law (104 ROSEDALE ROAD)	104 ROSEDALE ROAD
28/06/2010	F0713152	False Alarm	False alarm: Accidental operation	Zest Products (FAST CARGO INTERNATIONAL)	6 TAWA DRIVE
25/06/2010	F0711459	Structure Fire	Structure fire with no damage		1A HENRY ROSE PLACE
19/06/2010	F0707930	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		91 ROSEDALE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
17/06/2010	F0706448	False Alarm	False alarm: Accidental operation		ARRENWAY DRIVE
10/06/2010	F0702004	Structure Fire	Structure fire with no damage		6 CANAVERAL DRIVE
2/06/2010	F0696421	False Alarm	False alarm: Undetermined alarm activation	Elite International School of Beauty And Spa Therapies	40C TRITON DRIVE
20/05/2010	F0687521	False Alarm	False alarm: Defective	Westcon Group NZ (HIGH MODULUS LTD)	32 CANAVERAL DRIVE
19/05/2010	F0686061	Special Service Calls	Assist public	Dimension Shop Fitters (PHOENIX ALUMINIUM DOORS AND WINDOWS)	67 ARRENWAY DRIVE
10/05/2010	F0679599	False Alarm	False alarm: Undetermined alarm activation	North Shore Plaza	4 ARRENWAY DRIVE
5/05/2010	F0675311	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		ROSEDALE RD and APOLLO DR
30/04/2010	F0671863	False Alarm	False alarm: Undetermined alarm activation	North Shore Plaza	4 ARRENWAY DRIVE
14/04/2010	F0660463	Special Service Calls	Assist public	Elite International School of Beauty And Spa Therapies	40 TRITON DRIVE
24/03/2010	F0643920	False Alarm	False alarm: Undetermined alarm activation	Wedge Offices	102 ROSEDALE ROAD
19/03/2010	F0640390	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Turners Auctions North Shore (TURNERS CAR AUCTIONS ROSEDALE)	9 ARRENWAY DRIVE
8/03/2010	F0631498	Structure Fire	Structure fire with no damage	Mustangs Gentlemans Club	14 TAWA DRIVE
19/02/2010	F0617852	False Alarm	False alarm: Defective	North Shore Plaza	4 ARRENWAY DRIVE
18/02/2010	F0617321	False Alarm	False alarm: Undetermined alarm activation	Billabong Head Office	44 ARRENWAY DRIVE
12/02/2010	F0612634	Structure Fire	Structure fire with no damage	3M on Ridgeline	94 APOLLO DRIVE
29/01/2010	F0602799	False Alarm	False alarm: Accidental operation	North Shore Plaza	4 ARRENWAY DRIVE
8/01/2010	F0588834	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		4 COWLEY PLACE
8/12/2009	F0566985	False Alarm	False alarm: Defective	North Shore Plaza ()	4 ARRENWAY DRIVE
24/11/2009	F0555864	False Alarm	False alarm: Accidental operation	Ritchies Coachlines North Shore	3A HENRY ROSE PLACE
27/10/2009	F0535622	False Alarm	False alarm: Accidental operation		APOLLO DRIVE
15/10/2009	F0528054	False Alarm	False Alarm (NEW)	AK4 Northern MW (Southbound Greville > Constellation)	AK4 NORTHERN MOTORWAY
29/09/2009	F0517921	False Alarm	False alarm: Defective	Mustangs Gentlemans Club	14 TAWA DRIVE
24/09/2009	F0515071	Not Recorded	Not Recorded	McLaughlin Law (104 ROSEDALE ROAD)	104 ROSEDALE ROAD
24/09/2009	F0514944	Not Recorded	Not Recorded	3M on Ridgeline	94 APOLLO DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
18/09/2009	F0511080	False Alarm	False alarm: Defective		40C TRITON DRIVE
20/08/2009	F0491825	Rescue, Emergency, Medical Call	Rescue, Emergency, Medical Call (NEW)	AK4 Northern MW (Southbound Greville > Constellation)	AK4 NORTHERN MOTORWAY
14/08/2009	F0487725	False Alarm	False alarm: Accidental operation	North Shore Plaza ()	4 ARRENWAY DRIVE
8/08/2009	F0484227	False Alarm	False alarm: Accidental operation		6 DALLAN PLACE
7/08/2009	F0483542	Good Intent Calls	False alarm good intent: not classified above		COWLEY PLACE
31/07/2009	F0478077	False Alarm	False Alarm (NEW)	Ingram Micro NZ	78 APOLLO DRIVE
25/07/2009	F0474485	Rescue, Emergency, Medical Call	Assist ambulance		ROSEDALE RD and TRITON DR
21/07/2009	F0471713	False Alarm	False alarm: Accidental operation	National Mini Storage Titoki Place	1 TITOKI PLACE
20/07/2009	F0471297	False Alarm	False alarm: Malicious	Mustangs Gentlemans Club	14 TAWA DRIVE
15/07/2009	F0467634	False Alarm	False alarm: Accidental operation	Ritchies Coachlines North Shore	3A HENRY ROSE PLACE
6/07/2009	F0461190	Structure Fire	Structure fire with no damage		1D HENRY ROSE PLACE
12/06/2009	F0445370	False Alarm	False alarm: Accidental operation	Ritchies Coachlines North Shore	3A HENRY ROSE PLACE
9/06/2009	F0443313	False Alarm	False alarm: Undetermined alarm activation		2 TRITON DRIVE
6/06/2009	F0441060	False Alarm	False alarm: Defective	National Mini Storage Titoki Place	1 TITOKI PLACE
3/06/2009	F0438846	False Alarm	False alarm: Accidental operation	Ritchies Coachlines North Shore	3A HENRY ROSE PLACE
29/05/2009	F0436005	Miscellaneous Fire	Outside rubbish fire	Hosking Trailers	13 TAIT PLACE
29/05/2009	F0435828	False Alarm	False alarm: Accidental activation of turnout system	Ritchies Coachlines North Shore	3A HENRY ROSE PLACE
22/05/2009	F0430877	False Alarm	False alarm: Accidental operation	Ritchies Coachlines North Shore	3A HENRY ROSE PLACE
14/05/2009	F0425436	False Alarm	False alarm: Accidental operation	Ritchies Coachlines North Shore	3A HENRY ROSE PLACE
13/05/2009	F0425062	False Alarm	False alarm: Malicious		121 ROSEDALE ROAD
5/05/2009	F0419429	False Alarm	False alarm: Excess Smoke, Heat		40C TRITON DRIVE
5/05/2009	F0419311	False Alarm	False alarm: Accidental operation	Ritchies Coachlines North Shore	3A HENRY ROSE PLACE
22/04/2009	F0410114	False Alarm	False alarm: Accidental operation		9 HENRY ROSE PLACE
3/04/2009	F0396142	False Alarm	False alarm: Defective		115 HUGH GREEN DRIVE
29/03/2009	F0392253	Miscellaneous Fire	Outside rubbish fire		121 ROSEDALE ROAD
25/03/2009	F0388994	False Alarm	False alarm: Defective	Order Of St John Rosedale (ROSEDALE AMBULANCE STATION)	115 APOLLO DRIVE
20/03/2009	F0385019	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		GREVILLE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
10/03/2009	F0376725	False Alarm	False alarm: Defective	Order Of St John Rosedale (ROSEDALE AMBULANCE STATION)	115 APOLLO DRIVE
6/03/2009	F0373064	False Alarm	False alarm: Defective		19 TRITON DRIVE
2/03/2009	F0369755	False Alarm	False alarm: Defective		6 TRITON DRIVE
4/02/2009	F0348802	Electrical Hazards	Electrical hazard - not classified above		APOLLO DR and ORBIT DR
27/01/2009	F0342176	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire	Solution Dynamics	18 CANAVERAL DRIVE
31/12/2008	F0322202	False Alarm	False alarm: Undetermined alarm activation		62 APOLLO DRIVE
23/12/2008	F0316713	Structure Fire	Structure fire with no damage	Westcon Group NZ (HIGH MODULUS LTD)	32 CANAVERAL DRIVE
14/12/2008	F0310081	Rescue, Emergency, Medical Call	Medical call: No ambulance present/Ambulance delayed		1G HENRY ROSE PLACE
5/12/2008	F0303245	False Alarm	False alarm: not classified above	McLaughlin Law (104 ROSEDALE ROAD)	104 ROSEDALE ROAD
11/11/2008	F0283036	False Alarm	False alarm: Accidental operation		40C TRITON DRIVE
22/10/2008	F0268573	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		ROSEDALE RD and TRITON DR
11/10/2008	F0260678	False Alarm	False alarm: Defective		40 ARRENWAY DRIVE
11/10/2008	F0260654	False Alarm	False alarm: Accidental operation		40 ARRENWAY DRIVE
11/10/2008	F0260458	False Alarm	False alarm: Accidental operation		40C TRITON DRIVE
27/09/2008	F249956	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke	AK4 Northern MW (Southbound Greville > Constellation)	AK4 NORTHERN MOTORWAY
29/08/2008	F230279	False Alarm	False alarm: Excess Smoke, Heat	Lollipops Educare Rosedale	19 CANAVERAL DRIVE
13/08/2008	F220073	False Alarm	False alarm: Accidental operation	Zest Products (FAST CARGO INTERNATIONAL)	6 TAWA DRIVE
12/08/2008	F219468	False Alarm	False alarm: Accidental operation		40 ARRENWAY DRIVE
26/07/2008	F205543	Special Service Calls	Special service call - not classified above	Stone Warehouse	11 COWLEY PLACE
8/07/2008	F193297	False Alarm	False alarm: Defective	Westcon Group NZ (HIGH MODULUS LTD)	32 CANAVERAL DRIVE
30/06/2008	F188254	False Alarm	False alarm: Undetermined alarm activation	McLaughlin Law (104 ROSEDALE ROAD)	104 ROSEDALE ROAD
27/06/2008	F186516	False Alarm	False alarm: Accidental operation		2 TAWA DRIVE
25/06/2008	F184731	Structure Fire	Structure fire with no damage	Westcon Group NZ (HIGH MODULUS LTD)	32 CANAVERAL DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
13/06/2008	F177227	Structure Fire	Structure fire with damage	Melric International	26 ARRENWAY DRIVE
12/06/2008	F176446	False Alarm	False alarm: Accidental operation	McLaughlin Law (104 ROSEDALE ROAD)	104 ROSEDALE ROAD
8/06/2008	F173793	Rescue, Emergency, Medical Call	Assist ambulance		ROSEDALE RD and TAWA DR
5/06/2008	F171902	Miscellaneous Fire	Miscellaneous fire - not classified above		11 CIVIL PLACE
31/05/2008	F168870	Special Service Calls	Assist Police	AK4 Northern MW (Southbound Greville > Constellation)	AK4 NORTHERN MOTORWAY
7/04/2008	F129254	False Alarm	False alarm: Excess Smoke, Heat	Lollipops Educare Rosedale	19 CANAVERAL DRIVE
7/03/2008	F105325	False Alarm	False alarm: Accidental operation	Solution Dynamics	18 CANAVERAL DRIVE
6/03/2008	F104360	False Alarm	False alarm: Defective	Billabong Head Office	44 ARRENWAY DRIVE
28/02/2008	F098841	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		TRITON DRIVE
26/02/2008	F097097	Good Intent Calls	False alarm good intent: Hazardous substance no action taken	Triton Plaza (NZ POST TRITON PLAZA)	33 TRITON DRIVE
12/02/2008	F086812	False Alarm	False alarm: Accidental operation	Rosedale Power Station	171 ROSEDALE ROAD
7/02/2008	F082392	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident	Metro Roofing	8 TAIT PLACE
22/01/2008	F069889	False Alarm	False alarm: Excess Smoke, Heat		26 TRITON DRIVE
16/01/2008	F065068	Electrical Hazards	Arcing, shorted electrical equipment		18 ARRENWAY DRIVE
5/01/2008	F056982	False Alarm	False alarm: Defective	Westcon Group NZ (HIGH MODULUS LTD)	32 CANAVERAL DRIVE
26/12/2007	F050496	Mobile Properties Hazardous Incidents	Gas, Liquid spill: Vehicle accident		GREVILLE RD and ALBANY EXWY
13/12/2007	F041597	False Alarm	False alarm: Accidental operation	Rosedale Power Station	171 ROSEDALE ROAD
6/12/2007	F036390	False Alarm	False alarm: Defective		40 ARRENWAY DRIVE
5/12/2007	F035256	False Alarm	False alarm: Accidental operation		75 APOLLO DRIVE
30/11/2007	F030899	False Alarm	False alarm: Defective	Triton Plaza (NZ POST TRITON PLAZA)	33 TRITON DRIVE
25/11/2007	F027176	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	AK4 Northern MW (Southbound Greville > Constellation)	AK4 NORTHERN MOTORWAY
16/11/2007	F019339	Miscellaneous Fire	Outside rubbish fire		HENRY ROSE PLACE
27/09/2007	A748194	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke	National Mini Storage Titoki Place (NATIONAL MINI STORAGE)	6 MIRO PLACE
21/09/2007	A746849	False Alarm	False alarm: Accidental operation	Westcon Group NZ (HIGH MODULUS LTD)	32 CANAVERAL DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
20/09/2007	A746302	False Alarm	False alarm: Excess Smoke, Heat		41B ARRENWAY DRIVE
4/09/2007	A742487	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke	AK4 Northern MW (Southbound Greville > Constellation)	AK4 NORTHERN MOTORWAY
8/08/2007	A735683	False Alarm	False alarm: Accidental operation		75 APOLLO DRIVE
10/07/2007	A726640	Natural Disasters	Wind storm, Tornado, Cyclone etc		TAWA DRIVE
10/07/2007	A726628	Special Service Calls	Repair roof		TAWA DRIVE
1/07/2007	A723337	Special Service Calls	Special service call - not classified above		TAWA DR and ROSEDALE RD
16/06/2007	A719558	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		ROSEDALE ROAD
16/06/2007	A719408	False Alarm	False alarm: Defective		19 TRITON DRIVE
7/06/2007	A717411	False Alarm	False alarm: Defective	Order Of St John Rosedale (SAINT JOHN AMBULANCE ROSEDALE)	115 APOLLO DRIVE
1/06/2007	A715881	False Alarm	False alarm: Excess Smoke, Heat	Westcon Group NZ (HIGH MODULUS LTD)	32 CANAVERAL DRIVE
8/05/2007	A709347	False Alarm	False alarm: Accidental operation	Zest Products (KONTUREST)	6 TAWA DRIVE
24/04/2007	A705822	Structure Fire	Structure fire with no damage	Sage Manufacturing (SAGE MANUFACTURING LTD)	2 TAIT PLACE
16/04/2007	A703453	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire		31 ARRENWAY DRIVE
14/04/2007	A703120	False Alarm	False alarm: Undetermined alarm activation		TRITON DRIVE
14/04/2007	A703092	False Alarm	False alarm: Defective	Triton Plaza (NZ POST TRITON PLAZA)	33 TRITON DRIVE
3/04/2007	A700110	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	CDK Stone	40 CANAVERAL DRIVE
31/03/2007	A699401	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	A And S Engineering ()	4 TAIT PLACE
30/03/2007	A699117	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		2 TAWA DRIVE
29/03/2007	A698666	Miscellaneous Hazardous Condition	Miscellaneous hazardous condition - not classified above		ROSEDALE RD and TAWA DR
3/03/2007	A690032	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		TAWA DRIVE
22/02/2007	A687337	Electrical Hazards	Electrical hazard - not classified above		126 HUGH GREEN DRIVE
21/02/2007	A686885	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Burnsco Albany ()	17 TAWA DRIVE
17/02/2007	A685783	False Alarm	False alarm: Accidental operation		ARRENWAY DR and CIVIL PL
15/02/2007	A685123	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		117 ROSEDALE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
13/02/2007	A684739	Miscellaneous Fire	Rubbish bin, Skip fire		COWLEY PLACE
5/02/2007	A682712	Special Service Calls	Assist Police	Tawa Drive Office Park Building C	42C TAWA DRIVE
1/12/2006	A665668	Electrical Hazards	Arcing, shorted electrical equipment		ROSEDALE RD and TRITON DR
20/11/2006	A662755	False Alarm	False alarm: Undetermined alarm activation	Sage Manufacturing (SAGE MANUFACTURING LTD)	2 TAIT PLACE
7/11/2006	A658726	Electrical Hazards	Arcing, shorted electrical equipment		ARRENWAY DRIVE
21/10/2006	A653158	False Alarm	False alarm: Undetermined alarm activation		TAWA DRIVE
14/10/2006	A651263	False Alarm	False alarm: Accidental operation	Zest Products (KONTUREST)	6 TAWA DRIVE
12/10/2006	A650839	Miscellaneous Fire	Outside rubbish fire		CANAVERAL DRIVE
6/10/2006	A649204	False Alarm	False alarm: Defective	Hughes And Tuke Construction	42 TAWA DRIVE
13/09/2006	A642948	Miscellaneous Fire	Hangi, Umu fire, Cultural cooking fire		
3/09/2006	A640396	False Alarm	False alarm: Excess Smoke, Heat		34 TRITON DRIVE
31/08/2006	A639843	False Alarm	False alarm: Accidental operation	Zest Products (KONTUREST)	6 TAWA DRIVE
27/08/2006	A638793	False Alarm	False alarm: Malicious	Mustangs Gentlemans Club	14 TAWA DRIVE
13/07/2006	A629003	False Alarm	False alarm: Accidental operation		14-22 TRITON DRIVE
13/07/2006	A628929	False Alarm	False alarm: Defective		6A DALLAN PLACE
29/05/2006	A617653	False Alarm	False alarm: Excess Smoke, Heat	Burnsco Albany ()	17 TAWA DRIVE
3/05/2006	A611834	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire	Brightpoint New Zealand ()	48 ARRENWAY DRIVE
3/05/2006	A611809	Miscellaneous Fire	Outside fire: Material burnt has definable value		GREVILLE ROAD
2/05/2006	A611424	False Alarm	False alarm: Accidental operation	Zest Products (KONTUREST)	6 TAWA DRIVE
17/02/2006	A592793	Structure Fire	Derelict building fire		50 ROSEDALE ROAD
9/02/2006	A590835	False Alarm	False alarm: Accidental operation	Mustangs Gentlemans Club (NZ POST DELIVERY ROSEDALE)	14 TAWA DRIVE
28/01/2006	A588412	False Alarm	False alarm: Defective		7A TAWA DRIVE
24/01/2006	A587436	False Alarm	False alarm: Defective		115 HUGH GREEN DRIVE
23/01/2006	A586889	False Alarm	False alarm: Defective		5 COWLEY PLACE
10/12/2005	A576753	Miscellaneous Fire	Miscellaneous fire - not classified above		ARRENWAY DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
24/11/2005	A572852	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Web Drive (TEN CANAVERAL DRIVE UNIT 5)	10 CANAVERAL DRIVE
18/11/2005	A571274	False Alarm	False alarm: not classified above		115 HUGH GREEN DRIVE
14/11/2005	A569936	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		31 ARRENWAY
13/11/2005	A569598	Miscellaneous Fire	Outside rubbish fire		TAIT PLACE
11/11/2005	A569147	False Alarm	False alarm: Accidental operation	Turners Auctions North Shore (TURNERS CAR AUCTIONS ROSEDALE)	5 ARRENWAY DRIVE
29/06/2005	A539938	Rescue, Emergency, Medical Call	Rescue, Emergency medical call - not classified above	AK4 Northern MW (Southbound Greville > Constellation)	AK4 NORTHERN MOTORWAY
22/06/2005	A538356	False Alarm	False alarm: Defective		41B ARRENWAY DRIVE
14/06/2005	A536792	False Alarm	False alarm: Defective		
2/06/2005	A534003	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	AK4 Northern MW (Southbound Greville > Constellation)	AK4 NORTHERN MOTORWAY
30/04/2005	A526197	Miscellaneous Fire	Outside fire: Material burnt has definable value		ARRENWAY DR
20/04/2005	A524118	Structure Fire	Structure fire with damage		ARRENWAY DRIVE
17/04/2005	A523329	Miscellaneous Fire	Outside fire: Material burnt has definable value		ARRENWAY DRIVE
17/04/2005	A523323	Miscellaneous Fire	Outside fire: Material burnt has definable value		APOLLO DRIVE
14/04/2005	A522517	False Alarm	False alarm: Accidental operation		115 HUGH GREEN DRIVE
23/02/2005	A510823	False Alarm	False alarm: not classified above		12 TRITON DRIVE
8/02/2005	A507377	False Alarm	False alarm: Defective	National Mini Storage Titoki Place (THE BUILDING DEPOT ALBANY)	1 TITOKI PLACE
2/02/2005	A505920	False Alarm	False alarm: Defective	Mico Plumbing Supplies Albany ()	3 TAWA DRIVE
19/01/2005	A502678	False Alarm	False alarm: Accidental operation	Zest Products (KONTUREST)	6 TAWA DRIVE
28/12/2004	A498268	False Alarm	False alarm: Defective		TAWA DRIVE
10/12/2004	A494428	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		CNR TAWA AND ROSEDALE RDS
9/12/2004	A494255	Electrical Hazards	Power line down		ROSEDALE ROAD
21/10/2004	A482208	False Alarm	False alarm: Defective	Mustangs Gentlemans Club	14 TAWA DRIVE
15/10/2004	A481120	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Mustangs Gentlemans Club	14 TAWA DRIVE
25/09/2004	A477374	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		
21/09/2004	A476369	Structure Fire	Chimney fire		22 COWLEY PLACE

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
6/09/2004	A473520	False Alarm	False alarm: Defective	Mustangs Gentlemans Club	14 TAWA DRIVE
16/08/2004	A469458	Good Intent Calls	False alarm good intent: not classified above	AK4 Northern MW (Southbound Greville > Constellation) (AK4)	AK4 NORTHERN MOTORWAY
8/08/2004	A468305	Good Intent Calls	False alarm good intent: Authorised controlled burn		
30/07/2004	A466588	Good Intent Calls	False alarm good intent: not classified above		ROSEDALE ROAD
30/07/2004	A466561	Good Intent Calls	False alarm good intent: not classified above		TAWA DRIVE
28/06/2004	A460080	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke	AK4 Northern MW (Southbound Greville > Constellation) (AK4)	AK4 NORTHERN MOTORWAY
25/06/2004	A459626	False Alarm	False alarm: Defective	National Mini Storage Titoki Place (THE BUILDING DEPOT ALBANY)	1 TITOKI PLACE
2/06/2004	A455185	Miscellaneous Fire	Miscellaneous fire - not classified above	A And S Engineering	4 TAIT PLACE
28/05/2004	A454285	Electrical Hazards	Arcing, shorted electrical equipment	A And S Engineering	4 TAIT PLACE
11/03/2004	A437935	Miscellaneous Fire	Outside rubbish fire		HENRY ROSE PLACE
24/01/2004	A426637	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		AK1C AUCKLAND-WAIWERA MOTORWAY
12/01/2004	A424183	False Alarm	False alarm: not classified above		TAWA DRIVE
27/12/2003	A420805	Miscellaneous Fire	Outside rubbish fire		56 BUSHLANDS PARK DRIVE
1/12/2003	A415187	False Alarm	False alarm: Excess Smoke, Heat		115 HUGH GREEN DRIVE
28/11/2003	A414678	Special Service Calls	Assist Police		TAWA DRIVE
19/11/2003	A412424	False Alarm	False alarm: Excess Smoke, Heat		HENRY ROSE PLACE
18/10/2003	A404890	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		119 HUGH GREEN DRIVE
14/07/2003	A386946	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		
21/05/2003	A376316	Natural Disasters	Flood		ARRENWAY DRIVE
12/03/2003	A361475	False Alarm	False alarm: Accidental operation		5 COWLEY PLACE
2/02/2003	A352885	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		GREVILLE ROAD
1/02/2003	A352499	Vegetation Fire	Hedge, Shelterbelt fire		TAWA DRIVE
17/12/2002	A343878	False Alarm	False alarm: Defective		5 COWLEY PLACE
17/10/2002	A331043	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		HENRY ROSE PLACE
10/09/2002	A324157	Electrical Hazards	Arcing, shorted electrical equipment		TAWA DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
31/08/2002	A322440	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		123 GREVILLE ROAD
27/07/2002	A315950	Miscellaneous Fire	Miscellaneous fire - not classified above		ROSEDALE ROAD
12/07/2002	A313036	False Alarm	False alarm: Accidental operation		5 COWLEY PLACE
29/04/2002	A295944	Structure Fire	Structure fire with damage		42 TAWA DRIVE
9/04/2002	A291162	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		GREVILLE ROAD
14/03/2002	A284738	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		AK4 AUCKLAND-WAIWERA MOTORWAY
5/03/2002	A283054	Mobile Property Fire	Derelict mobile property fire		ARRENWAY DRIVE
5/03/2002	A283021	Miscellaneous Fire	Outside rubbish fire		TRITON DRIVE
25/02/2002	A280966	Structure Fire	Structure fire with no damage	Sage Manufacturing	2 TAIT PLACE
3/01/2002	A268250	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		AK4 AUCKLAND-WAIWERA MOTORWAY
16/12/2001	A263881	Natural Disasters	Flood		22 COWLEY PLACE
5/12/2001	A261433	False Alarm	False alarm: Defective	Zest Products (114859)	6 TAWA DRIVE
15/08/2001	A236310	False Alarm	False alarm: not classified above		AUCKLAND-WAIWERA MOTORWAY
18/07/2001	A230922	Miscellaneous Fire	Outside rubbish fire		Rosedale
2/07/2001	A227434	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		AK4 AUCKLAND-WAIWERA MOTORWAY
30/04/2001	A213670	Electrical Hazards	Electrical hazard - not classified above	Sage Manufacturing	2 TAIT PLACE
29/03/2001	A206320	Miscellaneous Fire	Outside rubbish fire		HENRY ROSE PLACE
7/03/2001	A200818	False Alarm	False alarm: Defective		27 TAWA DRIVE
26/02/2001	A198633	Structure Fire	Structure fire with no damage	Sage Manufacturing	2 TAIT PLACE
25/02/2001	A198424	Vegetation Fire	Grass fire		COWLEY PLACE
22/11/2000	A174415	Good Intent Calls	False alarm good intent: Authorised controlled burn		ROSEDALE ROAD
17/07/2000	A139886	False Alarm	False alarm: not classified above		NTHERN M/WAY
4/07/2000	A135918	False Alarm	False alarm: Accidental activation of turnout system	National Mini Storage Titoki Place (114233)	TITOKI PLACE
30/06/2000	A134881	Good Intent Calls	False alarm good intent: not classified above		AK4 AUCKLAND-WAIWERA MOTORWAY
2/06/2000	A125242	Structure Fire	Structure fire with no damage	Sage Manufacturing	2 TAIT PLACE

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
24/05/2000	A122352	False Alarm	False alarm: Accidental operation	Zest Products (114858)	TAWA DRIVE
24/05/2000	A122171	False Alarm	False alarm: Defective		23 TAWA DRIVE
12/05/2000	A118310	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		SH 1
6/05/2000	A116304	Miscellaneous Fire	Outside fire: Material burnt has definable value		COWLEY PLACE
30/04/2000	A114445	False Alarm	False alarm: Accidental operation	National Mini Storage Titoki Place (114233)	1-5 TITOKI PLACE
5/04/2000	A107557	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CNR ROSEDALE/COWLEY
3/04/2000	A107203	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		STATEHIGHWAY 1
3/03/2000	A099710	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		ROSEDALE ROAD
24/02/2000	A097997	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRITON DRIVE
17/02/2000	A096369	False Alarm	False alarm: Excess Smoke, Heat		1B N THERN MTRWY
3/01/2000	A087194	Good Intent Calls	False alarm good intent: Call in the vicinity of another fire		ROSEDALE ROAD
7/12/1999	A081479	False Alarm	False alarm: Defective		42 TAWA PLACE
7/12/1999	A081387	False Alarm	False alarm: Defective		26 TAWA PLACE
9/11/1999	A076525	False Alarm	False alarm: Malicious	Zest Products (114859)	7 TAWA DRIVE
8/11/1999	A076465	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		ARRENWAY DRIVE
6/11/1999	A076004	Structure Fire	Structure fire with damage		ROSEDALE ROAD
18/09/1999	A067574	Miscellaneous Fire	Outside rubbish fire		CROWLEY PLACE
16/09/1999	A067343	Mobile Property Fire	Derelict mobile property fire		ARRENWAY DRIVE
1/09/1999	A064892	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		ARRENWAY DRIVE
29/08/1999	A064350	Miscellaneous Fire	Outside rubbish fire		CIVIL WAY
29/08/1999	A064238	Miscellaneous Fire	Outside rubbish fire		TAWA DRIVE
20/08/1999	A062680	False Alarm	False alarm: Defective		ROSEDALE ROAD
14/08/1999	A061795	Mobile Property Fire	Derelict mobile property fire		ARRENWAY DRIVE
11/08/1999	A061366	Structure Fire	Structure fire with no damage	Tile Warehouse	TITOKI PLACE
8/08/1999	A060898	Mobile Property Fire	Derelict mobile property fire		ARRANWAY DRIVE
19/07/1999	A057639	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		EST CST & GRERV
18/07/1999	A057501	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		SEC 4 NORTHERN M/WAY

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
10/07/1999	A056432	Miscellaneous Fire	Outside rubbish fire		79 ROSEDALE ROAD
20/06/1999	A052773	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		SH 1
7/06/1999	A050376	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TAIT PLACE
22/05/1999	A047524	Miscellaneous Fire	Rubbish bin, Skip fire		TAWA DRIVE
16/05/1999	A046370	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		8 TAWA ROAD
21/04/1999	A041676	Mobile Properties Hazardous Incidents	Chemical spill: Vehicle accident		SH 1
9/04/1999	A039928	Structure Fire	Structure fire with no damage		5A MYRON STREET
2/04/1999	A038852	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		14 COWLEY PLACE
21/03/1999	A036718	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		GREVILLE ROAD
21/03/1999	A036717	Mobile Properties Hazardous Incidents	Chemical spill: Vehicle accident		GREVILLE ROAD
20/03/1999	A036550	Structure Fire	Structure fire with no damage		1 HENRY ROSE PLACE
6/03/1999	A034153	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		ARRENWAY DRIVE
6/02/1999	A028817	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		ARRENWAY DRIVE
3/02/1999	A028292	Miscellaneous Fire	Rubbish bin, Skip fire		17 TAWA DRIVE
24/01/1999	A026450	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRITON AVE
16/01/1999	A025065	Mobile Property Fire	Derelict mobile property fire		DALLAN PLACE
8/01/1999	A023672	False Alarm	False alarm: Defective		233 ROSEDALE ROAD
24/12/1998	A021680	Mobile Property Fire	Derelict mobile property fire		ARRENWAY DRIVE
16/12/1998	A020266	Mobile Properties Hazardous Incidents	Gas, liquid spill: Incorrect vehicle loading		COWLEY PLACE
4/12/1998	A018568	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		16 TAWA DRIVE
25/11/1998	A016541	Vegetation Fire	Scrub fire (excluding gorse)		CNR ROSEDALE/HENRY
22/11/1998	A016162	Structure Fire	Structure fire with no damage	Kennards Hire Albany	TAWA PLACE
12/11/1998	A014658	Vegetation Fire	Scrub fire (excluding gorse)		ROSEDALE ROAD
10/11/1998	A014314	Miscellaneous Fire	Outside rubbish fire		ARRENWAY DRIVE
28/10/1998	A012087	Mobile Properties Hazardous Incidents	Gas, Liquid spill: Vehicle accident		SH 1 GREVILLE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 117 Rosedale Road, Pinehill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
17/10/1998	A010645	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRITON DRIVE
10/10/1998	A009825	Structure Fire	Structure fire with no damage		ARRENWAY DRIVE
7/10/1998	A009257	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		ROSEDALE ROAD
28/09/1998	A008135	Structure Fire	Structure fire with damage		ARRENWAY DRIVE
24/09/1998	A007587	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		TAWA PLACE
22/09/1998	A007283	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CNR STHY1/TAWA ROAD

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
28/05/2014	F1623146	False Alarm	False alarm: not classified above	Ilinster Intermediate School Gymnasium	DE LAUTOUR ROAD
29/04/2014	F1606136	Structure Fire	Structure fire with damage		14 CAVENDISH CRESCENT
26/04/2014	F1604844	Good Intent Calls	False alarm good intent: Rescue no action taken		23 CRAIG ROAD
24/04/2014	F1603646	Miscellaneous Fire	Rubbish bin, Skip fire		22 SEYMOUR ROAD
21/04/2014	F1602034	Special Service Calls	Domestic, Commercial water problem		5 FLEMING STREET
29/03/2014	F1585129	Vegetation Fire	Hedge, Shelterbelt fire		4A CRAIG ROAD
24/03/2014	F1581383	False Alarm	False alarm: Undetermined alarm activation	Ilinster Intermediate	UNKN0001 DE LAUTOUR ROAD
10/03/2014	F1572022	False Alarm	False alarm: Defective	Ilinster Intermediate	UNKN0001 DE LAUTOUR ROAD
9/03/2014	F1571530	False Alarm	False alarm: Accidental operation	Te Aka Ora Trust Care Home	232 RUTENE ROAD
15/02/2014	F1555844	Special Service Calls	Animal rescue		122 IRANUI ROAD
8/02/2014	F1551661	Rescue, Emergency, Medical Call	Medical call: No ambulance present/Ambulance delayed		21 FLEMING STREET
27/01/2014	F1544033	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		TYNDALL ROAD
24/01/2014	F1542021	Structure Fire	Structure fire with no damage	Wildish Court	WILDISH STREET
23/01/2014	F1541689	Miscellaneous Fire	Miscellaneous fire - not classified above		14 CAVENDISH CRESCENT
11/01/2014	F1533969	Miscellaneous Fire	Outside rubbish fire		31 KARA STREET
8/12/2013	F1514928	Miscellaneous Fire	Outside rubbish fire		TYNDALL ROAD
7/12/2013	F1514420	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		TYNDALL ROAD
7/12/2013	F1514252	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		TYNDALL ROAD
27/10/2013	F1487932	Miscellaneous Fire	Outside rubbish fire	Y Tamariki Bilingual Community Early Childhood Centre	224A WAINUI ROAD
27/10/2013	F1487853	Miscellaneous Fire	Outside rubbish fire		DALTON ST and TYNDALL RD
27/10/2013	F1487564	Miscellaneous Fire	Hangi, Umu fire, Cultural cooking fire		25 CRAIG ROAD
20/10/2013	F1483436	False Alarm	False alarm: Accidental operation	Ilinster Intermediate	UNKN0001 DE LAUTOUR ROAD
1/10/2013	F1471646	Miscellaneous Fire	Outside rubbish fire		3 FLEMING STREET
23/09/2013	F1466564	False Alarm	False alarm: Accidental operation	YMCA Memorial Centre	224 WAINUI ROAD
9/09/2013	F1455845	Good Intent Calls	False alarm good intent: not classified above		32 HUXLEY ROAD
30/07/2013	F1434004	Miscellaneous Fire	Outside rubbish fire		19 FLEMING STREET

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
18/07/2013	F1427359	Structure Fire	Structure fire with damage		27 CAVENDISH CRESCENT
18/07/2013	F1427334	False Alarm	False alarm: Defective		4 ANN STREET
8/07/2013	F1421429	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Ilinster Intermediate	UNKN0001 DE LAUTOUR ROAD
4/07/2013	F1419180	False Alarm	False alarm: Defective		224 WAINUI ROAD
27/06/2013	F1415047	Structure Fire	Structure fire with damage		23 CAVENDISH CRESCENT
16/06/2013	F1406548	False Alarm	False alarm: Undetermined alarm activation	Ilinster Intermediate	UNKN0001 DE LAUTOUR ROAD
15/06/2013	F1406246	False Alarm	False alarm: Accidental operation	Te Aka Ora Trust Care Home	232 RUTENE ROAD
6/06/2013	F1401226	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		CRAIG RD and RUTENE RD
30/05/2013	F1397416	False Alarm	False alarm: Defective	Te Aka Ora Trust Care Home	232 RUTENE ROAD
21/05/2013	F1392434	Structure Fire	Structure fire with damage		23 DE LAUTOUR ROAD
21/05/2013	F1392402	Miscellaneous Fire	Outside rubbish fire		48 DE LAUTOUR ROAD
15/05/2013	F1389584	Miscellaneous Fire	Outside fire: Material burnt has definable value		31 KARA STREET
13/05/2013	F1388194	Structure Fire	Structure fire with no damage	Te Whakaruruhau Te Kohanga Reo	170 TYNDALL ROAD
3/05/2013	F1382275	False Alarm	False alarm: Accidental operation	Ilinster Intermediate	UNKN0001 DE LAUTOUR ROAD
29/04/2013	F1379911	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	YMCA Memorial Centre (KAITI MEMORIAL HALL)	224 WAINUI ROAD
26/04/2013	F1378596	Miscellaneous Fire	Outside rubbish fire		30 Craig Road
26/04/2013	F1378465	Miscellaneous Fire	Outside rubbish fire		30 CRAIG ROAD
23/04/2013	F1376974	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		46 HUXLEY ROAD
1/04/2013	F1363068	Good Intent Calls	False alarm good intent: Smell of smoke		38 KELVIN STREET
30/03/2013	F1361906	Miscellaneous Fire	Rubbish bin, Skip fire		TYNDALL ROAD
29/03/2013	F1361080	Structure Fire	Structure fire with no damage		12 WILDISH STREET
27/03/2013	F1359733	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Y Tamariki Bilingual Community Early Childhood Centre (Y-TAMARIKI EARLY CHILDHOOD CENTRE)	224A WAINUI ROAD
13/03/2013	F1350270	Structure Fire	Structure fire with damage		3 FLEMING STREET
21/02/2013	F1335724	Miscellaneous Fire	Outside rubbish fire		CAVENDISH CRESCENT
15/02/2013	F1331681	Rescue, Emergency, Medical Call	Rescue: In or under machinery		97 DE LAUTOUR ROAD

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
19/01/2013	F1314779	Miscellaneous Fire	Outside rubbish fire		CAVENDISH CRESCENT
7/01/2013	F1307567	Miscellaneous Fire	Outside rubbish fire		6 HALLEY STREET
14/12/2012	F1294380	Miscellaneous Fire	Outside rubbish fire		16 HUXLEY ROAD
2/12/2012	F1286213	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		7 TUI STREET
15/11/2012	F1276256	Special Service Calls	Domestic, Commercial water problem	St Davids Presbyterian Church Gisborne	RUTENE ROAD
28/10/2012	F1265412	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		177 TYNDALL ROAD
25/10/2012	F1264027	Electrical Hazards	Arcing, shorted electrical equipment		35 DE LAUTOUR ROAD
25/10/2012	F1263992	Miscellaneous Fire	Outside rubbish fire		33 OWEN ROAD
21/10/2012	F1262146	Miscellaneous Fire	Outside rubbish fire		19 FLEMING STREET
9/10/2012	F1255123	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		241 RUTENE ROAD
30/09/2012	F1250757	Miscellaneous Fire	Hangi, Umu fire, Cultural cooking fire		9A HUXLEY ROAD
22/09/2012	F1246110	Miscellaneous Fire	Outside rubbish fire		154 TYNDALL ROAD
3/09/2012	F1235771	Rescue, Emergency, Medical Call	Rescue, Emergency medical call - not classified above		42 DE LAUTOUR ROAD
29/08/2012	F1232546	False Alarm	False alarm: Defective	YMCA Memorial Centre (KAITI MEMORIAL HALL)	224 WAINUI ROAD
26/08/2012	F1231207	Structure Fire	Structure fire with no damage		12 DAPHNE STREET
26/08/2012	F1231115	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		TYNDALL RD and HUXLEY RD
15/08/2012	F1225756	False Alarm	False alarm: Defective	YMCA Memorial Centre (KAITI MEMORIAL HALL)	224 WAINUI ROAD
14/08/2012	F1224887	False Alarm	False alarm: Accidental operation	Ilinster Intermediate	DE LAUTOUR ROAD
6/08/2012	F1220595	Rescue, Emergency, Medical Call	Medical call: No ambulance present/Ambulance delayed		57 WILDISH STREET
6/08/2012	F1220420	Miscellaneous Fire	Outside rubbish fire		7 TUI STREET
14/07/2012	F1208293	Rescue, Emergency, Medical Call	Lock-in, Trapped inside structure		66 GRAHAM ROAD
17/06/2012	F1193591	False Alarm	False alarm: Excess Smoke, Heat		43 DE LAUTOUR ROAD
16/06/2012	F1193283	False Alarm	False alarm: Undetermined alarm activation	YMCA Memorial Centre (KAITI MEMORIAL HALL)	224 WAINUI ROAD
11/06/2012	F1190738	Miscellaneous Fire	Outside fire: Material burnt has definable value		DALTON ST and TYNDALL RD
6/06/2012	F1187850	Good Intent Calls	False alarm good intent: Smell of smoke		DE LAUTOUR RD and TURENNE ST

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
3/06/2012	F1186277	Structure Fire	Structure fire with no damage		17 FLEMING STREET
27/05/2012	F1182832	False Alarm	False alarm: Defective	Te Aka Ora Trust Care Home	232 RUTENE ROAD
21/05/2012	F1179709	Miscellaneous Fire	Outside fire: Material burnt has definable value		DALTON STREET
21/05/2012	F1179247	False Alarm	False alarm: Defective	Te Aka Ora Trust Care Home	232 RUTENE ROAD
29/04/2012	F1167249	False Alarm	False alarm: Defective	KAITI MEDICAL CENTRE	DE LAUTOUR ROAD
25/04/2012	F1165310	Miscellaneous Fire	Outside rubbish fire		72 TYNDALL ROAD
24/04/2012	F1164573	Rescue, Emergency, Medical Call	Assist ambulance		12 DAPHNE STREET
20/04/2012	F1162491	False Alarm	False alarm: Accidental operation		1 TURENNE STREET
17/04/2012	F1161141	Miscellaneous Fire	Outside rubbish fire		23 DE LAUTOUR ROAD
27/03/2012	F1149720	Structure Fire	Structure fire with damage		57 OWEN ROAD
25/03/2012	F1148471	Not Recorded	Not Recorded		25 CRAIG ROAD
5/03/2012	F1136001	Not Recorded	Not Recorded		HUDSON STREET
18/02/2012	F1124902	Not Recorded	Not Recorded		DE LAUTOUR ROAD
14/02/2012	F1122774	Not Recorded	Not Recorded		HUDSON STREET
8/02/2012	F1119865	False Alarm	False alarm: Undetermined alarm activation	Te Whakaruruhau Te Kohanga Reo	170 TYNDALL ROAD
4/02/2012	F1117975	Not Recorded	Not Recorded		WILDISH STREET
8/12/2011	F1086819	False Alarm	False alarm: Undetermined alarm activation	Y Tamariki Bilingual Community Early Childhood Centre (Y-TAMARIKI EARLY CHILDHOOD CENTRE)	224A WAINUI ROAD
5/11/2011	F1067738	Not Recorded	Not Recorded		15 DAPHNE STREET
30/10/2011	F1064288	Not Recorded	Not Recorded		33 DE LAUTOUR ROAD
22/10/2011	F1060310	Not Recorded	Not Recorded		23 HUXLEY ROAD
19/09/2011	F1042759	Not Recorded	Not Recorded		161 TYNDALL ROAD
3/08/2011	F1017637	Structure Fire	Structure fire with no damage	Ilminster Intermediate	DE LAUTOUR ROAD
1/08/2011	F1017022	False Alarm	False alarm: Excess Smoke, Heat	Te Aka Ora Trust Care Home (AWHINA HOUSE ALCOHOL AND DRUG CENTRE)	232 RUTENE ROAD
24/07/2011	F1012399	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		45 DE LAUTOUR ROAD
25/06/2011	F0997474	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TYNDALL RD and HUXLEY RD
21/06/2011	F0995346	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance		OWEN RD and DE

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
			spill		LAUTOUR RD
21/06/2011	F0995269	False Alarm	False alarm: Accidental operation	Ilminster Intermediate School Gymnasium (Ilminster Intermediate)	DE LAUTOUR ROAD
19/06/2011	F0993870	False Alarm	False alarm: Defective	YMCA Memorial Centre (KAITI MEMORIAL HALL)	224 WAINUI ROAD
2/06/2011	F0984574	False Alarm	False alarm: Defective	YMCA Memorial Centre (KAITI MEMORIAL HALL)	224 WAINUI ROAD
1/04/2011	F0945821	Good Intent Calls	False alarm good intent: Authorised controlled burn		21 CRAIG ROAD
13/03/2011	F0932202	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		41 DE LAUTOUR ROAD
11/03/2011	F0931026	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		TYNDALL RD and HALLEY ST
8/03/2011	F0928726	False Alarm	False alarm: Defective	YMCA Memorial Centre (KAITI MEMORIAL HALL)	224 WAINUI ROAD
24/02/2011	F0916319	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		30 DE LAUTOUR ROAD
21/02/2011	F0912750	Miscellaneous Fire	Outside rubbish fire		21 CRAIG ROAD
19/02/2011	F0911427	Structure Fire	Structure fire with damage		28 DALTON STREET
4/02/2011	F0901362	Miscellaneous Fire	Outside rubbish fire		153 TYNDALL ROAD
25/01/2011	F0892183	Structure Fire	Structure fire with damage		28 DALTON STREET
19/01/2011	F0887228	False Alarm	False alarm: Undetermined alarm activation	Ilminster Intermediate	DE LAUTOUR ROAD
5/01/2011	F0874946	Miscellaneous Fire	Outside rubbish fire		HUDSON STREET
4/01/2011	F0874281	Miscellaneous Fire	Outside rubbish fire		48 DE LAUTOUR ROAD
27/12/2010	F0867653	Miscellaneous Fire	Outside rubbish fire		81 DE LAUTOUR ROAD
13/12/2010	F0852996	Miscellaneous Fire	Rubbish bin, Skip fire		44 TYNDALL ROAD
29/11/2010	F0840371	Miscellaneous Fire	Miscellaneous fire - not classified above		TYNDALL ROAD
26/11/2010	F0837390	Special Service Calls	Domestic, Commercial water problem		17 CRAIG ROAD
17/11/2010	F0827985	Rescue, Emergency, Medical Call	Rescue, Emergency medical call - not classified above	Ilminster Intermediate	DE LAUTOUR ROAD
12/11/2010	F0823631	Miscellaneous Fire	Outside fire: Material burnt has definable value		TYNDALL RD and DALTON ST
22/10/2010	F0804128	Special Service Calls	Assist Police		DE LAUTOUR ROAD
10/10/2010	F0795074	Miscellaneous Fire	Hangi, Umu fire, Cultural cooking fire		118A DE LAUTOUR ROAD
9/10/2010	F0794289	Good Intent Calls	False alarm good intent: Authorised controlled burn		OWEN ROAD

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
5/10/2010	F0791654	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		24 CAVENDISH CRESCENT
4/10/2010	F0790242	Electrical Hazards	Power line down		29 HUXLEY ROAD
21/08/2010	F0747802	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Te Wharau School	GRAHAM ROAD
11/08/2010	F0741167	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		52 TYNDALL ROAD
22/06/2010	F0709693	Miscellaneous Fire	Outside rubbish fire		157 TYNDALL ROAD
1/06/2010	F0695606	Electrical Hazards	Arcing, shorted electrical equipment		3 DOMINEY STREET
26/05/2010	F0691800	False Alarm	False alarm: Undetermined alarm activation	YMCA Memorial Centre (KAITI MEMORIAL HALL)	224 WAINUI ROAD
17/05/2010	F0684575	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		229 RUTENE ROAD
15/05/2010	F0683141	Miscellaneous Fire	Outside rubbish fire		48 DE LAUTOUR ROAD
5/05/2010	F0675320	False Alarm	False alarm: Undetermined alarm activation	Y Tamariki Bilingual Community Early Childhood Centre (Y-TAMARIKI EARLY CHILDHOOD CENTRE)	224A WAINUI ROAD
2/05/2010	F0672810	Structure Fire	Structure fire with damage		134 DE LAUTOUR ROAD
1/05/2010	F0672383	Structure Fire	Structure fire with damage		3 HUDSON STREET
11/04/2010	F0657831	Miscellaneous Fire	Outside rubbish fire		25 CAVENDISH CRESCENT
26/03/2010	F0646209	False Alarm	False alarm: Malicious		6 DAPHNE STREET
26/03/2010	F0645754	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire		23 CAVENDISH CRESCENT
12/02/2010	F0612425	Miscellaneous Fire	Rubbish bin, Skip fire		DE LAUTOUR ROAD
8/02/2010	F0609435	Rescue, Emergency, Medical Call	Assist ambulance		6 WILDISH STREET
4/02/2010	F0606733	Miscellaneous Fire	Outside rubbish fire		6 CAVENDISH CRESCENT
23/01/2010	F0598552	False Alarm	False alarm: Accidental operation	Ilminster Intermediate	DE LAUTOUR ROAD
1/01/2010	F0584070	Miscellaneous Fire	Outside fire: Material burnt has definable value		219 RUTENE ROAD
26/12/2009	F0579635	Rescue, Emergency, Medical Call	Lock-in, Trapped inside structure		34 DALTON STREET
21/12/2009	F0576480	Not Recorded	Not Recorded		TYNDALL ROAD
17/12/2009	F0573654	Not Recorded	Not Recorded	YMCA Memorial Centre (KAITI MEMORIAL HALL)	224 WAINUI ROAD
20/11/2009	F0553429	Not Recorded	Not Recorded		10 FLEMING STREET
8/11/2009	F0544337	Not Recorded	Not Recorded		43 DE LAUTOUR ROAD

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
22/10/2009	F0532215	Not Recorded	Not Recorded	YMCA Memorial Centre (KAITI MEMORIAL HALL)	224 WAINUI ROAD
16/10/2009	F0529068	Rescue, Emergency, Medical Call	Lock-in, Trapped inside structure		90 DE LAUTOUR ROAD
10/10/2009	F0525117	Not Recorded	Not Recorded	YMCA Memorial Centre (KAITI MEMORIAL HALL)	224 WAINUI ROAD
18/09/2009	F0511226	Not Recorded	Not Recorded		HUXLEY ROAD
11/09/2009	F0506555	Not Recorded	Not Recorded		DALTON ST and TYNDALL RD
1/09/2009	F0499332	Not Recorded	Not Recorded		CRAIG ROAD
29/08/2009	F0497329	Not Recorded	Not Recorded		32 KELVIN STREET
28/08/2009	F0496468	Not Recorded	Not Recorded		9 DOMINEY STREET
27/08/2009	F0496133	Not Recorded	Not Recorded		CRAIG ROAD
7/08/2009	F0483081	False Alarm	False alarm: Excess Smoke, Heat	KAITI MEDICAL CENTRE	DE LAUTOUR ROAD
31/07/2009	F0478422	Structure Fire	Structure fire with no damage		32 DAPHNE PLACE
21/07/2009	F0472038	Miscellaneous Fire	Rubbish bin, Skip fire		DE LAUTOUR ROAD
6/07/2009	F0461180	Electrical Hazards	Power line down		17 HUXLEY ROAD
4/07/2009	F0460233	Miscellaneous Fire	Outside rubbish fire		24 CRAIG ROAD
17/06/2009	F0448417	Electrical Hazards	Electrical hazard - not classified above		52 GRAHAM ROAD
22/05/2009	F0430771	Structure Fire	Structure fire with damage		6 PASTEUR STREET
23/04/2009	F0410864	Electrical Hazards	Arcing, shorted electrical equipment		67 DE LAUTOUR ROAD
19/04/2009	F0408204	Structure Fire	Structure fire with no damage		9 DAPHNE STREET
13/04/2009	F0404124	Special Service Calls	Assist Police		33 DALTON STREET
29/03/2009	F0392022	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		KARA STREET
20/03/2009	F0384764	Good Intent Calls	False alarm good intent: Smell of smoke		72 TYNDALL ROAD
5/03/2009	F0372434	Miscellaneous Fire	Rubbish bin, Skip fire		23 OWEN ROAD
22/02/2009	F0363477	Miscellaneous Fire	Hangi, Umu fire, Cultural cooking fire		42 WILDISH STREET
22/02/2009	F0363471	Miscellaneous Fire	Outside rubbish fire		19 DAPHNE STREET
19/02/2009	F0361598	Miscellaneous Fire	Outside rubbish fire		16 MARTIN STREET
19/02/2009	F0360870	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		161 TYNDALL ROAD
10/02/2009	F0354122	Miscellaneous Fire	Outside rubbish fire		19 HALLEY STREET
8/02/2009	F0352233	Miscellaneous Fire	Outside rubbish fire		107 TYNDALL ROAD

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
29/01/2009	F0343584	Structure Fire	Structure fire with damage		19 HALLEY STREET
26/01/2009	F0341698	Miscellaneous Fire	Outside rubbish fire		58 WILDISH STREET
15/01/2009	F0333015	Miscellaneous Fire	Outside rubbish fire		1 FLEMING STREET
9/01/2009	F0329263	Rescue, Emergency, Medical Call	Assist ambulance		5 OWEN ROAD
14/12/2008	F0310132	Special Service Calls	Animal rescue		57 WILDISH STREET
7/12/2008	F0304368	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		DALTON ST and TYNDALL RD
7/12/2008	F0304350	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		DALTON ST and TYNDALL RD
15/11/2008	F0286290	Structure Fire	Structure fire with damage	Te Wharau School	GRAHAM ROAD
8/10/2008	F0258400	Structure Fire	Structure fire with damage		119 TYNDALL ROAD
3/10/2008	F0254072	Structure Fire	Structure fire with no damage		6 CAVENDISH CRESCENT
20/09/2008	F244814	Good Intent Calls	False alarm good intent: Authorised controlled burn		62 GRAHAM ROAD
20/09/2008	F244395	Vegetation Fire	Single tree fire	Presbyterian Church Kaiti	19 DE LAUTOUR ROAD
2/08/2008	F213586	Good Intent Calls	False alarm good intent: not classified above		TYNDALL ROAD
31/07/2008	F211696	Special Service Calls	Animal rescue		72 TYNDALL ROAD
30/07/2008	F210260	Natural Disasters	Flood		HUXLEY ROAD
30/07/2008	F209802	Natural Disasters	Wind storm, Tornado, Cyclone etc		RUTENE RD and DE LAUTOUR RD
20/07/2008	F200838	Good Intent Calls	False alarm good intent: Authorised controlled burn		29 CAVENDISH CRESCENT
28/06/2008	F187309	False Alarm	False alarm: Malicious		7 VIVIAN STREET
27/06/2008	F186246	Miscellaneous Fire	Outside rubbish fire		67 WILDISH STREET
21/06/2008	F182381	Miscellaneous Fire	Outside rubbish fire		134 DE LAUTOUR ROAD
31/05/2008	F168346	Structure Fire	Structure fire with damage		7 HAYLEY STREET
27/05/2008	F165671	Structure Fire	Structure fire with no damage		12 DAPHNE STREET
14/05/2008	F156671	Structure Fire	Structure fire with no damage		15 WILDISH STREET
8/05/2008	F152567	Structure Fire	Structure fire with damage		59 DAPHNE STREET
18/04/2008	F138973	Structure Fire	Structure fire with no damage		47 DAPHNE STREET
13/04/2008	F134187	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		3 EDISON STREET
29/03/2008	F123453	Good Intent Calls	False alarm good intent: Lights thought to be fire		53 KELVIN STREET
4/03/2008	F102871	False Alarm	False alarm: Malicious		49 WILDISH STREET

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
27/02/2008	F098611	Vegetation Fire	Hedge, Shelterbelt fire		TYNDALL ROAD
25/02/2008	F096876	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		183 TYNDALL ROAD
15/02/2008	F089056	Miscellaneous Fire	Outside rubbish fire		110 DE LAUTOUR ROAD
3/02/2008	F079360	Structure Fire	Structure fire with damage		26 CAVENDISH CRESCENT
2/02/2008	F078626	Structure Fire	Structure fire with damage		15A MARTIN ROAD
28/01/2008	F075066	False Alarm	False alarm: Malicious		16 HUDSON STREET
24/01/2008	F072048	Structure Fire	Structure fire with no damage		11 DAPHNE STREET
12/01/2008	F061707	Special Service Calls	Assist Police		18 CRAIG ROAD
24/12/2007	F049407	Electrical Hazards	Electrical hazard - not classified above		PORTER ST and HUXLEY RD
20/12/2007	F046832	Electrical Hazards	Arcing, shorted electrical equipment		6 DALTON STREET
5/12/2007	F034859	Miscellaneous Fire	Outside rubbish fire		261 RUTENE ROAD
2/12/2007	F032594	Miscellaneous Fire	Outside rubbish fire		48 DE LAUTOUR ROAD
10/11/2007	F014527	Rescue, Emergency, Medical Call	Assist ambulance		219 RUTENE ROAD
5/11/2007	F010591	Miscellaneous Fire	Miscellaneous fire - not classified above		RUTENE RD and DE LAUTOUR RD
19/10/2007	F001352	Miscellaneous Fire	Outside rubbish fire		FLEMING STREET
6/10/2007	W789522	Vegetation Fire	Hedge, Shelterbelt fire		15 HUDSON STREET
3/09/2007	W781358	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Te Wharau School	GRAHAM ROAD
18/08/2007	W777375	Miscellaneous Fire	Rubbish bin, Skip fire		DE LAUTOUR ROAD
24/06/2007	W763151	Miscellaneous Fire	Outside rubbish fire		2 OWEN ROAD
2/06/2007	W757285	Good Intent Calls	False alarm good intent: Smell of smoke		58 DAPHNE STREET
2/06/2007	W757243	Miscellaneous Fire	Outside rubbish fire		261 RUTENE ROAD
2/06/2007	W757170	Miscellaneous Fire	Outside rubbish fire		32 DALTON STREET
27/05/2007	W755683	Structure Fire	Structure fire with no damage		10 DARWIN ROAD
22/05/2007	W754453	Structure Fire	Structure fire with damage		8 ANN STREET
19/05/2007	W753582	Good Intent Calls	False alarm good intent: Authorised controlled burn		SEYMOUR ROAD
16/05/2007	W752977	Miscellaneous Fire	Outside rubbish fire		TYNDALL ROAD
15/05/2007	W752452	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		59 DAPHNE STREET
23/04/2007	W746994	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		48 HUXLEY ROAD
20/04/2007	W746029	Structure Fire	Structure fire with no damage		14 HALLEY STREET

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
19/04/2007	W745851	False Alarm	False alarm: Accidental operation		12 DARWIN ROAD
14/04/2007	W744582	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		GADDUMS HILL ROAD
2/04/2007	W741245	Structure Fire	Structure fire with no damage		10 CAVENDISH CRESCENT
19/03/2007	W737311	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		TYNDALL ROAD
19/03/2007	W737107	Special Service Calls	Assist public		26 KARA STREET
9/02/2007	W725377	Structure Fire	Structure fire with damage		16 WILDISH STREET
3/02/2007	W723529	Miscellaneous Fire	Outside rubbish fire		110 DE LAUTOUR ROAD
31/01/2007	W722617	Miscellaneous Fire	Rubbish bin, Skip fire		30 DAPHNE PLACE
9/01/2007	W716543	Rescue, Emergency, Medical Call	Assist ambulance		6 PASTEUR STREET
29/12/2006	W714503	False Alarm	False alarm: Malicious		TYNDALL ROAD
26/12/2006	W713932	Good Intent Calls	False alarm good intent: Rescue no action taken		30 HALLEY STREET
4/12/2006	W708379	Structure Fire	Structure fire with no damage		16 WILDISH STREET
31/10/2006	W698960	Miscellaneous Fire	Outside fire: Material burnt has definable value		42 DE LAUTOUR ROAD
29/10/2006	W698373	Miscellaneous Fire	Outside rubbish fire		DALTON STREET
15/10/2006	W694585	Vegetation Fire	Hedge, Shelterbelt fire		38 OWEN ROAD
10/10/2006	W693541	Miscellaneous Fire	Bonfire		87 DE LAUTOUR ROAD
10/10/2006	W693540	Miscellaneous Fire	Outside rubbish fire		16 HUDSON STREET
2/10/2006	W691578	Miscellaneous Fire	Hangi, Umu fire, Cultural cooking fire		44 DE LAUTOUR ROAD
21/09/2006	W688699	Miscellaneous Fire	Outside rubbish fire	Kaiti Memorial Park	WAINUI ROAD
5/09/2006	W684564	Miscellaneous Fire	Outside rubbish fire		19 HALLEY STREET
5/09/2006	W684497	Structure Fire	Structure fire with no damage		6 HALLEY STREET
26/08/2006	W682219	Miscellaneous Fire	Rubbish bin, Skip fire		TURENNE ROAD
24/08/2006	W681618	Good Intent Calls	False alarm good intent: Unauthorised controlled burn		TYNDALL ROAD
6/08/2006	W677741	Electrical Hazards	Arcing, shorted electrical equipment		59 DAPHNE STREET
30/07/2006	W676180	Good Intent Calls	False alarm good intent: not classified above		33 DE LAUTOUR ROAD
30/07/2006	W676118	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		IRANUI ROAD
28/07/2006	W675687	False Alarm	False alarm: not classified above		6 SEYMOUR ROAD
27/07/2006	W675536	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		31 DE LAUTOUR ROAD
19/07/2006	W673526	Structure Fire	Structure fire with damage		28 DALTON STREET

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
23/06/2006	W666946	Natural Disasters	Wind storm, Tornado, Cyclone etc		30 HALLEY STREET
10/06/2006	W663321	Good Intent Calls	False alarm good intent: not classified above		161 TYNDALL ROAD
7/06/2006	W662631	False Alarm	False alarm: Defective		6 SEYMOUR ROAD
2/06/2006	W661538	Overpressure, Rupture, Explosives, Over Heating	Air, Gas rupture		37 HUXLEY ROAD
28/05/2006	W660158	Electrical Hazards	Arcing, shorted electrical equipment		156 TYNDALL ROAD
24/05/2006	W659109	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		
20/04/2006	W651863	Miscellaneous Fire	Miscellaneous fire - not classified above		
17/04/2006	W651276	Structure Fire	Structure fire with damage		56 GRAHAM ROAD
28/03/2006	W646614	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		5 FLEMING STREET
15/03/2006	W643589	Miscellaneous Fire	Outside rubbish fire		DALTON STREET
10/03/2006	W642192	Miscellaneous Fire	Outside rubbish fire		11 FLEMING STREET
8/03/2006	W641697	Rescue, Emergency, Medical Call	Assist ambulance		105 TYNDALL ROAD
7/03/2006	W641442	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TYNDALL ROAD
3/03/2006	W640012	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		
11/02/2006	W634710	Miscellaneous Fire	Rubbish bin, Skip fire		DE LAUTOUR ROAD
28/01/2006	W631232	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		
28/01/2006	W631114	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		
27/01/2006	W630862	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		
14/01/2006	W627446	Structure Fire	Structure fire with damage		WILDISH STREET
14/01/2006	W627432	Miscellaneous Fire	Outside rubbish fire		KARA STREET
4/12/2005	W616867	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		DE LATOUR SREET
18/11/2005	W611905	Structure Fire	Structure fire with damage		15 MARTIN ROAD
11/11/2005	W610313	Structure Fire	Structure fire with no damage		15B MARTIN ROAD
6/11/2005	W608809	Miscellaneous Fire	Outside rubbish fire		WAINUI ROAD
5/11/2005	W608500	Vegetation Fire	Single tree fire		26 DALTON STREET
3/11/2005	W607798	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TYNDALL
3/11/2005	W607794	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		4 FLEMMING STREET
29/10/2005	W606387	Miscellaneous Fire	Outside rubbish fire		
29/10/2005	W606373	Miscellaneous Fire	Outside fire: Material burnt has definable value		40 WILDISH STREET

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
12/10/2005	W602297	Structure Fire	Structure fire with damage		24 DALTON STREET
9/10/2005	W601635	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		70 TYNDALL ROAD
26/09/2005	W598540	Miscellaneous Fire	Outside rubbish fire		4 EDISON STREET
2/09/2005	W593157	Miscellaneous Fire	Outside rubbish fire		53 DAPHNE STREET
15/08/2005	W589388	Structure Fire	Structure fire with damage		27 CRAIG ROAD
14/08/2005	W589151	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		1 SEYMOUR ROAD
8/08/2005	W587912	Good Intent Calls	False alarm good intent: Unauthorised controlled burn		FLEMING STREET
5/08/2005	W587270	Rescue, Emergency, Medical Call	Assist ambulance		16 DAPHNE ST
14/07/2005	W582053	False Alarm	False alarm: Malicious		115 DE LAUTOUR ROAD
6/07/2005	W580450	Miscellaneous Fire	Outside rubbish fire		
2/07/2005	W579494	Structure Fire	Structure fire with damage		15 HALLEY STREET
16/06/2005	W575858	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		91 DE LAUTOUR ROAD
26/05/2005	W571450	Special Service Calls	Domestic, Commercial water problem		100 DE LAUTOUR ROAD
20/05/2005	W570109	Structure Fire	Structure fire with no damage		1 EDISON STREET
15/05/2005	W568812	Structure Fire	Structure fire with damage		12 CAVENDISH CRESCENT
21/04/2005	W563522	Electrical Hazards	Arcing, shorted electrical equipment		
10/04/2005	W560685	Miscellaneous Fire	Outside rubbish fire		17 DAPHNE STREET
8/04/2005	W560107	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Wildish Court	WILDISH STREET
28/03/2005	W557618	False Alarm	False alarm: Malicious		76 TYNDALL ROAD
27/03/2005	W557518	Miscellaneous Fire	Barbecue fire: Wood, Charcoal		118 DE LAUTOUR ROAD
19/03/2005	W555542	False Alarm	False alarm: Undetermined alarm activation		12 DARWIN ROAD
11/03/2005	W553378	Structure Fire	Structure fire with damage		65 DAPHNE STREET
27/02/2005	W549987	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		2 OWEN ROAD
16/02/2005	W546865	Structure Fire	Structure fire with no damage		20 WILDISH STREET
9/01/2005	W538033	Miscellaneous Fire	Outside rubbish fire		48 TYNDALL ROAD
6/01/2005	W537556	Rescue, Emergency, Medical Call	Assist ambulance		44 TYNDALL ROAD
5/01/2005	W536981	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TYNDALL ROAD
2/12/2004	W529922	Structure Fire	Structure fire with no damage		219 RUTENE ROAD
18/11/2004	W526520	False Alarm	False alarm: not classified above		15 WILDISH STREET

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
15/11/2004	W525601	False Alarm	False alarm: Defective	KAITI MEDICAL CENTRE	DE LAUTOUR ROAD
24/10/2004	W519949	Good Intent Calls	False alarm good intent: Smell of smoke		
21/10/2004	W519316	False Alarm	False alarm: Undetermined alarm activation		12 DARWIN ROAD
21/09/2004	W512297	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		28 CAVENDISH CRESCENT
17/09/2004	W511569	Miscellaneous Fire	Outside rubbish fire	Ilminster Intermediate	DE LAUTOUR ROAD
7/09/2004	W509401	Structure Fire	Structure fire with no damage		63 WILDISH STREET
5/09/2004	W508703	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		4A TUI STREET
29/08/2004	W507309	Structure Fire	Structure fire with no damage		10 PASTEUR STREET
18/08/2004	W504868	Rescue, Emergency, Medical Call	Assist ambulance		25 DE LAUTOUR ROAD
8/08/2004	W501273	False Alarm	False alarm: Excess Smoke, Heat		63 WILDISH STREET
2/08/2004	W499922	Rescue, Emergency, Medical Call	Assist ambulance		111 DE LAUTOUR ROAD
23/07/2004	W497942	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		48 TYNDALL ROAD
18/07/2004	W496906	Rescue, Emergency, Medical Call	Assist ambulance		19 TURENNE STREET
6/07/2004	W494355	Rescue, Emergency, Medical Call	Assist ambulance		12 PORTER STREET
4/07/2004	W494012	Rescue, Emergency, Medical Call	Assist ambulance		22 CRAIG ROAD
3/07/2004	W493814	False Alarm	False alarm: Defective		49 HUXLEY ROAD
29/05/2004	W486375	Structure Fire	Structure fire with no damage		36 WILDISH STREET
1/05/2004	W480226	Miscellaneous Fire	Bonfire		
17/04/2004	W476936	Rescue, Emergency, Medical Call	Assist ambulance		5 FLEMING STREET
30/03/2004	W472758	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TYNDALL ROAD
21/03/2004	W470372	Miscellaneous Fire	Outside rubbish fire		31 GRAHAM ROAD
20/03/2004	W470164	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		22 WILDISH STREET
11/03/2004	W468080	Miscellaneous Fire	Outside rubbish fire	Ilminster Intermediate	DE LAUTOUR ROAD
8/03/2004	W467112	Structure Fire	Structure fire with damage		183 TYNDALL ROAD
16/02/2004	W459415	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		
8/02/2004	W456085	Miscellaneous Fire	Rubbish bin, Skip fire		19 HALLEY STREET
23/01/2004	W452324	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		44 TYNDALL ROAD
30/12/2003	W446549	Special Service Calls	Repair roof		27 OWEN ROAD
10/12/2003	W441916	Good Intent Calls	False alarm good intent: Authorised controlled burn		TYNDALL ROAD

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
15/11/2003	W436075	Miscellaneous Fire	Outside rubbish fire		1 GADDUMS HILL ROAD
8/11/2003	W434486	Miscellaneous Fire	Outside rubbish fire		18 TYNDALL ROAD ROAD
2/11/2003	W432756	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		26 DALTON STREET
31/10/2003	W432463	Miscellaneous Fire	Rubbish bin, Skip fire		TURENNE STREET
18/10/2003	W429667	Good Intent Calls	False alarm good intent: Lights thought to be fire		TYNDALL ROAD
5/10/2003	W426757	Structure Fire	Chimney fire		29 MARIAN DRIVE
24/09/2003	W423731	Structure Fire	Structure fire with no damage		6 CRAIG ROAD
5/09/2003	W419391	False Alarm	False alarm: Excess Smoke, Heat		12 GADDUMS HILL ROAD
4/09/2003	W419156	Structure Fire	Structure fire with no damage		169 TYNDALL ROAD
19/08/2003	W416007	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		DE LAUTOUR ROAD
3/08/2003	W412556	Structure Fire	Structure fire with no damage		12 DAPHNE STREET
26/07/2003	W410621	Electrical Hazards	Arcing, shorted electrical equipment		13 SEYMOUR ROAD
12/07/2003	W407716	False Alarm	False alarm: Defective	Ilminster Intermediate	UNKN00001 DE LAUTOUR ROAD
6/07/2003	W406329	False Alarm	False alarm: Accidental operation		37 HUXLEY ROAD
30/06/2003	W404683	Miscellaneous Fire	Outside rubbish fire		DE LAUTOUR ROAD
19/06/2003	W402166	False Alarm	False alarm: Telecom line fault		20 HUXLEY ROAD
13/06/2003	W400888	Electrical Hazards	Arcing, shorted electrical equipment		25 OWEN ROAD
8/06/2003	W399510	Structure Fire	Chimney fire		225 RUTENE ROAD
6/06/2003	W399157	Good Intent Calls	False alarm good intent: Call in the vicinity of another fire		DE LAUTOUR ROAD
21/05/2003	W395069	False Alarm	False alarm: Malicious		4 EDISON STREET
15/05/2003	W393667	False Alarm	False alarm: Excess Smoke, Heat		58 OWEN ROAD
13/05/2003	W393178	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		CNR HUXLEY & TYNDALL RDS
30/04/2003	W390123	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		271 RUTENE ROAD
23/04/2003	W388795	Miscellaneous Fire	Rubbish bin, Skip fire		RUTENE ROAD
18/04/2003	W387590	Good Intent Calls	False alarm good intent: Smell of smoke		157 TYNDALL ROAD
12/04/2003	W386151	False Alarm	False alarm: Excess Smoke, Heat		DE LAUTOUR ROAD
15/03/2003	W378863	Good Intent Calls	False alarm good intent: Authorised controlled burn		KARA STREET
25/02/2003	W373981	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance		CRAIG ROAD

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
			spill		
23/02/2003	W373447	Miscellaneous Fire	Outside rubbish fire		35 DALTON STREET
9/02/2003	W370015	Vegetation Fire	Scrub fire (excluding gorse)		1 OWEN ROAD
5/02/2003	W368938	Miscellaneous Fire	Outside rubbish fire		KARA STREET
24/01/2003	W365791	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		Tyndall ROAD
12/01/2003	W362753	Miscellaneous Fire	Outside fire: Material burnt has definable value		Rutene ROAD
3/01/2003	W360951	False Alarm	False alarm: Malicious		36 DALTON STREET
27/12/2002	W359445	Rescue, Emergency, Medical Call	Assist ambulance		229 RUTENE ROAD
26/12/2002	W359153	Vegetation Fire	Vegetation fire - not classified above		92 DE LAUTOUR ROAD
19/12/2002	W357702	Rescue, Emergency, Medical Call	Assist ambulance		92 DE LAUTOUR ROAD
11/12/2002	W355469	Structure Fire	Structure fire with damage		36 DALTON STREET
24/11/2002	W351326	Rescue, Emergency, Medical Call	Assist ambulance		225 RUTENE ROAD
9/11/2002	W348017	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		41 DE LAUTOUR ROAD
8/11/2002	W347851	Miscellaneous Fire	Rubbish bin, Skip fire		DE LAUTOUR ROAD
4/11/2002	W346591	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TYNDALL ROAD
3/11/2002	W346572	Miscellaneous Fire	Rubbish bin, Skip fire		DE LAUTOUR ROAD
3/11/2002	W346487	Vegetation Fire	Scrub fire (excluding gorse)		16 MAGNOLIA STREET
29/10/2002	W345196	Structure Fire	Structure fire with no damage		163 TYNDALL ROAD
25/10/2002	W344227	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		Rutene ROAD
24/09/2002	W337057	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		169 TYNDALL ROAD
1/09/2002	W331831	Structure Fire	Chimney fire		229 RUTENE ROAD
30/08/2002	W331407	Rescue, Emergency, Medical Call	Assist ambulance		22 MARIAN DRIVE
17/08/2002	W328827	Structure Fire	Chimney fire		113 TYNDALL ROAD
6/08/2002	W326640	Natural Disasters	Flood		96 DE LAUTOUR ROAD
6/08/2002	W326638	Natural Disasters	Flood		124 DE LAUTOUR ROAD
30/07/2002	W325181	Good Intent Calls	False alarm good intent: not classified above		6 EDISON STREET
31/05/2002	W311695	False Alarm	False alarm: not classified above		15 WILDISH STREET
30/05/2002	W311396	False Alarm	False alarm: Excess Smoke, Heat		15 WILDISH STREET
29/05/2002	W311234	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		GRAHAM ROAD

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
15/05/2002	W306982	Rescue, Emergency, Medical Call	Assist ambulance		7 WILDISH STREET
8/04/2002	W298367	False Alarm	False alarm: Accidental operation		58 OWEN ROAD
31/03/2002	W295716	Structure Fire	Structure fire with no damage		3 HUDSON STREET
30/03/2002	W295477	Miscellaneous Fire	Miscellaneous fire - not classified above		DE LAUTOUR ROAD
19/03/2002	W292296	Structure Fire	Structure fire with no damage		36 DALTON STREET
11/03/2002	W289944	Good Intent Calls	False alarm good intent: Smell of smoke		1 TURENNE STREET
6/03/2002	W288650	Miscellaneous Fire	Outside rubbish fire		11 HUDSON STREET
15/02/2002	W283237	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm		6 SEYMOUR ROAD
11/02/2002	W282424	Good Intent Calls	False alarm good intent: Authorised controlled burn		16 PORTER STREET
8/02/2002	W281531	Rescue, Emergency, Medical Call	Assist ambulance		15 CRAIG ROAD
18/01/2002	W276568	Vegetation Fire	Vegetation fire - not classified above		48 TYNDALL ROAD
30/12/2001	W271587	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		117 TYNDALL ROAD
19/12/2001	W269284	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		40 DALTON STREET
27/11/2001	W263059	Miscellaneous Fire	Outside fire: Material burnt has definable value		262 RUTENE ROAD
26/11/2001	W262841	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		Fleming STREET
23/11/2001	W262274	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Te Whakaruruhau Te Kohanga Reo	170 TYNDALL ROAD
5/11/2001	W257546	Rescue, Emergency, Medical Call	Assist ambulance		31 MARIAN DRIVE
3/11/2001	W256984	Special Service Calls	Domestic, Commercial water problem		41 HUXLEY ROAD
22/10/2001	W253978	False Alarm	False alarm: Defective		20 SEYMOUR ROAD
21/10/2001	W253693	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		9 HUXLEY ROAD
14/10/2001	W252068	Structure Fire	Structure fire with damage	Ilinster Intermediate	UNKN00001 DE LAUTOUR ROAD
8/10/2001	W250586	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		Rutene ROAD
4/10/2001	W249648	Miscellaneous Fire	Hangi, Umu fire, Cultural cooking fire		6A CRAIG ROAD
21/09/2001	W246141	Miscellaneous Fire	Rubbish bin, Skip fire		DE LAUTOUR ROAD
21/09/2001	W246114	Miscellaneous Fire	Rubbish bin, Skip fire		DeLatour
16/09/2001	W244860	Miscellaneous Fire	Outside rubbish fire		11 MARTIN ROAD
14/09/2001	W244381	Structure Fire	Structure fire with damage		165 TYNDALL ROAD
25/08/2001	W239353	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		uk Rutene ROAD

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
1/08/2001	W233425	Rescue, Emergency, Medical Call	Assist ambulance		25 DE LAUTOUR ROAD
4/07/2001	W226544	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		Rutene ROAD
22/05/2001	W213924	Structure Fire	Structure fire with no damage		19 FLEMING STREET
6/05/2001	W209563	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		25 CAVENDISH CRESCENT
10/04/2001	W202154	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		14 HALLEY STREET
2/04/2001	W199582	Good Intent Calls	False alarm good intent: not classified above		DE LAUTOUR ROAD
1/04/2001	W199246	Good Intent Calls	False alarm good intent: Call in the vicinity of another fire		DE LAUTOUR ROAD
7/03/2001	W191126	Miscellaneous Fire	Outside rubbish fire		KELVIN STREET
2/03/2001	W189567	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		DE LAUTOUR ROAD
10/02/2001	W183811	Miscellaneous Fire	Rubbish bin, Skip fire	Ilminster Intermediate	UNKN00001 DE LAUTOUR ROAD
19/01/2001	W177245	Special Service Calls	Animal rescue		1 SEYMOUR ROAD
28/12/2000	W170057	False Alarm	False alarm: Malicious		DE LAUTOUR ROAD
10/11/2000	W156330	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CAVENDISH CRESCENT
17/10/2000	W149035	Structure Fire	Structure fire with no damage		157 TYNDALL ROAD
26/09/2000	W143052	Natural Disasters	Wind storm, Tornado, Cyclone etc		10 TURENE STREET
26/09/2000	W142800	Natural Disasters	Wind storm, Tornado, Cyclone etc		6 KARA STREET
26/09/2000	W142754	Natural Disasters	Wind storm, Tornado, Cyclone etc		CRAIG ROAD
23/09/2000	W141614	Miscellaneous Fire	Outside rubbish fire		CAVENDISH CRESCENT
31/07/2000	W126594	Miscellaneous Fire	Outside rubbish fire		47 WILDISH STREET
24/07/2000	W124795	Miscellaneous Fire	Outside rubbish fire		67 WILDISH STREET
28/06/2000	W117510	False Alarm	False alarm: Defective		4 FLEMMING STREET
14/06/2000	W113524	Structure Fire	Structure fire with no damage	Te Wharau School	GRAHAM ROAD
6/06/2000	W111757	Structure Fire	Chimney fire		17 HALLEY STREET
3/06/2000	W110994	Structure Fire	Structure fire with damage		71 DE LATOUR ROAD
6/05/2000	W104394	Good Intent Calls	False alarm good intent: Authorised controlled burn		HUDSON STREET
24/04/2000	W101823	Good Intent Calls	False alarm good intent: Smell of smoke		WILDISH STREET
21/04/2000	W101089	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		CAVENDISH CRES

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
24/03/2000	W094889	Structure Fire	Structure fire with no damage		DE LATOUR ROAD
6/03/2000	W090948	Miscellaneous Fire	Outside rubbish fire		DE LATOUER ROAD
6/02/2000	W083778	Electrical Hazards	Arcing, shorted electrical equipment		DARWIN ROAD
4/02/2000	W083206	Structure Fire	Structure fire with damage		51 DAPHNE STREET
21/01/2000	W080449	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		22 DAPHNE STREET
19/01/2000	W079965	Overpressure, Rupture, Explosives, Over Heating	Air, Gas rupture		4 TUI STREET
24/10/1999	W061970	False Alarm	False alarm: Defective	Te Wharau School (TE WHARAU SCHOOL KAITI GISBORNE DISTRICT)	GRAHAM ROAD
4/10/1999	W059235	Vegetation Fire	Grass fire		119 TYNDALL ROAD
24/09/1999	W057824	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		RUTENE ROAD
17/09/1999	W056781	Miscellaneous Fire	Outside fire: Material burnt has definable value		RUTENE ROAD
12/08/1999	W051328	Special Service Calls	Special service call - not classified above		DE LAUTOUR ROAD
7/08/1999	W050661	Structure Fire	Chimney fire		227 RUTENED ROAD
7/08/1999	W050632	False Alarm	False alarm: Defective		GRAHAM ROAD
5/07/1999	W044986	Structure Fire	Chimney fire		23 FLEMING STREET
1/07/1999	W044283	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill	Te Whakaruruhau Te Kohanga Reo (TE REO O TE IWI MARAE)	TYNDALL ROAD
27/06/1999	W043528	Electrical Hazards	Arcing, shorted electrical equipment		105 TYNDALL ROAD
18/06/1999	W041826	Structure Fire	Structure fire with damage		FLEMING STREET
9/06/1999	W040400	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		GRAHAM ROAD
5/06/1999	W039760	False Alarm	False alarm: Defective		GRAHAM ROAD
28/05/1999	W038474	False Alarm	False alarm: Defective		GRAHAM ROAD
19/05/1999	W036720	Good Intent Calls	False alarm good intent: Authorised controlled burn		GADDUMS HILL
1/05/1999	W032678	Good Intent Calls	False alarm good intent: Authorised controlled burn		21 DE LATOUR ROAD
22/04/1999	W031026	Structure Fire	Structure fire with damage		41 HUXLEY ROAD
12/04/1999	W029539	Structure Fire	Structure fire with no damage		5 HALLEY STREET
7/04/1999	W028954	False Alarm	False alarm: Defective		101 DE LATOUR ROAD
5/04/1999	W028625	Good Intent Calls	False alarm good intent: Authorised controlled burn		113 DARWIN ROAD

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
28/03/1999	W027331	False Alarm	False alarm: Malicious		13 HUDSON STREET
27/03/1999	W027220	Good Intent Calls	False alarm good intent: Authorised controlled burn		GADDUMS HILL
22/03/1999	W026477	False Alarm	False alarm: Defective		26 DALTON STREET
16/03/1999	W025796	False Alarm	False alarm: Defective		GRAHAM ROAD
6/03/1999	W024304	Rescue, Emergency, Medical Call	Assist ambulance		96 DE LATOUR ROAD
1/03/1999	W023580	Structure Fire	Structure fire with no damage		50 GRAHAM ROAD
1/03/1999	W023470	False Alarm	False alarm: Defective		GRAHAM ROAD
14/02/1999	W021722	Structure Fire	Structure fire with damage		18 DAPHNE STREET
13/02/1999	W021685	Structure Fire	Structure fire with no damage		57 WILDISH STREET
8/02/1999	W020933	Overpressure, Rupture, Explosives, Over Heating	Air, Gas rupture		124 IRANUI ROAD
2/02/1999	W020247	Miscellaneous Fire	Outside rubbish fire		19 TURENE STREET
9/01/1999	W017293	Good Intent Calls	False alarm good intent: Smell of smoke		14 HALLEY STREET
1/01/1999	W016496	Rescue, Emergency, Medical Call	Assist ambulance		245 RUTENE ROAD
30/12/1998	W016348	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TYNDALL ROAD
17/12/1998	W014988	Good Intent Calls	False alarm good intent: Lights thought to be fire		10 OWEN ROAD
7/12/1998	W013954	Good Intent Calls	False alarm good intent: Authorised controlled burn		1 GADDUM HILL ROAD
4/12/1998	W013649	False Alarm	False alarm: Malicious		6 CAVENDISH CRES
1/12/1998	W013351	False Alarm	False alarm: Malicious	Te Aka Ora Trust Care Home	232 RUTENE ROAD
30/11/1998	W013140	Rescue, Emergency, Medical Call	Medical call: No ambulance present/Ambulance delayed		10 TUI STREET
29/11/1998	W013036	False Alarm	False alarm: Defective		GRAHAM ROAD
31/10/1998	W009761	Vegetation Fire	Grass fire		66 WILDISH STREET
31/10/1998	W009756	Structure Fire	Structure fire with damage		93 DELATOUR ROAD
12/10/1998	W007329	Structure Fire	Structure fire with damage		36 HUXLEY ROAD
30/09/1998	W006251	Structure Fire	Structure fire with no damage		84 DELATOUR ROAD
26/09/1998	W005894	Special Service Calls	Animal rescue		11 WILDISH STREET
17/09/1998	W005089	False Alarm	False alarm: Defective		GRAHAM ROAD
3/09/1998	W003985	Special Service Calls	Animal rescue		27 WILDISH STREET
27/08/1998	W003473	Special Service Calls	Animal rescue		17 WILDISH STREET
17/08/1998	W002573	Structure Fire	Chimney fire		106 DE LAUTOUR ROAD

OIA 2014-068 - NZFS Incidents within 500m of 2 Daphne Street, Te Awamutu

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
3/08/1998	W001448	Good Intent Calls	False alarm good intent: not classified above		53 KELVIN STREET
1/08/1998	W001242	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		19 DE LATOUR ROAD
22/07/1998	W000518	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CNR DALTON/FLEMING

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
24/05/2014	F1620404	Structure Fire	Structure fire with no damage	Mitre 10 Mega Wanganui	200 TAUPO QUAY
23/05/2014	F1620039	False Alarm	False alarm: not classified above	Mitre 10 Mega Wanganui	200 TAUPO QUAY
8/05/2014	F1611864	Special Service Calls	Assist public	Cobham Bridge	WANGANUI METROPOLITAN MOTORWAY
4/05/2014	F1609213	Good Intent Calls	False alarm good intent: not classified above		31A LIFFITON STREET
24/03/2014	F1581347	Electrical Hazards	Arcing, shorted electrical equipment		22 LIFFITON STREET
21/03/2014	F1580280	Structure Fire	Structure fire with damage		266B TAUPO QUAY
9/03/2014	F1571770	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		15 KOROMIKO ROAD
9/03/2014	F1571356	Special Service Calls	Assist Police		HEADS ROAD
26/02/2014	F1563822	Structure Fire	Structure fire with no damage	Palmers Plumbing And Heating	27 HEADS ROAD
10/02/2014	F1552473	Rescue, Emergency, Medical Call	Medical call: No ambulance present/Ambulance delayed	Fire Station Wanganui (Under Referbishment) (WANGANUI FIRE STATION)	89 MARIA PLACE
31/01/2014	F1546834	False Alarm	False alarm: Undetermined alarm activation		41 LIFFITON STREET
27/01/2014	F1544200	Miscellaneous Fire	Outside rubbish fire		34 CARLTON AVENUE
15/01/2014	F1536433	False Alarm	False alarm: Accidental operation	Te Whare Mahana	69 HEADS ROAD
29/12/2013	F1527050	False Alarm	False alarm: Accidental operation	Te Whare Mahana	69 HEADS ROAD
22/12/2013	F1523591	False Alarm	False alarm: Undetermined alarm activation	Powerco Stores	216 Taupo Quay
7/12/2013	F1514318	Structure Fire	Structure fire with no damage	Mitre 10 Mega Wanganui	200 TAUPO QUAY
26/11/2013	F1507106	False Alarm	False alarm: Undetermined alarm activation	Mitre 10 Mega Wanganui	200 TAUPO QUAY
21/11/2013	F1503773	Mobile Properties Hazardous Incidents	Gas, Liquid spill: Vehicle accident		CARLTON AV and LIFFITON ST
12/11/2013	F1497622	Structure Fire	Structure fire with damage	Good Health Wanganui Perioperative Building	UNKN0001 HEADS ROAD
10/11/2013	F1496840	Rescue, Emergency, Medical Call	Assist ambulance	Mitre 10 Mega Wanganui	200 Taupo Quay
15/10/2013	F1480340	Natural Disasters	Flood	Fire Station Wanganui (Under Referbishment) (WANGANUI FIRE STATION)	89 MARIA PLACE
13/10/2013	F1478180	Electrical Hazards	Arcing, shorted electrical equipment	Dempsey And Forrest	208 GUYTON STREET
9/10/2013	F1475757	False Alarm	False alarm: Excess Smoke, Heat	Palmers Plumbing And Heating	27 HEADS ROAD
7/09/2013	F1455079	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke	Cobham Bridge	WANGANUI METROPOLITAN MOTORWAY
29/07/2013	F1432950	False Alarm	False alarm: Defective		6 CAVELL PLACE
8/07/2013	F1421381	Structure Fire	Structure fire with no damage		6 CARLTON AVENUE
27/06/2013	F1415069	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		GUYTON ST and HEADS RD

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
18/06/2013	F1407742	False Alarm	False alarm: Accidental operation	Fire Station Wanganui (Under Referbishment) (FIRE STATION WANGANUI)	89 MARIA PLACE
17/06/2013	F1407529	Special Service Calls	Assist Police		HEADS ROAD
9/06/2013	F1402379	Miscellaneous Fire	Outside rubbish fire		38 CARLTON AVENUE
21/05/2013	F1392741	Miscellaneous Fire	Camp fire		TAUPO QUAY
15/05/2013	F1389318	Structure Fire	Structure fire with no damage	NZ Army Wellington West Coast And Taranaki Headquarters	86 MARIA PLACE
9/05/2013	F1386118	Miscellaneous Fire	Outside rubbish fire		MASON TERRACE
10/04/2013	F1367718	False Alarm	False alarm: Defective	Fire Station Wanganui (Under Referbishment) (FIRE STATION WANGANUI)	89 MARIA PLACE
27/03/2013	F1359587	Structure Fire	Structure fire with damage		24 MASON TERRACE
16/03/2013	F1352598	False Alarm	False alarm: Defective	Pump And Valve Specialties	43 HEADS ROAD
15/03/2013	F1351802	False Alarm	False alarm: Defective	Pump And Valve Specialties	43 HEADS ROAD
8/01/2013	F1307880	Miscellaneous Fire	Outside rubbish fire		38 CARLTON AVENUE
6/01/2013	F1306718	False Alarm	False alarm: Defective	Good Health Wanganui Perioperative Building	UNKN0001 HEADS ROAD
28/12/2012	F1302205	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire		23 TAKARANGI STREET
6/12/2012	F1288688	False Alarm	False alarm: Accidental operation	Good Health Wanganui Clinical Services	100 HEADS ROAD
25/11/2012	F1282264	Miscellaneous Fire	Rubbish bin, Skip fire		TAUPO QUAY
29/10/2012	F1265534	Special Service Calls	Domestic, Commercial water problem		TAUPO QUAY and HEADS RD
26/10/2012	F1264259	False Alarm	False alarm: Accidental operation	Fire Station Wanganui (Under Referbishment) (FIRE STATION WANGANUI)	89 MARIA PLACE
1/10/2012	F1250880	False Alarm	False alarm: Defective	Pump And Valve Specialties	43 HEADS ROAD
30/09/2012	F1250671	False Alarm	False alarm: Accidental operation	Mitre 10 Mega Wanganui	200 TAUPO QUAY
14/08/2012	F1224856	Structure Fire	Structure fire with damage	Mitre 10 Mega Wanganui	200 TAUPO QUAY
3/08/2012	F1219144	False Alarm	False alarm: Accidental operation	Fire Station Wanganui (Under Referbishment) (FIRE STATION WANGANUI)	89 MARIA PLACE
21/07/2012	F1212070	Structure Fire	Structure fire with damage	Primary Wool Co Operative	1 LIFFITON STREET
20/07/2012	F1211533	False Alarm	False alarm: Defective	Suzuki NZ	1 HEADS ROAD
13/07/2012	F1208090	Miscellaneous Fire	Rubbish bin, Skip fire	Mitre 10 Mega Wanganui (MITRE 10 MEGA WHANGANUI)	200 TAUPO QUAY
24/06/2012	F1197169	Special Service Calls	Domestic, Commercial water problem		87A HEADS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
24/05/2012	F1181639	False Alarm	False alarm: Defective	Good Health Wanganui Community Mental Health	100 HEADS ROAD
21/05/2012	F1179501	Miscellaneous Fire	Outside rubbish fire		SH 3 and HEADS RD
11/05/2012	F1174115	Good Intent Calls	False alarm good intent: Hazardous substance no action taken	Mitre 10 Mega Wanganui	200 TAUPO QUAY
2/05/2012	F1168886	False Alarm	False alarm: Accidental activation of turnout system	Fire Station Wanganui (Under Referbishment) (WANGANUI FIRE STATION)	89 MARIA PLACE
16/04/2012	F1160061	Structure Fire	Structure fire with no damage	Mitre 10 Mega Wanganui	200 TAUPO QUAY
3/04/2012	F1153727	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		TAKARANGI STREET
3/04/2012	F1153691	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		11 TAKARANGI STREET
1/04/2012	F1152627	False Alarm	False alarm: Defective	Good Health Wanganui Community Mental Health	100 HEADS ROAD
10/03/2012	F1138850	Not Recorded	Not Recorded		12 CARLTON AVENUE
21/02/2012	F1126810	Not Recorded	Not Recorded	Hospital Shop ()	71 HEADS ROAD
13/02/2012	F1122428	Not Recorded	Not Recorded		WANGANUI METROPOLITAN MOTORWAY
19/01/2012	F1109329	Not Recorded	Not Recorded	Powerco Stores	216 TAUPO QUAY
7/01/2012	F1102818	Not Recorded	Not Recorded		5 PHARAZYN STREET
4/01/2012	F1101723	Not Recorded	Not Recorded	Putiki Marae	29 TAKARANGI STREET
1/01/2012	F1100445	Not Recorded	Not Recorded	Good Health Wanganui Perioperative Building	UNKN0001 HEADS ROAD
26/12/2011	F1097617	Not Recorded	Not Recorded		GUYTON ST and HEADS RD
26/12/2011	F1097433	Not Recorded	Not Recorded		HEADS ROAD
17/12/2011	F1092474	Not Recorded	Not Recorded	Mitre 10 Mega Wanganui	200 TAUPO QUAY
2/12/2011	F1083936	Not Recorded	Not Recorded		71-75 HEADS ROAD
29/11/2011	F1081876	Not Recorded	Not Recorded		4 PHARAZYN STREET
15/11/2011	F1073337	Not Recorded	Not Recorded		HEADS RD and GUYTON ST
5/11/2011	F1067680	Not Recorded	Not Recorded		38 LIFFITON STREET
1/11/2011	F1065332	Not Recorded	Not Recorded	Mitre 10 Mega Wanganui	200 TAUPO QUAY
16/10/2011	F1057324	False Alarm	False alarm: Undetermined alarm activation	Good Health Wanganui Perioperative Building	UNKN0001 HEADS ROAD
12/10/2011	F1055475	False Alarm	False alarm: Undetermined alarm activation	Mitre 10 Mega Wanganui	200 TAUPO QUAY
8/10/2011	F1052931	Not Recorded	Not Recorded		6 KOROMIKO ROAD
28/09/2011	F1047743	False Alarm	False alarm: Accidental operation	Mitre 10 Mega Wanganui	200 TAUPO QUAY

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
27/09/2011	F1047153	False Alarm	False alarm: Malicious	Good Health Wanganui Clinical Services	100 HEADS ROAD
10/08/2011	F1021134	False Alarm	False alarm: Undetermined alarm activation	Hospital Shop	71-75 HEADS ROAD
15/07/2011	F1008216	False Alarm	False alarm: Defective	Playground Centre Manufacturers	230 GUYTON STREET
15/07/2011	F1008195	Rescue, Emergency, Medical Call	Medical call: No ambulance present/Ambulance delayed		14A CARLTON AVENUE
30/06/2011	F0999801	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Putiki Marae	29 TAKARANGI STREET
25/06/2011	F0997254	False Alarm	False alarm: Accidental operation	Mitre 10 Mega Wanganui	200 TAUPO QUAY
24/06/2011	F0997060	Miscellaneous Fire	Outside rubbish fire		26 SARJEANT STREET
2/06/2011	F0984644	Good Intent Calls	False alarm good intent: Smell of smoke	Te Whare Mahana (TE ORANGANUI IWI HEALTH AUTHORITY TE KORIMAKO)	69 HEADS ROAD
10/05/2011	F0971833	Structure Fire	Structure fire with no damage	Fire Station Wanganui (Under Refferbishment) (FIRE STATION WANGANUI)	89 MARIA PLACE
8/05/2011	F0970543	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		WANGANUI METROPOLITAN MOTORWAY
7/05/2011	F0969808	False Alarm	False alarm: Undetermined alarm activation	Mitre 10 Mega Wanganui	200 TAUPO QUAY
22/04/2011	F0959660	Miscellaneous Fire	Outside rubbish fire		260 TAUPO QUAY
11/04/2011	F0952161	Chemical, Flammable Liquid or Gas Fire	Flammable liquid, Gas fire	Mitre 10 Mega Wanganui	200 TAUPO QUAY
4/04/2011	F0947586	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		201 GUYTON STREET
21/03/2011	F0937688	False Alarm	False alarm: Accidental operation	Playground Centre Manufacturers	230 GUYTON STREET
19/03/2011	F0936471	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Mitre 10 Mega Wanganui	200 TAUPO QUAY
16/03/2011	F0934014	False Alarm	False alarm: Defective	Wanganui Drainage Contractors	178 RIDGWAY STREET
8/03/2011	F0928780	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		SH 3 and HEADS RD
25/02/2011	F0917433	False Alarm	False alarm: Accidental operation	Farmlands Wanganui	53 HEADS ROAD
14/01/2011	F0881957	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		LIFFITON STREET
26/12/2010	F0866056	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		HEADS RD and LIFFITON ST
17/12/2010	F0856763	False Alarm	False alarm: Accidental operation	Good Health Wanganui Perioperative Building	UNKN00001 HEADS ROAD
10/12/2010	F0850935	Miscellaneous Fire	Outside rubbish fire		39 LIFFITON STREET
23/11/2010	F0833704	False Alarm	False alarm: Defective	Rivercity Marine	234 TAUPO QUAY
22/11/2010	F0833134	False Alarm	False alarm: Accidental operation	Rivercity Marine	234 TAUPO QUAY

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
27/10/2010	F0808396	False Alarm	False alarm: Defective	Good Health Wanganui Clinical And Acute Services Building	100 HEADS ROAD
14/10/2010	F0797833	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Gilmour Flats Wanganui	5 GILMOUR STREET
13/10/2010	F0797826	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Gilmour Flats Wanganui	5 GILMOUR STREET
23/09/2010	F0780573	False Alarm	False alarm: Accidental operation	Mitre 10 Mega Wanganui	200 TAUPO QUAY
2/09/2010	F0755484	Good Intent Calls	False alarm good intent: Smell of smoke		6 PHARAZYN STREET
9/08/2010	F0739809	False Alarm	False alarm: Defective	Good Health Wanganui Community Mental Health	100 HEADS ROAD
19/07/2010	F0727104	Structure Fire	Chimney fire		39 LIFFITON STREET
11/07/2010	F0722077	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TAUPO QUAY and PACIFIC PL
11/07/2010	F0721490	Miscellaneous Fire	Outside fire: Material burnt has definable value		HEADS ROAD
30/06/2010	F0714630	False Alarm	False alarm: Excess Smoke, Heat	Community House (IHC) Wanganui Central	30 HEADS ROAD
7/06/2010	F0699793	False Alarm	False alarm: Defective	Mitre 10 Mega Wanganui	200 TAUPO QUAY
31/05/2010	F0695221	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		36 CARLTON AVENUE
21/05/2010	F0688022	False Alarm	False alarm: Accidental operation	Community House (IHC) Wanganui Central	30 HEADS ROAD
14/05/2010	F0682868	False Alarm	False alarm: Accidental operation	Fire Station Wanganui (Under Referbishment) (FIRE STATION WANGANUI)	89 MARIA PLACE
11/05/2010	F0680048	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		TAUPO QUAY
10/05/2010	F0679410	Rescue, Emergency, Medical Call	Assist ambulance	Gateway Motor Lodge Wanganui	59 HEADS ROAD
5/05/2010	F0675453	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		39 LIFFITON STREET
7/04/2010	F0654670	Mobile Properties Hazardous Incidents	Gas, liquid spill: Incorrect vehicle loading		SH 3 and HEADS RD
26/03/2010	F0646093	False Alarm	False alarm: Undetermined alarm activation	Wanganui Drainage Contractors	178 RIDGWAY STREET
20/03/2010	F0640856	Miscellaneous Hazardous Condition	Miscellaneous hazardous condition - not classified above		LIFFITON STREET
26/02/2010	F0623444	Good Intent Calls	False alarm good intent: Smell of smoke		WILSON STREET
31/01/2010	F0603993	False Alarm	False alarm: Undetermined alarm activation		LIFFITON STREET
28/01/2010	F0601761	False Alarm	False alarm: Accidental operation	Farmlands Wanganui	53 HEADS ROAD
3/01/2010	F0585509	False Alarm	False alarm: Defective	Hospital Shop	71-75 HEADS ROAD
15/11/2009	F0549657	Not Recorded	Not Recorded	Putiki Pa	ANAU STREET

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
19/10/2009	F0530620	False Alarm	False alarm: Accidental operation	Fire Station Wanganui (Under Referbishment) (FIRE STATION WANGANUI)	89 MARIA PLACE
9/10/2009	F0524603	False Alarm	False alarm: Accidental operation	Fire Station Wanganui (Under Referbishment) (FIRE STATION WANGANUI)	89 MARIA PLACE
10/09/2009	F0505863	False Alarm	False alarm: Malicious	Good Health Wanganui Perioperative Building	UNKN00001 HEADS ROAD
28/08/2009	F0496273	Not Recorded	Not Recorded		WANGANUI METROPOLITAN MOTORWAY
8/08/2009	F0483704	Not Recorded	Not Recorded		HEADS RD and CARLTON AV
2/08/2009	F0479267	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		HATRICK STREET
2/08/2009	F0479267	Vegetation Fire	Single tree fire		HATRICK STREET
30/07/2009	F0477904	Vegetation Fire	Single tree fire		TAUPO QUAY and CARLTON AV
27/07/2009	F0475992	Structure Fire	Structure Fire (NEW)		14 SARJEANT STREET
27/07/2009	F0475666	Vegetation Fire	Single tree fire		TAUPO QUAY
19/06/2009	F0449904	Miscellaneous Fire	Rubbish bin, Skip fire		PHARAZYN STREET
26/05/2009	F0434021	Special Service Calls	Assist Police		HEADS RD and SARJEANT ST
17/05/2009	F0427686	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		219 TAUPO QUAY
16/05/2009	F0427067	Vegetation Fire	Single tree fire		TAUPO QUAY and MASON TCE
27/04/2009	F0414041	Special Service Calls	Assist Police		TAUPO QUAY and CARLTON AV
25/04/2009	F0412890	Good Intent Calls	False alarm good intent: Lights thought to be fire	Mitre 10 Mega Wanganui	200 TAUPO QUAY
18/04/2009	F0407565	Special Service Calls	Animal rescue		5 PHARAZYN STREET
15/04/2009	F0405684	Vegetation Fire	Single tree fire		LIFFITON STREET
5/04/2009	F0398243	Good Intent Calls	False alarm good intent: Smell of smoke		TAUPO QUAY
4/04/2009	F0397466	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		2 CARLTON AVENUE
26/03/2009	F0389566	Miscellaneous Fire	Outside rubbish fire		5 PHARAZYN STREET
16/03/2009	F0381147	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		168 RIDGWAY STREET
8/03/2009	F0374907	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke	Mitre 10 Mega Wanganui	200 TAUPO QUAY

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
25/02/2009	F0366317	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Cobham Bridge	WANGANUI METROPOLITAN MOTORWAY
1/02/2009	F0346617	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		TAUPO QUAY
6/01/2009	F0327086	Miscellaneous Fire	Outside rubbish fire		14 CARLTON AV
30/12/2008	F0321698	Miscellaneous Fire	Outside rubbish fire		1 CAVELL PLACE
17/11/2008	F0288076	False Alarm	False alarm: Undetermined alarm activation	Good Health Wanganui Community Mental Health	100 HEADS ROAD
28/10/2008	F0272077	Rescue, Emergency, Medical Call	Medical call: No ambulance present/Ambulance delayed		7 SARJEANT STREET
22/10/2008	F0268223	False Alarm	False alarm: Undetermined alarm activation		PURNELL STREET
16/09/2008	F241752	False Alarm	False alarm: Accidental operation	Good Health Wanganui Clinical Services	100 HEADS ROAD
15/09/2008	F240981	False Alarm	False alarm: Accidental operation	Good Health Wanganui Clinical Services	100 HEADS ROAD
3/09/2008	F233490	Special Service Calls	Assist Police		3 CARLTON AVENUE
31/07/2008	F212034	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident	Repeco Wanganui	19 WILSON STREET
26/07/2008	F205954	Rescue, Emergency, Medical Call	Medical call: No ambulance present/Ambulance delayed	Spriggens Park Grandstand	SARJEANT STREET
21/07/2008	F201295	Rescue, Emergency, Medical Call	Lock-in, Trapped inside structure	Bizzy Bee Preschool	29 HATRICK STREET
11/07/2008	F195712	Structure Fire	Structure fire with no damage		70 HEADS ROAD
9/07/2008	F194523	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		GUYTON STREET
9/07/2008	F194029	Structure Fire	Structure fire with no damage		42 CARLTON AVENUE
22/06/2008	F183059	Natural Disasters	Flood	Dempsey And Forrest	208 GUYTON STREET
18/06/2008	F180254	Miscellaneous Fire	Outside rubbish fire		139 RIDGWAY STREET
15/06/2008	F178764	Good Intent Calls	False alarm good intent: Smell of smoke	Mitre 10 Mega Wanganui	200 TAUPO QUAY
3/06/2008	F170257	False Alarm	False alarm: Accidental operation	Fire Station Wanganui (Under Referbishment) (FIRE STATION WANGANUI)	89 MARIA PLACE
23/04/2008	F142273	False Alarm	False alarm: Accidental operation	Good Health Wanganui Clinical Services	100 HEADS ROAD
2/04/2008	F125898	False Alarm	False alarm: Accidental operation	Mitre 10 Mega Wanganui	200 TAUPO QUAY
11/03/2008	F108569	Rescue, Emergency, Medical Call	Assist ambulance		HATRICK ST EAST and GUYTON ST
24/02/2008	F095859	Special Service Calls	Special service call - not classified above	Dempsey And Forrest	208 GUYTON STREET
8/02/2008	F083621	False Alarm	False alarm: Accidental operation	Good Health Wanganui Clinical And Acute Services Building (WANGANUI HOSPITAL CLINICAL SERVICES)	100 HEADS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
14/01/2008	F063005	Good Intent Calls	False alarm good intent: Authorised controlled burn		TAUPO QUAY
11/01/2008	F061292	Miscellaneous Fire	Outside rubbish fire	River City Rewinds (BUNNINGS WANGANUI)	143 RIDGWAY STREET
30/11/2007	F031308	False Alarm	False alarm: Accidental operation	Good Health Wanganui Clinical And Acute Services Building (WANGANUI HOSPITAL CLINICAL SERVICES)	100 HEADS ROAD
27/11/2007	F028620	False Alarm	False alarm: not classified above		HEADS RD and CARLTON AV
25/11/2007	F026661	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Playground Centre Manufacturers	230 GUYTON STREET
24/11/2007	F026145	Miscellaneous Fire	Outside fire: Material burnt has definable value		10 CARLTON AVENUE
17/11/2007	F019649	False Alarm	False alarm: Accidental operation	Good Health Wanganui Clinical Services	100 HEADS ROAD
19/10/2007	F001377	False Alarm	False alarm: Excess Smoke, Heat	Mitre 10 Mega Wanganui	200 TAUPO QUAY
18/09/2007	W784976	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		TAUPO QUAY and LIFFITON ST
15/09/2007	W784325	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		HEADS RD and LIFFITON ST
22/08/2007	W778489	Special Service Calls	Assist Police		HEADS RD and LIFFITON ST
16/08/2007	W777064	Chemical, Flammable Liquid or Gas Fire	Flammable liquid, Gas fire		262 TAUPO QUAY
7/08/2007	W774565	Natural Disasters	Flood	Mitre 10 Mega Wanganui	200 TAUPO QUAY
31/07/2007	W772865	False Alarm	False alarm: Accidental operation		201 GUYTON STREET
23/06/2007	W762880	Special Service Calls	Repair roof	Fire Station Wanganui (Under Referbishment) (FIRE STATION WANGANUI)	89 MARIA PLACE
21/06/2007	W762397	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Berdeck Village	152 TAUPO QUAY
30/05/2007	W756402	Good Intent Calls	False alarm good intent: not classified above	Mainfreight Transport Wanganui	180 RIDGWAY STREET
16/05/2007	W752925	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		HEADS RD and CARLTON AV
2/05/2007	W749481	Electrical Hazards	Arcing, shorted electrical equipment		32 HEADS ROAD
23/04/2007	W746772	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		HEADS ROAD
15/04/2007	W744766	False Alarm	False alarm: Malicious	Good Health Wanganui Clinical Services	100 HEADS ROAD
11/04/2007	W743659	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Berdeck Village	152 TAUPO QUAY
5/04/2007	W742182	False Alarm	False alarm: Accidental operation	Fire Station Wanganui (Under Referbishment) (2371)	89 MARIA PLACE
2/04/2007	W741429	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		KOROMIKO RD and

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
					CARLTON AV
17/03/2007	W736773	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		LIFFITON STREET
16/03/2007	W736306	False Alarm	False alarm: Defective		100 HEADS ROAD
15/03/2007	W736068	False Alarm	False alarm: Defective	Fire Station Wanganui (Under Referred to) (FIRE STATION WANGANUI)	89 MARIA PLACE
23/02/2007	W729749	False Alarm	False alarm: Accidental activation of turnout system	Suzuki NZ	1 HEADS ROAD
28/01/2007	W721867	False Alarm	False alarm: Defective	Good Health Wanganui Community Mental Health	100 HEADS ROAD
28/01/2007	W721821	Rescue, Emergency, Medical Call	Assist ambulance		HEADS RD and LIFFITON ST
22/01/2007	W720038	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		HEADS RD and SH 3
9/12/2006	W709644	Miscellaneous Fire	Outside rubbish fire		12 CARLTON AVENUE
3/12/2006	W708103	False Alarm	False alarm: Undetermined alarm activation	Hospital Shop	71-75 HEADS ROAD
6/11/2006	W700625	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		TAUPO QUAY and HEADS RD
6/11/2006	W700589	False Alarm	False alarm: Defective	Playground Centre Manufacturers	230 GUYTON STREET
22/10/2006	W696469	False Alarm	False alarm: Accidental operation	Good Health Wanganui Clinical And Acute Services Building (GOOD HEALTH WANGANUI MATERNITY WARD & CLINICAL SERVICES)	100 HEADS ROAD
20/10/2006	W696030	False Alarm	False alarm: Defective	Mitre 10 Mega Wanganui	200 TAUPO QUAY
3/09/2006	W684180	False Alarm	False alarm: Excess Smoke, Heat	Good Health Wanganui Clinical And Acute Services Building (GOOD HEALTH WANGANUI MATERNITY WARD & CLINICAL SERVICES)	100 HEADS ROAD
18/07/2006	W673150	Good Intent Calls	False alarm good intent: Authorised controlled burn		5 PACIFIC PLACE
21/06/2006	W666436	False Alarm	False alarm: Defective		75A HEADS ROAD
19/06/2006	W665790	False Alarm	False alarm: Defective	Good Health Wanganui Clinical And Acute Services Building (GOOD HEALTH WANGANUI MATERNITY WARD & CLINICAL SERVICES)	100 HEADS ROAD
13/04/2006	W650165	Rescue, Emergency, Medical Call	Assist ambulance		
9/04/2006	W649238	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Mitre 10 Mega Wanganui	200 TAUPO QUAY
31/03/2006	W647393	Structure Fire	Structure fire with no damage		33 HEADS ROAD
20/03/2006	W644789	Miscellaneous Fire	Outside rubbish fire	River City Rewinds	143 RIDGWAY STREET

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
10/02/2006	W634510	Structure Fire	Structure fire with no damage	Fire Station Wanganui (Under Referbishment) (WANGANUI FIRE STATION)	89 MARIA PLACE
10/02/2006	W634479	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Mitre 10 Mega Wanganui	200 TAUPO QUAY
5/02/2006	W633294	Miscellaneous Fire	Outside rubbish fire	Suburban Printery (Old) ()	238 TAUPO QUAY
5/02/2006	W633293	Good Intent Calls	False alarm good intent: Call in the vicinity of another fire		32 MASON TERRACE
18/01/2006	W628257	False Alarm	False alarm: Accidental activation of turnout system	Bizzy Bee Preschool	29 HATRICK STREET
16/01/2006	W627706	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		LIFFITON STREET
14/01/2006	W627282	False Alarm	False alarm: Undetermined alarm activation	Mitre 10 Mega Wanganui	200 TAUPO QUAY
4/01/2006	W625224	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Cobham Bridge	WANGANUI METROPOLITAN MOTORWAY
3/01/2006	W624768	False Alarm	False alarm: Undetermined alarm activation	Playground Centre Manufacturers	230 GUYTON STREET
21/12/2005	W621488	Miscellaneous Fire	Outside rubbish fire		RIDGWAY STREET
17/12/2005	W620445	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		HEADS ROAD
15/12/2005	W619882	Natural Disasters	Flood		218 TAUPO QUAY
13/12/2005	W619258	Natural Disasters	Flood		1A LIFFITON STREET
13/12/2005	W619238	Natural Disasters	Flood		1A LIFFITON STREET
8/12/2005	W618102	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		32 MASON TERRACE
24/11/2005	W613417	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Farmlands Wanganui (FARMLANDS)	53 HEADS ROAD
12/11/2005	W610596	Special Service Calls	Repair roof		LIFFITON STREET
31/10/2005	W606848	Structure Fire	Structure fire with no damage		77 HEADS ROAD
10/10/2005	W601725	Structure Fire	Structure fire with no damage	Fire Station Wanganui (Under Referbishment) (FIRE STATION WANGANUI)	89 MARIA PLACE
4/10/2005	W600362	False Alarm	False alarm: Accidental operation	Suzuki NZ	1 HEADS ROAD
12/09/2005	W595309	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire		219 TAUPO QUAY
4/09/2005	W593442	Special Service Calls	Assist public		85 HEADS ROAD
30/08/2005	W592525	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
25/08/2005	W591249	Electrical Hazards	Arcing, shorted electrical equipment		11A MASON TERRACE
24/08/2005	W591107	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident	Cobham Bridge	WANGANUI METROPOLITAN MOTORWAY
21/07/2005	W583780	False Alarm	False alarm: Accidental operation	Good Health Wanganui Clinical Services	100 HEADS ROAD
15/07/2005	W582318	False Alarm	False alarm: Defective	Community House (IHC) Wanganui Central ()	30 HEADS ROAD
8/07/2005	W580822	Good Intent Calls	False alarm good intent: Smell of smoke		PACIFIC PLACE
6/07/2005	W580428	False Alarm	False alarm: Accidental operation	Fire Station Wanganui (Under Referbishment) (FIRE STATION WANGANUI)	89 MARIA PLACE
1/07/2005	W579273	False Alarm	False alarm: Defective	Good Health Wanganui Clinical And Acute Services Building (GOOD HEALTH WANGANUI MATERNITY WARD & CLINICAL SERVICES)	100 HEADS ROAD
4/06/2005	W573449	Structure Fire	Structure fire with no damage		10 MASON TERRACE
24/05/2005	W571069	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		17 SARJEANT STREET
11/05/2005	W567804	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		228 TAUPO QUAY
27/04/2005	W564786	False Alarm	False alarm: Defective	Powerco Stores	216 TAUPO QUAY
19/03/2005	W555424	False Alarm	False alarm: not classified above		18 LIFFITON STREET
20/02/2005	W547932	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		HATRICK STREET
16/02/2005	W546744	Miscellaneous Fire	Outside rubbish fire		TAUPO QUAY
12/02/2005	W545684	Vegetation Fire	Single tree fire		HATRICK STREET
3/02/2005	W543319	Good Intent Calls	False alarm good intent: Authorised controlled burn		GUYTON STREET
29/01/2005	W542314	False Alarm	False alarm: Defective	Playground Centre Manufacturers	230 GUYTON STREET
11/01/2005	W538323	False Alarm	False alarm: Defective	Playground Centre Manufacturers	230 GUYTON STREET
5/01/2005	W537066	False Alarm	False alarm: Defective	Good Health Wanganui Community Mental Health (GOOD HEALTH WANGANUI OLD NEWCOMBE WARD)	100 HEADS ROAD
26/12/2004	W535311	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		
10/12/2004	W531863	False Alarm	False alarm: Accidental operation	Playground Centre Manufacturers	230 GUYTON STREET
2/12/2004	W529894	Miscellaneous Hazardous Condition	Miscellaneous hazardous condition - not classified above		HEADS ROAD
28/11/2004	W528809	Special Service Calls	Assist Police		
12/11/2004	W524936	Miscellaneous Fire	Rubbish bin, Skip fire		139 RIDGWAY STREET

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
14/10/2004	W517395	Electrical Hazards	Arcing, shorted electrical equipment		13 CARLTON AVENUE
12/09/2004	W510419	False Alarm	False alarm: Accidental operation	Playground Centre Manufacturers	230 GUYTON STREET
1/09/2004	W508016	False Alarm	False alarm: Excess Smoke, Heat	Hospital Shop ()	75 HEADS ROAD
19/08/2004	W505154	Special Service Calls	Special service call - not classified above	Powerco Stores ()	216 TAUPO QUAY
11/08/2004	W501882	Special Service Calls	Assist Police		HEADS ROAD
2/08/2004	W499911	False Alarm	False alarm: Excess Smoke, Heat		274 TAUPO QUAY
31/07/2004	W499515	Structure Fire	Structure fire with damage		21 HEADS ROAD
28/07/2004	W498911	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		
19/07/2004	W497017	False Alarm	False alarm: Fire Service equipment fault	Fire Station Wanganui (Under Referbishment) (WANGANUI FIRE STATION)	89 MARIA PLACE
9/07/2004	W495051	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		TAUPO QUAY
27/06/2004	W492440	False Alarm	False alarm: Accidental operation	Fire Station Wanganui (Under Referbishment) (FIRE STATION WANGANUI)	89 MARIA PLACE
26/06/2004	W492176	False Alarm	False alarm: Accidental operation		75A HEADS ROAD
15/06/2004	W490012	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		
27/04/2004	W479355	False Alarm	False alarm: Accidental operation	Fire Station Wanganui (Under Referbishment) (WANGANUI FIRE STATION)	89 MARIA PLACE
24/04/2004	W478515	Miscellaneous Fire	Outside rubbish fire		HATRICK STREET
14/04/2004	W476274	Vegetation Fire	Single tree fire		258 TAUPO QUAY
20/03/2004	W470031	Good Intent Calls	False alarm good intent: Smell of smoke		31B LIFFITON STREET
19/03/2004	W470005	False Alarm	False alarm: Defective	Fire Station Wanganui (Under Referbishment) (WANGANUI FIRE STATION)	89 MARIA PLACE
15/02/2004	W457839	Natural Disasters	Flood	Fire Station Wanganui (Under Referbishment) (WANGANUI FIRE STATION)	89 MARIA PLACE
5/02/2004	W455580	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TAUPO QUAY
4/02/2004	W455303	False Alarm	False alarm: not classified above		6 MASON TERRACE
19/01/2004	W451166	Structure Fire	Structure fire with damage		20 HATRICK STREET
17/01/2004	W450832	Rescue, Emergency, Medical Call	Rescue, Emergency medical call - not classified above		20C CARLTON AVENUE
17/01/2004	W450673	Rescue, Emergency, Medical Call	Rescue, Emergency medical call - not classified	Cobham Bridge	WANGANUI METROPOLITAN

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
			above		MOTORWAY
31/12/2003	W446918	False Alarm	False alarm: Malicious		258 TAUPO QUAY
29/12/2003	W446428	False Alarm	False alarm: Malicious		252 TAUPO QUAY
19/12/2003	W444365	False Alarm	False alarm: Malicious		9 MASON TERRACE
16/12/2003	W443444	False Alarm	False alarm: Malicious		258 TAUPO QUAY
9/12/2003	W441587	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		LIFFERTON ST & TAUPO QY
6/12/2003	W440941	Miscellaneous Fire	Bonfire		
10/11/2003	W434936	False Alarm	False alarm: Defective	Playground Centre Manufacturers	230 GUYTON STREET
26/10/2003	W431410	Special Service Calls	Animal rescue		33 HEADS ROAD
8/09/2003	W420181	False Alarm	False alarm: Malicious		6 MASON TERRACE
8/09/2003	W420028	False Alarm	False alarm: Excess Smoke, Heat	Powerco Stores	216 TAUPO QUAY
6/09/2003	W419586	False Alarm	False alarm: Accidental operation		HEADS ROAD
25/08/2003	W417193	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		GUYTON STREET
5/08/2003	W413060	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		45 HEADS ROAD
23/07/2003	W409996	Special Service Calls	Assist Police		TAUPO QUAY
8/07/2003	W406846	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		
7/05/2003	W392005	False Alarm	False alarm: Malicious		4 MASON TERRACE
21/04/2003	W388064	Special Service Calls	Domestic, Commercial water problem		TAUPO QUAY
11/04/2003	W385864	Miscellaneous Fire	Outside rubbish fire		6 KOROMIKO ROAD
28/03/2003	W382449	Miscellaneous Fire	Outside rubbish fire		24 LIFFITON STREET
26/03/2003	W382038	Special Service Calls	Animal rescue		33 HEADS ROAD
26/03/2003	W381918	Structure Fire	Structure fire with no damage	Bizy Bee Preschool	29 HATRICK STREET
23/03/2003	W381028	Vegetation Fire	Vegetation fire - not classified above		3 SARJEANT STREET
10/03/2003	W377236	False Alarm	False alarm: Excess Smoke, Heat	Powerco Stores	216 TAUPO QUAY
8/03/2003	W376824	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		PACIFIC PLACE
27/02/2003	W374533	Miscellaneous Fire	Outside rubbish fire		152 TAUPOQUAY
24/02/2003	W373808	Miscellaneous Fire	Outside fire: Material burnt has definable value		TAUPO QUAY
16/02/2003	W371670	Miscellaneous Fire	Outside rubbish fire		HEADS ROAD
14/02/2003	W371088	Vegetation Fire	Scrub fire (excluding gorse)		SARJEANT STREET

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
8/01/2003	W362014	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Fire Station Wanganui (Under Refferbishment) (WANGANUI FIRE STATION)	89 MARIA PLACE
19/12/2002	W357462	Miscellaneous Fire	Camp fire		WANGANUI METROPOLITAN MOTORWAY
17/11/2002	W349794	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Playground Centre Manufacturers	230 GUYTON STREET
9/11/2002	W347957	Good Intent Calls	False alarm good intent: not classified above		31A MASON TERRACE
22/10/2002	W343529	Miscellaneous Hazardous Condition	Miscellaneous hazardous condition - not classified above		Heads Road/SH3
15/10/2002	W341959	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		126 RIDGWAY STREET
3/10/2002	W339112	Vegetation Fire	Grass fire		HEADS ROAD
29/08/2002	W331236	Structure Fire	Chimney fire		9 SARJEANT STREET
26/07/2002	W324272	False Alarm	False alarm: Defective		95B HEADS ROAD
25/07/2002	W324060	Miscellaneous Fire	Outside rubbish fire		24 CARLTON AVENUE
15/07/2002	W322020	Special Service Calls	Animal rescue		5 PHARAZYN STREET
21/06/2002	W316866	Good Intent Calls	False alarm good intent: not classified above		gilmour STREET
15/06/2002	W315389	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		220 GUYTON STREET
6/06/2002	W313227	Structure Fire	Structure fire with no damage		83A HEADS ROAD
6/06/2002	W313126	Electrical Hazards	Electrical hazard - not classified above		39 LIFFITON STREET
22/05/2002	W308946	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		109 HEADS ROAD
19/05/2002	W307934	Good Intent Calls	False alarm good intent: not classified above	Taylor's Spraypainting	17 HEADS ROAD
9/03/2002	W289588	Good Intent Calls	False alarm good intent: Rescue no action taken	Cobham Bridge	UNKN00001 SH 3
29/01/2002	W279363	False Alarm	False alarm: Defective	Powerco Stores	216 TAUPO QUAY
21/01/2002	W277291	Miscellaneous Fire	Outside rubbish fire		113 HEADS ROAD
31/12/2001	W272172	Vegetation Fire	Single tree fire		Heads ROAD
27/12/2001	W270785	Special Service Calls	Assist Police	Cobham Bridge	UNKN00001 SH 3
26/12/2001	W270724	Miscellaneous Fire	Miscellaneous fire - not classified above		guyton STREET
25/12/2001	W270604	Special Service Calls	Assist Police		5 SARJEANT STREET
30/11/2001	W264054	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	River City Rewinds (BOC GASES WANGANUI)	143 RIDGWAY STREET
27/11/2001	W263094	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Wanganui Drainage Contractors	178 RIDGWAY STREET

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
5/11/2001	W257604	Good Intent Calls	False alarm good intent: Unauthorised controlled burn		10 KOROMIKO ROAD
22/10/2001	W254080	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident	Cobham Bridge	UNKN00001 SH 3
21/10/2001	W253828	Good Intent Calls	False alarm good intent: Authorised controlled burn	Cobham Bridge	UNKN0 Marybank ROAD
5/10/2001	W249954	False Alarm	False alarm: Defective	River City Rewinds (BOC GASES WANGANUI)	143 RIDGWAY STREET
30/09/2001	W248470	False Alarm	False alarm: Defective	Bizzy Bee Preschool	29 HATRICK STREET
7/08/2001	W234849	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		Liffiton
31/07/2001	W233262	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		Carlton Ave
25/06/2001	W223958	False Alarm	False alarm: Defective	Rivercity Marine (WANGANUI HOSPITAL STORE)	236 TAUPO QUAY
21/06/2001	W222881	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		Taupo Quay
16/05/2001	W212178	Miscellaneous Fire	Outside rubbish fire		HEADS ROAD
3/03/2001	W189982	Miscellaneous Fire	Miscellaneous fire - not classified above		
15/02/2001	W185202	Electrical Hazards	Arcing, shorted electrical equipment		HATRICK STREET
13/02/2001	W184602	Miscellaneous Fire	Outside rubbish fire		LIFFITON STREET
10/02/2001	W183779	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		HATRICK STREET
20/01/2001	W177553	Vegetation Fire	Grass fire		TAUPO QUAY
14/01/2001	W175549	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		TAUPO QUAY
11/01/2001	W174787	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		Guyton/Heads ROAD
9/01/2001	W174455	Structure Fire	Structure fire with damage	Palmers Plumbing And Heating	27 HEADS ROAD
8/01/2001	W174038	Miscellaneous Fire	Outside rubbish fire		? taupo quay
3/01/2001	W172491	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		Guyton ST & Heads ROAD
26/12/2000	W169670	Vegetation Fire	Single tree fire		
13/12/2000	W165830	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		Liffiton
20/11/2000	W159684	Miscellaneous Fire	Rubbish bin, Skip fire		19 HEADS ROAD
20/11/2000	W159528	Structure Fire	Structure fire with no damage		23 CARLTON AVENUE

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
29/10/2000	W152543	False Alarm	False alarm: Accidental activation of turnout system		SARJEANT STREET
20/10/2000	W150214	False Alarm	False alarm: Defective	Playground Centre Manufacturers	230 GUYTON STREET
17/10/2000	W148938	False Alarm	False alarm: Defective		HEADS ROAD
27/09/2000	W143444	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		GUYTON STREET
7/09/2000	W136645	False Alarm	False alarm: Defective	Good Health Wanganui Lambie Building (WANGANUI HOSPITAL LAMBIE HOSTEL)	100 HEADS ROAD
6/09/2000	W136383	Structure Fire	Structure fire with no damage	Good Health Wanganui Clinical And Acute Services Building (WANGANUI HOSPITAL MATERNITY WARD)	HEADS ROAD
28/08/2000	W134299	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		CARLTON AVE
9/08/2000	W129333	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		SH 3
7/08/2000	W128660	Structure Fire	Chimney fire		3 PHARAZYN TERRACE
28/07/2000	W125747	Good Intent Calls	False alarm good intent: Rescue no action taken		LIFFITON STREET
25/07/2000	W125060	Miscellaneous Fire	Outside rubbish fire		13 KOROMIKO ROAD
5/06/2000	W111372	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		CARLTON AVE
25/05/2000	W108695	False Alarm	False alarm: Defective		HEADS ROAD
13/04/2000	W099423	Rescue, Emergency, Medical Call	Assist ambulance		HATRICK STREET
3/03/2000	W090313	False Alarm	False alarm: Accidental operation		HEADS ROAD
23/02/2000	W087993	Vegetation Fire	Grass fire		TAUPO QUAY
11/02/2000	W085074	Mobile Properties Hazardous Incidents	Gas, Liquid spill: Vehicle accident		TAUPO QUAY
24/12/1999	W074762	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		GUYTON STREET
29/11/1999	W068206	Special Service Calls	Domestic, Commercial water problem		1A CARLTON AVE
21/11/1999	W066669	Miscellaneous Fire	Bonfire		6 KOROMIKO ROAD
15/11/1999	W065591	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		25 HEADS ROAD
6/11/1999	W063938	Miscellaneous Fire	Bonfire		6 KOROMIKO ROAD
26/10/1999	W062180	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		GLASGOW STREET
28/08/1999	W053695	False Alarm	False alarm: Excess Smoke, Heat		42 CARLTON AVE

OIA 2014-068 - NZFS Incidents within 500m of 14 Liffiton Street, Wanganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
31/07/1999	W049557	False Alarm	False alarm: Malicious		38 CARLTON AVE
15/06/1999	W041191	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		SH3
13/04/1999	W029739	Good Intent Calls	False alarm good intent: not classified above		23 CARLTON AVE
13/03/1999	W025389	False Alarm	False alarm: Undetermined alarm activation		HATRICK STREET
11/03/1999	W024950	False Alarm	False alarm: Accidental operation		HEADS ROAD
19/02/1999	W022373	Vegetation Fire	Grass fire		TAUPO QUAY
26/01/1999	W019203	False Alarm	False alarm: Accidental operation		HEADS ROAD
17/01/1999	W018289	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		HEADS ROAD
17/01/1999	W018226	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		HEADS ROAD
23/12/1998	W015630	False Alarm	False alarm: Malicious		44 HEADS ROAD
18/12/1998	W015159	Rescue, Emergency, Medical Call	Assist ambulance		HEADS ROAD
17/12/1998	W015020	Special Service Calls	Domestic, Commercial water problem		HEADS ROAD
19/11/1998	W011894	Good Intent Calls	False alarm good intent: Authorised controlled burn		TAUPO QUAY
17/11/1998	W011655	Structure Fire	Structure fire with no damage		32 CARLTON AVE
15/11/1998	W011436	Miscellaneous Fire	Outside rubbish fire		MASON TERRACE
28/10/1998	W009367	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		MARIA PLACE
25/10/1998	W008899	Vegetation Fire	Grass fire		LIFFITON/HEADS
2/10/1998	W006515	Special Service Calls	Repair roof		248 TAUPO QUAY
30/09/1998	W006227	Structure Fire	Structure fire with no damage		148 TAUPO QUAY
22/07/1998	W000541	False Alarm	False alarm: Defective		24 TAUPO QUAY

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
9/06/2014	F1630402	False Alarm	False alarm: Accidental operation	Meta Processing (META PROCESSING RECYCLABLES BUILDING)	25 PARKHOUSE ROAD
31/05/2014	F1625644	Miscellaneous Fire	Miscellaneous Fire (NEW)		TIMOTHY PLACE
30/05/2014	F1624986	False Alarm	False Alarm (NEW)	Mitek NZ	14 PILKINGTON WAY
16/05/2014	F1615982	False Alarm	False alarm: Accidental operation	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
18/04/2014	F1600512	False Alarm	False alarm: Defective		23 KILRONAN PLACE
18/04/2014	F1599598	Special Service Calls	Assist public		38 DAKOTA CRESCENT
17/04/2014	F1597673	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm		40 HAYTON ROAD
3/04/2014	F1588720	Structure Fire	Structure fire with no damage	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
24/03/2014	F1581696	Rescue, Emergency, Medical Call	Assist ambulance	Meta Processing	25 PARKHOUSE ROAD
2/03/2014	F1566046	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Mainstream Christchurch	8 JIPCHO ROAD
22/02/2014	F1560065	Good Intent Calls	False alarm good intent: Smell of smoke	Recovered Materials Foundation	21 PARKHOUSE ROAD
19/02/2014	F1558338	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
14/02/2014	F1555111	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
10/02/2014	F1552261	False Alarm	False alarm: Accidental operation		52C HAYTON ROAD
7/02/2014	F1551092	Special Service Calls	Assist public		477A BLENHEIM ROAD
29/01/2014	F1544947	False Alarm	False alarm: Accidental operation	Meta Processing (META PROCESSING RECYCLABLES BUILDING)	25 PARKHOUSE ROAD
27/01/2014	F1543843	False Alarm	False alarm: Accidental operation	Meta Processing (META PROCESSING RECYCLABLES BUILDING)	25 PARKHOUSE ROAD
19/01/2014	F1538794	False Alarm	False alarm: Accidental operation		52C HAYTON ROAD
16/01/2014	F1536692	Miscellaneous Fire	Outside rubbish fire	Daily Freight Wigram Park	42 MCALPINE STREET
28/12/2013	F1526570	Structure Fire	Structure fire with damage		8 DAKOTA CRESCENT
22/12/2013	F1523628	False Alarm	False alarm: Accidental operation		52C HAYTON ROAD
18/12/2013	F1521243	Good Intent Calls	False alarm good intent: Hazardous substance no action taken	CSP Galvanising Christchurch	27 WASHBOURNES ROAD
18/12/2013	F1521131	False Alarm	False alarm: Accidental operation	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
19/11/2013	F1501886	False Alarm	False alarm: Accidental operation	Calcon	63 PILKINGTON WAY
1/11/2013	F1490790	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		BLLENHEIM ROAD
31/10/2013	F1490174	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Sockburn Roundabout	MAIN SOUTH ROAD
24/10/2013	F1485985	False Alarm	False alarm: Accidental operation	Turners And Growers Sockburn	39 DAKOTA CRESCENT
15/10/2013	F1479897	Miscellaneous Fire	Outside rubbish fire	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
8/10/2013	F1475594	Good Intent Calls	False alarm good intent: Rescue no action taken		BLLENHEIM ROAD
30/09/2013	F1470885	False Alarm	False alarm: Accidental operation	Christchurch Crematorium Chapel	65 VICKERYS ROAD
13/09/2013	F1460994	Miscellaneous Fire	Outside rubbish fire		50 PILKINGTON WAY
18/08/2013	F1443936	False Alarm	False alarm: Accidental operation		52C HAYTON ROAD
25/07/2013	F1430818	Miscellaneous Fire	Rubbish bin, Skip fire		MAIN SOUTH RD and BLLENHEIM RD
25/07/2013	F1430817	Miscellaneous Fire	Rubbish bin, Skip fire		68 HAYTON ROAD
24/05/2013	F1394527	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		MAIN SOUTH RD and BLLENHEIM RD
23/05/2013	F1393760	False Alarm	False alarm: Accidental operation	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
21/05/2013	F1392300	Mobile Property Fire	Mobile property fire - not classified above		38 PARKHOUSE ROAD
16/05/2013	F1389670	False Alarm	False alarm: Undetermined alarm activation	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
15/05/2013	F1389452	Rescue, Emergency, Medical Call	Rescue, Emergency medical call - not classified above		37 HAYTON ROAD
7/05/2013	F1384309	False Alarm	False alarm: Undetermined alarm activation	Calcon	63 PILKINGTON WAY
18/04/2013	F1372695	False Alarm	False alarm: Defective	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
1/04/2013	F1362759	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
17/03/2013	F1353603	False Alarm	False alarm: Defective	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
10/03/2013	F1348508	False Alarm	False alarm: Defective	Online Security Services	57 PILKINGTON WAY
6/03/2013	F1345253	False Alarm	False alarm: Defective	Daily Freight Wigram Park	42 MCALPINE STREET
1/03/2013	F1341908	Special Service Calls	Assist Police	Sockburn Roundabout	MAIN SOUTH ROAD
1/02/2013	F1322852	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		50 PILKINGTON WAY
30/01/2013	F1321718	Rescue, Emergency, Medical Call	Assist ambulance	Meta Processing	25 PARKHOUSE ROAD
30/12/2012	F1303046	Structure Fire	Structure fire with damage		21A MICHELLE ROAD
1/12/2012	F1285626	Miscellaneous Fire	Outside rubbish fire		72 HAYTON ROAD

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
18/11/2012	F1278022	False Alarm	False alarm: Defective	Online Security Services	57 PILKINGTON WAY
12/11/2012	F1274568	False Alarm	False alarm: Accidental operation	Turners And Growers Sockburn	39 DAKOTA CRESCENT
24/10/2012	F1263271	False Alarm	False alarm: Excess Smoke, Heat	Hancocks Wine Spirit And Beer Merchants (GLENGARRY HANCOCKS)	26 PILKINGTON WAY
16/10/2012	F1258879	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		BLENHEIM ROAD
17/09/2012	F1243355	False Alarm	False alarm: Accidental operation	Hancocks Wine Spirit And Beer Merchants (GLENGARRY HANCOCKS)	26 PILKINGTON WAY
3/09/2012	F1235582	False Alarm	False alarm: Accidental operation	Hancocks Wine Spirit And Beer Merchants (GLENGARRY HANCOCKS)	26 PILKINGTON WAY
2/09/2012	F1235105	Rescue, Emergency, Medical Call	Assist ambulance		PARKHOUSE RD and HAYTON RD
2/09/2012	F1235097	Rescue, Emergency, Medical Call	Assist ambulance		PARKHOUSE RD and HAYTON RD
1/09/2012	F1234613	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm		23 KILRONAN PLACE
12/08/2012	F1223634	False Alarm	False alarm: Undetermined alarm activation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
12/08/2012	F1223221	Miscellaneous Fire	Outside rubbish fire		HAYTON ROAD
26/07/2012	F1214863	False Alarm	False alarm: Undetermined alarm activation	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
8/07/2012	F1204790	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		ALLOY STREET
28/06/2012	F1199740	False Alarm	False alarm: Defective		11 PARKHOUSE ROAD
25/05/2012	F1181663	False Alarm	False alarm: Defective	Online Security Services	57 PILKINGTON WAY
17/05/2012	F1177664	False Alarm	False alarm: Accidental operation		7 PARADYNE PLACE
12/04/2012	F1158673	False Alarm	False alarm: Excess Smoke, Heat		25 KILRONAN PLACE
4/04/2012	F1154101	False Alarm	False alarm: Undetermined alarm activation	Fletcher Aluminium (FIFTEEN PILKINGTON WAY)	15 PILKINGTON WAY
3/04/2012	F1153638	False Alarm	False alarm: Accidental operation	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
23/03/2012	F1147066	False Alarm	False alarm: Undetermined alarm activation	Fletcher Aluminium (FIFTEEN PILKINGTON WAY)	15 PILKINGTON WAY
10/03/2012	F1139030	Not Recorded	Not Recorded		BLENHEIM ROAD
27/02/2012	F1129794	False Alarm	False alarm: Undetermined alarm activation		25 KILRONAN PLACE
17/02/2012	F1124246	Not Recorded	Not Recorded	Canzac	3 PARKHOUSE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
<i>(ALLIED PICKFORDS MIDDLETON)</i>					
13/02/2012	F1122336	Not Recorded	Not Recorded		74 MCALPINE STREET
5/02/2012	F1118117	False Alarm	False alarm: Undetermined alarm activation		20 DAKOTA CRESCENT
18/01/2012	F1108829	Not Recorded	Not Recorded	Online Security Services	57 PILKINGTON WAY
16/01/2012	F1107308	Not Recorded	Not Recorded		521 BLENHEIM ROAD
15/01/2012	F1106904	False Alarm	False alarm: Undetermined alarm activation	Mainstream Christchurch (AVON DISTRIBUTION CENTRE)	8 JIPCHO ROAD
6/01/2012	F1102417	Not Recorded	Not Recorded		20A DAKOTA CRESCENT
5/01/2012	F1101801	Not Recorded	Not Recorded	Recovered Materials Foundation ()	21 PARKHOUSE ROAD
26/12/2011	F1097317	Not Recorded	Not Recorded	Online Security Services	57 PILKINGTON WAY
23/12/2011	F1095492	Not Recorded	Not Recorded	Wrightson Woolstores	503 BLENHEIM ROAD
2/12/2011	F1083787	Not Recorded	Not Recorded	Viridian New World Glass	25 PILKINGTON WAY
14/11/2011	F1073074	Not Recorded	Not Recorded	Daily Freight Wigram Park	42 MCALPINE STREET
12/11/2011	F1071793	Not Recorded	Not Recorded		BLENHEIM RD and MAIN SOUTH RD
21/10/2011	F1060045	Not Recorded	Not Recorded	Meta Processing	25 PARKHOUSE ROAD
19/10/2011	F1058710	Not Recorded	Not Recorded	Meta Processing	25 PARKHOUSE ROAD
9/10/2011	F1053677	Not Recorded	Not Recorded	Meta Processing	25 PARKHOUSE ROAD
8/10/2011	F1053178	False Alarm	False alarm: Undetermined alarm activation	Meta Processing	25 PARKHOUSE ROAD
7/10/2011	F1052879	Not Recorded	Not Recorded	CSP Galvanising Christchurch	27 WASHBOURNES ROAD
18/08/2011	F1025935	False Alarm	False alarm: Defective	CL Tennant Engineering	4 TIMOTHY PLACE
10/08/2011	F1021147	Not Recorded	Not Recorded	J Russell Engineering	9 KILRONAN PLACE
13/07/2011	F1007031	False Alarm	False alarm: Accidental operation	PIZZA PROMOTIONS	471 BLENHEIM ROAD
7/07/2011	F1003559	Structure Fire	Structure fire with no damage	Formthotics	26 DAKOTA CRESCENT
21/06/2011	F0995440	Natural Disasters	Earthquake	Wrightson Woolstores	503 BLENHEIM ROAD
20/06/2011	F0994670	False Alarm	False alarm: Defective		28 PILKINGTON WAY
14/06/2011	F0991105	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		25 KILRONAN PLACE
13/06/2011	F0990285	False Alarm	False alarm: Undetermined alarm activation	Wrightson Woolstores	503 BLENHEIM ROAD
3/06/2011	F0985293	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
2/06/2011	F0984808	Miscellaneous Hazardous Condition	Miscellaneous hazardous condition - not classified above	Mainfreight Terminal (MAINFREIGHT)	48 MCALPINE STREET
18/05/2011	F0975985	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		17 WASHBOURNES ROAD
16/04/2011	F0956204	False Alarm	False alarm: Defective	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
11/04/2011	F0952427	Structure Fire	Structure fire with damage		12 PARADYNE PLACE
10/04/2011	F0951824	Miscellaneous Fire	Rubbish bin, Skip fire	Parkhouse Road Transfer Station (PARKHOUSE RD TRANSFER STATION)	21-29 PARKHOUSE ROAD
4/04/2011	F0947865	False Alarm	False alarm: Undetermined alarm activation	Wrightson Woolstores	503 BLENHEIM ROAD
17/02/2011	F0910021	False Alarm	False alarm: Defective	Online Security Services	57 PILKINGTON WAY
28/01/2011	F0894801	Miscellaneous Fire	Outside fire: Material burnt has definable value		HAYTON RD and PARKHOUSE RD
20/01/2011	F0887503	False Alarm	False alarm: Accidental operation	Wrightson Woolstores	503 BLENHEIM ROAD
27/12/2010	F0867115	False Alarm	False alarm: Accidental operation	Formula Foods	48 HAYTON ROAD
22/12/2010	F0862435	False Alarm	False alarm: Defective	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
19/12/2010	F0858259	False Alarm	False alarm: Defective		67 VICKERYS ROAD
17/12/2010	F0857075	Structure Fire	Structure fire with no damage	Calcon	63 PILKINGTON WAY
15/12/2010	F0854724	False Alarm	False alarm: Accidental operation	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
4/12/2010	F0844445	False Alarm	False alarm: Accidental operation	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
28/11/2010	F0838702	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		MAIN SOUTH ROAD
20/11/2010	F0831197	False Alarm	False alarm: Undetermined alarm activation	Online Security Services	57 PILKINGTON WAY
11/11/2010	F0822205	Structure Fire	Structure fire with damage	Wilcock Truck Painters	108A HAYTON ROAD
28/10/2010	F0809284	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
22/10/2010	F0804166	False Alarm	False alarm: Accidental operation	Hancocks Wine Spirit And Beer Merchants	26 PILKINGTON WAY
19/10/2010	F0801977	False Alarm	False alarm: Defective	Wrightson Woolstores	503 BLENHEIM ROAD
23/09/2010	F0780762	False Alarm	False alarm: Defective	Daily Freight Wigram Park (DAILY FREIGHT TERMINAL BUILDING)	42 MCALPINE STREET
10/09/2010	F0766918	False Alarm	False alarm: Accidental operation	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
8/09/2010	F0763471	Good Intent Calls	False alarm good intent: Hazardous substance no action taken	Turners And Growers Sockburn	39 DAKOTA CRESCENT

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
4/09/2010	F0756826	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		DAKOTA CRESCENT
25/08/2010	F0750529	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Parkhouse Road Transfer Station	21 PARKHOUSE ROAD
6/08/2010	F0738763	False Alarm	False alarm: Defective		67 VICKERYS ROAD
25/07/2010	F0730946	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Sockburn Roundabout	MAIN SOUTH ROAD
8/07/2010	F0719761	Chemical, Flammable Liquid or Gas Fire	Flammable liquid, Gas fire	Mainfreight Terminal (MAINFREIGHT)	48 MCALPINE STREET
5/07/2010	F0717925	False Alarm	False alarm: Accidental operation	Calcon	63 PILKINGTON WAY
4/07/2010	F0717364	False Alarm	False alarm: Defective	Mitek NZ	14 PILKINGTON WAY
20/06/2010	F0708260	False Alarm	False alarm: Defective	Mitek NZ	14 PILKINGTON WAY
29/05/2010	F0693377	False Alarm	False alarm: Undetermined alarm activation	Meta Processing	25 PARKHOUSE ROAD
28/05/2010	F0692649	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Sockburn Roundabout	MAIN SOUTH ROAD
27/05/2010	F0692539	False Alarm	False alarm: not classified above		36 HAYTON ROAD
27/05/2010	F0692347	False Alarm	False alarm: Defective	Tyre General Sockburn	525 BLENHEIM ROAD
10/05/2010	F0679690	Good Intent Calls	False alarm good intent: not classified above		52 HAYTON ROAD
10/05/2010	F0679454	False Alarm	False alarm: Accidental operation	Meta Processing (META PROCESSING RECYCLABLES BUILDING)	25 PARKHOUSE ROAD
1/05/2010	F0672180	False Alarm	False alarm: Defective	Trends Kitchens Christchurch	34A PARKHOUSE ROAD
21/04/2010	F0665227	Structure Fire	Structure fire with no damage	Trends Kitchens Christchurch	34A PARKHOUSE ROAD
11/04/2010	F0657344	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		DAKOTA CR and HAYTON RD
17/02/2010	F0616518	Good Intent Calls	False alarm good intent: Smell of smoke	Teltrac Communications Christchurch	22 ALLOY STREET
3/02/2010	F0606090	False Alarm	False alarm: Undetermined alarm activation	Online Security Services	57 PILKINGTON WAY
20/01/2010	F0596496	False Alarm	False alarm: Accidental operation	Formthotics	26 DAKOTA CRESCENT
4/01/2010	F0585748	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Tyre General Sockburn	525 BLENHEIM ROAD
15/12/2009	F0571797	Not Recorded	Not Recorded		559 BLENHEIM ROAD
20/11/2009	F0553117	Not Recorded	Not Recorded		HAYTON ROAD
20/10/2009	F0530889	False Alarm	False alarm: Defective	Hancocks Wine Spirit And Beer Merchants ()	26 PILKINGTON WAY
19/10/2009	F0530156	Not Recorded	Not Recorded	Mainfreight Metro	23 MCALPINE STREET

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
12/10/2009	F0526507	Not Recorded	Not Recorded		52C HAYTON ROAD
26/09/2009	F0516171	Not Recorded	Not Recorded	CL Tennant Engineering	4 TIMOTHY PLACE
22/09/2009	F0513983	Not Recorded	Not Recorded		BLenheim RD and MAIN SOUTH RD
14/09/2009	F0507799	False Alarm	False alarm: Accidental operation		7 PARADYNE PLACE
24/08/2009	F0493854	False Alarm	False alarm: Defective	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
24/08/2009	F0493777	False Alarm	False alarm: Defective	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
15/07/2009	F0467814	False Alarm	False alarm: Accidental operation		88 HAYTON ROAD
24/05/2009	F0432330	False Alarm	False alarm: Defective	Mitek NZ	14 PILKINGTON WAY
23/05/2009	F0432084	Rescue, Emergency, Medical Call	Assist ambulance		PILKINGTON WAY and HAYTON RD
9/05/2009	F0422092	False Alarm	False alarm: Defective		56 HAYTON ROAD
6/05/2009	F0420142	Special Service Calls	Assist Police	Sockburn Roundabout	MAIN SOUTH ROAD
20/04/2009	F0409235	False Alarm	False alarm: Excess Smoke, Heat		KILRONAN PLACE
13/04/2009	F0403634	False Alarm	False alarm: Defective	Mitek NZ	14 PILKINGTON WAY
24/03/2009	F0388293	False Alarm	False alarm: Accidental operation	Meta Processing (META PROCESSING RECYCLABLES BUILDING)	25 PARKHOUSE ROAD
13/03/2009	F0378618	False Alarm	False alarm: Defective		23 WASHBOURNES ROAD
12/03/2009	F0378262	False Alarm	False alarm: Undetermined alarm activation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
3/03/2009	F0370500	Structure Fire	Structure fire with no damage	Meta Processing	25 PARKHOUSE ROAD
1/03/2009	F0369236	False Alarm	False alarm: Undetermined alarm activation		56 HAYTON ROAD
4/02/2009	F0349484	False Alarm	False alarm: Undetermined alarm activation	Meta Processing (513427)	25 PARKHOUSE ROAD
16/01/2009	F0334180	False Alarm	False alarm: Undetermined alarm activation	Meta Processing	25 PARKHOUSE ROAD
7/01/2009	F0327618	False Alarm	False alarm: Excess Smoke, Heat		59 HAYTON ROAD
30/12/2008	F0321803	False Alarm	False alarm: Undetermined alarm activation		59 HAYTON ROAD
27/12/2008	F0319993	False Alarm	False alarm: Defective	Online Security Services	57 PILKINGTON WAY
8/12/2008	F0305836	False Alarm	False alarm: Undetermined alarm activation		36 HAYTON ROAD
6/12/2008	F0303502	False Alarm	False alarm: Defective	OCS Ltd and Cannon	38 HAYTON ROAD

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
3/12/2008	F0301266	False Alarm	False alarm: Defective	Wrightson Woolstores	503 BLENHEIM ROAD
22/09/2008	F246080	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Allied Petroleum	14 MCALPINE STREET
13/09/2008	F239594	Miscellaneous Fire	Rubbish bin, Skip fire		NGA MAHI ROAD
3/09/2008	F233724	Good Intent Calls	False alarm good intent: Hazardous substance no action taken	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
25/08/2008	F227178	False Alarm	False alarm: Defective	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
22/08/2008	F225364	Structure Fire	Structure fire with damage		6 PARKHOUSE ROAD
7/08/2008	F216224	False Alarm	False alarm: Undetermined alarm activation	Mainfreight Terminal (MAINFREIGHT)	48 MCALPINE STREET
24/07/2008	F202987	False Alarm	False alarm: Defective	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
21/07/2008	F201249	False Alarm	False alarm: Accidental operation	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
10/07/2008	F195167	False Alarm	False alarm: Undetermined alarm activation	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
8/07/2008	F193587	False Alarm	False alarm: Undetermined alarm activation	Wrightson Woolstores	503 BLENHEIM ROAD
28/06/2008	F187306	False Alarm	False alarm: Defective	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
13/06/2008	F177320	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		ALLOY STREET
6/06/2008	F171981	False Alarm	False alarm: Defective	Online Security Services	57 PILKINGTON WAY
26/05/2008	F165232	False Alarm	False alarm: Excess Smoke, Heat		CABLE STREET
7/04/2008	F129039	False Alarm	False alarm: Accidental operation	Mainstream Christchurch (AVON DISTRIBUTION CENTRE)	8 JIPCHO ROAD
21/03/2008	F116531	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CABLE STREET
21/03/2008	F116531	Structure Fire	Structure fire with damage		CABLE STREET
5/03/2008	F103385	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		BLENHEIM ROAD
2/03/2008	F101221	Miscellaneous Fire	Rubbish bin, Skip fire		489 BLENHEIM ROAD
27/02/2008	F098076	Miscellaneous Fire	Outside rubbish fire	Parkhouse Road Transfer Station (PARKHOUSE RD TRANSFER STATION)	21-29 PARKHOUSE ROAD
3/02/2008	F079930	False Alarm	False alarm: Undetermined alarm activation		67 VICKERYS ROAD
12/01/2008	F062016	False Alarm	False alarm: Defective	Wrightson Woolstores	503 BLENHEIM ROAD
2/12/2007	F032896	False Alarm	False alarm: Undetermined alarm activation		67 VICKERYS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
16/11/2007	F019219	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		PILKINGTON WAY
15/11/2007	F018183	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		PILKINGTON WAY
14/11/2007	F018069	Miscellaneous Fire	Miscellaneous fire - not classified above		5 WASHBOURNES ROAD
4/11/2007	F009119	Miscellaneous Fire	Outside fire: Material burnt has definable value		38 HAYTON ROAD
4/11/2007	F009119	Mobile Property Fire	Derelict mobile property fire	OCS Ltd and Cannon	38 HAYTON ROAD
12/10/2007	M718632	False Alarm	False alarm: Accidental operation	Mainfreight Terminal (MAINFREIGHT)	48 MCALPINE STREET
15/08/2007	M703448	False Alarm	False alarm: Accidental operation	Viridian New World Glass (PILKINGTON GLASS NZ SOCKBURN)	25 PILKINGTON WAY
2/08/2007	M700313	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Packaging House Christchurch	25 NGA MAHI ROAD
20/06/2007	M689160	False Alarm	False alarm: Accidental operation	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
18/06/2007	M688281	Structure Fire	Structure fire with no damage	Mainfreight Terminal (MAINFREIGHT)	48 MCALPINE STREET
27/05/2007	M682983	False Alarm	False alarm: Undetermined alarm activation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
21/05/2007	M681264	Miscellaneous Fire	Miscellaneous fire - not classified above		19 CABLE STREET
10/05/2007	M678918	Structure Fire	Structure fire with no damage		20 PARKHOUSE ROAD
9/04/2007	M671776	False Alarm	False alarm: Defective	Hancocks Wine Spirit And Beer Merchants	26 PILKINGTON WAY
21/03/2007	M667342	False Alarm	False alarm: Accidental operation	CL Tennant Engineering	4 TIMOTHY PLACE
6/03/2007	M663269	False Alarm	False alarm: Defective	Hancocks Wine Spirit And Beer Merchants ()	26 PILKINGTON WAY
5/03/2007	M662536	Miscellaneous Fire	Outside rubbish fire	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
27/02/2007	M661279	Special Service Calls	Assist Police	Sockburn Roundabout	MAIN SOUTH ROAD
15/02/2007	M658232	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
7/02/2007	M656431	False Alarm	False alarm: Undetermined alarm activation	Online Security Services	57 PILKINGTON WAY
17/01/2007	M652129	False Alarm	False alarm: Accidental operation	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
15/01/2007	M651760	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
27/12/2006	M648172	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		MAIN SOUTH RD and BLENHEIM RD
22/12/2006	M647356	False Alarm	False alarm: Excess Smoke, Heat	Hancocks Wine Spirit And Beer Merchants	26 PILKINGTON WAY

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
				()	
15/12/2006	M645807	Good Intent Calls	False alarm good intent: Call cleared prior to arrival	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
24/11/2006	M640715	False Alarm	False alarm: Accidental operation	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
7/11/2006	M636950	False Alarm	False alarm: Excess Smoke, Heat	Hancocks Wine Spirit And Beer Merchants ()	26 PILKINGTON WAY
26/10/2006	M633037	False Alarm	False alarm: Undetermined alarm activation	Canzac (ALLIED PICKFORDS MIDDLETON)	3 HAYTON ROAD
25/10/2006	M632807	False Alarm	False alarm: Undetermined alarm activation		PARKHOUSE ROAD
25/10/2006	M632780	False Alarm	False alarm: Undetermined alarm activation	Canzac (ALLIED PICKFORDS MIDDLETON)	3 HAYTON ROAD
13/10/2006	M629619	Miscellaneous Fire	Outside fire: Material burnt has definable value		2 ALLOY STREET
13/10/2006	M629584	Miscellaneous Fire	Outside rubbish fire		HAYTON RD and DAKOTA CR
19/09/2006	M623331	Miscellaneous Fire	Outside rubbish fire	Recovered Materials Foundation ()	21-29 PARKHOUSE ROAD
28/08/2006	M617680	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		6 JIPCHO ROAD
28/08/2006	M617680	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	MAINSTREAM FORWARDERS	6 JIPCHO ROAD
10/08/2006	M613847	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	CL Tennant Engineering	4 TIMOTHY PLACE
8/08/2006	M613353	False Alarm	False alarm: Defective	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
27/07/2006	M610807	False Alarm	False alarm: Accidental operation	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
23/07/2006	M609841	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
17/07/2006	M608707	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		2 PARKHOUSE ROAD
19/06/2006	M602180	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
9/06/2006	M599799	Special Service Calls	Assist Police		
5/06/2006	M599117	False Alarm	False alarm: Defective	Online Security Services	57 PILKINGTON WAY
2/06/2006	M598507	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		BLenheim ROAD
17/05/2006	M595320	False Alarm	False alarm: Accidental operation	Hancocks Wine Spirit And Beer Merchants ()	26 PILKINGTON WAY
14/05/2006	M594726	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
14/05/2006	M594704	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station (510733)	21-29 PARKHOUSE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
12/05/2006	M594347	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
8/05/2006	M593344	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		PARKHOUSE ROAD
4/05/2006	M592640	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station (510733)	21-29 PARKHOUSE ROAD
3/05/2006	M592545	False Alarm	False alarm: Undetermined alarm activation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
1/05/2006	M592068	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		PARKHOUSE ROAD
29/04/2006	M591842	False Alarm	False alarm: Undetermined alarm activation	Murdoch Manufacturing Middleton (MURDOCH MANUFACTURING)	11 PARADYNE PLACE
13/04/2006	M587993	Chemical, Flammable Liquid or Gas Fire	Chemical fire	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
13/04/2006	M587958	Chemical, Flammable Liquid or Gas Fire	Chemical fire	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
1/04/2006	M585315	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
29/03/2006	M584743	False Alarm	False alarm: Undetermined alarm activation	Murdoch Manufacturing Middleton (MURDOCH MANUFACTURING)	11 PARADYNE PLACE
21/03/2006	M583253	False Alarm	False alarm: Defective	Murdoch Manufacturing Middleton (MURDOCH MANUFACTURING)	11 PARADYNE PLACE
12/03/2006	M581216	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		HAYTON ROAD
10/03/2006	M580981	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station ()	21 PARKHOUSE ROAD
8/03/2006	M580512	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TIMOTHY PLACE
28/02/2006	M578203	False Alarm	False alarm: Undetermined alarm activation	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
17/02/2006	M575702	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		88 HAYTON ROAD
13/02/2006	M574728	Structure Fire	Chimney fire		8 DAKOTA CRESCENT
9/02/2006	M573979	False Alarm	False alarm: Undetermined alarm activation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
3/02/2006	M572706	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		PARKHOUSE ROAD
24/01/2006	M570582	Miscellaneous Fire	Rubbish bin, Skip fire		76 HAYTON ROAD
3/01/2006	M565490	Structure Fire	Structure fire with damage	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
28/12/2005	M563571	Miscellaneous Fire	Outside rubbish fire		HAYTON ROAD
7/12/2005	M558927	False Alarm	False alarm: Defective	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
12/10/2005	M545033	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
3/09/2005	M536938	False Alarm	False alarm: not classified above		PARKHOUSE ROAD
3/09/2005	M536886	False Alarm	False alarm: not classified above		CABLE STREET
30/08/2005	M535934	False Alarm	False alarm: Defective	Furniture and Joinery Supplies Christchurch	104 HAYTON ROAD
24/08/2005	M534641	Mobile Property Fire	Mobile property fire - not classified above	EnviroWaste Services Christchurch ()	49 MCALPINE STREET
8/08/2005	M531206	Structure Fire	Structure fire with no damage	EnviroWaste Services Christchurch ()	49 MCALPINE STREET
19/07/2005	M527461	False Alarm	False alarm: Defective		KILRONAN PLACE
18/07/2005	M527144	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		
15/07/2005	M526602	Miscellaneous Fire	Incendiary device	Calcon	63 PILKINGTON WAY
30/05/2005	M517089	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
16/04/2005	M507072	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		BLENHEIM ROAD
16/02/2005	M493189	Rescue, Emergency, Medical Call	Assist ambulance	United Steel (WIREPLUS CHRISTCHURCH)	22 MCALPINE STREET
3/02/2005	M489679	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CABLE STREET
23/01/2005	M487460	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TIMOTHY PLACE
7/01/2005	M483816	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
13/12/2004	M478898	Structure Fire	Structure fire with no damage		55 HAYTON ROAD
1/12/2004	M475943	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		
27/11/2004	M474887	False Alarm	False alarm: Accidental operation	Calcon ()	63 PILKINGTON WAY
8/11/2004	M470514	Chemical, Flammable Liquid or Gas Fire	Flammable liquid, Gas fire		8 DAKOTA CRESCENT
29/10/2004	M467825	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	OCS Ltd and Cannon ()	38 HAYTON ROAD
26/10/2004	M467088	Miscellaneous Fire	Miscellaneous fire - not classified above	Daily Freight Wigram Park (SOUTHERN PLAINS SEED CO)	42 MCALPINE STREET
20/10/2004	M465937	Special Service Calls	Assist Police		MAIN SOUTH ROAD
18/09/2004	M458487	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		MAIN SOUTH RD & BLENHEIM RD
3/09/2004	M454983	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		HAYTON ROAD
25/08/2004	M453030	Chemical, Biohazard, Radioactive	Chemical emergency	Canzac	3 PARKHOUSE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
		Incident		(ALLIED PICKFORDS MIDDLETON)	
22/08/2004	M452451	False Alarm	False alarm: Defective		11 PARKHOUSE ROAD
22/08/2004	M452324	False Alarm	False alarm: Accidental operation		11 PARKHOUSE ROAD
21/08/2004	M452300	False Alarm	False alarm: Defective		11 PARKHOUSE ROAD
12/08/2004	M450099	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		EPSOM ROAD
2/08/2004	M447709	False Alarm	False alarm: Undetermined alarm activation		71 VICKERYS ROAD
23/07/2004	M445473	Miscellaneous Fire	Outside rubbish fire		75 MCALPINE STREET
22/07/2004	M445319	Miscellaneous Fire	Outside rubbish fire		MCALPINE STREET
20/07/2004	M444887	Miscellaneous Fire	Outside rubbish fire		75 MC ALPINE STREET
8/07/2004	M442037	False Alarm	False alarm: Defective	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
7/07/2004	M441821	False Alarm	False alarm: Defective	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
7/07/2004	M441802	Chemical, Flammable Liquid or Gas Fire	Chemical, Flammable liquid fire - not classified above		PARKHOUSE ROAD
2/07/2004	M440696	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		40 HAYTON ROAD
24/05/2004	M432192	Structure Fire	Structure fire with no damage	Kiwi Kitchens Christchurch (WORKS INFRASTRUCTURE CHRISTCHURCH)	559-571 BLENHEIM ROAD
8/05/2004	M428611	Miscellaneous Fire	Outside rubbish fire		ALLOY STREET
29/04/2004	M426602	Miscellaneous Fire	Miscellaneous fire - not classified above	Waste Management Christchurch	47-49 HAYTON ROAD
7/04/2004	M421664	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Blairs Engines And Tyres (PHOENIX FREIGHT)	3 ALLOY STREET
7/04/2004	M421528	False Alarm	False alarm: Accidental operation	Mainfreight Terminal (MAINFREIGHT)	48 MCALPINE STREET
1/04/2004	M420207	Miscellaneous Fire	Outside rubbish fire		ALLOY STREET
31/03/2004	M420055	Miscellaneous Fire	Bonfire	Blairs Engines And Tyres (PHOENIX FREIGHT)	3 ALLOY STREET
31/03/2004	M420038	Miscellaneous Fire	Bonfire	Blairs Engines And Tyres (PHOENIX FREIGHT)	3 ALLOY STREET
9/03/2004	M414895	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		177 MAIN SOUTH ROAD
1/03/2004	M413103	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
17/02/2004	M409848	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
14/02/2004	M409020	Good Intent Calls	False alarm good intent: Rescue no action taken	Amega Wire	487 BLENHEIM ROAD
7/02/2004	M407518	False Alarm	False alarm: Defective		KILRONAN PLACE
31/01/2004	M405932	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		46 HAYTON ROAD
15/01/2004	M401867	Miscellaneous Fire	Outside rubbish fire	CL Tennant Engineering	4 TIMOTHY PLACE
10/12/2003	M391825	Structure Fire	Structure fire with no damage		8 DAKOTA CRESCENT
7/11/2003	M384090	False Alarm	False alarm: Defective		61-63 MCALPINE STREET
15/10/2003	M377789	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	MAINSTREAM FORWARDERS	6 JIPCHO ROAD
10/10/2003	M376706	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
16/08/2003	M364718	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		BLENHEIM ROAD
21/07/2003	M359419	Structure Fire	Structure fire with no damage	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
27/06/2003	M353659	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station (RECOVERED MATERIALS FOUNDATION)	21-29 PARKHOUSE ROAD
21/06/2003	M352076	Mobile Property Fire	Derelict mobile property fire		HAYTON ROAD
18/05/2003	M344546	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		HAYTON ROAD
8/04/2003	M336072	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
8/03/2003	M329241	Vegetation Fire	Grass fire		CABLE STREET
8/03/2003	M329237	Vegetation Fire	Grass fire	Mainfreight Terminal (MAINFREIGHT)	48 MCALPINE STREET
6/03/2003	M328836	Structure Fire	Structure fire with no damage	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
26/02/2003	M326865	Miscellaneous Fire	Outside fire: Material burnt has definable value		PARKHOUSE ROAD
3/11/2002	M301859	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		ALLOY STREET
2/11/2002	M301733	Vegetation Fire	Scrub fire (excluding gorse)		PARADYNE PLACE
27/09/2002	M294270	Miscellaneous Fire	Miscellaneous fire - not classified above		HAYTON ROAD
17/09/2002	M291717	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		MCALPINE STREET
10/09/2002	M290334	False Alarm	False alarm: Defective	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
6/09/2002	M289458	False Alarm	False alarm: Defective	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
6/08/2002	M283318	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		HAYTON ROAD
23/06/2002	M274066	Mobile Properties Hazardous	Mobile property accident: No hazardous substance spill		main south ROAD

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
Incidents					
12/06/2002	M271662	Good Intent Calls	False alarm good intent: Rescue no action taken		Epsom ROAD
27/05/2002	M268189	Special Service Calls	Animal rescue		21B PARKHOUSE ROAD
11/05/2002	M265105	Miscellaneous Fire	Outside rubbish fire	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
7/05/2002	M264203	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		40 HAYTON ROAD
29/04/2002	M262237	Natural Disasters	Flood	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
18/04/2002	M259915	Good Intent Calls	False alarm good intent: Rescue no action taken		HAYTON ROAD
12/04/2002	M258561	Miscellaneous Fire	Rubbish bin, Skip fire	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
27/02/2002	M247099	Rescue, Emergency, Medical Call	Assist ambulance	Parkhouse Road Transfer Station	25 PARKHOUSE ROAD
9/02/2002	M243344	Good Intent Calls	False alarm good intent: Lights thought to be fire		52 HAYTON ROAD
1/02/2002	M241590	Miscellaneous Fire	Rubbish bin, Skip fire		11 PARKHOUSE ROAD
18/01/2002	M238836	Natural Disasters	Flood	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
13/12/2001	M231122	False Alarm	False alarm: Accidental operation		3 PARKHOUSE ROAD
5/10/2001	M216051	False Alarm	False alarm: Excess Smoke, Heat		17 WASHBOURNES ROAD
27/09/2001	M214107	Miscellaneous Fire	Outside rubbish fire		34C PARKHOUSE ROAD
9/07/2001	M196488	Structure Fire	Structure fire with damage	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
4/07/2001	M195013	Good Intent Calls	False alarm good intent: not classified above		55 SONTER ROAD
22/06/2001	M192098	Not Recorded	Not Recorded	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
5/05/2001	M180132	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		
13/04/2001	M174961	Miscellaneous Fire	Outside rubbish fire		Blenhiem ROAD
5/04/2001	M172618	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
18/03/2001	M166710	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TIMOTHY PLACE
28/12/2000	M147099	Vegetation Fire	Grass fire		HAYTON ROAD
13/12/2000	M143010	Miscellaneous Fire	Rubbish bin, Skip fire	Alsop Joinery	18 ALLOY STREET
21/11/2000	M137806	Good Intent Calls	False alarm good intent: Rescue no action taken	Mainfreight Terminal (MAINFREIGHT)	48 MCALPINE STREET
20/11/2000	M137484	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
5/11/2000	M133958	Good Intent Calls	False alarm good intent: Authorised controlled burn		HAYTON ROAD
15/10/2000	M128659	Miscellaneous Fire	Outside fire: Material burnt has definable value		DAKOTA CRESCENT
5/06/2000	M099014	Miscellaneous Fire	Outside fire: Material burnt has definable value		MAIN SOUTH ROAD

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
2/04/2000	M087353	Mobile Properties Hazardous Incidents	Chemical spill: Incorrect vehicle loading		BLENHEIM ROAD
24/02/2000	M079113	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		42 MCALPINE AVE
29/01/2000	M073910	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		HAYTONS ROAD
16/01/2000	M071289	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		VICKEMP ROAD
13/12/1999	M064899	Chemical, Flammable Liquid or Gas Fire	Chemical fire		PARKHOUSE ROAD
9/12/1999	M064243	Mobile Properties Hazardous Incidents	Gas, Liquid spill: Vehicle accident		MAIN STH ROAD
25/11/1999	M061627	Miscellaneous Fire	Outside rubbish fire		ALLOY STREET
22/09/1999	M052127	False Alarm	False alarm: Accidental operation	Mainfreight Terminal (MAINFREIGHT TRANSPORT LTD)	48 MCALPINE AVE
27/08/1999	M048459	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		MAIN SOUTH ROAD
1/08/1999	M045119	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		VICKERIES ROAD
18/07/1999	M043501	False Alarm	False alarm: Accidental activation of turnout system	Parkhouse Road Transfer Station (510733)	PARKHARSH ROAD
15/05/1999	M034388	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station (512121)	PARKHOUSE ROAD
12/05/1999	M033874	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station (512121)	PARKHOUSE ROAD
10/05/1999	M033335	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		PARADYNE PLACE
27/04/1999	M031497	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station (512121)	PARKHOUSE ROAD
25/04/1999	M031245	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station (512121)	PARKHOUSE ROAD
11/04/1999	M029638	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		CNR HAYTONS/MCALPIN
13/03/1999	M026853	False Alarm	False alarm: Defective		HAYTON ROAD
1/03/1999	M025398	Miscellaneous Fire	Outside rubbish fire		15 PARKHOUSE ROAD
20/02/1999	M024222	False Alarm	False alarm: Malicious		PARKHOUSE ROAD
10/02/1999	M022893	Miscellaneous Fire	Outside rubbish fire		MCALPINE AVE
6/01/1999	M018588	False Alarm	False alarm: Accidental operation		50 PARKHOUSE ROAD
12/12/1998	M016357	Vegetation Fire	Grass fire		38 HAYTON ROAD
7/11/1998	M012638	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TIMOTHY PLACE

OIA 2014-068 - NZFS Incidents within 500m of 47-53 Hayton Road, Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
23/10/1998	M011064	Special Service Calls	Assist public		PARKHOUSE ROAD
25/09/1998	M008127	Special Service Calls	Assist Police		MAIN SOUTH ROAD
13/09/1998	M006715	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TIMOTHY PLACE
29/08/1998	M005390	Structure Fire	Structure fire with no damage		MCALPINE STREET
12/08/1998	M003860	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station (512121)	21-29 PARKHOUSE ROAD
13/07/1998	M001029	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		PARKHOUSE ROAD
13/07/1998	M001028	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		HAYTONS ROAD

OIA 2014-068 - NZFS Incidents within 500m of Burwood Landfill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
25/11/2013	F1506247	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		JULIET ROAD
3/03/2013	F1343639	Vegetation Fire	Vegetation Fire (specify Area of Vegetation burnt)		ASTON DRIVE
20/12/2012	F1298019	Vegetation Fire	Vegetation Fire (specify Area of Vegetation burnt)		20TH AVENUE
23/11/2012	F1281145	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Housing NZ Millcroft Place	21 MILLCROFT PLACE
23/09/2012	F1246524	Good Intent Calls	False alarm good intent: Call in the vicinity of another fire		LIMA ROAD
9/09/2012	F1238866	Miscellaneous Fire	Camp fire		ASTON DRIVE
13/05/2012	F1175317	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		ASTON DRIVE
12/03/2012	F1140244	Not Recorded	Not Recorded		BOWER AVENUE
4/12/2011	F1084671	Not Recorded	Not Recorded		WHISKEY ROAD
5/11/2011	F1067295	Not Recorded	Not Recorded		BOWER AVENUE
8/10/2011	F1053155	Not Recorded	Not Recorded		LIMA ROAD
26/09/2011	F1046555	Not Recorded	Not Recorded		WALKWAY
22/09/2011	F1044975	Not Recorded	Not Recorded	Burwood Landfill	LANDFILL AVENUE
6/04/2011	F0949206	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		26TH AVENUE
27/01/2011	F0894038	Vegetation Fire	Vegetation Fire (specify Area of Vegetation burnt)		LIMA ROAD
27/11/2010	F0838535	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		BOWER AVENUE
25/10/2010	F0806840	Vegetation Fire	Vegetation Fire (specify Area of Vegetation burnt)		LIMA ROAD
1/01/2010	F0583586	Vegetation Fire	Vegetation Fire (specify Area of Vegetation burnt)		LIMA ROAD
20/09/2009	F0512103	Not Recorded	Not Recorded		LANDFILL AV and JULIET RD
16/12/2008	F0312103	Chemical, Flammable Liquid or Gas Fire	Flammable liquid, Gas fire		26 MILLCROFT PLACE
18/10/2008	F0265665	Good Intent Calls	False alarm good intent: Smell of smoke		WHISKEY ROAD
24/11/2006	M640827	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		BOWER AVENUE
5/11/2006	M636271	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		ASTON DRIVE
1/09/2006	M618668	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		WHISKEY ROAD
21/02/2006	M576638	False Alarm	False alarm: Excess Smoke, Heat		26TH AVENUE
8/01/2006	M566662	Good Intent Calls	False alarm good intent: Call in the vicinity of another fire	Burwood Landfill	LANDFILL AVENUE
8/01/2006	M566565	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		LIMA ROAD
7/02/2004	M407599	Good Intent Calls	False alarm good intent: not classified above	Housing NZ Millcroft Place (COMMUNITY HOUSE)	21 MILLCROFT PLACE
7/08/2003	M362902	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		BOWER AVENUE

OIA 2014-068 - NZFS Incidents within 500m of Burwood Landfill

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
3/02/2001	M155731	Vegetation Fire	Scrub fire (excluding gorse)		LANDFILL AVENUE
21/10/2000	M129940	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		UNKN0 FOREST DRIVE
22/02/2000	M078756	Structure Fire	Structure fire with no damage		19 MILL CROFT PLACE

OIA 2014-068 - NZFS Incidents within 500m of 12 Industrial Avenue, Oamaru North

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
16/02/2014	F1555968	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		6 PUKEURI-OAMARU ROAD
12/11/2013	F1498084	False Alarm	False alarm: Defective	Iona Hospital And Home	549 THAMES HIGHWAY
9/09/2013	F1456083	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Detroit Diner	PUKEURI-OAMARU ROAD
19/08/2013	F1444349	False Alarm	False alarm: Defective	Iona Hospital And Home	549 THAMES HIGHWAY
15/07/2013	F1425403	False Alarm	False alarm: Excess Smoke, Heat	Iona Hospital And Home	549 THAMES HIGHWAY
13/07/2013	F1424333	Structure Fire	Chimney fire		44 SALISBURY CRESCENT
1/07/2013	F1417748	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		PUKEURI-OAMARU ROAD
16/06/2013	F1406409	Special Service Calls	Domestic, Commercial water problem	Oamaru Racecourse	39 PUKEURI-OAMARU ROAD
19/05/2013	F1391376	Good Intent Calls	False alarm good intent: Call cleared prior to arrival	Oamaru Racecourse	39 PUKEURI-OAMARU ROAD
11/05/2013	F1386930	False Alarm	False alarm: Defective	Iona Hospital And Home	549 THAMES HIGHWAY
18/04/2013	F1373196	False Alarm	False alarm: Defective	Galleon Complex	500 THAMES HIGHWAY
27/03/2013	F1360011	Structure Fire	Structure fire with no damage	Iona Hospital And Home	549 THAMES HIGHWAY
21/03/2013	F1356237	Electrical Hazards	Arcing, shorted electrical equipment	Boma Enterprises	12A INDUSTRIAL PLACE
6/02/2013	F1326420	Special Service Calls	Assist public		516 THAMES HIGHWAY
19/01/2013	F1314396	False Alarm	False alarm: Defective	Iona Hospital And Home	549 THAMES HIGHWAY
27/11/2012	F1283168	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		PUKEURI-OAMARU ROAD
25/10/2012	F1263877	Special Service Calls	Assist Police		PUKEURI-OAMARU ROAD
8/10/2012	F1254936	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		SH 1 and INDUSTRIAL PL
4/07/2012	F1202872	False Alarm	False alarm: Defective		571A THAMES HIGHWAY
16/06/2012	F1193244	False Alarm	False alarm: Undetermined alarm activation	Iona Hospital And Home	549 THAMES HIGHWAY
18/02/2012	F1124906	Rescue, Emergency, Medical Call	Assist ambulance	Waitaki Transport Oamaru (FULTON HOGAN OAMARU)	6 PUKEURI-OAMARU ROAD
30/10/2011	F1064370	Structure Fire	Structure fire with no damage		20 WALBROOK CRESCENT
10/06/2011	F0989099	Miscellaneous Fire	Rubbish bin, Skip fire		FERNBROOK ROAD
9/05/2011	F0971230	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		528 THAMES HIGHWAY
11/02/2011	F0905591	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire	Iona Hospital And Home	549 THAMES HIGHWAY
5/02/2011	F0901481	Structure Fire	Structure fire with no damage	Iona Hospital And Home	549 THAMES HIGHWAY
27/12/2010	F0867592	Structure Fire	Structure fire with no damage	Iona Hospital And Home	549 THAMES HIGHWAY
4/11/2010	F0814917	Electrical Hazards	Arcing, shorted electrical equipment		45 REDCASTLE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 12 Industrial Avenue, Oamaru North

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
19/10/2010	F0802114	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Kennedy Carriers	117 SHORTLAND ROAD
6/09/2010	F0761353	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		PUKEURI-OAMARU ROAD
25/05/2010	F0690440	Natural Disasters	Flood		3 WALBROOK CRESCENT
25/05/2010	F0690438	Natural Disasters	Flood		4 CHERWELL STREET
6/12/2009	F0565538	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Iona Hospital And Home	549 THAMES HIGHWAY
16/08/2009	F0489241	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		PUKEURI-OAMARU ROAD
15/05/2009	F0426205	Electrical Hazards	Electrical hazard - not classified above		INDUSTRIAL PLACE
12/01/2009	F0330702	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Iona Hospital And Home	549 THAMES HIGHWAY
19/04/2008	F139466	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		PUKEURI-OAMARU ROAD
25/02/2008	F097018	Miscellaneous Fire	Rubbish bin, Skip fire		LOVAL PLACE
23/12/2007	F048709	Vegetation Fire	Vegetation Fire (specify Area of Vegetation burnt)		THAMES HIGHWAY
10/10/2007	M718318	Special Service Calls	Assist Police		PUKEURI-OAMARU ROAD
6/10/2007	M717343	Structure Fire	Structure fire with no damage		THAMES HIGHWAY
5/10/2007	M716941	Special Service Calls	Assist Police		THAMES HWY and REDCASTLE RD
5/10/2007	M716925	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Waitaki Transport Oamaru	6 PUKEURI-OAMARU ROAD
21/07/2007	M697415	Miscellaneous Fire	Outside rubbish fire		LOVAL PLACE
17/07/2007	M696470	Structure Fire	Structure fire with damage	Galleon Complex (THE ARMADA COMPLEX)	500 THAMES HIGHWAY
21/04/2007	M674575	Miscellaneous Fire	Outside rubbish fire		THAMES HIGHWAY
20/04/2007	M674241	Electrical Hazards	Arcing, shorted electrical equipment	Detroit Diner	PUKEURI-OAMARU ROAD
12/09/2006	M621558	Special Service Calls	Assist Police		PUKEURI-OAMARU ROAD
25/07/2006	M610210	Good Intent Calls	False alarm good intent: Authorised controlled burn		CHERWELL STREET
26/04/2006	M590822	Natural Disasters	Flood		518 THAMES HIGHWAY
26/04/2006	M590767	Natural Disasters	Flood		THAMES HIGHWAY
26/04/2006	M590754	Natural Disasters	Flood		3 WALBROOK CRESCENT
26/04/2006	M590742	Natural Disasters	Flood		3 WALBROOK CRESCENT
31/12/2005	M564202	Miscellaneous Fire	Outside rubbish fire		90 SHORTLAND ROAD
21/12/2005	M562545	False Alarm	False alarm: not classified above	Gordon Handy Machinery Oamaru (GORDON HANDY)	5 INDUSTRIAL PLACE

OIA 2014-068 - NZFS Incidents within 500m of 12 Industrial Avenue, Oamaru North

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
				MACHINERY)	
27/07/2005	M529032	Miscellaneous Fire	Outside rubbish fire		INDUSTRIAL PLACE
18/07/2005	M527041	Miscellaneous Fire	Rubbish bin, Skip fire		THAMES HIGHWAY/ SALIBURY CRESENT
23/05/2005	M515714	Miscellaneous Fire	Rubbish bin, Skip fire	Oamaru Racecourse	39 PUKEURI-OAMARU ROAD
22/05/2005	M515379	Miscellaneous Fire	Rubbish bin, Skip fire	Oamaru Racecourse	39 PUKEURI-OAMARU ROAD
25/01/2005	M487658	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		PUKEURI-OAMARU ROAD
15/01/2005	M485439	Miscellaneous Fire	Outside rubbish fire	Boma Enterprises (SCRAP CONVERTERS OAMARU)	12 INDUSTRIAL PLACE
28/09/2004	M460837	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		THAMES HIGHWAY
8/09/2004	M456321	False Alarm	False alarm: Malicious	Galleon Complex (THE GALLEON RESTAURANT)	500 THAMES HIGHWAY
26/08/2004	M453194	Good Intent Calls	False alarm good intent: Authorised controlled burn	Galleon Complex (ARMADA MOTOR INN)	500 THAMES HIGHWAY
23/02/2004	M411212	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		PUKEURI-OAMARU ROAD
9/12/2003	M391689	Miscellaneous Fire	Outside rubbish fire		INDUSTRIAL PLACE
27/10/2003	M380847	Miscellaneous Fire	Outside rubbish fire	Iona Hospital And Home	549 THAMES HIGHWAY
10/10/2003	M376815	Miscellaneous Fire	Rubbish bin, Skip fire	Galleon Complex (ARMADA MOTOR INN)	500 THAMES HIGHWAY
17/09/2003	M371497	Miscellaneous Fire	Rubbish bin, Skip fire		1 SALISBURY CRESCENT
17/09/2003	M371218	False Alarm	False alarm: Accidental operation	Iona Hospital And Home	549 THAMES HIGHWAY
3/07/2003	M355187	Special Service Calls	Assist Police		
21/06/2002	M273812	Rescue, Emergency, Medical Call	Assist ambulance		PUKEURI-OAMARU ROAD
24/10/2001	M220381	Chemical, Biohazard, Radioactive Incident	Biohazard emergency	Galleon Complex (ARMADA GALLEON RESTAURANT)	500 THAMES HIGHWAY
6/08/2001	M202519	Vegetation Fire	Hedge, Shelterbelt fire		36 PUKEURI-OAMARU ROAD
3/07/2001	M194578	Structure Fire	Chimney fire		30 WALBROOK CRESCENT
21/01/2001	M152773	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		Thames HIGHWAY
11/09/2000	M120949	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		THAMES H'WAY
19/08/2000	M115627	Natural Disasters	Flood		36 FERNBROOK ROAD

OIA 2014-068 - NZFS Incidents within 500m of 12 Industrial Avenue, Oamaru North

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
28/03/2000	M086030	Miscellaneous Fire	Outside rubbish fire		THAMES HIGHWAY
15/11/1999	M059994	Structure Fire	Structure fire with damage		81 SALSBURY CRES
27/09/1999	M052803	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		CNR THAMES/FERNDALE
27/09/1999	M052782	Good Intent Calls	False alarm good intent: Authorised controlled burn		SH1
12/08/1999	M046524	False Alarm	False alarm: Excess Smoke, Heat		547 THAMES H/WAY
11/08/1999	M046343	Mobile Properties Hazardous Incidents	Chemical spill: Incorrect vehicle loading	Detroit Diner	THAMES H/WAY
16/05/1999	M034485	Good Intent Calls	False alarm good intent: Authorised controlled burn		THAMES H/WAY
9/04/1999	M029403	Structure Fire	Structure fire with no damage		THAMES HIGHWAY
19/12/1998	M017118	Miscellaneous Fire	Outside rubbish fire		REDCASTLE ROAD
11/11/1998	M012966	False Alarm	False alarm: Defective	Iona Hospital And Home (610586)	THAMES HIGHWAY

OIA 2014-068 - NZFS Incidents within 500m of 239 Fryatt Street, Dunedin

Unable to locate address. More information required to locate correct land parcel.

OIA 2014-068 - NZFS Incidents within 500m of 401 Trig Road, Whitford

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
10/06/2014	F1631316	Not Recorded	Not Recorded		299 WHITFORD MARAETAI ROAD
23/04/2013	F1376783	Miscellaneous Fire	Outside rubbish fire		WAIKOPUA ROAD
20/04/2013	F1374191	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		225 WHITFORD MARAETAI ROAD
26/03/2013	F1359352	Good Intent Calls	False alarm good intent: not classified above		283 TRIG ROAD
14/02/2013	F1330829	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		CLIFTON RD and WHITFORD-MARAETAI RD
9/11/2012	F1272934	Good Intent Calls	False alarm good intent: Call in the vicinity of another fire		WHITFORD-MARAETAI ROAD
4/11/2012	F1269419	Vegetation Fire	Hedge, Shelterbelt fire		CLIFTON RD and WHIFORD MARAETAI RD
24/10/2012	F1263188	Miscellaneous Fire	Outside rubbish fire		205 WHITFORD-MARAETAI ROAD
30/04/2012	F1168050	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		WHITFORD-MARAETAI ROAD
5/04/2012	F1155038	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		WHITFORD-MARAETAI RD and CLIFTON RD
27/02/2012	F1130284	Good Intent Calls	False alarm good intent: Lights thought to be fire		CLIFTON ROAD
8/11/2011	F1069988	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		TRIG RD and WHITFORD-MARAETAI RD
9/05/2011	F0970787	Chemical, Biohazard, Radioactive Incident	Chemical emergency		WHITFORD-MARAETAI ROAD
19/04/2011	F0958098	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		WHITFORD-MARAETAI ROAD
20/03/2011	F0936833	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRIG ROAD
3/01/2011	F0874016	Good Intent Calls	False alarm good intent: Authorised controlled burn		WHITFORD-MARAETAI ROAD
24/12/2010	F0863979	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		CLIFTON ROAD
19/12/2010	F0858921	Good Intent Calls	False alarm good intent: Authorised controlled burn		WHITFORD-MARAETAI RD and TRIG RD
14/10/2010	F0798200	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		WHITFORD-MARAETAI ROAD
21/04/2010	F0665151	Electrical Hazards	Power line down		TRIG RD and WHITFORD-MARAETAI RD
20/04/2010	F0663963	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		CLIFTON RD and WHITFORD-MARAETAI RD
14/03/2010	F0636357	Miscellaneous Fire	Outside fire: Material burnt has definable value		TRIG RD and WHITFORD-MARAETAI RD
7/02/2010	F0609339	Good Intent Calls	False alarm good intent: Lights thought to be fire		WAIKOPUA ROAD
24/09/2009	F0515581	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		WHITFORD-MARAETAI ROAD
6/06/2009	F0441125	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		WHITFORD-MARAETAI ROAD
17/03/2009	F0382493	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		TRIG RD and WHITFORD-MARAETAI RD
31/12/2008	F0322488	Rescue, Emergency, Medical Call	Assist ambulance		WHITFORD-MARAETAI ROAD
19/10/2008	F0265931	Good Intent Calls	False alarm good intent: not classified above		CLIFTON ROAD

OIA 2014-068 - NZFS Incidents within 500m of 401 Trig Road, Whitford

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
24/05/2008	F163440	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		WHITFORD-MARAETAI ROAD
14/04/2008	F135179	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		WHITFORD-MARAETAI RD and TRIG RD
9/11/2007	F013520	Structure Fire	Structure fire with no damage		WHITFORD-MARAETAI ROAD
20/10/2007	A753277	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		281 WHITFORD-MARAETAI ROAD
27/07/2007	A733032	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		WHITFORD-MARAETAI ROAD
1/05/2007	A707686	Structure Fire	Structure fire with damage		CLIFTON ROAD
12/11/2006	A660892	Good Intent Calls	False alarm good intent: Rescue no action taken		WHITFORD-MARAETAI ROAD
28/07/2006	A632166	Chemical, Biohazard, Radioactive Incident	Chemical emergency		WAIKOPUA ROAD
3/03/2006	A596670	Vegetation Fire	Single tree fire		
26/11/2005	A573142	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		WHITFORD-MARAETAI ROAD
15/08/2005	A548962	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		
25/07/2004	A465708	Special Service Calls	Assist Police		WHITFORD-MARAETAI ROAD
12/04/2004	A444823	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		WHITFORD-MARAETAI ROAD
12/12/2003	A417710	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		324 TRIG ROAD
29/11/2003	A414743	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		324 TRIG ROAD
13/12/2002	A342902	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRIG ROAD
26/11/2002	A339425	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		
14/10/2001	A249174	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		main ROAD
14/10/2001	A249130	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		mainroad
6/10/2001	A247472	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		WHITFORD-MARAETAI ROAD
11/02/2001	A195159	Good Intent Calls	False alarm good intent: Rescue no action taken		WHITFORD-MARAETAI ROAD
20/12/2000	A182260	Rescue, Emergency, Medical Call	Assist ambulance		WHITFORD-MARAETAI ROAD
24/07/2000	A142505	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		MARAETAI ROAD
5/03/2000	A100208	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CLIFTON ROAD
6/01/2000	A087741	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		CLIFTON ROAD
18/01/1999	A025292	Special Service Calls	Smoke problem		WHITFORD ROAD
2/11/1998	A012749	Miscellaneous Fire	Outside rubbish fire		WAIKAPUA ROAD

OIA 2014-068 - NZFS Incidents within 500m of 166 Mt Cass Road, Waipara

Unable to locate address. More information required to locate correct land parcel.

OIA 2014-068 - NZFS Incidents within 500m of 55 Truman Lane, Mt Maunganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
24/05/2014	F1620386	Rescue, Emergency, Medical Call	Rescue, Emergency medical call - not classified above	ASB Baypark Arena (ASB BAYPARK STADIUM)	81 TRUMAN LANE
25/04/2014	F1603954	False Alarm	False alarm: Defective	TrustPower Mt Maunganui	TRUMAN LANE
23/04/2014	F1602776	False Alarm	False alarm: Undetermined alarm activation	Trustpower Generation Building	199 TRUMAN LANE
22/03/2014	F1580678	Miscellaneous Fire	Rubbish bin, Skip fire		TRUMAN LANE
20/03/2014	F1579396	False Alarm	False alarm: Accidental operation		135 EVERSHAM ROAD
15/03/2014	F1575893	Natural Disasters	Wind storm, Tornado, Cyclone etc		4 CRICHTON TERRACE
13/02/2014	F1554489	False Alarm	False alarm: Defective	ASB Baypark Arena	81 TRUMAN LANE
23/01/2014	F1541564	False Alarm	False alarm: Defective	ASB Baypark Arena (ASB BAYPARK AREA)	81 TRUMAN LANE
15/12/2013	F1519291	Miscellaneous Fire	Outside rubbish fire		4 PENRHYN PLACE
12/11/2013	F1497624	False Alarm	False alarm: Defective	ASB Baypark Arena (ASB BAYPARK AREA)	81 TRUMAN LANE
23/10/2013	F1484924	Special Service Calls	Domestic, Commercial water problem		4 CHAMBERLAIN PLACE
23/10/2013	F1484914	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		14 ABELIA AVENUE
20/10/2013	F1483400	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		NULL
16/10/2013	F1480814	Good Intent Calls	False alarm good intent: Call in the vicinity of another fire		122 EVERSHAM ROAD
13/10/2013	F1478247	False Alarm	False alarm: Undetermined alarm activation	ASB Baypark Arena (TECT ARENA)	81 TRUMAN LANE
28/09/2013	F1469922	False Alarm	False alarm: Accidental operation	ASB Baypark	81 TRUMAN LANE
25/09/2013	F1468302	False Alarm	False alarm: Undetermined alarm activation	ASB Baypark Stadium	81 TRUMAN LANE
24/09/2013	F1467406	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm		3 GREVILLEA PLACE
24/09/2013	F1467115	False Alarm	False alarm: Defective	ASB Baypark Arena (TECT ARENA)	81 TRUMAN LANE
7/09/2013	F1455151	False Alarm	False alarm: Accidental operation	ASB Baypark	81 TRUMAN LANE
4/09/2013	F1453587	Good Intent Calls	False alarm good intent: Authorised controlled burn		84 TRUMAN LANE
22/08/2013	F1446007	False Alarm	False alarm: Defective	ASB Baypark Arena (TECT ARENA)	81 TRUMAN LANE
30/06/2013	F1416914	False Alarm	False alarm: Malicious	ASB Baypark Arena (TECT ARENA)	81 TRUMAN LANE
5/06/2013	F1400707	False Alarm	False alarm: Accidental operation	ASB Baypark Arena (TECT ARENA)	81 TRUMAN LANE

OIA 2014-068 - NZFS Incidents within 500m of 55 Truman Lane, Mt Maunganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
1/06/2013	F1398656	Electrical Hazards	Arcing, shorted electrical equipment		25 LUCULIA DRIVE
30/05/2013	F1397822	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		SH 29
24/05/2013	F1394375	False Alarm	False alarm: Malicious	ASB Baypark Arena (TECT ARENA)	81 TRUMAN LANE
19/05/2013	F1391453	False Alarm	False alarm: Defective	Church Of Jesus Christ Of Latter Day Saints Mount Maunganui	79 EVERSHAM ROAD
16/05/2013	F1390159	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill	Te Maunga Roundabout	MAUNGANUI ROAD
4/05/2013	F1382749	Structure Fire	Structure fire with damage		801A SH 2
2/05/2013	F1381588	Structure Fire	Structure fire with damage		99B GLOUCESTER ROAD
28/04/2013	F1379441	False Alarm	False alarm: Defective	ASB Baypark Arena (TECT ARENA)	81 TRUMAN LANE
24/04/2013	F1377652	Miscellaneous Fire	Outside rubbish fire		TRUMAN LANE
20/04/2013	F1374322	False Alarm	False alarm: Defective	ASB Baypark Arena (TECT ARENA)	81 TRUMAN LANE
19/04/2013	F1373637	Miscellaneous Fire	Outside rubbish fire		TRUMAN LANE
19/04/2013	F1373333	Miscellaneous Fire	Rubbish bin, Skip fire		TRUMAN LANE
13/04/2013	F1370136	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	ASB Baypark Stadium (BAYPARK STADIUM)	STATE HIGHWAY 29 STATE HIGHWAY
31/03/2013	F1362204	Chemical, Flammable Liquid or Gas Fire	Flammable liquid, Gas fire		2 KENTIA AVENUE
28/03/2013	F1360741	Rescue, Emergency, Medical Call	Assist ambulance	Railway Crossing SH 29 Te Maunga	SH 29
20/03/2013	F1355623	False Alarm	False alarm: Accidental activation of turnout system	Tasman Aluminium	79 TRUMAN LANE
19/03/2013	F1354762	False Alarm	False alarm: Defective	ASB Baypark Stadium (BAYPARK STADIUM)	81 TRUMAN LANE
17/03/2013	F1353394	Good Intent Calls	False alarm good intent: Smell of smoke		41A LOTUS AVENUE
9/03/2013	F1347708	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		TRUMAN LANE
17/02/2013	F1332953	Miscellaneous Fire	Outside rubbish fire		LANTANA PLACE
9/02/2013	F1327982	Miscellaneous Fire	Outside rubbish fire		811 SH 2
13/01/2013	F1311389	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		785 SH 2
12/01/2013	F1310925	Good Intent Calls	False alarm good intent: Smell of smoke		PENRHYN PLACE
21/12/2012	F1298556	Chemical, Biohazard, Radioactive Incident	Chemical emergency		TRUMAN LANE

OIA 2014-068 - NZFS Incidents within 500m of 55 Truman Lane, Mt Maunganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
13/12/2012	F1293305	Miscellaneous Fire	Outside rubbish fire		KENTIA AVENUE
10/12/2012	F1291163	Miscellaneous Fire	Rubbish bin, Skip fire		TRUMAN LANE
26/11/2012	F1282462	Miscellaneous Fire	Outside rubbish fire		122 EVERSHAM ROAD
19/11/2012	F1278324	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire	City Care Tauranga	2 TRUMAN LANE
5/11/2012	F1270451	Miscellaneous Fire	Outside rubbish fire		16 KENTIA AVENUE
20/10/2012	F1261667	False Alarm	False alarm: Excess Smoke, Heat	ASB Baypark Stadium (BAYPARK STADIUM)	81 TRUMAN LANE
26/09/2012	F1248364	Good Intent Calls	False alarm good intent: not classified above	Trustpower Highbank Building	199L TRUMAN LANE
13/09/2012	F1241324	False Alarm	False alarm: Defective		10A KINGSLEY PLACE
31/08/2012	F1233859	False Alarm	False alarm: Accidental operation	ASB Baypark Arena (TECT ARENA)	81 TRUMAN LANE
25/08/2012	F1230688	Miscellaneous Fire	Outside rubbish fire		151 EVERSHAM ROAD
12/08/2012	F1223546	Miscellaneous Fire	Outside rubbish fire		155 EVERSHAM ROAD
1/08/2012	F1218021	False Alarm	False alarm: Telecom line fault	ASB Baypark Arena (TECT ARENA)	81 TRUMAN LANE
30/07/2012	F1216984	False Alarm	False alarm: Defective		73 EVERSHAM ROAD
23/07/2012	F1213298	Natural Disasters	Flood		11 PENRHYN PLACE
23/07/2012	F1213023	Natural Disasters	Flood		11 PENRHYN PLACE
19/07/2012	F1211063	False Alarm	False alarm: Malicious		151 EVERSHAM ROAD
25/06/2012	F1197556	Miscellaneous Fire	Outside rubbish fire		124 EVERSHAM ROAD
14/06/2012	F1192313	Miscellaneous Fire	Outside rubbish fire		151 EVERSHAM ROAD
9/06/2012	F1189544	Structure Fire	Structure fire with damage		137B EVERSHAM ROAD
4/06/2012	F1186739	Overpressure, Rupture, Explosives, Over Heating	Overpressure, Rupture, Explosion, Overheating: No fire - not classified above		TRUMAN LANE
30/05/2012	F1184253	False Alarm	False alarm: Defective		96 GLOUCESTER ROAD
29/05/2012	F1183906	False Alarm	False alarm: Accidental operation	ASB Baypark Arena (TECT ARENA)	81 TRUMAN LANE
6/05/2012	F1171709	Good Intent Calls	False alarm good intent: Smell of smoke		TRUMAN LANE
8/04/2012	F1156457	False Alarm	False alarm: Undetermined alarm activation	ASB Baypark Stadium (BAYPARK STADIUM)	81 TRUMAN LANE
7/04/2012	F1156021	Rescue, Emergency, Medical Call	Medical call: No ambulance present/Ambulance delayed	ASB Baypark Arena (BAYPARK ARENA)	81 TRUMAN LANE

OIA 2014-068 - NZFS Incidents within 500m of 55 Truman Lane, Mt Maunganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
27/02/2012	F1130168	Not Recorded	Not Recorded		TRUMAN LANE
10/02/2012	F1120880	Not Recorded	Not Recorded	ASB Baypark Stadium (BAY PARK STADIUM)	81 TRUMAN LANE
25/01/2012	F1112889	False Alarm	False alarm: Undetermined alarm activation	ASB Baypark Arena (BAY PARK ARENA)	81 TRUMAN LANE
21/01/2012	F1110486	Not Recorded	Not Recorded		SH 2
16/01/2012	F1107536	False Alarm	False alarm: Undetermined alarm activation	ASB Baypark Arena (BAY PARK ARENA)	81 TRUMAN LANE
12/01/2012	F1105684	Not Recorded	Not Recorded		TRUMAN LANE
11/01/2012	F1105021	False Alarm	False alarm: Undetermined alarm activation	ASB Baypark Arena (BAY PARK ARENA)	81 TRUMAN LANE
19/12/2011	F1093065	False Alarm	False alarm: Undetermined alarm activation	ASB Baypark Arena (BAY PARK ARENA)	81 TRUMAN LANE
18/12/2011	F1092740	Not Recorded	Not Recorded	Church Of Jesus Christ Of Latter Day Saints Mount Maunganui (LATTER DAY SAINTS)	77 EVERSHAM ROAD
26/11/2011	F1080403	Not Recorded	Not Recorded		TRUMAN LANE
3/11/2011	F1066660	Not Recorded	Not Recorded		164B GLOUCESTER ROAD
1/11/2011	F1065585	Not Recorded	Not Recorded	ASB Baypark Stadium (BAY PARK STADIUM)	81 TRUMAN LANE
31/10/2011	F1064788	Not Recorded	Not Recorded		SH 2
27/09/2011	F1047382	False Alarm	False alarm: Defective		TRUMAN LANE
20/09/2011	F1043720	Not Recorded	Not Recorded		11 PENRHYN PLACE
4/09/2011	F1034941	Not Recorded	Not Recorded		SH 29
18/07/2011	F1009207	Miscellaneous Fire	Rubbish bin, Skip fire		TRUMAN LANE
21/06/2011	F0995398	Structure Fire	Structure fire with damage		118 EVERSHAM ROAD
26/04/2011	F0961632	Natural Disasters	Flood		11 PENRHYN PLACE
26/04/2011	F0961563	Natural Disasters	Flood		11 PENRHYN PLACE
26/04/2011	F0961524	Natural Disasters	Flood		11 PENRHYN PLACE
6/04/2011	F0948812	Good Intent Calls	False alarm good intent: Smell of smoke		7 RADISICH PLACE
17/02/2011	F0910233	Structure Fire	Structure fire with damage		101 GLOUCESTER ROAD
11/02/2011	F0906068	Miscellaneous Fire	Outside rubbish fire		SH 2
16/01/2011	F0884265	Miscellaneous Fire	Outside fire: Material burnt has definable value		7A PENRHYN PLACE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 55 Truman Lane, Mt Maunganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
11/11/2010	F0822532	Vegetation Fire	Vegetation Fire (specify Area of Vegetation burnt)		SH 2
19/10/2010	F0802515	Miscellaneous Fire	Outside rubbish fire		PENRHYN PLACE
16/10/2010	F0800123	Miscellaneous Fire	Outside rubbish fire	ASB Baypark Stadium (BAY PARK STADIUM)	EVERSHAM WAY
9/10/2010	F0794278	Good Intent Calls	False alarm good intent: Smell of smoke		EVERSHAM ROAD
3/10/2010	F0789553	Good Intent Calls	False alarm good intent: not classified above		9 GRABLE COURT
22/09/2010	F0780124	Structure Fire	Structure fire with no damage		23 LUCULIA DRIVE
22/09/2010	F0779847	Miscellaneous Fire	Rubbish bin, Skip fire		TRUMAN LANE
18/09/2010	F0776345	Special Service Calls	Repair roof		73 DENNY HULME DRIVE
29/07/2010	F0733251	False Alarm	False alarm: Accidental operation	TrustPower Mt Maunganui	TRUMAN LANE
19/07/2010	F0726984	Special Service Calls	Assist Police		TRUMAN LANE
23/06/2010	F0709984	Structure Fire	Structure fire with no damage		33 FRANCEVIC AVENUE
21/06/2010	F0708906	False Alarm	False alarm: Defective	ASB Baypark Stadium (BAY PARK STADIUM)	81 TRUMAN LANE
6/03/2010	F0629472	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		SH 29
8/01/2010	F0588428	Miscellaneous Fire	Outside rubbish fire		6 PENRHYN PLACE
28/12/2009	F0580673	False Alarm	False alarm: Accidental operation		TRUMAN LANE
29/10/2009	F0536769	Not Recorded	Not Recorded		3A PENRHYN PLACE
25/09/2009	F0516032	Not Recorded	Not Recorded		TRUMAN LANE
20/08/2009	F0491824	Rescue, Emergency, Medical Call	Rescue, Emergency, Medical Call (NEW)		131 EVERSHAM ROAD
13/08/2009	F0487217	Mobile Property Fire	Mobile Property Fire (NEW)		760 MAUNGANUI ROAD
3/07/2009	F0459867	Miscellaneous Fire	Rubbish bin, Skip fire		TRUMAN ROAD
30/05/2009	F0436446	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		SH 2
23/05/2009	F0431575	False Alarm	False alarm: Malicious		TRUMAN ROAD
18/05/2009	F0428262	Miscellaneous Fire	Rubbish bin, Skip fire		TRUMAN ROAD
11/05/2009	F0423286	Natural Disasters	Flood		43 LOTUS AVENUE
29/04/2009	F0415692	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		SH 2
28/02/2009	F0368691	Natural Disasters	Flood		11 PENRHYN PLACE
16/02/2009	F0358458	Miscellaneous Fire	Outside fire: Material burnt has definable value		3A PENRHYN PLACE
14/02/2009	F0357327	Electrical Hazards	Arcing, shorted electrical equipment		111 EVERSHAM ROAD
9/02/2009	F0353471	Structure Fire	Structure fire with no damage	All Brite Industries Mt Maunganui	TRUMAN ROAD

OIA 2014-068 - NZFS Incidents within 500m of 55 Truman Lane, Mt Maunganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
				(ALL BRITE INDUSTRIES MOUNT MAUNGANUI)	
7/02/2009	F0351472	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		73 EVERSHAM ROAD
4/02/2009	F0349429	False Alarm	False alarm: Defective	Tenix Alliance NZ	TRUMAN ROAD
3/01/2009	F0324712	False Alarm	False alarm: Defective	TrustPower Mt Maunganui	TRUMAN ROAD
23/12/2008	F0316984	Vegetation Fire	Vegetation Fire (specify Area of Vegetation burnt)		SH 2
2/12/2008	F0300753	False Alarm	False alarm: Defective	Oregon ITM Frame And Truss	7 TITOKI PLACE
28/11/2008	F0296814	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		MAUNGANUI ROAD
13/11/2008	F0285189	Vegetation Fire	Vegetation Fire (specify Area of Vegetation burnt)		MAUNGANUI ROAD
13/11/2008	F0284646	Electrical Hazards	Arcing, shorted electrical equipment		9A PENRHYN PLACE
20/10/2008	F0267099	Special Service Calls	Assist public		797 SH 2
13/10/2008	F0262243	False Alarm	False alarm: Defective		815 SH 2
5/10/2008	F0256119	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		SH 2
13/09/2008	F239712	Good Intent Calls	False alarm good intent: Smell of smoke		MAUNGANUI ROAD
4/09/2008	F234341	False Alarm	False alarm: Defective	ASB Baypark Stadium (BLUE CHIP STADIUM)	81 TRUMAN ROAD
31/07/2008	F212378	Miscellaneous Fire	Rubbish bin, Skip fire		8 TITOKI PLACE
30/07/2008	F209070	Natural Disasters	Flood		11 PENRHYN PLACE
14/07/2008	F197224	Miscellaneous Fire	Outside rubbish fire	ASB Baypark Stadium (BAY PARK STADIUM)	81 TRUMAN ROAD
11/07/2008	F195227	False Alarm	False alarm: Undetermined alarm activation	Oregon ITM Frame And Truss	7 TITOKI PLACE
5/06/2008	F171787	False Alarm	False alarm: not classified above		NULL
31/05/2008	F168629	False Alarm	False alarm: Undetermined alarm activation	ASB Baypark Stadium (BAY PARK STADIUM)	81 TRUMAN ROAD
30/05/2008	F167618	Structure Fire	Structure fire with damage		124 EVERSHAM ROAD
15/03/2008	F111886	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	ASB Baypark Stadium (BLUE CHIP STADIUM)	81 TRUMAN ROAD
8/03/2008	F106296	Miscellaneous Fire	Outside rubbish fire		115 EVERSHAM ROAD
16/01/2008	F065257	Miscellaneous Fire	Outside rubbish fire		TRUMAN ROAD
25/12/2007	F049664	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		134 EVERSHAM ROAD
29/11/2007	F030556	Miscellaneous Fire	Outside rubbish fire		TRUMAN ROAD
1/11/2007	F006887	Vegetation Fire	Single tree fire		78 EVERSHAM ROAD

OIA 2014-068 - NZFS Incidents within 500m of 55 Truman Lane, Mt Maunganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
27/07/2007	A733041	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		SH 2
27/07/2007	A733035	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		SH 2
27/07/2007	A732853	Special Service Calls	Assist Police		SH 2
13/07/2007	A729530	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		MAUNGANUI ROAD
23/06/2007	A721287	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		TRUMAN ROAD
10/03/2007	A692221	Good Intent Calls	False alarm good intent: Authorised controlled burn		SH 2
5/03/2007	A690615	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		TRUMAN RD and SH 2
10/02/2007	A684051	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	ASB Baypark Stadium (BAY PARK STADIUM)	81 TRUMAN ROAD
8/01/2007	A675481	False Alarm	False alarm: Undetermined alarm activation		TIP LANE
6/01/2007	A675021	Vegetation Fire	Vegetation Fire (specify Area of Vegetation burnt)		TRUMAN ROAD
4/01/2007	A674568	Miscellaneous Fire	Outside rubbish fire		SH 2 and TRUMAN RD
2/01/2007	A674029	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TIP LANE
31/12/2006	A673431	Miscellaneous Fire	Rubbish bin, Skip fire		TRUMAN ROAD
31/12/2006	A673393	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRUMAN ROAD
29/12/2006	A673027	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		SH 29 and SH 2
14/12/2006	A669638	Vegetation Fire	Vegetation Fire (specify Area of Vegetation burnt)		TRUMAN ROAD
6/12/2006	A667215	Miscellaneous Fire	Rubbish bin, Skip fire		SH 2
6/12/2006	A667111	Miscellaneous Fire	Outside fire: Material burnt has definable value		805 SH 2
6/12/2006	A667111	Structure Fire	Structure fire with damage		805 SH 2
23/11/2006	A663845	Good Intent Calls	False alarm good intent: not classified above		116 GLOUCESTER ROAD
23/11/2006	A663834	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		SH 2
19/11/2006	A662684	Vegetation Fire	Single tree fire		SH 2
17/11/2006	A662325	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		TRUMAN ROAD
10/11/2006	A660377	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		TRUMAN ROAD
10/11/2006	A660132	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		SH 2
6/11/2006	A658541	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRUMAN ROAD
2/09/2006	A640309	False Alarm	False alarm: Undetermined alarm activation	ASB Baypark Stadium (BAY PARK STADIUM)	81 TRUMAN ROAD

OIA 2014-068 - NZFS Incidents within 500m of 55 Truman Lane, Mt Maunganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
2/08/2006	A633296	False Alarm	False alarm: Malicious	ASB Baypark Stadium (TODD POLLOCK SPEEDWAY)	TRUMAN ROAD
1/08/2006	A633152	Good Intent Calls	False alarm good intent: Call in the vicinity of another fire		SH 2
28/07/2006	A632403	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	ASB Baypark Stadium (BAY PARK STADIUM)	81 TRUMAN ROAD
13/07/2006	A628995	Special Service Calls	Assist Police		
3/07/2006	A626694	False Alarm	False alarm: Accidental activation of turnout system	TrustPower Mt Maunganui	TRUMAN ROAD
13/06/2006	A621309	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		SH 2
22/05/2006	A615946	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		SH 2
17/05/2006	A614759	Special Service Calls	Assist Police		SH 2
16/04/2006	A607759	Miscellaneous Fire	Outside fire: Material burnt has definable value		TRUMAN ROAD
16/04/2006	A607759	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		TRUMAN ROAD
9/04/2006	A606049	False Alarm	False alarm: Defective		70 TRUMAN ROAD
31/03/2006	A603899	Chemical, Flammable Liquid or Gas Fire	Flammable liquid, Gas fire		TIP LANE
31/03/2006	A603786	Structure Fire	Structure fire with damage		219 GLOUCESTER ROAD
25/03/2006	A602292	Miscellaneous Fire	Miscellaneous fire - not classified above		TRUMAN ROAD
17/03/2006	A600237	Miscellaneous Fire	Hangi, Umu fire, Cultural cooking fire		EVERSHAM ROAD
12/03/2006	A598929	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		SH 2
4/03/2006	A596831	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	ASB Baypark Stadium (BAY PARK STADIUM)	81 TRUMAN ROAD
4/03/2006	A596831	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		81 TRUMAN ROAD
23/02/2006	A594523	Miscellaneous Fire	Outside rubbish fire		TRUMAN ROAD
22/02/2006	A594241	Miscellaneous Fire	Outside rubbish fire	ASB Baypark Stadium (BAY PARK STADIUM)	81 TRUMAN ROAD
20/01/2006	A586152	Rescue, Emergency, Medical Call	Assist ambulance		SH 2
17/01/2006	A585453	False Alarm	False alarm: Accidental operation	TrustPower Mt Maunganui	TRUMAN ROAD
8/01/2006	A583143	Miscellaneous Fire	Outside fire: Material burnt has definable value		98 EVERSHAM ROAD
5/01/2006	A582668	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		SH 2
21/12/2005	A579394	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		SH 2
15/11/2005	A570096	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		760 MAUNGANUI ROAD

OIA 2014-068 - NZFS Incidents within 500m of 55 Truman Lane, Mt Maunganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
29/10/2005	A564795	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRUMAN ROAD
18/10/2005	A562385	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		SH 2
17/10/2005	A562249	Structure Fire	Structure fire with damage		779 SH 2
16/10/2005	A561896	False Alarm	False alarm: Defective	ASB Baypark Stadium (BAY PARK STADIUM)	81 TRUMAN ROAD
10/10/2005	A560866	False Alarm	False alarm: Defective	ASB Baypark Stadium (BAY PARK STADIUM)	81 TRUMAN ROAD
4/10/2005	A559654	False Alarm	False alarm: Defective	TrustPower Mt Maunganui	TRUMAN ROAD
26/09/2005	A557977	False Alarm	False alarm: Accidental operation		1A PENRHYN PLACE
26/08/2005	A551359	Miscellaneous Fire	Outside rubbish fire		120 EVERSHAM ROAD
13/07/2005	A542577	Electrical Hazards	Arcing, shorted electrical equipment		131 EVERSHAM ROAD
27/06/2005	A539501	Structure Fire	Structure fire with damage		118 EVERSHAM ROAD
17/06/2005	A537412	Good Intent Calls	False alarm good intent: Call cleared prior to arrival	City Care Tauranga ()	2 TRUMAN ROAD
9/06/2005	A535667	False Alarm	False alarm: Excess Smoke, Heat		1A PENRHYN PLACE
28/05/2005	A533125	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Te Maunga Roundabout	MAUNGANUI ROAD
18/05/2005	A530439	Natural Disasters	Flood		2 KENTIA AVENUE
18/05/2005	A529974	Natural Disasters	Flood		5 MELIA PLACE
14/04/2005	A522470	False Alarm	False alarm: Accidental activation of turnout system	TrustPower Mt Maunganui	TRUMAN ROAD
25/01/2005	A503910	Vegetation Fire	Vegetation Fire (specify Area of Vegetation burnt)		TIP LANE
23/01/2005	A503416	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	ASB Baypark Stadium (BAY PARK STADIUM)	81 TRUMAN ROAD
20/12/2004	A496764	Miscellaneous Fire	Outside fire: Material burnt has definable value		EVERSHAM ROAD
20/12/2004	A496764	Vegetation Fire	Vegetation Fire (specify Area of Vegetation burnt)		EVERSHAM ROAD
22/11/2004	A490593	Miscellaneous Fire	Outside rubbish fire		759 MAUNGANUI ROAD
21/10/2004	A482151	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRUMAN ROAD
12/10/2004	A480390	Good Intent Calls	False alarm good intent: Unauthorised controlled burn	ASB Baypark Stadium (BAY PARK STADIUM)	81 TRUMAN ROAD
4/10/2004	A479110	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TIP LANE
12/09/2004	A474619	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRUMAN ROAD
30/08/2004	A472351	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		797 SH 2

OIA 2014-068 - NZFS Incidents within 500m of 55 Truman Lane, Mt Maunganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
13/07/2004	A462995	Good Intent Calls	False alarm good intent: not classified above		27 FRANCEVIC AVENUE
9/05/2004	A450337	Miscellaneous Fire	Rubbish bin, Skip fire		TRUMAN ROAD
22/04/2004	A446990	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		
12/04/2004	A444930	Miscellaneous Fire	Outside rubbish fire		TRUMAN ROAD
2/03/2004	A435783	Electrical Hazards	Arcing, shorted electrical equipment		70 TRUMAN ROAD
19/02/2004	A432565	False Alarm	False alarm: Undetermined alarm activation	TrustPower Mt Maunganui (TRUSTPOWER LIMITED)	TRUMAN ROAD
17/01/2004	A425226	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		TRUMAN ROAD
12/01/2004	A424260	Good Intent Calls	False alarm good intent: Smell of smoke		20 LUCULIA DRIVE
4/11/2003	A408603	Structure Fire	Structure fire with no damage		106 GLOUCESTER ROAD
23/10/2003	A405801	False Alarm	False alarm: Excess Smoke, Heat	ASB Baypark Stadium (TODD POLLOCK SPEEDWAY)	UNKN00001 TRUMAN ROAD
1/09/2003	A395944	Miscellaneous Fire	Outside rubbish fire		793 SH 2
22/08/2003	A394136	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		TRUMAN ROAD
25/07/2003	A389115	False Alarm	False alarm: Accidental operation		EVERSHAM ROAD
17/07/2003	A387543	Vegetation Fire	Hedge, Shelterbelt fire	TE MAUNGA RAILWAY STATION	UNKN00003 SH2
9/07/2003	A385896	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRUMAN ROAD
6/07/2003	A385395	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRUMAN ROAD
24/05/2003	A376934	False Alarm	False alarm: Malicious		9B KINGSLEY PLACE
1/04/2003	A365586	Chemical, Biohazard, Radioactive Incident	Chemical emergency		TRUMAN ROAD
23/02/2003	A357788	Mobile Properties Hazardous Incidents	Gas, Liquid spill: Vehicle accident	Te Maunga Roundabout	UNKN00004 MAUNGANUI ROAD
22/02/2003	A357703	Good Intent Calls	False alarm good intent: Unauthorised controlled burn		8 LUCULIA DRIVE
2/02/2003	A352906	Vegetation Fire	Grass fire		TRUMAN ROAD
25/01/2003	A351274	Miscellaneous Fire	Outside rubbish fire		TRUMAN ROAD
17/01/2003	A349598	False Alarm	False alarm: Accidental operation		TRUMAN ROAD
10/01/2003	A348459	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Te Maunga Roundabout	UNKN00003 MAUNGANUI ROAD
27/12/2002	A345632	Vegetation Fire	Gorse fire		TRUMAN ROAD
26/12/2002	A345403	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Te Maunga Roundabout	UNKN00003 MAUNGANUI

OIA 2014-068 - NZFS Incidents within 500m of 55 Truman Lane, Mt Maunganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
					ROAD
17/12/2002	A343883	Miscellaneous Fire	Outside rubbish fire		TRUMAN ROAD
20/11/2002	A338116	Miscellaneous Fire	Bonfire		TRUMAN ROAD
17/11/2002	A337483	Vegetation Fire	Grass fire		TIP LANE
22/07/2002	A314919	False Alarm	False alarm: Accidental operation		TRUMAN ROAD
13/07/2002	A313193	False Alarm	False alarm: Accidental operation		TRUMAN ROAD
21/06/2002	A308813	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		SH2
29/05/2002	A303276	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm		TRUMAN ROAD
22/05/2002	A301174	Miscellaneous Fire	Outside rubbish fire		MAUNGANUI ROAD
4/04/2002	A290005	Good Intent Calls	False alarm good intent: not classified above		5 MELIA PLACE
9/03/2002	A283807	Good Intent Calls	False alarm good intent: Wrong locality		SH2 / 29
1/02/2002	A274832	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		SH 2
28/01/2002	A273976	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		SH2 & 29
24/11/2001	A258866	Special Service Calls	Assist public		9 GRABLE COURT
19/11/2001	A257696	Vegetation Fire	Gorse fire		TRUMAN ROAD
10/11/2001	A255624	Structure Fire	Structure fire with damage		TRUMAN ROAD
1/11/2001	A252894	Electrical Hazards	Power line down		759 MAUNGANUI ROAD
10/05/2001	A215923	Special Service Calls	Assist public		TRUMAN ROAD
12/03/2001	A201984	False Alarm	False alarm: Accidental operation		GLOUCESTER ROAD
7/02/2001	A194303	Vegetation Fire	Grass fire		UNKN0 State H'way 2
1/02/2001	A192661	Miscellaneous Fire	Outside rubbish fire		124 EVERS HAM ROAD
27/12/2000	A184034	False Alarm	False alarm: Defective		TRUMAN ROAD
23/12/2000	A182975	Vegetation Fire	Grass fire		79 TRUMAN ROAD
22/12/2000	A182816	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		SH 2
21/12/2000	A182502	Vegetation Fire	Scrub fire (excluding gorse)		maunganui ROAD
5/12/2000	A178122	Mobile Property Fire	Derelict mobile property fire		SH 2
5/12/2000	A178108	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		SH 2
4/11/2000	A169617	False Alarm	False alarm: Malicious		CHAMBERLAIN PLACE

OIA 2014-068 - NZFS Incidents within 500m of 55 Truman Lane, Mt Maunganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
6/10/2000	A162313	Miscellaneous Fire	Rubbish bin, Skip fire		760 MAUNGANUI ROAD
14/09/2000	A156704	Special Service Calls	Domestic, Commercial water problem		1A LUCULIA DRIVE
6/08/2000	A146657	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRUMAN LN
22/07/2000	A142007	Rescue, Emergency, Medical Call	Assist ambulance		CNR SH2 / SH29
9/07/2000	A137288	False Alarm	False alarm: Defective		TRUEMAN LANE
8/07/2000	A137072	False Alarm	False alarm: Accidental operation		TRUEMAN LANE
8/07/2000	A136946	False Alarm	False alarm: Defective		TRUMAN ROAD
20/06/2000	A130796	Vegetation Fire	Grass fire		SH 2
18/06/2000	A130226	Vegetation Fire	Scrub fire (excluding gorse)		EVERSHAM ROAD
17/06/2000	A129743	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		SH 2/SH 29
12/06/2000	A128241	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		SH 72 TE MAUNGA
28/04/2000	A114050	Mobile Property Fire	Derelict mobile property fire		TURMAN ROAD
31/03/2000	A106255	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CNR SH29/SH2
23/03/2000	A104515	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		8B KINGSLEY PLACE
18/03/2000	A103125	Good Intent Calls	False alarm good intent: not classified above		2 MELIA PLACE
17/02/2000	A096344	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		SH 2
6/02/2000	A093740	Structure Fire	Structure fire with damage		253B GLOUCESTER ROAD
24/01/2000	A091259	False Alarm	False alarm: Defective		TRUMAN LANE
17/01/2000	A089779	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		SH29/SH2
17/01/2000	A089767	False Alarm	False alarm: Accidental operation		TRUMAN LANE
13/01/2000	A088922	False Alarm	False alarm: Accidental operation		9B KINGSLEY PLACE
3/01/2000	A087349	False Alarm	False alarm: Defective		TRUEMAN LANE
23/12/1999	A085222	Vegetation Fire	Grass fire		899 SH2
21/12/1999	A084880	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		SH29
16/12/1999	A083897	False Alarm	False alarm: Defective		TRUMAN LANE
16/12/1999	A083887	Miscellaneous Fire	Outside rubbish fire		TRUMAN LANE
11/12/1999	A082461	Good Intent Calls	False alarm good intent: Wrong locality		TRUEMAN LANE
10/12/1999	A082268	False Alarm	False alarm: Accidental operation		TRUMAN LANE

OIA 2014-068 - NZFS Incidents within 500m of 55 Truman Lane, Mt Maunganui

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
23/11/1999	A078979	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm		TRUEMAN ROAD
20/11/1999	A078521	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRUMAN LANE
29/10/1999	A074614	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		TE MAUNGA JNCT
3/10/1999	A070067	False Alarm	False alarm: Accidental operation		TRUMAN ROAD
2/10/1999	A069884	Good Intent Calls	False alarm good intent: not classified above		SH2
11/08/1999	A061264	Electrical Hazards	Arcing, shorted electrical equipment		99A EVERS HAM ROAD
10/08/1999	A061102	Miscellaneous Fire	Rubbish bin, Skip fire		TRUMAN LANE
10/08/1999	A061099	Miscellaneous Fire	Rubbish bin, Skip fire		TRUMAN PLACE
22/07/1999	A058084	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		43 LUCULIA PLACE
6/07/1999	A055705	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm		2 TRUMAN LANE
13/06/1999	A051574	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRUEMAN LANE
23/04/1999	A042040	Good Intent Calls	False alarm good intent: Authorised controlled burn		SH 2
19/04/1999	A041387	Special Service Calls	Animal rescue		3 MELIA PLACE
9/04/1999	A039969	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRUEMAN LANE
25/03/1999	A037610	False Alarm	False alarm: Accidental operation		TRUEMAN LANE
11/03/1999	A035062	Mobile Property Fire	Derelict mobile property fire		TRUMAN LANE
5/03/1999	A033991	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		SH29
18/11/1998	A015633	Special Service Calls	Animal rescue		TRUMAN LANE
15/11/1998	A015154	Vegetation Fire	Gorse fire		TRUMAN ROAD
7/11/1998	A013669	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		SH2
24/10/1998	A011529	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		TE MAUNGA R/BOU
17/10/1998	A010642	Good Intent Calls	False alarm good intent: Lights thought to be fire		EVERS HAM ROAD
5/10/1998	A008990	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		SH 29
23/09/1998	A007442	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		SH 2-29

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
11/06/2014	F1631720	False Alarm	False alarm: Defective	Integro Foods Workshop	92 HARRIS ROAD
10/06/2014	F1630928	False Alarm	False alarm: Defective	Tyco Electronics East Tamaki	107 HARRIS ROAD
29/05/2014	F1623820	False Alarm	False alarm: Accidental operation	Alpha Laboratories East Tamaki (ALPHA LABORATORIES)	48 CROOKS ROAD
23/05/2014	F1619773	False Alarm	False alarm: Accidental operation	Bridon East Tamaki	6 GREENMOUNT DRIVE
20/05/2014	F1618394	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke	PYROTEK PRODUCTS	69 CRYERS ROAD
6/05/2014	F1610377	False Alarm	False alarm: Defective	Merial Company	18 BLACKBURN ROAD
23/04/2014	F1603355	False Alarm	False alarm: not classified above		121-127 HARRIS ROAD
16/04/2014	F1596407	Good Intent Calls	False alarm good intent: not classified above	AB Equipment Cryers Road	101 CRYERS ROAD
6/04/2014	F1590197	False Alarm	False alarm: Accidental operation	Alpha Laboratories East Tamaki (ALPHA LABORATORIES)	48 CROOKS ROAD
18/03/2014	F1578203	Special Service Calls	Special service call - not classified above		HARRIS RD and CROOKS RD
1/03/2014	F1565849	False Alarm	False alarm: Defective	Transpacific Technical Services Neales Road (TRANSPACIFIC TECHNICAL SERVICES OUTSIDE BUILDINGS)	30 NEALES ROAD
25/02/2014	F1562697	False Alarm	False alarm: Accidental operation	Alpha Laboratories East Tamaki (ALPHA LABORATORIE)	48 CROOKS ROAD
23/02/2014	F1561033	False Alarm	False alarm: Accidental operation	Visy Industrial Packaging Auckland	100 HARRIS ROAD
14/02/2014	F1555280	False Alarm	False alarm: Defective	AB Equipment Cryers Road	101 CRYERS ROAD
29/01/2014	F1545466	False Alarm	False alarm: Excess Smoke, Heat	Nalco NZ Plant (ONDEO NALCO NZ PLANT)	44 CRYERS ROAD
24/01/2014	F1541896	False Alarm	False alarm: Defective	Sika Technology	5 CARPENTER ROAD
23/01/2014	F1541746	False Alarm	False alarm: Accidental operation	Bridon East Tamaki	6 GREENMOUNT DRIVE
6/01/2014	F1531300	Miscellaneous Fire	Outside rubbish fire		CROOKS ROAD
4/01/2014	F1530406	False Alarm	False alarm: Accidental operation	Alpha Laboratories East Tamaki (ALPHA LABORATORIES)	48 CROOKS ROAD
30/12/2013	F1527655	False Alarm	False alarm: Defective	Locker Group NZ	12 OFFENHAUSER DRIVE
30/12/2013	F1527451	False Alarm	False alarm: Undetermined alarm activation	Locker Group NZ	12 OFFENHAUSER DRIVE
20/12/2013	F1522336	False Alarm	False alarm: Defective	Locker Group NZ	12 OFFENHAUSER DRIVE
15/12/2013	F1519005	False Alarm	False alarm: Undetermined alarm activation		123 CRYERS ROAD
10/12/2013	F1515918	False Alarm	False alarm: Accidental operation	Graincorp Foods East Tamaki (INTEGRO FOODS EAST TAMAKI)	92 HARRIS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
9/12/2013	F1515218	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (INTEGRO FOODS EAST TAMAKI)	92 HARRIS ROAD
30/11/2013	F1509509	False Alarm	False alarm: Defective	Alpha Laboratories East Tamaki (ALPHA LABORATORIES)	48 CROOKS ROAD
21/11/2013	F1503719	False Alarm	False alarm: Defective	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
20/11/2013	F1502981	Miscellaneous Fire	Rubbish bin, Skip fire	East Tamaki Refuse Transfer Station	33 NEALES ROAD
12/11/2013	F1497611	False Alarm	False alarm: Defective	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
31/10/2013	F1490302	Rescue, Emergency, Medical Call	Rescue: In or under machinery		123 CRYERS ROAD
25/10/2013	F1486588	Special Service Calls	Repair roof	Visy Industrial Packaging Auckland	100 HARRIS ROAD
21/10/2013	F1483874	False Alarm	False alarm: Accidental operation	Bridon East Tamaki	6 GREENMOUNT DRIVE
6/10/2013	F1474299	False Alarm	False alarm: Undetermined alarm activation	Boyd Visuals	15 RON DRIVER PLACE
4/10/2013	F1473262	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Easy Freight	10 TRANSPORT PLACE
2/10/2013	F1472194	Rescue, Emergency, Medical Call	Rescue: In or under machinery	Visionstream Warehouse Manukau	10 OFFENHAUSER DRIVE
22/09/2013	F1465893	False Alarm	False alarm: Undetermined alarm activation	Merial Company (EIGHTEEN BLACKBURN ROAD)	18 BLACKBURN ROAD
19/09/2013	F1464417	False Alarm	False alarm: Accidental operation	Alpha Laboratories East Tamaki (ALPHA LABORATORIES)	48 CROOKS ROAD
16/09/2013	F1462644	False Alarm	False alarm: Accidental operation	Transpacific Technical Services Neales Road (TRANSPACIFIC TECHNICAL SERVICES MAIN OFFICE)	30 NEALES ROAD
14/09/2013	F1461101	False Alarm	False alarm: Undetermined alarm activation	Locker Group NZ	12 OFFENHAUSER DRIVE
13/09/2013	F1460842	False Alarm	False alarm: Defective	Alpha Laboratories East Tamaki (ALPHA LABORATORIES)	48 CROOKS ROAD
26/08/2013	F1448425	False Alarm	False alarm: Excess Smoke, Heat	AB Equipment Cryers Road	101 CRYERS ROAD
26/08/2013	F1448009	False Alarm	False alarm: Accidental operation	Merial Company (EIGHTEEN BLACKBURN ROAD)	18 BLACKBURN ROAD
25/08/2013	F1447607	False Alarm	False alarm: Accidental operation	Merial Company (EIGHTEEN BLACKBURN ROAD)	18 BLACKBURN ROAD
17/08/2013	F1443448	False Alarm	False alarm: Defective	Merial Company (EIGHTEEN BLACKBURN ROAD)	18 BLACKBURN ROAD
5/08/2013	F1436893	False Alarm	False alarm: Accidental operation	Dotmar Plastics	28 CROOKS ROAD
2/08/2013	F1435342	False Alarm	False alarm: Excess Smoke, Heat	Sika Technology	5 CARPENTER ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
1/08/2013	F1434908	False Alarm	False alarm: Accidental operation	Mainfreight Logistics East Tamaki (PRIDE LOGISTICS)	36 NEALES ROAD
16/07/2013	F1425859	False Alarm	False alarm: Undetermined alarm activation	Locker Group NZ	12 OFFENHAUSER DRIVE
12/07/2013	F1423682	False Alarm	False alarm: Accidental operation	Astron Plastics Warehouse	29 CARPENTER ROAD
4/07/2013	F1419027	False Alarm	False alarm: Accidental operation	AB Equipment Cryers Road	101 CRYERS ROAD
3/07/2013	F1418682	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		GREENMOUNT DR and HARRIS RD
13/06/2013	F1405034	False Alarm	False alarm: Accidental operation	AB Equipment Cryers Road	101 CRYERS ROAD
17/05/2013	F1390713	False Alarm	False alarm: Defective	Halls Logistics (DHL EXEL SUPPLY CHAIN NEALES ROAD)	15 NEALES ROAD
17/05/2013	F1390409	False Alarm	False alarm: Accidental operation	BDO House East Tamaki (KIWI PLAN NZ BDO HOUSE)	116 HARRIS ROAD
29/04/2013	F1380003	False Alarm	False alarm: Defective	Transpacific Technical Services Neales Road	30 NEALES ROAD
23/04/2013	F1377206	False Alarm	False alarm: Undetermined alarm activation	Alpha Laboratories East Tamaki	48 CROOKS ROAD
7/04/2013	F1366306	Special Service Calls	Assist public	Alpha Laboratories East Tamaki	48 CROOKS ROAD
2/04/2013	F1363380	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire	Visy Industrial Packaging Auckland	100 HARRIS ROAD
22/03/2013	F1356862	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		HARRIS RD and GREENMOUNT DR
4/03/2013	F1344341	False Alarm	False alarm: Accidental operation	Carters National Office	68 HARRIS ROAD
4/03/2013	F1343886	False Alarm	False alarm: Undetermined alarm activation	AB Equipment Cryers Road	101 CRYERS ROAD
11/02/2013	F1329167	False Alarm	False alarm: Accidental operation	Boyd Visuals	15 RON DRIVER PLACE
6/02/2013	F1326195	False Alarm	False alarm: Defective	Merial Company (EIGHTEEN BLACKBURN ROAD)	18 BLACKBURN ROAD
29/01/2013	F1320708	False Alarm	False alarm: Accidental operation	ChemFreight Cryers Road	55 CRYERS ROAD
23/01/2013	F1316901	False Alarm	False alarm: Undetermined alarm activation	Nalco NZ Plant (ONDEO NALCO NZ PLANT)	44 CRYERS ROAD
20/12/2012	F1297725	False Alarm	False alarm: Defective	Transpacific Technical Services Neales Road (TRANSPACIFIC TECHNICAL SERVICES OUTSIDE BUILDINGS)	30 NEALES ROAD
12/12/2012	F1292808	False Alarm	False alarm: Excess Smoke, Heat		44 CROOKS ROAD
8/12/2012	F1290605	False Alarm	False alarm: Undetermined alarm activation	TELECOM EXCHANGE EAST TAMAKI	135 HARRIS ROAD
8/12/2012	F1290381	False Alarm	False alarm: Defective	ChemFreight Cryers Road	55 CRYERS ROAD
7/12/2012	F1289572	False Alarm	False alarm: Undetermined alarm activation	ChemFreight Cryers Road	55 CRYERS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
4/12/2012	F1287471	Structure Fire	Structure fire with damage	PYROTEK PRODUCTS	69 CRYERS ROAD
30/11/2012	F1285381	False Alarm	False alarm: Excess Smoke, Heat		44E CROOKS ROAD
29/11/2012	F1285042	False Alarm	False alarm: Accidental operation	Alpha Laboratories East Tamaki (ALPHA LABORATORIES)	48 CROOKS ROAD
27/10/2012	F1264756	False Alarm	False alarm: Undetermined alarm activation		1 HARRIS ROAD
20/09/2012	F1244715	False Alarm	False alarm: Undetermined alarm activation	TELECOM EXCHANGE EAST TAMAKI	135 HARRIS ROAD
6/09/2012	F1237031	Special Service Calls	Assist Police		HARRIS RD and GREENMOUNT DR
9/07/2012	F1205458	False Alarm	False alarm: Accidental operation	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
10/06/2012	F1189852	False Alarm	False alarm: Defective	Halls Logistics (DHL EXEL SUPPLY CHAIN NEALES ROAD)	15 NEALES ROAD
5/06/2012	F1187037	False Alarm	False alarm: Accidental operation	Tata Steel	7 BRUCE RODERICK DRIVE
11/05/2012	F1174558	False Alarm	False alarm: Defective	Boyd Visuals	15 RON DRIVER PLACE
10/05/2012	F1173542	False Alarm	False alarm: Undetermined alarm activation	Boyd Visuals	15 RON DRIVER PLACE
3/05/2012	F1169725	False Alarm	False alarm: Defective	Visionstream Warehouse Manukau	10 OFFENHAUSER DRIVE
13/04/2012	F1159107	False Alarm	False alarm: Defective	PYROTEK PRODUCTS	69 CRYERS ROAD
22/03/2012	F1146485	Not Recorded	Not Recorded		HARRIS RD and GREENMOUNT DR
22/03/2012	F1146457	Not Recorded	Not Recorded		HARRIS ROAD
5/03/2012	F1135743	Not Recorded	Not Recorded		49 CRYERS ROAD
23/02/2012	F1128022	False Alarm	False alarm: Undetermined alarm activation	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
9/02/2012	F1120152	False Alarm	False alarm: Undetermined alarm activation	Merial Company (EIGHTEEN BLACKBURN ROAD)	18 BLACKBURN ROAD
23/01/2012	F1111457	False Alarm	False alarm: Undetermined alarm activation	Transpacific Technical Services Neales Road (TRANSPACIFIC TECHNICAL SERVICES OUTSIDE BUILDINGS)	30 NEALES ROAD
16/01/2012	F1107632	False Alarm	False alarm: Undetermined alarm activation	Boyd Visuals	15 RON DRIVER PLACE
11/01/2012	F1104792	False Alarm	False alarm: Undetermined alarm activation	Transpacific Technical Services Neales Road	30 NEALES ROAD
8/01/2012	F1103324	Not Recorded	Not Recorded	Transpacific Technical Services Neales Road	30 NEALES ROAD
31/12/2011	F1099754	False Alarm	False alarm: Undetermined alarm activation	Boyd Visuals	15 RON DRIVER PLACE
14/12/2011	F1090869	Not Recorded	Not Recorded		BRUCE RODERICK DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
6/12/2011	F1085927	False Alarm	False alarm: Undetermined alarm activation	Mitek (MITEK (NZ) LIMITED)	40 NEALES ROAD
3/11/2011	F1066623	Not Recorded	Not Recorded		GREENMOUNT DRIVE
3/10/2011	F1050830	False Alarm	False alarm: Undetermined alarm activation	Boyd Visuals	15 RON DRIVER PLACE
27/09/2011	F1046958	False Alarm	False alarm: Undetermined alarm activation	Transtore Logistics	117 CRYERS ROAD
26/09/2011	F1046677	False Alarm	False alarm: Accidental operation	AB Equipment Cryers Road	101 CRYERS ROAD
13/09/2011	F1040089	Not Recorded	Not Recorded	Transpacific Technical Services Neales Road	30 NEALES ROAD
13/09/2011	F1040024	False Alarm	False alarm: Undetermined alarm activation	Color Communications Australasia	11 GREENMOUNT DRIVE
29/08/2011	F1031810	False Alarm	False alarm: not classified above	Eighty Three Harris Road	83 HARRIS ROAD
12/08/2011	F1022523	Not Recorded	Not Recorded		6 BLACKBURN ROAD
25/07/2011	F1012941	False Alarm	False alarm: Defective	Transpacific Technical Services Neales Road	30 NEALES ROAD
18/07/2011	F1009274	False Alarm	False alarm: not classified above	Tata Steel	7 BRUCE RODERICK DRIVE
15/07/2011	F1007924	False Alarm	False alarm: Undetermined alarm activation	Transtore Logistics	117 CRYERS ROAD
13/07/2011	F1006816	False Alarm	False alarm: Defective	Transtore Logistics	117 CRYERS ROAD
5/07/2011	F1002575	False Alarm	False alarm: Accidental operation	Mitek (MITEK (NZ) LIMITED)	40 NEALES ROAD
28/06/2011	F0998889	False Alarm	False alarm: Accidental operation	Boyd Visuals	15 RON DRIVER PLACE
11/06/2011	F0989192	False Alarm	False alarm: Accidental operation	Carters East Tamaki	95 HARRIS ROAD
7/06/2011	F0987271	False Alarm	False alarm: Accidental operation	Merial Ancare (ANCARE NZ)	14 BLACKBURN ROAD
26/05/2011	F0981185	False Alarm	False alarm: Accidental operation	Vulcan Steel Manukau City	29 NEALES ROAD
26/05/2011	F0980930	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
15/05/2011	F0974467	Good Intent Calls	False alarm good intent: not classified above		HARRIS ROAD
5/05/2011	F0968841	False Alarm	False alarm: Excess Smoke, Heat	Sika Technology (AMCOR FLEXIBLES)	5 CARPENTER ROAD
28/04/2011	F0963744	False Alarm	False alarm: Accidental operation	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
25/04/2011	F0961298	False Alarm	False alarm: Defective	Merial Company (EIGHTEEN BLACKBURN ROAD)	18 BLACKBURN ROAD
9/04/2011	F0951195	False Alarm	False alarm: Defective	Transpacific Technical Services Neales Road (TRANSPACIFIC TECHNICAL SERVICES NEALES RD)	30 NEALES ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
1/04/2011	F0945856	False Alarm	False alarm: Undetermined alarm activation		44 CROOKS ROAD
21/03/2011	F0937490	Structure Fire	Structure fire with no damage	Boyd Visuals	15 RON DRIVER PLACE
12/03/2011	F0931206	False Alarm	False alarm: Undetermined alarm activation		40 CROOKS ROAD
5/02/2011	F0901860	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
27/01/2011	F0894465	False Alarm	False alarm: Accidental operation	Transpacific Technical Services Neales Road	30 NEALES ROAD
21/01/2011	F0888387	False Alarm	False alarm: Accidental operation	Alert Anodising	59 CROOKS ROAD
20/01/2011	F0888138	False Alarm	False alarm: Accidental operation	Carters National Office	68 HARRIS ROAD
14/01/2011	F0881933	False Alarm	False alarm: Defective	Transtore Logistics	117 CRYERS ROAD
14/01/2011	F0881896	False Alarm	False alarm: Undetermined alarm activation	Transtore Logistics	117 CRYERS ROAD
2/01/2011	F0873239	False Alarm	False alarm: Undetermined alarm activation	Boyd Visuals	15 RON DRIVER PLACE
23/12/2010	F0863274	False Alarm	False alarm: Accidental operation	Carters National Office	68 HARRIS ROAD
21/12/2010	F0860598	False Alarm	False alarm: Accidental operation	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
16/12/2010	F0856174	False Alarm	False alarm: Defective	Transpacific Technical Services Neales Road	30 NEALES ROAD
10/12/2010	F0850358	Good Intent Calls	False alarm good intent: Call cleared prior to arrival	Visionstream Warehouse Manukau	10 OFFENHAUSER DRIVE
10/12/2010	F0850137	False Alarm	False alarm: Defective	Boyd Visuals	15 RON DRIVER PLACE
9/12/2010	F0849611	False Alarm	False alarm: Accidental operation	Five Greenmount Drive	5 GREENMOUNT DRIVE
29/11/2010	F0840186	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		CROOKS RD and HARRIS RD
28/11/2010	F0838739	False Alarm	False alarm: Undetermined alarm activation	Merial Ancare (ANCARE NZ)	14 BLACKBURN ROAD
19/11/2010	F0830452	False Alarm	False alarm: Accidental operation	Fifty Harris Road	50 HARRIS ROAD
11/11/2010	F0823000	False Alarm	False alarm: Excess Smoke, Heat	Sika Technology (AMCOR FLEXIBLES)	77 CRYERS ROAD
10/11/2010	F0821732	False Alarm	False alarm: Undetermined alarm activation	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
9/11/2010	F0820336	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		104 HARRIS ROAD
6/11/2010	F0817325	Structure Fire	Structure fire with damage	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
6/11/2010	F0817311	False Alarm	False alarm: Accidental operation	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
1/11/2010	F0812562	Good Intent Calls	False alarm good intent: not classified above		44 CROOKS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
26/10/2010	F0807119	False Alarm	False alarm: Undetermined alarm activation	Boyd Visuals	15 RON DRIVER PLACE
25/10/2010	F0806964	False Alarm	False alarm: Excess Smoke, Heat		1 HARRIS ROAD
22/10/2010	F0804110	False Alarm	False alarm: Excess Smoke, Heat		1 HARRIS ROAD
29/09/2010	F0785852	False Alarm	False alarm: Accidental operation	Transpacific Technical Services Neales Road	30 NEALES ROAD
14/09/2010	F0770760	False Alarm	False alarm: Excess Smoke, Heat	Carters Manufacturing	68 HARRIS ROAD
24/08/2010	F0750016	False Alarm	False alarm: Accidental operation	Carters National Office	68 HARRIS ROAD
4/08/2010	F0737199	False Alarm	False alarm: Accidental operation	Astron Plastics Head Office (ASTRON PLASTICS MANUKAU)	43 CRYERS ROAD
3/08/2010	F0736366	False Alarm	False alarm: Accidental operation	Five Greenmount Drive	5 GREENMOUNT DRIVE
27/07/2010	F0732306	False Alarm	False alarm: Defective	Transtore Logistics	117 CRYERS ROAD
12/07/2010	F0722581	False Alarm	False alarm: Accidental operation		20A CARPENTER ROAD
8/07/2010	F0720156	Structure Fire	Structure fire with damage	Bridon East Tamaki (COOKES CONSOLIDATED SERVICES EAST TAMAKI)	6 GREENMOUNT DRIVE
18/06/2010	F0706894	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
17/06/2010	F0706272	False Alarm	False alarm: Accidental operation	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
7/06/2010	F0700195	Miscellaneous Fire	Outside rubbish fire		CRYERS ROAD
5/06/2010	F0698879	Structure Fire	Structure fire with no damage	Transpacific Technical Services Neales Road	30 NEALES ROAD
5/06/2010	F0698604	False Alarm	False alarm: Accidental operation	Transpacific Technical Services Neales Road	30 NEALES ROAD
12/05/2010	F0680890	False Alarm	False alarm: Defective	Transpacific Technical Services Neales Road	30 NEALES ROAD
29/04/2010	F0671299	False Alarm	False alarm: Undetermined alarm activation	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
27/04/2010	F0669637	False Alarm	False alarm: Undetermined alarm activation	Merial Company (EIGHTEEN BLACKBURN ROAD)	18 BLACKBURN ROAD
7/04/2010	F0654639	Miscellaneous Fire	Outside rubbish fire		6 STONEDON DRIVE
2/04/2010	F0651152	False Alarm	False alarm: Excess Smoke, Heat		1 HARRIS ROAD
24/03/2010	F0644632	False Alarm	False alarm: Defective	Transpacific Technical Services Neales Road	30 NEALES ROAD
17/03/2010	F0638283	False Alarm	False alarm: Accidental operation	Online Security Highbrook (IRON MOUNTAIN)	5 CRYERS ROAD
10/03/2010	F0632913	False Alarm	False alarm: Accidental operation	Sika Technology (AMCOR FLEXIBLES)	77 CRYERS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
9/03/2010	F0632287	False Alarm	False alarm: Undetermined alarm activation	Nalco NZ Plant (ONDEO NALCO NZ PLANT)	44 CRYERS ROAD
11/02/2010	F0611848	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	119 Harris Road	119 HARRIS ROAD
16/01/2010	F0594066	False Alarm	False alarm: Defective	Bridon East Tamaki (COOKES CONSOLIDATED SERVICES EAST TAMAKI)	6 GREENMOUNT DRIVE
9/01/2010	F0589041	False Alarm	False alarm: Undetermined alarm activation	Bridon East Tamaki (COOKES CONSOLIDATED SERVICES EAST TAMAKI)	6 GREENMOUNT DRIVE
17/12/2009	F0573564	Not Recorded	Not Recorded	Mainfreight Logistics East Tamaki (PRIDE LOGISTICS)	36 NEALES ROAD
14/12/2009	F0570911	False Alarm	False alarm: Defective	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
3/12/2009	F0563048	Not Recorded	Not Recorded	Fifty Harris Road	50 HARRIS ROAD
22/11/2009	F0554790	Not Recorded	Not Recorded	Mainfreight Logistics East Tamaki (PRIDE LOGISTICS)	36 NEALES ROAD
9/11/2009	F0545410	Not Recorded	Not Recorded	Transpacific Technical Services Neales Road	30 NEALES ROAD
8/11/2009	F0544678	Not Recorded	Not Recorded	Transpacific Technical Services Neales Road	30 NEALES ROAD
6/11/2009	F0542690	Not Recorded	Not Recorded	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
6/11/2009	F0542218	False Alarm	False alarm: Defective	Boyd Visuals	15 RON DRIVER PLACE
27/10/2009	F0535415	Not Recorded	Not Recorded	Tyco Electronics East Tamaki	107 HARRIS ROAD
10/10/2009	F0525231	Not Recorded	Not Recorded	PYROTEK PRODUCTS	69 CRYERS ROAD
29/09/2009	F0518379	Not Recorded	Not Recorded	Mainfreight Logistics East Tamaki (PRIDE LOGISTICS)	36 NEALES ROAD
28/09/2009	F0517567	Not Recorded	Not Recorded	Mainfreight Logistics East Tamaki (PRIDE LOGISTICS)	36 NEALES ROAD
24/09/2009	F0514999	False Alarm	False alarm: Defective	South Auckland Motors Botany	139 HARRIS ROAD
20/09/2009	F0512599	False Alarm	False alarm: Defective	Boyd Visuals (CUSTOM CONVEYORS)	15 RON DRIVER PLACE
14/09/2009	F0508086	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
14/09/2009	F0507971	False Alarm	False alarm: Accidental operation	Transpacific Technical Services Neales Road	30 NEALES ROAD
3/09/2009	F0500353	Not Recorded	Not Recorded	Sika Technology (AMCOR FLEXIBLES)	77 CRYERS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
21/08/2009	F0491938	False Alarm	False alarm: Defective	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
17/07/2009	F0468731	False Alarm	False alarm: Excess Smoke, Heat	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
2/06/2009	F0438290	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Transpacific Technical Services Neales Road	30 NEALES ROAD
13/05/2009	F0424725	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		131 HARRIS ROAD
18/04/2009	F0407142	Structure Fire	Structure fire with no damage	Transpacific Technical Services Neales Road	30 NEALES ROAD
14/04/2009	F0404743	Good Intent Calls	False alarm good intent: Authorised controlled burn		HARRIS ROAD
3/04/2009	F0396634	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		104 HARRIS ROAD
17/03/2009	F0382776	Miscellaneous Fire	Miscellaneous fire - not classified above	Astron Plastics Head Office	43 CRYERS ROAD
2/03/2009	F0370187	False Alarm	False alarm: Defective	Nalco NZ Plant (ONDEO NALCO NZ PLANT)	44 CRYERS ROAD
10/02/2009	F0354566	False Alarm	False alarm: Excess Smoke, Heat	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
5/02/2009	F0349552	False Alarm	False alarm: Accidental activation of turnout system	Transpacific Technical Services Neales Road (TRANSPACIFIC TECHNICAL SERVICES)	30 NEALES ROAD
4/02/2009	F0348811	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		64-68 HARRIS ROAD
11/01/2009	F0330089	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
6/01/2009	F0326937	False Alarm	False alarm: Defective		16 NEALES ROAD
1/01/2009	F0323593	False Alarm	False alarm: Accidental operation	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
1/01/2009	F0323451	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
31/12/2008	F0322505	False Alarm	False alarm: Accidental operation	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
17/12/2008	F0312773	False Alarm	False alarm: Defective	Eighty Three Harris Road (DUNLOP FLEXIBLE FOAMS HARRIS STREET)	83 HARRIS ROAD
17/12/2008	F0312390	False Alarm	False alarm: Accidental operation	Astron Plastics Head Office (ASTRON PLASTICS MANUKAU)	43 CRYERS ROAD
3/12/2008	F0300961	False Alarm	False alarm: Accidental activation of turnout system	Carters East Tamaki	95 HARRIS ROAD
27/11/2008	F0296579	Miscellaneous Fire	Rubbish bin, Skip fire		CRYERS RD and NEALES RD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
24/11/2008	F0293591	Special Service Calls	Smoke problem		123 CRYERS ROAD
23/11/2008	F0293524	Structure Fire	Structure fire with damage		131 CRYERS ROAD
20/10/2008	F0266816	False Alarm	False alarm: Defective	Glen Dimplex Australasia	65 CROOKS ROAD
2/10/2008	F0253987	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill	Auto Dec Car Carpets	73 CRYERS ROAD
27/09/2008	F249986	False Alarm	False alarm: Defective	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
26/09/2008	F249672	False Alarm	False alarm: Undetermined alarm activation	Criterion Parkwood Place (Old) (CRITERION PARKWOOD PLACE)	16-18 PARKWOOD PLACE
24/09/2008	F247734	False Alarm	False alarm: Accidental operation		NEALES ROAD
13/09/2008	F240008	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Metspray	9 NEALES ROAD
5/08/2008	F215383	False Alarm	False alarm: Undetermined alarm activation	Sika Technology (AMCOR FLEXIBLES)	77 CRYERS ROAD
29/07/2008	F207968	False Alarm	False alarm: Accidental operation	Atlas Specialty Metals (SOUTHWARD ENGINEERING EAST TAMAKI)	66 HARRIS ROAD
22/07/2008	F202194	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		NEALES RD and BRUCE RODERICK DR
22/07/2008	F201902	False Alarm	False alarm: Accidental operation	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
12/07/2008	F196333	Miscellaneous Fire	Outside rubbish fire	Halls Logistics (EXCEL EAST TAMAKI)	15 NEALES ROAD
12/07/2008	F196246	Good Intent Calls	False alarm good intent: not classified above	PYROTEK PRODUCTS	69 CRYERS ROAD
12/07/2008	F195986	False Alarm	False alarm: Accidental operation	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
30/06/2008	F188278	False Alarm	False alarm: Defective	Bunnings East Tamaki (SIGNUM NZ)	94 CRYERS ROAD
13/06/2008	F177211	Good Intent Calls	False alarm good intent: Rescue no action taken	Atlas Specialty Metals (SOUTHWARD ENGINEERING EAST TAMAKI)	66 HARRIS ROAD
31/05/2008	F168526	Good Intent Calls	False alarm good intent: not classified above	PYROTEK PRODUCTS	69 CRYERS ROAD
24/05/2008	F163873	Miscellaneous Fire	Outside rubbish fire	Karcher New Zealand	NEILPARK DRIVE
24/05/2008	F163843	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		5 NEALES ROAD
24/05/2008	F163479	Structure Fire	Structure fire with no damage	Metal Skills	5 OFFENHAUSER DRIVE
22/05/2008	F161954	False Alarm	False alarm: Defective	Transtore Logistics	117 CRYERS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
21/05/2008	F161319	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		ALLENS RD and NEILPARK DR
19/05/2008	F160161	Good Intent Calls	False alarm good intent: Hazardous substance no action taken	Atlas Specialty Metals (SOUTHWARD ENGINEERING EAST TAMAKI)	66 HARRIS ROAD
16/05/2008	F158268	False Alarm	False alarm: Excess Smoke, Heat	Nalco NZ Plant (ONDEO NALCO NZ PLANT)	44 CRYERS ROAD
14/05/2008	F156536	False Alarm	False alarm: Accidental operation	Transtore Logistics	117 CRYERS ROAD
7/05/2008	F151949	False Alarm	False alarm: Accidental operation	Cardinal Freight Distribution East Tamaki	62 NEALES ROAD
6/05/2008	F151244	False Alarm	False alarm: Defective	Transtore Logistics	117 CRYERS ROAD
16/04/2008	F136969	Good Intent Calls	False alarm good intent: Rescue no action taken		STONEDON DR and CRYERS RD
15/04/2008	F135572	False Alarm	False alarm: Accidental operation	Sika Technology (AMCOR FLEXIBLES)	5 CARPENTER ROAD
12/04/2008	F133800	False Alarm	False alarm: Defective	Nalco NZ Office	44 CRYERS ROAD
22/03/2008	F117580	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TRANSPORT PLACE
7/03/2008	F104922	Structure Fire	Structure fire with no damage	Eighty Three Harris Road (DUNLOP FLEXIBLE FOAMS HARRIS STREET)	83 HARRIS ROAD
3/03/2008	F102535	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	MAINSTREAM FORWARDERS	17 CARPENTER ROAD
28/02/2008	F099322	Rescue, Emergency, Medical Call	Roof, Cliff, Tree rescue	Alpha Laboratories East Tamaki	48 CROOKS ROAD
27/02/2008	F098061	Miscellaneous Fire	Outside rubbish fire		CRYERS RD and NEALES RD
24/01/2008	F071699	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Atlas Specialty Metals (SOUTHWARD ENGINEERING EAST TAMAKI)	66 HARRIS ROAD
8/01/2008	F058987	False Alarm	False alarm: Undetermined alarm activation	Tyco Electronics East Tamaki	107 HARRIS ROAD
4/12/2007	F034348	False Alarm	False alarm: Accidental operation	Komatsu East Tamaki	19 OFFENHAUSER DRIVE
4/12/2007	F034095	False Alarm	False alarm: Accidental operation	Sika Technology (AMCOR FLEXIBLES)	5 CARPENTER ROAD
21/11/2007	F023730	Miscellaneous Fire	Outside rubbish fire		BOSTOCK PLACE
11/11/2007	F015422	Overpressure, Rupture, Explosives, Over Heating	Overpressure, Rupture, Explosion, Overheating: No fire - not classified above	Visionstream Warehouse Manukau (ALLIED MOVERS MANUKAU)	10 OFFENHAUSER DRIVE
3/11/2007	F008244	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill	ICEMIN NZ	115 HARRIS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
7/10/2007	A750502	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
4/10/2007	A749954	False Alarm	False alarm: Accidental activation of turnout system	Transpacific Technical Services Neales Road (TRANSPACIFIC TECHNICAL SERVICES)	30 NEALES ROAD
4/10/2007	A749813	False Alarm	False alarm: Accidental operation	Transpacific Technical Services Neales Road (TRANSPACIFIC TECHNICAL SERVICES)	30 NEALES ROAD
2/10/2007	A749422	False Alarm	False alarm: Accidental operation	Eighty Three Harris Road (DUNLOP FLEXIBLE FOAMS HARRIS STREET)	83 HARRIS ROAD
29/09/2007	A748574	Good Intent Calls	False alarm good intent: not classified above		CRYERS RD and STONEDON DR
28/09/2007	A748357	False Alarm	False alarm: Accidental operation	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
27/09/2007	A748086	False Alarm	False alarm: Accidental operation	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
30/08/2007	A741234	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CROOKS ROAD
23/08/2007	A739541	False Alarm	False alarm: Defective	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
8/08/2007	A735772	False Alarm	False alarm: Undetermined alarm activation	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
6/08/2007	A735201	Miscellaneous Fire	Rubbish bin, Skip fire	Astron Plastics Neales Road	63 NEALES ROAD
3/07/2007	A723826	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
21/06/2007	A720821	False Alarm	False alarm: Defective	Criterion Parkwood Place Office (Old) (CRITERION PARKWOOD PLACE OFFICE)	18 PARKWOOD PLACE
8/06/2007	A717592	False Alarm	False alarm: Excess Smoke, Heat		123 HARRIS ROAD
23/05/2007	A713610	Structure Fire	Structure fire with no damage	Bridon East Tamaki (COOKES CONSOLIDATED SERVICES EAST TAMAKI)	6 GREENMOUNT DRIVE
21/05/2007	A712893	False Alarm	False alarm: Accidental operation	Sika Technology (AMCOR FLEXIBLES)	5 CARPENTER ROAD
28/04/2007	A706908	False Alarm	False alarm: Accidental operation	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
18/04/2007	A703994	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire		63 ALLENS ROAD
11/04/2007	A702309	False Alarm	False alarm: Excess Smoke, Heat	Nalco NZ Plant (ONDEO NALCO NZ PLANT)	44 CRYERS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
26/02/2007	A688575	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Nalco NZ Office	44 CRYERS ROAD
11/02/2007	A684229	Structure Fire	Structure fire with no damage	Metspray	9 NEALES ROAD
24/01/2007	A679272	Miscellaneous Fire	Rubbish bin, Skip fire		56 CRYERS ROAD
11/01/2007	A676135	False Alarm	False alarm: Accidental operation	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
10/01/2007	A675777	False Alarm	False alarm: Defective	Mitek (MITEK (NZ) LIMITED)	40 NEALES ROAD
7/12/2006	A667373	Good Intent Calls	False alarm good intent: not classified above		1 HARRIS ROAD
9/11/2006	A660039	Natural Disasters	Wind storm, Tornado, Cyclone etc		HARRIS ROAD
6/11/2006	A658489	Rescue, Emergency, Medical Call	Assist ambulance		CARPENTER RD and NEALES RD
26/10/2006	A654615	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
10/10/2006	A650116	False Alarm	False alarm: Accidental operation	Nalco NZ Plant (ONDEO NALCO NZ PLANT)	44 CRYERS ROAD
29/09/2006	A647294	False Alarm	False alarm: Accidental operation	Bunnings East Tamaki (SIGNUM NZ)	94 CRYERS ROAD
27/09/2006	A646721	Miscellaneous Fire	Rubbish bin, Skip fire	Tyco Electronics East Tamaki	107 HARRIS ROAD
25/09/2006	A646154	False Alarm	False alarm: Accidental operation	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
27/08/2006	A638926	Good Intent Calls	False alarm good intent: Authorised controlled burn		
20/08/2006	A637191	Good Intent Calls	False alarm good intent: Authorised controlled burn		
15/08/2006	A636037	False Alarm	False alarm: Defective	AB Equipment Cryers Road ()	101 CRYERS ROAD
28/07/2006	A632345	Good Intent Calls	False alarm good intent: Authorised controlled burn		
15/07/2006	A629329	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	PYROTEK PRODUCTS (PYROTEK PRODUCTS LTD)	69 CRYERS ROAD
13/07/2006	A628924	Good Intent Calls	False alarm good intent: not classified above		HARRIS ROAD
11/07/2006	A628617	False Alarm	False alarm: Defective	Nalco NZ Plant (ONDEO NALCO NZ PLANT)	44 CRYERS ROAD
7/07/2006	A627885	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
7/07/2006	A627879	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
4/07/2006	A626882	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		36 CRYERS ROAD
3/07/2006	A626623	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
2/07/2006	A626471	False Alarm	False alarm: Defective	Nalco NZ Plant (ONDEO NALCO NZ PLANT)	44 CRYERS ROAD
24/06/2006	A624201	Good Intent Calls	False alarm good intent: Lights thought to be fire		HARRIS ROAD
21/06/2006	A623711	Good Intent Calls	False alarm good intent: not classified above		HARRIS ROAD
21/06/2006	A623497	False Alarm	False alarm: Accidental operation	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
14/06/2006	A621910	False Alarm	False alarm: Defective		1 HARRIS ROAD
12/06/2006	A620888	Special Service Calls	Repair roof	Mirotone (MIROTONE NZ LTD)	32 CRYERS ROAD
8/06/2006	A620056	Good Intent Calls	False alarm good intent: Authorised controlled burn		HARRIS ROAD
28/05/2006	A617511	Structure Fire	Structure fire with no damage	Astron Plastics Head Office (ASTRON PLASTICS MANUKAU)	43 CRYERS ROAD
19/05/2006	A615544	Good Intent Calls	False alarm good intent: Unauthorised controlled burn	Eighty Three Harris Road (DUNLOP FLEXIBLE FOAMS HARRIS STREET)	83 HARRIS ROAD
9/05/2006	A613068	False Alarm	False alarm: Accidental operation	Transpacific Technical Services Neales Road (NUPLEX ENVIRONMENTAL EAST TAMAKI)	30 NEALES ROAD
27/04/2006	A610340	False Alarm	False alarm: Accidental operation		49 CRYERS ROAD
26/04/2006	A609839	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		
8/04/2006	A605653	False Alarm	False alarm: Accidental operation	Profile Cutting Services ()	20 CARPENTER ROAD
27/03/2006	A602678	False Alarm	False alarm: Defective	Halls Logistics (EXCEL EAST TAMAKI)	15 NEALES ROAD
14/03/2006	A599395	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		56 NEALES ROAD
4/03/2006	A596788	False Alarm	False alarm: Accidental operation	Foodstuffs Fresh Auckland ()	15 CROOKS ROAD
20/02/2006	A593726	False Alarm	False alarm: Defective	Eighty Three Harris Road (DUNLOP FLEXIBLE FOAMS HARRIS STREET)	83 HARRIS ROAD
31/01/2006	A589065	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
30/01/2006	A588787	Structure Fire	Structure fire with damage	TELECOM EXCHANGE EAST TAMAKI	135 HARRIS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
27/01/2006	A588111	False Alarm	False alarm: Accidental operation	Eighty Three Harris Road (DUNLOP FLEXIBLE FOAMS HARRIS STREET)	83 HARRIS ROAD
24/01/2006	A587369	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
23/01/2006	A586734	False Alarm	False alarm: Accidental operation	Nine Greenmount Drive (DUNLOP FLEXIBLE FOAMS 9 GREENMOUNT DRIVE)	9 GREENMOUNT DRIVE
18/01/2006	A585521	False Alarm	False alarm: Accidental operation	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
22/12/2005	A579516	False Alarm	False alarm: Accidental operation	Sika Technology (AMCOR FLEXIBLES)	5 CARPENTER ROAD
20/12/2005	A579087	False Alarm	False alarm: Excess Smoke, Heat	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
18/12/2005	A578756	False Alarm	False alarm: Defective	Hume Doors And Timber ()	7 OFFENHAUSER DRIVE
9/12/2005	A576525	False Alarm	False alarm: Accidental operation	Transpacific Technical Services Neales Road (NUPLEX ENVIRONMENTAL EAST TAMAKI)	30 NEALES ROAD
5/11/2005	A566995	Special Service Calls	Domestic, Commercial water problem	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
25/10/2005	A563918	False Alarm	False alarm: Defective	Nalco NZ Plant (ONDEO NALCO NZ PLANT)	44 CRYERS ROAD
14/10/2005	A561500	Structure Fire	Structure fire with no damage		38 HARRIS ROAD
13/10/2005	A561424	False Alarm	False alarm: Defective	Visy Industrial Packaging Auckland	100 HARRIS ROAD
24/08/2005	A550773	Structure Fire	Structure fire with no damage	BOC Gas And Gear East Tamaki ()	51 ALLENS ROAD
4/08/2005	A546965	Good Intent Calls	False alarm good intent: not classified above		38 HARRIS ROAD
25/07/2005	A545090	Miscellaneous Fire	Outside rubbish fire		135 CRYERS ROAD
6/07/2005	A541213	Special Service Calls	Assist Police		
30/06/2005	A540013	False Alarm	False alarm: not classified above	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
20/06/2005	A538002	Structure Fire	Structure fire with no damage	Sika Technology (AMCOR FLEXIBLES)	5 CARPENTER ROAD
1/06/2005	A533822	False Alarm	False alarm: not classified above	Criterion Parkwood Place Office (Old) (CRITERION PARKWOOD PLACE OFFICE)	18 PARKWOOD PLACE
31/05/2005	A533710	Good Intent Calls	False alarm good intent: not classified above		

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
15/04/2005	A522822	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		131 HARRIS ROAD
21/02/2005	A510398	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CRYERS ROAD
21/02/2005	A510201	Good Intent Calls	False alarm good intent: Authorised controlled burn		HARRIS ROAD
14/02/2005	A508629	False Alarm	False alarm: Accidental operation	Eighty Three Harris Road (DUNLOP FLEXIBLE FOAMS HARRIS STREET)	83 HARRIS ROAD
11/02/2005	A508019	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		
1/01/2005	A499106	Miscellaneous Fire	Rubbish bin, Skip fire	TANDARRA ENGINEERING (TANDARRA ENGINEERING LTD)	2 CARPENTER ROAD
16/12/2004	A495818	False Alarm	False alarm: not classified above		
6/11/2004	A486408	False Alarm	False alarm: Defective		ALLENS ROAD
6/11/2004	A486391	False Alarm	False alarm: Accidental operation	Transpacific Technical Services Neales Road (NUPLEX ENVIRONMENTAL EAST TAMAKI)	30 NEALES ROAD
13/10/2004	A480646	Miscellaneous Fire	Rubbish bin, Skip fire	Carters National Office (CARTERS MANUFACTURING LTD)	68 HARRIS ROAD
9/08/2004	A468427	False Alarm	False alarm: Accidental operation	Astron Plastics Head Office (ASTRON PLASTICS MANUKAU)	43 CRYERS ROAD
26/07/2004	A465890	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOW LEA FOODS LTD EAST TAMAKI)	92 HARRIS ROAD
5/07/2004	A461473	Special Service Calls	Assist Police	Transpacific Technical Services Neales Road (NUPLEX ENVIRONMENTAL EAST TAMAKI)	30 NEALES ROAD
24/05/2004	A453587	False Alarm	False alarm: Defective	Transpacific Technical Services Neales Road (NUPLEX ENVIRONMENTAL EAST TAMAKI)	30 NEALES ROAD
20/05/2004	A452733	False Alarm	False alarm: Accidental operation	Transpacific Technical Services Neales Road (NUPLEX ENVIRONMENTAL EAST TAMAKI)	30 NEALES ROAD
17/05/2004	A452032	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		CNR NEALES AND HARRIS ROAD
14/05/2004	A451405	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Graincorp Foods East Tamaki (MEADOW LEA FOODS WAREHOUSE AND FACTORY)	OUTSIDE 92 HARRIS ROAD
12/05/2004	A451012	False Alarm	False alarm: Accidental operation	Sika Technology (AMCOR FLEXIBLES)	5 CARPENTER ROAD
3/05/2004	A449134	False Alarm	False alarm: Defective	Merial Ancare (ANCARE NZ)	14 BLACKBURN ROAD
28/04/2004	A448183	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki	92 HARRIS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time) <i>(MEADOW LEA FOODS LTD EAST TAMAKI)</i>	Address
28/04/2004	A448168	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki <i>(MEADOW LEA FOODS LTD EAST TAMAKI)</i>	92 HARRIS ROAD
7/04/2004	A443955	False Alarm	False alarm: Excess Smoke, Heat	Halls Logistics <i>(EXCEL EAST TAMAKI)</i>	15 NEALES ROAD
6/04/2004	A443629	False Alarm	False alarm: Accidental operation	TELECOM EXCHANGE EAST TAMAKI	135 HARRIS ROAD
30/03/2004	A442090	False Alarm	False alarm: Accidental operation	Graincorp Foods East Tamaki <i>(MEADOW LEA FOODS LTD EAST TAMAKI)</i>	92 HARRIS ROAD
26/03/2004	A441266	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		
9/03/2004	A437369	False Alarm	False alarm: Defective	TELECOM EXCHANGE EAST TAMAKI	135 HARRIS ROAD
5/03/2004	A436379	False Alarm	False alarm: Defective	Transtore Logistics	117 CRYERS ROAD
7/02/2004	A429764	False Alarm	False alarm: Defective	119 Harris Road	119 HARRIS ROAD
2/02/2004	A428827	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki <i>(MEADOW LEA FOODS LTD EAST TAMAKI)</i>	92 HARRIS ROAD
13/01/2004	A424303	False Alarm	False alarm: Defective		104B HARRIS ROAD
4/01/2004	A422381	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Ross Reid Contractors Head Office <i>(MOUNTS WIRE INDUSTRIES LTD)</i>	124 HARRIS ROAD
2/01/2004	A422016	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki <i>(MEADOWLEA FOODS WAREHOUSE AND FACTORY)</i>	92 HARRIS ROAD
19/12/2003	A419311	False Alarm	False alarm: Accidental operation	Transpacific Technical Services Neales Road <i>(NUPLEX ENVIRONMENTAL)</i>	30 NEALES ROAD
24/11/2003	A413564	False Alarm	False alarm: Accidental operation	B And D Doors NZ (old) <i>(B AND D DOORS NZ)</i>	70 ALLENS ROAD
19/11/2003	A412429	False Alarm	False alarm: Defective	Criterion Parkwood Place Office (Old) <i>(CRITERION PARKWOOD PLACE OFFICE)</i>	18 PARKWOOD PLACE
7/11/2003	A409471	False Alarm	False alarm: Defective	TELECOM EXCHANGE EAST TAMAKI	135 HARRIS ROAD
9/10/2003	A403031	False Alarm	False alarm: Excess Smoke, Heat	Sika Technology <i>(AMCOR FLEXIBLES)</i>	5 CARPENTER ROAD
20/09/2003	A399201	False Alarm	False alarm: Defective	Bridon East Tamaki <i>(COOKES CONSOLIDATED SERVICES)</i>	6 GREENMOUNT DRIVE
9/09/2003	A397305	False Alarm	False alarm: Defective	Transtore Logistics <i>(TRANSAUCK)</i>	117 CRYERS ROAD
9/09/2003	A397245	False Alarm	False alarm: Defective	Transtore Logistics <i>(TRANSAUCK)</i>	117 CRYERS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
4/09/2003	A396454	False Alarm	False alarm: Undetermined alarm activation	Transtore Logistics (TRANSAUCK)	117 CRYERS ROAD
31/07/2003	A390124	False Alarm	False alarm: Defective	Eighty Three Harris Road (DUNLOP FLEXIBLE FOAMS)	83 HARRIS ROAD
12/07/2003	A386540	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOWLEA FOODS HYDROGEN AND REFINERY)	92 HARRIS ROAD
25/06/2003	A383283	False Alarm	False alarm: Accidental operation	BDO House East Tamaki (KIWI PLAN NZ LTD BDO HOUSE)	116 HARRIS ROAD
11/06/2003	A380376	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		CNR HARRIS RD AND NEALES RD
5/06/2003	A379321	False Alarm	False alarm: Accidental operation	ChemFreight Cryers Road (BAYER NZ STORE)	55-61 CRYERS ROAD
29/05/2003	A377877	Structure Fire	Structure fire with no damage	Graincorp Foods East Tamaki (MEADOWLEA FOODS WAREHOUSE AND FACTORY)	92 HARRIS ROAD
16/05/2003	A375124	False Alarm	False alarm: Accidental operation	Graincorp Foods East Tamaki (MEADOWLEA FOODS HYDROGEN AND REFINERY)	92 HARRIS ROAD
2/05/2003	A372820	Good Intent Calls	False alarm good intent: Call cleared prior to arrival	Carters East Tamaki (EXOTIC BUILDING SUPPLIES)	95 HARRIS ROAD
29/03/2003	A365072	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (MEADOWLEA FOODS HYDROGEN AND REFINERY)	92 HARRIS ROAD
15/03/2003	A361960	False Alarm	False alarm: Defective	Transtore Logistics (TRANSAUCK)	117 CRYERS ROAD
8/03/2003	A360657	Vegetation Fire	Gorse fire		CROOKS ROAD
28/02/2003	A359158	Mobile Properties Hazardous Incidents	Chemical spill: Incorrect vehicle loading		17 CARPENTER ROAD
30/01/2003	A352074	False Alarm	False alarm: Accidental operation		80 HARRIS ROAD
29/01/2003	A352031	Good Intent Calls	False alarm good intent: Call in the vicinity of another fire		
24/01/2003	A351059	False Alarm	False alarm: Defective	Astron Plastics Head Office (ASTRON PLASTICS MANUKAU)	43 CRYERS ROAD
9/01/2003	A348100	Rescue, Emergency, Medical Call	Rescue: In or under machinery	Easy Freight	10 TRANSPORT PLACE
26/12/2002	A345407	False Alarm	False alarm: Defective		52 CRYERS ROAD
20/12/2002	A344372	False Alarm	False alarm: Accidental operation		61 CROOKS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
20/12/2002	A344299	Structure Fire	Structure fire with no damage		Allens ROAD
18/12/2002	A343932	False Alarm	False alarm: Accidental operation	Graincorp Foods East Tamaki (MEADOWLEA FOODS WAREHOUSE AND FACTORY)	92 HARRIS ROAD
30/11/2002	A340367	False Alarm	False alarm: Undetermined alarm activation		52 CRYERS ROAD
26/11/2002	A339273	False Alarm	False alarm: Defective		61 CROOKS ROAD
21/11/2002	A338150	False Alarm	False alarm: Accidental operation	Carters East Tamaki (EXOTIC BUILDING SUPPLIES)	95 HARRIS ROAD
29/10/2002	A333353	False Alarm	False alarm: Defective	Integro Foods Workshop (MEADOWLEA FOODS WORKSHOP)	92 HARRIS ROAD
4/10/2002	A328461	Good Intent Calls	False alarm good intent: Authorised controlled burn		HARRIS ROAD
27/09/2002	A327136	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		56 CRYERS ROAD
26/09/2002	A326836	False Alarm	False alarm: Defective		1 HARRIS ROAD
20/09/2002	A325878	Structure Fire	Structure fire with no damage	Sika Technology (FLEXOPRINT AND PACKAGING)	5 CARPENTER ROAD
18/09/2002	A325547	False Alarm	False alarm: Defective	Visy Industrial Packaging Auckland (ACI PLASTICS)	100 HARRIS ROAD
18/09/2002	A325523	False Alarm	False alarm: Defective	Visy Industrial Packaging Auckland (ACI PLASTICS)	100 HARRIS ROAD
18/09/2002	A325483	False Alarm	False alarm: Defective	Visy Industrial Packaging Auckland (ACI PLASTICS)	100 HARRIS ROAD
18/09/2002	A325466	False Alarm	False alarm: Defective	Visy Industrial Packaging Auckland (ACI PLASTICS)	100 HARRIS ROAD
9/09/2002	A323930	Chemical, Flammable Liquid or Gas Fire	Chemical fire	Transpacific Technical Services Neales Road	30 NEALES ROAD
9/09/2002	A323888	Good Intent Calls	False alarm good intent: not classified above		Springs ROAD
2/08/2002	A317348	Miscellaneous Fire	Outside rubbish fire	Joinery Factory	62 ALLENS ROAD
27/07/2002	A315886	False Alarm	False alarm: Excess Smoke, Heat	Sika Technology (FLEXOPRINT AND PACKAGING)	5 CARPENTER ROAD
15/07/2002	A313602	False Alarm	False alarm: Defective	Nalco NZ Plant	44 CRYERS ROAD
20/06/2002	A307509	Special Service Calls	Special service call - not classified above		HARRIS ROAD
15/06/2002	A306582	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		Cnr Stonedon DRIVE
2/05/2002	A296610	False Alarm	False alarm: Defective	Nalco NZ Plant	44 CRYERS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
2/05/2002	A296588	Good Intent Calls	False alarm good intent: not classified above	119 Harris Road (ONE ONE NINE HARRIS ROAD)	119 HARRIS ROAD
2/05/2002	A296583	False Alarm	False alarm: Defective	119 Harris Road (ONE ONE NINE HARRIS ROAD)	119 HARRIS ROAD
24/04/2002	A295078	False Alarm	False alarm: Defective	Nalco NZ Plant	44 CRYERS ROAD
15/04/2002	A292818	False Alarm	False alarm: Defective	Nalco NZ Plant	44 CRYERS ROAD
19/03/2002	A285959	False Alarm	False alarm: Accidental operation	Criterion Parkwood Place Office (Old) (CRITERION PARKWOOD PLACE OFFICE)	18 PARKWOOD PLACE
24/02/2002	A280707	False Alarm	False alarm: Defective		52 CRYERS ROAD
20/02/2002	A279557	False Alarm	False alarm: Defective	Transtore Logistics (TRANSAUCK)	117 CRYERS ROAD
17/02/2002	A278835	False Alarm	False alarm: Accidental operation	BDO House East Tamaki (BDO HOUSE)	116 HARRIS ROAD
13/02/2002	A278012	Good Intent Calls	False alarm good intent: not classified above	Five Greenmount Drive (DUNLOP FLEXIBLE FOAMS)	5 GREENMOUNT DRIVE
7/02/2002	A276834	Overpressure, Rupture, Explosives, Over Heating	Air, Gas rupture		NEALES ROAD
31/01/2002	A274773	Special Service Calls	Domestic, Commercial water problem		68 STONEDON DRIVE
24/01/2002	A272901	False Alarm	False alarm: Accidental operation	Nine Greenmount Drive (DUNLOP FLEXIBLE FOAMS GREENMOUNT)	9 GREENMOUNT DRIVE
21/01/2002	A272226	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Transpacific Technical Services Neales Road (UNITED ENVIRONMENTAL LTD)	16 NEALES ROAD
15/01/2002	A270832	False Alarm	False alarm: Defective	Eighty Three Harris Road (DUNLOP FLEXIBLE FOAMS)	83 HARRIS ROAD
13/01/2002	A270365	False Alarm	False alarm: Defective	Sika Technology (FLEXOPRINT AND PACKAGING)	5 CARPENTER ROAD
12/01/2002	A270195	False Alarm	False alarm: Defective		1 HARRIS ROAD
10/01/2002	A269697	False Alarm	False alarm: Defective	Sika Technology (FLEXOPRINT AND PACKAGING)	5 CARPENTER ROAD
10/01/2002	A269688	False Alarm	False alarm: Defective	Sika Technology (FLEXOPRINT AND PACKAGING)	5 CARPENTER ROAD
20/12/2001	A264991	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	ICEMIN NZ (ICEMIN NZ LTD)	115 HARRIS ROAD
16/12/2001	A263782	False Alarm	False alarm: Defective	Nalco NZ Plant	44 CRYERS ROAD
28/11/2001	A259712	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki	92 HARRIS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time) (MEADOWLEA FOODS WAREHOUSE AND FACTORY)	Address
23/11/2001	A258668	False Alarm	False alarm: Accidental operation	Sika Technology (FLEXOPRINT AND PACKAGING)	5 CARPENTER ROAD
10/11/2001	A255389	False Alarm	False alarm: Defective	BDO House East Tamaki (BDO BUSINESS CENTRE)	116 HARRIS ROAD
23/10/2001	A250926	False Alarm	False alarm: Defective	TELECOM EXCHANGE EAST TAMAKI	135 HARRIS ROAD
6/09/2001	A240759	Good Intent Calls	False alarm good intent: Smell of smoke	National Mini Storage East Tamaki (NATIONAL MINI STORAGE)	74 HARRIS ROAD
6/09/2001	A240758	False Alarm	False alarm: Accidental operation	Transpacific Technical Services Neales Road (UNITED ENVIRONMENTAL LTD)	16 NEALES ROAD
3/09/2001	A239802	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		12 CRYERS ROAD
19/08/2001	A237106	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		BOSTOCK PLACE
18/08/2001	A236772	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		Allens ROAD
9/08/2001	A235166	False Alarm	False alarm: Accidental operation		43 CRYERS ROAD
30/07/2001	A233211	False Alarm	False alarm: Accidental operation		29 NEALES ROAD
3/07/2001	A227752	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		53 CRYERS ROAD
15/06/2001	A223719	False Alarm	False alarm: Accidental operation		HARRIS ROAD
27/05/2001	A219701	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CROOKS ROAD
10/05/2001	A215946	False Alarm	False alarm: Accidental operation		43 CRYERS ROAD
8/05/2001	A215472	Structure Fire	Structure fire with damage		43 CRYERS ROAD
26/04/2001	A212907	False Alarm	False alarm: Defective	Transtore Logistics (TRANSAUCK)	117 CRYERS ROAD
19/04/2001	A211199	False Alarm	False alarm: Defective	Carters East Tamaki (EXOTIC BUILDING SUPPLIES)	95 HARRIS ROAD
9/04/2001	A209157	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		36 CRYERS ROAD
19/03/2001	A203762	False Alarm	False alarm: Defective		HARRIS ROAD
10/03/2001	A201467	False Alarm	False alarm: Accidental operation	Graincorp Foods East Tamaki (MEADOWLEA FOODS WAREHOUSE & FACTORY)	92 HARRIS ROAD
2/03/2001	A199626	False Alarm	False alarm: Malicious	Carters National Office (64 TO 68 HARRIS ROAD)	64-68 HARRIS ROAD
6/02/2001	A194026	False Alarm	False alarm: Defective	Bunnings East Tamaki	94 CRYERS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time) (116000)	Address
20/01/2001	A189640	False Alarm	False alarm: Accidental operation	Eighty Three Harris Road (111583)	83 HARRIS ROAD
3/01/2001	A185708	False Alarm	False alarm: Accidental operation	Atlas Specialty Metals (SOUTHWARD ENGINEERING)	66 HARRIS ROAD
24/12/2000	A183161	False Alarm	False alarm: Defective	Sika Technology (FLEXOPRINT & PACKAGING)	5 CARPENTER ROAD
12/12/2000	A179934	False Alarm	False alarm: Defective		HARRIS ROAD
12/12/2000	A179914	False Alarm	False alarm: Accidental operation		92 HARRIS ROAD
12/12/2000	A179905	False Alarm	False alarm: not classified above		92 HARRIS ROAD
14/11/2000	A172092	Miscellaneous Fire	Rubbish bin, Skip fire	Criterion Parkwood Place Office (Old) (CRITERION PARKWOOD PLACE OFFICE)	18 PARKWOOD PLACE
5/11/2000	A170046	Miscellaneous Fire	Bonfire		CARPENTER ROAD
5/11/2000	A170030	Miscellaneous Fire	Bonfire		CRYERS ROAD
6/10/2000	A162197	Mobile Properties Hazardous Incidents	Chemical spill: Incorrect vehicle loading		16 RD
2/10/2000	A161326	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		harris ROAD
30/09/2000	A160966	False Alarm	False alarm: Accidental operation	Cardinal Freight Distribution East Tamaki	62 NEALES ROAD
16/09/2000	A157035	Structure Fire	Structure fire with damage		24 STONDON DRIVE
11/09/2000	A155863	False Alarm	False alarm: Accidental operation	Visy Industrial Packaging Auckland (113126)	100 HARRIS ROAD
11/08/2000	A148070	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		HARRIS ROAD
8/07/2000	A137107	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		CNR ALLENS/ROSS REI
3/07/2000	A135708	Mobile Properties Hazardous Incidents	Chemical spill: Incorrect vehicle loading		NEALES ROAD
22/06/2000	A131358	False Alarm	False alarm: Defective	Sika Technology (114816)	5 CARPENTER STREET
9/06/2000	A127554	Electrical Hazards	Power line down		94 CRYERS ROAD
30/05/2000	A124346	False Alarm	False alarm: Accidental operation		HARRIS ROAD
12/05/2000	A118068	False Alarm	False alarm: Defective		1 HARRIS ROAD
29/04/2000	A114116	False Alarm	False alarm: Defective		HARRIS ROAD
17/04/2000	A110858	False Alarm	False alarm: Defective		17 CARPENTER ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
2/04/2000	A106845	False Alarm	False alarm: Defective	Nalco NZ Plant (113718)	44 CRYERS ROAD
27/03/2000	A105471	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		40 STONDON DRIVE
14/03/2000	A102354	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		CNR HARRIS/NEALES R
7/03/2000	A100743	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		HARRIS ROAD
24/02/2000	A097932	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		INT EAST TAMAKI
26/01/2000	A091739	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		40 CRYERS ROAD
26/01/2000	A091571	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (111569)	92 HARRIS ROAD
22/01/2000	A090918	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (111569)	92 HARRIS ROAD
20/01/2000	A090490	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		HARRIS ROAD
15/01/2000	A089330	Chemical, Flammable Liquid or Gas Fire	Chemical fire		30 NEALES ROAD
11/01/2000	A088618	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		HARRIS ROAD
31/12/1999	A086731	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		CNR HARRIS/NEALES
18/12/1999	A084312	False Alarm	False alarm: Defective	Timberlab Solutions (114951)	9 BOSTOK PLACE
9/12/1999	A082034	False Alarm	False alarm: Undetermined alarm activation	Visy Industrial Packaging Auckland (113127)	100 HARRIS ROAD
9/12/1999	A082026	False Alarm	False alarm: Undetermined alarm activation	Visy Industrial Packaging Auckland (113127)	100 HARRIS ROAD
9/12/1999	A082018	False Alarm	False alarm: Undetermined alarm activation	Visy Industrial Packaging Auckland (113127)	100 HARRIS ROAD
25/11/1999	A079382	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (111569)	HARRIS ROAD
21/11/1999	A078643	Miscellaneous Fire	Rubbish bin, Skip fire		CARPENTERS ROAD
14/11/1999	A077380	False Alarm	False alarm: Defective	Criterion Parkwood Place Office (Old) (111580)	PARKWOOD PLACE
23/10/1999	A073555	False Alarm	False alarm: Excess Smoke, Heat	Graincorp Foods East Tamaki (111569)	92 HARRIS ROAD
14/10/1999	A071870	False Alarm	False alarm: Defective	Carters East Tamaki (113427)	95 HARRIS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
5/10/1999	A070530	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (111569)	EAST TAMAKI ROAD
28/09/1999	A069225	Structure Fire	Structure fire with no damage		2/32 ALBION ROAD
24/09/1999	A068542	False Alarm	False alarm: Accidental operation		HARRIS ROAD
16/09/1999	A067342	False Alarm	False alarm: Defective	Bridon East Tamaki (112535)	6 GREENMOUNT DRIVE
16/09/1999	A067257	Mobile Properties Hazardous Incidents	Chemical spill: Incorrect vehicle loading	ChemFreight Cryers Road (BAYER NZ STORE EAST TAMIKI HEIGHTS MANUKAU CITY)	CRYERS ROAD
15/09/1999	A067124	False Alarm	False alarm: Accidental operation	Visy Industrial Packaging Auckland (113127)	100 HARRIS ROAD
10/09/1999	A066307	Structure Fire	Structure fire with no damage		49 CRYERS ROAD
2/09/1999	A065070	Structure Fire	Structure fire with no damage	Eighty Three Harris Road (113795)	83N HARRIS ROAD
1/09/1999	A064763	False Alarm	False alarm: Accidental operation	Sika Technology (114816)	5 CARPENTER ROAD
31/08/1999	A064645	False Alarm	False alarm: Accidental operation	Sika Technology (114816)	5 CARPENTER ROAD
19/08/1999	A062635	False Alarm	False alarm: Accidental operation	Sika Technology (114816)	CARPENTER ROAD
14/08/1999	A061844	False Alarm	False alarm: Accidental operation		43 CRYERS ROAD
14/08/1999	A061833	False Alarm	False alarm: Defective	Sika Technology (114816)	CARPENTER ROAD
31/07/1999	A059508	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		CRYERS ROAD
14/07/1999	A056948	Rescue, Emergency, Medical Call	Assist ambulance		10N STONEDON DRIVE
13/07/1999	A056829	False Alarm	False alarm: Excess Smoke, Heat	Sika Technology (114816)	5 CARPENTER ROAD
25/06/1999	A053766	False Alarm	False alarm: Defective	Nalco NZ Plant (113718)	CRYERS ROAD
11/06/1999	A051224	Electrical Hazards	Arcing, shorted electrical equipment	Sika Technology (114816)	5 CARPENTER ROAD
13/05/1999	A045971	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		CRYERS ROAD
8/05/1999	A045104	Miscellaneous Fire	Outside rubbish fire		CRYERS ROAD
15/04/1999	A040848	False Alarm	False alarm: Defective		HARRIS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
11/04/1999	A040147	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		135 HARRIS ROAD
10/04/1999	A039998	False Alarm	False alarm: Defective		145 HARRIS ROAD
6/04/1999	A039415	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Glen Dimplex Australasia (EAGLE YACHTS LTD)	5-65 CROOKS ROAD
29/03/1999	A038052	False Alarm	False alarm: Defective	Whirinaki House (111601)	CNR SPRINGS/E TAMAK
25/03/1999	A037573	False Alarm	False alarm: Accidental operation	Carters National Office (111568)	68 HARRIS ROAD
24/03/1999	A037332	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		83 HARRIS ROAD
16/03/1999	A035756	Structure Fire	Structure fire with no damage	Whirinaki House (111601)	CNR SPRINGS/E TAMAK
5/03/1999	A034114	False Alarm	False alarm: Defective	119 Harris Road (112526)	119 HARRIS ROAD
26/02/1999	A032689	False Alarm	False alarm: Accidental operation	Fisher And Paykel Appliance Store (111564)	80 SPRINGS ROAD
26/02/1999	A032675	False Alarm	False alarm: Defective	Criterion Parkwood Place (Old) (113673)	PARKWOOD PLC
24/02/1999	A032089	Good Intent Calls	False alarm good intent: Lights thought to be fire		HARRIS ROAD
21/02/1999	A031499	Vegetation Fire	Grass fire		86 CYERS ROAD
6/01/1999	A023380	False Alarm	False alarm: Defective	Graincorp Foods East Tamaki (111569)	HARRIS ROAD
25/12/1998	A021767	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		CNR BOSTOK CRYERS
23/12/1998	A021418	Structure Fire	Structure fire with no damage		16 GREENMOUNT DRIV
18/12/1998	A020796	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CRYERS ROAD
29/11/1998	A017730	False Alarm	False alarm: Defective	Carters National Office (111568)	68 HARRIS STREET
27/11/1998	A017014	Structure Fire	Structure fire with no damage		115 HARRIS ROAD
27/11/1998	A016954	False Alarm	False alarm: Defective	Carters East Tamaki (113427)	HARRIS ROAD
14/11/1998	A014975	False Alarm	False alarm: Accidental operation		HARRIS ROAD
4/11/1998	A013059	Chemical, Flammable Liquid or Gas Fire	Chemical fire		30 NEALES ROAD
24/10/1998	A011569	False Alarm	False alarm: Defective		STONEHAM DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 30 Neales Road, East Tamaki

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
21/10/1998	A011198	False Alarm	False alarm: Accidental operation	Bridon East Tamaki (112535)	6 GREENMOUNT DRIVE
14/10/1998	A010248	False Alarm	False alarm: Defective	ChemFreight Cryers Road (113720)	CRYERS ROAD
3/10/1998	A008791	False Alarm	False alarm: Defective	Nalco NZ Plant (113718)	CRYERS ROAD
23/09/1998	A007347	Overpressure, Rupture, Explosives, Over Heating	Air, Gas rupture		69 CRYERS ROAD
18/09/1998	A006843	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CRYERS ROAD
17/09/1998	A006608	Structure Fire	Structure fire with damage		44 CRYERS ROAD
16/09/1998	A006447	False Alarm	False alarm: Defective	Eighty Three Harris Road (113795)	83 HARRIS ROAD
15/09/1998	A006348	False Alarm	False alarm: Accidental operation	Transpacific Technical Services Neales Road (111598)	NEALES ROAD
7/09/1998	A005270	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		107 HARRIS ROAD
4/09/1998	A004941	Rescue, Emergency, Medical Call	Lock-in, Trapped inside structure		HARRIS ROAD
31/08/1998	A004316	False Alarm	False alarm: Defective	Five Greenmount Drive (112537)	5 GREENMOUNT DRIVE
18/08/1998	A002630	Good Intent Calls	False alarm good intent: Rescue no action taken		10B STONEDON DRIVE
18/08/1998	A002615	False Alarm	False alarm: Defective	ChemFreight Cryers Road (113720)	CRYERS ROAD
14/08/1998	A002259	False Alarm	False alarm: Defective	Carters National Office (111568)	68 HARRIS ROAD
10/08/1998	A001765	False Alarm	False alarm: Defective	Safe Store (112983)	HARRIS ROAD
8/08/1998	A001494	False Alarm	False alarm: Defective	Whirinaki House (111601)	CNR SPRINGS/EAST
7/08/1998	A001383	False Alarm	False alarm: Accidental operation	Visy Industrial Packaging Auckland (112540)	100 HARRIS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
14/06/2014	F1634301	Not Recorded	Not Recorded		34 SEAVIEW ROAD
3/06/2014	F1627045	False Alarm	False alarm: Defective		11 BARNES STREET
3/06/2014	F1626993	False Alarm	False alarm: Defective	AFL Logistics Warehouse	11-13 BARNES STREET
8/05/2014	F1611710	False Alarm	False alarm: Defective	Strait Freight (STRAIT FREIGHT LIMITED)	9-15 MEACHEN STREET
3/04/2014	F1588616	Chemical, Flammable Liquid or Gas Fire	Flammable liquid, Gas fire		25 SEAVIEW ROAD
27/03/2014	F1583890	False Alarm	False alarm: Accidental activation of turnout system	NZ Oil Services Hutt City Terminal	55 PORT ROAD
26/03/2014	F1583410	False Alarm	False alarm: Undetermined alarm activation	Environmental Laboratory Services	81-87 PORT ROAD
3/03/2014	F1566800	False Alarm	False alarm: Accidental operation	Quality Bakers Seaview	24 TOOP STREET
17/02/2014	F1556790	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Forman Building Systems (FORMAN INSULATION)	77A PORT ROAD
26/01/2014	F1543552	False Alarm	False alarm: Defective	Strait Marine Parts And Service (Old) (STRAIT MARINE PARTS AND SERVICE)	9 TOOP STREET
1/01/2014	F1529031	Natural Disasters	Flood		1A PARKSIDE ROAD
26/11/2013	F1506886	Electrical Hazards	Power line down		63 PORT ROAD
20/11/2013	F1503201	False Alarm	False alarm: Undetermined alarm activation	Seaview Park	37-43 SEAVIEW ROAD
9/11/2013	F1496350	Miscellaneous Fire	Outside rubbish fire		PORT ROAD
5/11/2013	F1492993	False Alarm	False alarm: Undetermined alarm activation		14-16 MEACHEN STREET
4/11/2013	F1492568	False Alarm	False alarm: Accidental operation		1 PARKSIDE ROAD
20/10/2013	F1483256	False Alarm	False alarm: Undetermined alarm activation	Seaview Park	37-43 SEAVIEW ROAD
16/10/2013	F1481320	False Alarm	False alarm: Undetermined alarm activation	Seaview Park	37-43 SEAVIEW ROAD
15/10/2013	F1480193	False Alarm	False alarm: Undetermined alarm activation	Quality Bakers Seaview	24 TOOP STREET
4/10/2013	F1473432	False Alarm	False alarm: Undetermined alarm activation	Aggreko Wellington	1 WAREHAM PLACE
1/10/2013	F1471675	False Alarm	False alarm: Undetermined alarm activation	Charta Packaging (SHELL NZ LOWER HUTT)	UNKN0001 BARNES STREET
29/09/2013	F1470572	False Alarm	False alarm: Defective	Seaview Park	37-43 SEAVIEW ROAD
29/09/2013	F1470490	False Alarm	False alarm: Accidental operation	Aggreko Wellington	1 WAREHAM PLACE
20/09/2013	F1465335	False Alarm	False alarm: Defective	Seaview Park	37-43 SEAVIEW ROAD
20/09/2013	F1465026	False Alarm	False alarm: Undetermined alarm activation	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
26/08/2013	F1448032	False Alarm	False alarm: Undetermined alarm activation	Gough Gough Hamer	48 SEAVIEW ROAD

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
26/08/2013	F1448026	False Alarm	False alarm: Defective	Gough Gough Hamer	48 SEAVIEW ROAD
4/08/2013	F1436549	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		SEAVIEW ROAD
20/07/2013	F1428448	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TOOP STREET
3/07/2013	F1418684	False Alarm	False alarm: Defective	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
22/06/2013	F1412059	Natural Disasters	Wind storm, Tornado, Cyclone etc	Phoenix Freight	5 MEACHEN STREET
21/06/2013	F1411516	Electrical Hazards	Arcing, shorted electrical equipment		15 TOOP STREET
21/06/2013	F1411500	Natural Disasters	Wind storm, Tornado, Cyclone etc		85 PORT ROAD
21/06/2013	F1411492	Natural Disasters	Wind storm, Tornado, Cyclone etc		15 TOOP STREET
21/06/2013	F1411102	Natural Disasters	Flood	Total Telecommunications (KOKIRI MARAE)	22 BARNES STREET
29/05/2013	F1397354	False Alarm	False alarm: Defective	Water Treatment Pumping Station Seaview (SEAVIEW WASTEWATER TREATMENT PUMPING STATION)	8 WATERMAN STREET
23/02/2013	F1337178	False Alarm	False alarm: Defective	Water Treatment Pumping Station Seaview (SEAVIEW WASTEWATER TREATMENT PUMPING STATION)	8 WATERMAN STREET
14/01/2013	F1311612	False Alarm	False alarm: Accidental operation	Seaview Park	37-43 SEAVIEW ROAD
25/12/2012	F1300977	False Alarm	False alarm: Undetermined alarm activation	Seaview Park	37-43 SEAVIEW ROAD
9/11/2012	F1272995	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		SEAVIEW ROAD
25/10/2012	F1263966	Miscellaneous Fire	Rubbish bin, Skip fire	New Zealand Van Lines	19 BARNES STREET
18/10/2012	F1260235	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		PORT RD and TOOP ST
27/09/2012	F1249450	False Alarm	False alarm: Undetermined alarm activation	Aggreko Wellington	1 WAREHAM PLACE
27/09/2012	F1249418	False Alarm	False alarm: Undetermined alarm activation		BARNES ST and WAREHAM PL
21/09/2012	F1245301	False Alarm	False alarm: Accidental operation	BOC Gas And Gear Lower Hutt (BOC GASES)	UNKN0001 SEAVIEW ROAD
23/08/2012	F1229409	False Alarm	False alarm: Undetermined alarm activation	Water Treatment Pumping Station Seaview (SEAVIEW WASTEWATER TREATMENT PUMPING STATION)	8 WATERMAN STREET
22/05/2012	F1180144	False Alarm	False alarm: Defective	Quality Bakers Seaview (QUALITY BAKERS)	24 TOOP STREET
8/02/2012	F1119818	False Alarm	False alarm: Undetermined alarm activation	New Zealand Van Lines	19 BARNES STREET
17/01/2012	F1107800	False Alarm	False alarm: Undetermined alarm activation	Transpacific Technical Services	57 PORT ROAD

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
19/12/2011	F1092992	Not Recorded	Not Recorded		SEAVIEW ROAD
14/12/2011	F1090839	Not Recorded	Not Recorded	Metra NZ	6 MEACHEN STREET
13/12/2011	F1090122	Not Recorded	Not Recorded	Total Telecommunications (KOKIRI MARAE)	22 BARNES STREET
8/12/2011	F1087311	Not Recorded	Not Recorded	CROWN WORLDWIDE MOVERS	46 SEAVIEW ROAD
1/12/2011	F1083016	Not Recorded	Not Recorded		15 MEACHEN STREET
16/11/2011	F1073810	Not Recorded	Not Recorded		21 SEAVIEW ROAD
13/11/2011	F1072423	Not Recorded	Not Recorded		PORT ROAD
22/10/2011	F1060405	Not Recorded	Not Recorded	AFL Logistics Warehouse (COLGATE PALMOLIVE DIST CENTRE)	11-13 BARNES STREET
13/10/2011	F1055898	False Alarm	False alarm: Undetermined alarm activation	Ministry of Economic Development And Information Centre	17 TOOP STREET
9/10/2011	F1053678	False Alarm	False alarm: Undetermined alarm activation	Ministry of Economic Development And Information Centre	17 TOOP STREET
3/09/2011	F1034485	False Alarm	False alarm: Undetermined alarm activation	Ministry of Economic Development And Information Centre	17 TOOP STREET
10/08/2011	F1021640	Not Recorded	Not Recorded	Harbour Top Laminates	34 SEAVIEW ROAD
15/05/2011	F0974196	Natural Disasters	Flood	Kokiri Marae Kohanga Reo	7-9 BARNES STREET
6/05/2011	F0969518	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		67 PORT ROAD
18/04/2011	F0957291	Special Service Calls	Repair roof		33 SEAVIEW ROAD
19/03/2011	F0936494	False Alarm	False alarm: Undetermined alarm activation	Environmental Laboratory Services	85 PORT ROAD
12/03/2011	F0931578	False Alarm	False alarm: Undetermined alarm activation		15 MEACHEN STREET
4/03/2011	F0924955	Natural Disasters	Wind storm, Tornado, Cyclone etc	Z Energy Seaview (SHELL HUTT PARK)	17 SEAVIEW ROAD
26/02/2011	F0919053	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm		10 BARNES STREET
19/01/2011	F0887380	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Ministry of Economic Development And Information Centre	17 TOOP STREET
15/01/2011	F0882824	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	NZ Oil Services Hutt City Terminal	55 PORT ROAD
9/01/2011	F0878367	Electrical Hazards	Power line down	Kokiri Marae Kohanga Reo	7-9 BARNES STREET
7/01/2011	F0877033	Structure Fire	Structure fire with damage		9 GOUGH STREET
24/12/2010	F0863983	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		WAREHAM PLACE
22/12/2010	F0862556	False Alarm	False alarm: Accidental operation	Water Treatment Pumping Station Seaview	8 WATERMAN STREET

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time) <i>(SEAVIEW WASTEWATER TREATMENT PUMPING STATION)</i>	Address
11/12/2010	F0851517	Special Service Calls	Repair roof	BOC Gas And Gear Lower Hutt (BOC GASES)	UNKN00002 SEAVIEW ROAD
7/12/2010	F0847426	Good Intent Calls	False alarm good intent: Hazardous substance no action taken	Water Treatment Pumping Station Seaview	8 WATERMAN STREET
30/11/2010	F0841038	Special Service Calls	Domestic, Commercial water problem	CROWN WORLDWIDE MOVERS	46 SEAVIEW ROAD
23/11/2010	F0834058	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Kokiri Marae Kohanga Reo	7-9 BARNES STREET
20/11/2010	F0831276	False Alarm	False alarm: Undetermined alarm activation	Ministry of Economic Development And Information Centre	17 TOOP STREET
1/09/2010	F0754719	False Alarm	False alarm: Accidental operation	Fast Track Customs (STRAIT FREIGHT)	10-12 MEACHEN STREET
13/08/2010	F0742889	False Alarm	False alarm: Undetermined alarm activation		15 MEACHEN STREET
12/08/2010	F0742749	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		PARKSIDE ROAD
6/08/2010	F0738724	Special Service Calls	Assist Police	Z Energy Seaview (SHELL HUTT PARK)	17 SEAVIEW ROAD
26/07/2010	F0731301	False Alarm	False alarm: Excess Smoke, Heat	Transpacific Technical Services	57 PORT ROAD
22/06/2010	F0709512	Structure Fire	Structure fire with no damage	Water Treatment Pumping Station Seaview	8 WATERMAN STREET
26/05/2010	F0691591	Natural Disasters	Flood		9 BARNES STREET
24/05/2010	F0689547	Rescue, Emergency, Medical Call	Medical call: No ambulance present/Ambulance delayed		PARKSIDE RD and SEAVIEW RD
2/04/2010	F0651517	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		WAREHAM PLACE
17/03/2010	F0638828	Special Service Calls	Assist public	Royal Wolf Trading NZ (Royal Wolf Trading NZ Ltd)	17 WAREHAM PLACE
22/02/2010	F0619357	Overpressure, Rupture, Explosives, Over Heating	Overpressure, Rupture, Explosion, Overheating: No fire - not classified above	Water Treatment Pumping Station Seaview (SEAVIEW WASTEWATER TREATMENT PUMPING STATION)	8 WATERMAN STREET
19/01/2010	F0595678	False Alarm	False alarm: Undetermined alarm activation	Mirotone Wellington	12 BARNES STREET
13/01/2010	F0591323	Good Intent Calls	False alarm good intent: Smell of smoke		TOOP ST and MARCHBANKS ST
25/12/2009	F0579206	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		PORT ROAD
13/12/2009	F0570624	Not Recorded	Not Recorded	Water Treatment Pumping Station Seaview (SEAVIEW WASTEWATER TREATMENT PLANT)	8 WATERMAN STREET
11/10/2009	F0525686	Not Recorded	Not Recorded		81 PORT ROAD

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
7/09/2009	F0503434	Not Recorded	Not Recorded		19 SEAVIEW ROAD
27/08/2009	F0496246	False Alarm	False alarm: Defective		37-43 SEAVIEW ROAD
25/07/2009	F0474782	False Alarm	False alarm: Defective		12 WAREHAM PLACE
17/07/2009	F0468997	Mobile Property Fire	Derelict mobile property fire		26 SEAVIEW ROAD
11/06/2009	F0444955	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Chempro	40 SEAVIEW ROAD
15/05/2009	F0426120	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		SEAVIEW ROAD
9/05/2009	F0422507	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		BARNES STREET
27/04/2009	F0413919	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Pacific Doors Systems	17 MEACHEN STREET
11/04/2009	F0402567	False Alarm	False alarm: Undetermined alarm activation	Owens Road Transport Seaview	5-7 TOOP STREET
20/03/2009	F0385166	False Alarm	False alarm: Defective	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
20/03/2009	F0384850	False Alarm	False alarm: Defective	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
19/03/2009	F0383707	False Alarm	False alarm: Undetermined alarm activation	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
10/03/2009	F0375839	False Alarm	False alarm: Undetermined alarm activation	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
8/03/2009	F0374430	Structure Fire	Structure fire with no damage	Hydradiesel Engineering	75 PORT ROAD
8/02/2009	F0351965	False Alarm	False alarm: Defective	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
8/01/2009	F0328112	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		PORT ROAD
23/12/2008	F0317106	False Alarm	False alarm: Accidental operation	BOC Gas And Gear Lower Hutt (BOC GASES)	UNKN00005 SEAVIEW ROAD
3/12/2008	F0300830	False Alarm	False alarm: Undetermined alarm activation	NZ Oil Services Hutt City Terminal	55 PORT ROAD
29/11/2008	F0298048	Good Intent Calls	False alarm good intent: not classified above	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
18/11/2008	F0289160	False Alarm	False alarm: Defective	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
22/10/2008	F0268301	Mobile Property Fire	Derelict mobile property fire		SEAVIEW RD and PARKSIDE RD
20/10/2008	F0266669	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		SEAVIEW ROAD
25/08/2008	F227319	False Alarm	False alarm: Defective		25 TOOP STREET
24/08/2008	F226923	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		PORT RD and TOOP ST
28/07/2008	F207392	False Alarm	False alarm: Defective	Weston Milling Seaview (WESTON MILLING)	12 TOOP STREET
28/07/2008	F207330	False Alarm	False alarm: Defective		25 TOOP STREET
28/07/2008	F207114	False Alarm	False alarm: Defective	Weston Milling Seaview (WESTON MILLING)	12 TOOP STREET

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
13/07/2008	F196400	False Alarm	False alarm: Defective		15 TOOP STREET
12/07/2008	F196080	False Alarm	False alarm: Defective		TOOP STREET
6/07/2008	F192165	Special Service Calls	Repair roof		20 BARNES STREET
6/07/2008	F192057	Chemical, Biohazard, Radioactive Incident	Chemical emergency		BARNES STREET
6/07/2008	F191970	Natural Disasters	Wind storm, Tornado, Cyclone etc		7 WAREHAM PLACE
5/07/2008	F191841	Natural Disasters	Wind storm, Tornado, Cyclone etc		SEAVIEW ROAD
1/07/2008	F188782	False Alarm	False alarm: Defective	NZ Oil Services Hutt City Terminal	55 PORT ROAD
19/05/2008	F160277	False Alarm	False alarm: Accidental operation	Metra NZ	6 MEACHEN STREET
13/05/2008	F156000	False Alarm	False alarm: Defective	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
23/04/2008	F142347	False Alarm	False alarm: Malicious		15 TOOP STREET
17/04/2008	F137685	False Alarm	False alarm: Accidental operation	Charta Packaging (SHELL NZ LOWER HUTT)	UNKN00001 BARNES STREET
13/04/2008	F134094	Rescue, Emergency, Medical Call	Assist ambulance		PORT ROAD
26/03/2008	F120827	Special Service Calls	Domestic, Commercial water problem	Industrial Mouldings	14-20 MEACHEN STREET
23/03/2008	F118735	Mobile Property Fire	Derelict mobile property fire		BARNES STREET
8/03/2008	F105891	False Alarm	False alarm: Accidental operation	Owens Road Transport Seaview	5-7 TOOP STREET
4/03/2008	F102858	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	AFL Logistics Warehouse (COLGATE PALMOLIVE DIST CENTRE)	11-13 BARNES STREET
23/02/2008	F095448	Miscellaneous Fire	Hangi, Umu fire, Cultural cooking fire		PORT ROAD
22/02/2008	F094163	False Alarm	False alarm: Accidental activation of turnout system	Metra NZ	6 MEACHEN STREET
21/02/2008	F093789	Special Service Calls	Domestic, Commercial water problem	Owens Road Transport Seaview	5-7 TOOP STREET
4/02/2008	F080081	Rescue, Emergency, Medical Call	Rescue: In or under machinery	Seaview Recycle And Transfer Station	27 SEAVIEW ROAD
14/12/2007	F042077	False Alarm	False alarm: Defective	Quality Bakers Seaview (QUALITY BAKERS)	24 TOOP STREET
6/12/2007	F035801	Miscellaneous Fire	Rubbish bin, Skip fire		SEAVIEW ROAD
27/11/2007	F028360	False Alarm	False alarm: Undetermined alarm activation	NZ Oil Services Hutt City Terminal	55 PORT ROAD
25/11/2007	F027123	False Alarm	False alarm: Defective	Water Treatment Pumping Station Seaview (SEAVIEW WASTEWATER TREATMENT PUMPING STATION)	8 WATERMAN STREET
18/11/2007	F020575	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		TOOP ST and PORT RD

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
13/11/2007	F017207	False Alarm	False alarm: Undetermined alarm activation	Quality Bakers Seaview (QUALITY BAKERS)	24 TOOP STREET
11/11/2007	F015315	False Alarm	False alarm: Defective	NZ Oil Services Hutt City Terminal	55 PORT ROAD
9/11/2007	F013744	False Alarm	False alarm: Defective	NZ Oil Services Hutt City Terminal	55 PORT ROAD
8/11/2007	F013052	False Alarm	False alarm: Undetermined alarm activation	NZ Oil Services Hutt City Terminal	55 PORT ROAD
25/10/2007	F002701	False Alarm	False alarm: Defective	NZ Oil Services Hutt City Terminal	55 PORT ROAD
16/08/2007	W777037	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		GOUGH STREET
16/08/2007	W776931	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Chempro (TERGO INDUSTRIES)	40 SEAVIEW ROAD
14/08/2007	W776377	False Alarm	False alarm: Accidental operation	CROWN WORLDWIDE MOVERS	46 SEAVIEW ROAD
7/08/2007	W774590	False Alarm	False alarm: Accidental operation	Charta Packaging (SHELL NZ LOWER HUTT)	UNKN00001 BARNES STREET
5/07/2007	W765815	False Alarm	False alarm: Defective	Environmental Laboratory Services (CREDIT LINK)	81 PORT ROAD
30/06/2007	W764849	Special Service Calls	Assist Police	AB Equipment Seaview	42 SEAVIEW ROAD
18/06/2007	W761391	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		21B BARNES STREET
8/06/2007	W758664	Mobile Properties Hazardous Incidents	Gas, Liquid spill: Vehicle accident		BARNES STREET
16/05/2007	W752982	False Alarm	False alarm: Defective	Pacific Doors Systems	17 MEACHEN STREET
9/05/2007	W751145	False Alarm	False alarm: Defective		SEAVIEW ROAD
3/05/2007	W749529	Chemical, Biohazard, Radioactive Incident	Chemical emergency		15 TOOP STREET
1/05/2007	W749147	False Alarm	False alarm: Undetermined alarm activation	Charta Packaging (SHELL NZ LOWER HUTT)	UNKN00001 BARNES STREET
30/03/2007	W740723	False Alarm	False alarm: Defective	Water Treatment Pumping Station Seaview (410866)	8 WATERMAN STREET
24/03/2007	W738720	Structure Fire	Structure fire with damage	Mountain Buggy Building (TRITEC MANUFACTURING)	UNKN00009 SEAVIEW ROAD
22/03/2007	W738217	Miscellaneous Fire	Outside rubbish fire		PORT ROAD
7/03/2007	W733426	False Alarm	False alarm: Accidental activation of turnout system	Kokiri Marae Kohanga Reo	7-9 BARNES STREET
10/02/2007	W725484	Electrical Hazards	Arcing, shorted electrical equipment		15 MEACHEN STREET
1/02/2007	W722915	Good Intent Calls	False alarm good intent: Rescue no action taken		PORT RD and TOOP ST
25/01/2007	W720869	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Hydradiesel Engineering (HYDRADIESEL ENGINEERING LTD)	75 PORT ROAD

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
10/01/2007	W716906	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		PORT ROAD
26/12/2006	W713961	False Alarm	False alarm: Accidental operation	Quality Bakers Seaview (QUALITY BAKERS)	24 TOOP STREET
20/12/2006	W712503	False Alarm	False alarm: Accidental operation		25 SEAVIEW ROAD
4/11/2006	W700185	Miscellaneous Fire	Bonfire		PORT ROAD
24/10/2006	W697271	False Alarm	False alarm: Accidental operation	Fast Track Customs (STRAIT FREIGHT LTD)	10-12 MEACHEN STREET
5/10/2006	W692364	False Alarm	False alarm: Undetermined alarm activation	Charta Packaging (SHELL NZ LOWER HUTT)	UNKN00001 BARNES STREET
14/09/2006	W686664	False Alarm	False alarm: Defective	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
29/08/2006	W682842	Chemical, Biohazard, Radioactive Incident	Chemical emergency		TOOP STREET
17/08/2006	W680129	False Alarm	False alarm: Defective	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
8/08/2006	W678001	False Alarm	False alarm: Defective	Weston Milling Seaview (WESTON MILLING)	12 TOOP STREET
31/07/2006	W676292	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		
21/07/2006	W674021	Rescue, Emergency, Medical Call	Medical call: No ambulance present/Ambulance delayed	Transpacific Environmental Recovery Services Lower Hutt ()	2 BARNES STREET
10/07/2006	W671273	Electrical Hazards	Power line down		7 GOUGH STREET
7/07/2006	W670554	Special Service Calls	Repair roof	Steel Traders (STEEL TRADERS LIMITED)	11-15 GOUGH STREET
2/07/2006	W669239	Electrical Hazards	Power line down		32 SEAVIEW ROAD
27/06/2006	W667991	False Alarm	False alarm: Accidental operation	Metra NZ ()	6 MEACHEN STREET
23/06/2006	W667094	False Alarm	False alarm: Accidental operation	New Zealand Van Lines	19 BARNES STREET
16/06/2006	W664986	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		
7/06/2006	W662588	Miscellaneous Fire	Outside rubbish fire		BARNES STREET
13/04/2006	W650299	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Owens Road Transport Seaview	5-7 TOOP STREET
13/04/2006	W650269	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		32 SEAVIEW ROAD
13/04/2006	W650192	False Alarm	False alarm: Defective	Seaview Park	37-43 SEAVIEW ROAD

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
12/04/2006	W649958	False Alarm	False alarm: Accidental operation	Water Treatment Pumping Station Seaview (SEAVIEW WASTEWATER TREATMENT PUMPING STATION)	8 WATERMAN STREET
12/04/2006	W649862	False Alarm	False alarm: Excess Smoke, Heat	Water Treatment Pumping Station Seaview (SEAVIEW WASTEWATER TREATMENT PUMPING STATION)	8 WATERMAN STREET
7/04/2006	W648803	False Alarm	False alarm: Undetermined alarm activation	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
1/02/2006	W632170	False Alarm	False alarm: Accidental activation of turnout system	BOC Gas And Gear Lower Hutt (BOC GASES)	UNKN00002 SEAVIEW ROAD
23/12/2005	W621927	Natural Disasters	Flood	Kokiri Marae Kohanga Reo	7-9 BARNES STREET
22/12/2005	W621733	Mobile Property Fire	Derelict mobile property fire		BARNES STREET
4/12/2005	W616974	False Alarm	False alarm: Undetermined alarm activation	Seaview Sheds	UNKN00002 BARNES STREET
27/11/2005	W614166	False Alarm	False alarm: Undetermined alarm activation	Seaview Sheds	UNKN00002 BARNES STREET
22/11/2005	W612881	False Alarm	False alarm: Defective	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
27/10/2005	W605744	Structure Fire	Structure fire with damage		PORT ROAD
17/10/2005	W603303	Miscellaneous Fire	Barbecue fire: Wood, Charcoal		PORT ROAD
22/09/2005	W597920	False Alarm	False alarm: Accidental operation	Quality Bakers Seaview (QUALITY BAKERS)	24 TOOP STREET
31/08/2005	W592753	Special Service Calls	Special service call - not classified above	Forman Building Systems	77 PORT ROAD
15/08/2005	W589168	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	NZ Oil Services Hutt City Terminal (BP OIL WELLINGTON TERMINAL BUILDING)	55 PORT ROAD
3/08/2005	W586803	Miscellaneous Fire	Outside rubbish fire		3 GOUGH STREET
18/07/2005	W583056	False Alarm	False alarm: Defective	New Zealand Van Lines	19 BARNES STREET
30/06/2005	W579106	Structure Fire	Structure fire with damage		15 BARNES STREET
16/06/2005	W575851	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Downer EDI Engineering (FISHER AND PAYKEL SERVICE CENTRE)	18 BARNES STREET
3/05/2005	W566120	False Alarm	False alarm: Telecom line fault	Pacific Doors Systems	17 MEACHEN STREET
21/04/2005	W563365	Good Intent Calls	False alarm good intent: not classified above		38 SEAVIEW ROAD
18/04/2005	W562753	False Alarm	False alarm: Defective	Mountain Buggy Building (EX AJAX BUILDING)	UNKN00007 SEAVIEW ROAD
18/04/2005	W562700	False Alarm	False alarm: Defective	Mountain Buggy Building (EX AJAX BUILDING)	UNKN00007 SEAVIEW ROAD

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
17/03/2005	W555033	False Alarm	False alarm: Accidental operation	CROWN WORLDWIDE MOVERS	46 SEAVIEW ROAD
10/03/2005	W552855	Miscellaneous Fire	Rubbish bin, Skip fire	Mirotone Wellington ()	12 BARNES STREET
7/03/2005	W551932	False Alarm	False alarm: Defective		18A BARNES STREET
27/02/2005	W549853	Good Intent Calls	False alarm good intent: Smell of smoke		SEAVIEW ROAD
11/02/2005	W545404	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Quality Bakers Seaview (QUALITY BAKERS)	24 TOOP STREET
11/02/2005	W545399	False Alarm	False alarm: Undetermined alarm activation	Weston Milling Seaview (WESTON MILLING)	12 TOOP STREET
30/01/2005	W542519	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		PORT ROAD
25/01/2005	W541322	False Alarm	False alarm: Accidental operation	Owens Road Transport Seaview	5-7 TOOP STREET
27/12/2004	W535527	False Alarm	False alarm: Defective	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
23/12/2004	W534652	False Alarm	False alarm: Defective	Water Treatment Pumping Station Seaview (SEAVIEW WASTEWATER TREATMENT PUMPING STATION)	8 WATERMAN STREET
18/12/2004	W533640	Special Service Calls	Assist Police		TOOP STREET
14/12/2004	W532775	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		SEAVIEW ROAD
14/12/2004	W532748	Miscellaneous Fire	Rubbish bin, Skip fire		20 BARNES STREET
21/11/2004	W527135	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		PORT ROAD
12/11/2004	W524749	False Alarm	False alarm: Accidental operation	Seaview Sheds	UNKN00001 BARNES STREET
30/10/2004	W521189	False Alarm	False alarm: Accidental operation	Transpacific Technical Services (UNITED ENVIRONMENTAL)	57 PORT ROAD
18/10/2004	W518620	Mobile Properties Hazardous Incidents	Mobile property hazardous incident - not classified above		BARNES STREET
14/10/2004	W517481	False Alarm	False alarm: Defective	Seaview Park	37-43 SEAVIEW ROAD
13/10/2004	W517277	False Alarm	False alarm: Accidental operation	Mico Metals Seaview (NZ VAN LINES LTD)	61 PORT ROAD
7/09/2004	W509339	False Alarm	False alarm: Accidental operation	BOC Gas And Gear Lower Hutt (BOC GASES)	UNKN00003 SEAVIEW ROAD
18/08/2004	W504791	Natural Disasters	Wind storm, Tornado, Cyclone etc		MARCHBANKS STREET
18/08/2004	W504325	Natural Disasters	Flood		1A PARKSIDE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
7/08/2004	W500973	False Alarm	False alarm: Defective		TOOP STREET
18/06/2004	W490488	False Alarm	False alarm: Accidental operation	Industrial Mouldings	14-20 MEACHEN STREET
25/05/2004	W485355	False Alarm	False alarm: Accidental operation	Strait Marine Parts And Service (Old)	9 TOOP STREET
24/05/2004	W485225	False Alarm	False alarm: Defective	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
29/04/2004	W479826	Good Intent Calls	False alarm good intent: Lights thought to be fire	Pacific Doors Systems	17 MEACHEN STREET
14/04/2004	W476037	False Alarm	False alarm: Accidental operation	NZ Oil Services Hutt City Terminal	55 PORT ROAD
7/04/2004	W474644	False Alarm	False alarm: Defective	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
7/04/2004	W474550	False Alarm	False alarm: Defective	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
23/03/2004	W470974	Mobile Property Fire	Derelict mobile property fire		BARNES STREET
22/03/2004	W470423	False Alarm	False alarm: Defective	Mountain Buggy Building (EX AJAX BUILDING)	UNKN00002 SEAVIEW ROAD
5/03/2004	W466616	False Alarm	False alarm: Defective	Mirotone Wellington	12 BARNES STREET
5/03/2004	W466606	False Alarm	False alarm: Defective	Mirotone Wellington	12 BARNES STREET
4/03/2004	W466401	False Alarm	False alarm: Undetermined alarm activation	Mirotone Wellington	12 BARNES STREET
25/02/2004	W464134	False Alarm	False alarm: Undetermined alarm activation	Mirotone Wellington	12 BARNES STREET
21/02/2004	W461971	Natural Disasters	Wind storm, Tornado, Cyclone etc	Forman Building Systems (FORMAN BUILDING SYSTEMS LTD)	77 PORT ROAD
13/02/2004	W457109	False Alarm	False alarm: Accidental operation	BOC Gas And Gear Lower Hutt (BOC GASES)	UNKN00004 SEAVIEW ROAD
10/02/2004	W456479	False Alarm	False alarm: Defective	Mirotone Wellington	12 BARNES STREET
6/01/2004	W447982	Chemical, Flammable Liquid or Gas Fire	Chemical, Flammable liquid fire - not classified above	Transpacific Technical Services (UNITED ENVIRONMENTAL)	57 PORT ROAD
6/01/2004	W447982	Structure Fire	Structure fire with damage		57 PORT ROAD
19/12/2003	W444304	Miscellaneous Fire	Outside rubbish fire	Mirotone Wellington	12 BARNES STREET
11/12/2003	W442091	False Alarm	False alarm: Defective		15 MEACHEN STREET
13/10/2003	W428429	Natural Disasters	Flood		PORT ROAD
9/10/2003	W427778	False Alarm	False alarm: Defective	Water Treatment Pumping Station Seaview (SEAVIEW WASTEWATER TREATMENT PUMPING STATION)	8 WATERMAN STREET
23/09/2003	W423636	Miscellaneous Fire	Outside rubbish fire		GOUGH STREET
25/07/2003	W410403	False Alarm	False alarm: not classified above	NZ Oil Services Hutt City Terminal (BP OIL WELLINGTON TERMINAL BUILDING)	55 PORT ROAD

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
4/06/2003	W398576	Special Service Calls	Special service call - not classified above		21B BARNES STREET
1/05/2003	W390478	False Alarm	False alarm: Defective	Seaview Park	37-43 SEAVIEW ROAD
18/03/2003	W379518	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Charta Packaging	BARNES STREET
1/03/2003	W375012	Miscellaneous Fire	Outside rubbish fire		BARNES STREET
13/02/2003	W370929	Miscellaneous Fire	Outside rubbish fire		11 BARNES STREET
27/01/2003	W366616	Good Intent Calls	False alarm good intent: not classified above	BOC Gas And Gear Lower Hutt (BOC GASES)	UNKN00001 SEAVIEW ROAD
18/01/2003	W364208	Good Intent Calls	False alarm good intent: not classified above	Seaview Park	43 SEAVIEW ROAD
16/01/2003	W363725	False Alarm	False alarm: Accidental operation	Ministry of Economic Development And Information Centre (DOCUMENT AND INFORMATION SERVICE CENTRE)	17 TOOP STREET
9/01/2003	W362095	False Alarm	False alarm: Defective	Water Treatment Pumping Station Seaview (SEAVIEW WASTEWATER TREATMENT PUMPING STATION)	8 WATERMAN STREET
8/01/2003	W361961	False Alarm	False alarm: Defective	Water Treatment Pumping Station Seaview (SEAVIEW WASTEWATER TREATMENT PUMPING STATION)	8 WATERMAN STREET
22/12/2002	W358324	Miscellaneous Fire	Bonfire		63 PORT ROAD
1/12/2002	W352947	Structure Fire	Structure fire with no damage		38 SEAVIEW ROAD
18/10/2002	W342621	Special Service Calls	Repair roof		46-52 SEAVIEW ROAD
8/10/2002	W340498	Good Intent Calls	False alarm good intent: not classified above	Water Treatment Pumping Station Seaview (WATER TREATMENT PUMPING STATION)	8 WATERMAN STREET
17/09/2002	W335363	Electrical Hazards	Arcing, shorted electrical equipment	Total Telecommunications (KOKIRI MARAE KOHANGA REO)	22 BARNES STREET
16/09/2002	W335072	Miscellaneous Fire	Outside rubbish fire		UNKN0 Bell ROAD
4/09/2002	W332364	Miscellaneous Fire	Miscellaneous fire - not classified above	Transpacific Technical Services (UNITED ENVIRONMENTAL)	57 PORT ROAD
28/08/2002	W331060	Structure Fire	Structure fire with damage	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
27/08/2002	W330771	Special Service Calls	Repair roof		SEAVIEW ROAD
20/08/2002	W329437	False Alarm	False alarm: Defective	CHEMSAFE DISTRIBUTION	36 SEAVIEW ROAD
8/08/2002	W326992	False Alarm	False alarm: Defective	Environmental Laboratory Services (CREDIT LINK)	81 PORT ROAD
22/06/2002	W317037	Structure Fire	Structure fire with no damage		25 SEAVIEW ROAD

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
14/06/2002	W314899	Structure Fire	Structure fire with no damage	Weston Milling Seaview (WESTON MILLING)	12 TOOP STREET
8/06/2002	W313502	False Alarm	False alarm: Undetermined alarm activation	Mirotone Wellington (MIROTONE)	26 BARNES STREET
5/05/2002	W304658	Good Intent Calls	False alarm good intent: Authorised controlled burn		2 Hutt Park ROAD
3/05/2002	W303744	False Alarm	False alarm: Accidental operation		PARKSIDE ROAD
7/03/2002	W288806	False Alarm	False alarm: Defective	Water Treatment Pumping Station Seaview (WATER TREATMENT PUMPING STATION)	8 WATERMAN STREET
1/03/2002	W286920	False Alarm	False alarm: Accidental operation	Water Treatment Pumping Station Seaview (WATER TREATMENT PUMPING STATION)	8 WATERMAN STREET
3/02/2002	W280524	Miscellaneous Fire	Outside rubbish fire	Transpacific Technical Services (UNITED ENVIRONMENTAL)	57 PORT ROAD
23/01/2002	W277685	Structure Fire	Structure fire with no damage		SEAVIEW ROAD
29/11/2001	W263757	Structure Fire	Structure fire with no damage		19 MEACHEN STREET
11/10/2001	W251339	False Alarm	False alarm: Accidental operation		10 MEACHEN STREET
18/09/2001	W245471	False Alarm	False alarm: Accidental operation	Weston Milling Seaview (WESTON MILLING)	12-14 TOOP STREET
24/08/2001	W239135	False Alarm	False alarm: Accidental activation of turnout system		12 MEACHEN STREET
27/07/2001	W232181	False Alarm	False alarm: Accidental operation	Seaview Park	37-43 SEAVIEW ROAD
16/07/2001	W229784	Miscellaneous Fire	Outside rubbish fire		BARNES STREET
7/07/2001	W227459	False Alarm	False alarm: Accidental operation		PORT ROAD
8/06/2001	W219176	False Alarm	False alarm: Accidental operation	Water Treatment Pumping Station Seaview (WATER TREATMENT PUMPING STATION)	24 SEAVIEW ROAD
21/05/2001	W213523	False Alarm	False alarm: Defective	NZ Oil Services Hutt City Terminal (NZ OIL SERVICES - HUTT CITY TERMINAL)	43-55 PORT ROAD
10/05/2001	W210530	False Alarm	False alarm: Defective	Water Treatment Pumping Station Seaview (WATER TREATMENT PUMPING STATION)	24 SEAVIEW ROAD
5/04/2001	W200453	False Alarm	False alarm: Accidental operation	Transpacific Technical Services (UNITED ENVIRONMENTAL)	57 PORT ROAD
26/03/2001	W197118	False Alarm	False alarm: Accidental operation	Water Treatment Pumping Station Seaview (WATER TREATMENT PUMPING STATION)	24 SEAVIEW ROAD
25/03/2001	W196917	Good Intent Calls	False alarm good intent: not classified above		UNKN00001 NULL
14/03/2001	W193306	Mobile Properties Hazardous Incidents	Mobile property hazardous incident - not classified above		WATERMAN STREET

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
21/02/2001	W187042	False Alarm	False alarm: Defective	Water Treatment Pumping Station Seaview (WATER TREATMENT PUMPING STATION)	24 SEAVIEW ROAD
12/02/2001	W184229	False Alarm	False alarm: Accidental operation	Mirotone Wellington (MIROTONE)	26 BARNES STREET
4/02/2001	W182051	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		unkno SEAVIEW ROAD
19/01/2001	W177111	Good Intent Calls	False alarm good intent: not classified above		PORT ROAD
17/01/2001	W176639	Vegetation Fire	Single tree fire		PORT ROAD
8/01/2001	W173960	False Alarm	False alarm: Undetermined alarm activation		PARKSIDE ROAD
20/12/2000	W168003	False Alarm	False alarm: Accidental operation	Water Treatment Pumping Station Seaview (WATER TREATMENT PUMPING STATION)	24 SEAVIEW ROAD
13/12/2000	W165902	False Alarm	False alarm: Accidental operation	Water Treatment Pumping Station Seaview (WATER TREATMENT PUMPING STATION)	24 SEAVIEW ROAD
5/12/2000	W163458	False Alarm	False alarm: Defective		17 TOOP STREET
25/10/2000	W151565	False Alarm	False alarm: Defective	BOC Gas And Gear Lower Hutt (BOC GASES)	UNKN00004 SEAVIEW ROAD
13/10/2000	W148026	False Alarm	False alarm: Defective	CHEMSAFE DISTRIBUTION	36-42 SEAVIEW ROAD
12/10/2000	W147811	Natural Disasters	Wind storm, Tornado, Cyclone etc		93 PORT ROAD
12/10/2000	W147609	Natural Disasters	Wind storm, Tornado, Cyclone etc		93-95 PORT ROAD
3/10/2000	W145103	False Alarm	False alarm: Defective	Weston Milling Seaview (WESTON MILLING)	12-14 TOOP STREET
15/09/2000	W139220	Rescue, Emergency, Medical Call	Medical call: No ambulance present/Ambulance delayed		63 SEAVIEW ROAD
6/09/2000	W136458	False Alarm	False alarm: Excess Smoke, Heat		PARKSIDE ROAD
21/08/2000	W132373	False Alarm	False alarm: Defective	Water Treatment Pumping Station Seaview (MAIN PUMPING STATION)	24 SEAVIEW ROAD
3/08/2000	W127424	False Alarm	False alarm: Undetermined alarm activation	Water Treatment Pumping Station Seaview (MAIN PUMPING STATION)	24 SEAVIEW ROAD
2/08/2000	W127177	False Alarm	False alarm: Undetermined alarm activation	Water Treatment Pumping Station Seaview (410866)	24 SEAVIEW ROAD
31/07/2000	W126724	Special Service Calls	Repair roof		44-46 SEAVEIW ROAD
27/07/2000	W125393	Special Service Calls	Repair roof		46 SEAVIEW ROAD
20/07/2000	W123640	Structure Fire	Structure fire with no damage	Water Treatment Pumping Station Seaview (MAIN PUMPING STATION)	24 SEAVIEW ROAD

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
11/07/2000	W120838	False Alarm	False alarm: Accidental operation	Mirotone Wellington (412167)	26 BARNES STREET
15/06/2000	W113835	False Alarm	False alarm: Accidental operation	Mirotone Wellington (MIROTONE)	26 BARNES STREET
13/06/2000	W113238	False Alarm	False alarm: Undetermined alarm activation	Total Telecommunications	22 Barnrs STREET
12/05/2000	W105785	Structure Fire	Structure fire with no damage		0 Port ROAD
27/04/2000	W102363	False Alarm	False alarm: Accidental activation of turnout system	CHEMSAFE DISTRIBUTION (410878)	36-42 Seaview ROAD
12/03/2000	W092299	Chemical, Flammable Liquid or Gas Fire	Chemical fire	Transpacific Technical Services (UNITED ENVIRONMENTAL)	57-59 Port ROAD
12/03/2000	W092299	Miscellaneous Fire	Outside fire: Material burnt has definable value		57-59 Port ROAD
12/03/2000	W092299	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		57-59 Port ROAD
26/02/2000	W088844	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Hydradiesel Engineering (HYDRADIESEL ENGINEERING LTD)	00 Port ROAD
12/01/2000	W078481	False Alarm	False alarm: Accidental operation	NZ Oil Services Hutt City Terminal (411263)	63 Port ROAD
30/12/1999	W075915	False Alarm	False alarm: Defective	NZ Oil Services Hutt City Terminal (411263)	43-55 PORT ROAD
22/11/1999	W066908	Miscellaneous Fire	Outside rubbish fire		Waterman STREET
22/11/1999	W066801	False Alarm	False alarm: Accidental operation	NZ Oil Services Hutt City Terminal (411263)	41 Port ROAD
5/11/1999	W063856	False Alarm	False alarm: Defective	Water Treatment Pumping Station Seaview (410866)	0 Seaview ROAD
14/10/1999	W060693	Miscellaneous Fire	Rubbish bin, Skip fire		00 Barnes STREET
10/10/1999	W060104	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		0 PORT ROAD
6/10/1999	W059435	False Alarm	False alarm: Defective	Water Treatment Pumping Station Seaview (410866)	0 Seaview ROAD
14/09/1999	W056333	False Alarm	False alarm: Defective	Water Treatment Pumping Station Seaview (410866)	26 Seaview ROAD
31/08/1999	W054164	False Alarm	False alarm: Undetermined alarm activation	NZ Oil Services Hutt City Terminal (411263)	40 Port ROAD
9/08/1999	W050853	Structure Fire	Structure fire with no damage		33 Seaview ROAD
2/08/1999	W050016	False Alarm	False alarm: Defective	NZ Oil Services Hutt City Terminal (411263)	41 Port ROAD
14/07/1999	W046708	Miscellaneous Fire	Rubbish bin, Skip fire		14 Gough STREET

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
30/06/1999	W043991	Miscellaneous Fire	Outside rubbish fire		BARNES STREET
29/06/1999	W043802	False Alarm	False alarm: Accidental operation	Weston Milling Seaview (411802)	12-14 Toop STREET
26/06/1999	W043381	Special Service Calls	Domestic, Commercial water problem	CROWN WORLDWIDE MOVERS (CROWN WORLDWIDE MOVERS SEAVIEW LOWER HUTT CITY)	46 SEAVIEW ROAD
22/06/1999	W042431	False Alarm	False alarm: Accidental activation of turnout system		43 SEAVIEW ROAD
20/06/1999	W042074	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		BARNES STREET
25/05/1999	W037813	False Alarm	False alarm: Accidental operation	Water Treatment Pumping Station Seaview (410866)	26 SEAVIEW ROAD
24/05/1999	W037629	Good Intent Calls	False alarm good intent: not classified above		BARNES STREET
23/05/1999	W037425	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		41 PORT ROAD
20/05/1999	W036775	False Alarm	False alarm: Defective	NZ Oil Services Hutt City Terminal (411263)	41 PORT ROAD
7/05/1999	W034054	False Alarm	False alarm: Defective	Seaview Park (412125)	35 SEAVIEW ROAD
3/05/1999	W032985	False Alarm	False alarm: Undetermined alarm activation	Seaview Park (412125)	35 SEAVIEW ROAD
22/04/1999	W031049	False Alarm	False alarm: Accidental operation	Callaghan Innovation C and D Block (410996)	24 GRACEFIELD ROAD
10/04/1999	W029308	Miscellaneous Fire	Outside fire: Material burnt has definable value		SEAVIEW/PARKSID
5/04/1999	W028594	False Alarm	False alarm: Defective	NZ Oil Services Hutt City Terminal (411263)	41 PORT ROAD
26/03/1999	W027110	Electrical Hazards	Electrical hazard - not classified above		GOFF ST/SEAVIEW
21/03/1999	W026430	Rescue, Emergency, Medical Call	Corresponder call: Medical		PORT ROAD
10/03/1999	W024827	False Alarm	False alarm: Defective	Seaview Park (412125)	35 SEAVIEW ROAD
2/03/1999	W023624	False Alarm	False alarm: Accidental operation	Total Telecommunications	BARNES STREET
21/02/1999	W022547	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		WATERMAN STREET
20/02/1999	W022505	False Alarm	False alarm: Defective	Callaghan Innovation Processing Building (411740)	69 GRACEFIELD ROAD
17/02/1999	W022101	False Alarm	False alarm: Undetermined alarm activation	Callaghan Innovation Blocks E And F (411063)	GRACEFIELD ROAD
7/02/1999	W020877	Special Service Calls	Smoke problem		WAINUIM HILL ROAD

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
5/02/1999	W020643	Good Intent Calls	False alarm good intent: Hazardous substance no action taken		21 MEACHEN STREET
5/02/1999	W020610	Structure Fire	Structure fire with no damage		3 MEACHEN STREET
29/01/1999	W019620	False Alarm	False alarm: Accidental operation	Callaghan Innovation Processing Building (411740)	GRACEFIELD ROAD
15/01/1999	W018032	False Alarm	False alarm: Accidental operation	NZ Oil Services Hutt City Terminal (411263)	41 PORT ROAD
13/01/1999	W017684	Miscellaneous Fire	Outside fire: Material burnt has definable value		TOOPS STREET
21/12/1998	W015451	False Alarm	False alarm: Accidental operation	Callaghan Innovation Processing Building (411740)	GRACEFIELD ROAD
17/12/1998	W015016	False Alarm	False alarm: Excess Smoke, Heat	Callaghan Innovation Processing Building (411740)	69 GRACEFIELD ROAD
9/12/1998	W014199	Structure Fire	Structure fire with damage		12 BARNES STREET
30/11/1998	W013229	Structure Fire	Structure fire with damage		19 BARNES STREET
27/11/1998	W012889	Vegetation Fire	Scrub fire (excluding gorse)		PORT ROAD
27/11/1998	W012883	Vegetation Fire	Scrub fire (excluding gorse)		PORT ROAD
26/11/1998	W012745	False Alarm	False alarm: Accidental operation	Quality Bakers Seaview	17 TOOP STREET
20/11/1998	W011923	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire		57 PORT ROAD
9/11/1998	W010741	False Alarm	False alarm: Accidental operation	GNS Science National Isotope Centre (410906)	30 GRACEFIELD ROAD
18/10/1998	W007897	Mobile Property Fire	Derelict mobile property fire		WATERMAN STREET
11/10/1998	W007277	Special Service Calls	Smoke problem		PARKSIDE ROAD
8/10/1998	W006968	False Alarm	False alarm: Defective	BOC Gas And Gear Lower Hutt (410858)	SEAVIEW ROAD
18/09/1998	W005175	False Alarm	False alarm: Defective	GNS Science National Isotope Centre (410906)	GRACEFIELD ROAD
15/09/1998	W004924	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Courtenay Trading Co	4 GOFF STREET
13/09/1998	W004806	False Alarm	False alarm: Defective	NZ Oil Services Hutt City Terminal (411263)	PORT ROAD
11/09/1998	W004635	Structure Fire	Derelict building fire		BARNES STREET
9/09/1998	W004423	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		BARN STREET
26/08/1998	W003443	Miscellaneous Fire	Outside rubbish fire		BARNES STREET

OIA 2014-068 - NZFS Incidents within 500m of 57 Port Road, Seaview

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
25/08/1998	W003334	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		WATERMAN STREET
25/08/1998	W003323	Miscellaneous Fire	Outside rubbish fire		WATERMAN STREET
22/08/1998	W003002	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		SEAVIEW ROAD
23/07/1998	W000661	Miscellaneous Fire	Rubbish bin, Skip fire		BARNES STREET
20/07/1998	W000419	False Alarm	False alarm: Accidental activation of turnout system	NZ Oil Services Hutt City Terminal (411263)	PORT ROAD
14/07/1998	W000097	False Alarm	False alarm: Defective	CHEMSAFE DISTRIBUTION (411662)	34 SEAVIEW ROAD

OIA 2014-068 - NZFS Incidents within 500m of 31 Gateway Drive, Whakatane

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
1/05/2014	F1607879	False Alarm	False alarm: Defective	The Hub Whakatane	3 PHOENIX DRIVE
29/04/2014	F1606382	Miscellaneous Hazardous Condition	Miscellaneous hazardous condition - not classified above		KEEPA ROAD
17/04/2014	F1599145	False Alarm	False alarm: Accidental activation of turnout system	The Hub Whakatane	3 PHOENIX DRIVE
17/04/2014	F1597949	Natural Disasters	Wind storm, Tornado, Cyclone etc	The Hub Whakatane	3 PHOENIX DRIVE
28/02/2014	F1565221	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		SH 30
23/02/2014	F1561345	Structure Fire	Structure fire with damage	The Hub Whakatane	3 PHOENIX DRIVE
30/12/2013	F1527392	False Alarm	False alarm: Undetermined alarm activation	The Hub Whakatane	3 PHOENIX DRIVE
21/12/2013	F1522816	False Alarm	False alarm: Defective	Landscapes for Lifestyle	11 GATEWAY
17/12/2013	F1520023	False Alarm	False alarm: Undetermined alarm activation	The Hub Whakatane	3 PHOENIX DRIVE
30/10/2013	F1489444	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire	The Hub Whakatane	3 PHOENIX DRIVE
22/10/2013	F1484890	Special Service Calls	Animal rescue		GATEWAY
12/09/2013	F1459694	False Alarm	False alarm: Undetermined alarm activation	Bunnings Warehouse Whakatane (BUNNINGS WAREHOUSE THE HUB STAGE 2)	UNKN0001 PHOENIX DRIVE
4/09/2013	F1453687	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		PHOENIX DRIVE
1/05/2013	F1381484	False Alarm	False alarm: Accidental operation	The Hub Whakatane (HARVEY NORMAN WHAKATANE)	3 PHOENIX DRIVE
17/02/2013	F1333082	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	The Hub Whakatane	3 PHOENIX DRIVE
31/01/2013	F1322320	Electrical Hazards	Arcing, shorted electrical equipment	The Hub Whakatane (HARVEY NORMAN WHAKATANE)	3 PHOENIX DRIVE
13/01/2013	F1311032	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		SH 30
3/11/2012	F1268674	Electrical Hazards	Arcing, shorted electrical equipment	The Hub Whakatane	3 PHOENIX DRIVE
23/09/2012	F1246466	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		SH 30
19/09/2012	F1244571	Chemical, Flammable Liquid or Gas Fire	Flammable liquid, Gas fire	Tony Rees Motorcycles	16 GATEWAY CRESCENT
9/09/2012	F1238976	False Alarm	False alarm: Defective	The Hub Whakatane	3 PHOENIX DRIVE
21/12/2011	F1094396	False Alarm	False alarm: Defective	Bunnings Warehouse Whakatane (BUNNINGS WAREHOUSE THE HUB STAGE 2)	UNKN0001 PHOENIX DRIVE
20/12/2011	F1093869	False Alarm	False alarm: Defective	Bunnings Warehouse Whakatane (BUNNINGS WAREHOUSE THE HUB)	UNKN0001 PHOENIX DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 31 Gateway Drive, Whakatane

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
				STAGE 2)	
14/12/2011	F1090535	False Alarm	False alarm: Defective	Bunnings Warehouse Whakatane (BUNNINGS WAREHOUSE THE HUB STAGE 2)	UNKN0001 PHOENIX DRIVE
24/07/2011	F1012389	False Alarm	False alarm: Defective	Bunnings Warehouse Whakatane (BUNNINGS WAREHOUSE THE HUB STAGE 2)	UNKN00001 PHOENIX DRIVE
11/06/2011	F0989245	False Alarm	False alarm: Defective	Bunnings Warehouse Whakatane (BUNNINGS WAREHOUSE THE HUB STAGE 2)	UNKN00001 PHOENIX DRIVE
16/04/2011	F0956398	False Alarm	False alarm: Accidental operation	The Hub Whakatane	3 PHOENIX DRIVE
10/04/2011	F0951624	False Alarm	False alarm: Defective	The Hub Whakatane	3 PHOENIX DRIVE
1/12/2010	F0842275	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Carter Holt Harvey Whakatane Pulp and Paper (WHAKATANE BOARD MILL)	UNKN00003 MILL ROAD
1/12/2010	F0841896	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Carter Holt Harvey Whakatane Paper Machine no 2	MILL ROAD
25/11/2010	F0835659	False Alarm	False alarm: Malicious	The Hub Whakatane	3 PHOENIX DRIVE
6/11/2010	F0817504	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		MILL ROAD
30/10/2010	F0810507	False Alarm	False alarm: not classified above	Bunnings Warehouse Whakatane	UNKN00001 PHOENIX DRIVE
13/09/2010	F0769165	Mobile Property Fire	Mobile property fire - not classified above	Carter Holt Harvey Whakatane Pulp and Paper (WHAKATANE BOARD MILL)	UNKN00010 MILL ROAD
11/08/2010	F0741444	Miscellaneous Fire	Outside rubbish fire		SH 30 and KEEPA RD
29/07/2010	F0733162	False Alarm	False alarm: Accidental operation	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
24/07/2010	F0730118	False Alarm	False alarm: Excess Smoke, Heat	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
13/07/2010	F0723318	Good Intent Calls	False alarm good intent: Authorised controlled burn		KOPE CANAL ROAD
22/05/2010	F0688548	False Alarm	False alarm: Defective	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
19/05/2010	F0685949	False Alarm	False alarm: Defective	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
14/05/2010	F0682708	False Alarm	False alarm: Defective	The Hub Whakatane	UNKN00001 PHOENIX DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 31 Gateway Drive, Whakatane

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
6/04/2010	F0654086	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire		PHOENIX DRIVE
6/03/2010	F0629440	False Alarm	False alarm: Accidental operation	Affordable Cars	2 GATEWAY DRIVE
15/01/2010	F0593085	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		34 GATEWAY DRIVE
14/12/2009	F0571283	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Carter Holt Harvey Whakatane Pulp and Paper (CHH PULP AND PAPER WHAKATANE)	UNKN00002 MILL ROAD
28/11/2009	F0559677	False Alarm	False alarm: Accidental operation	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
10/11/2009	F0546204	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		SH 30
31/07/2009	F0478228	False Alarm	False alarm: Defective	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
31/07/2009	F0478176	False Alarm	False alarm: Defective	The Hub Whakatane	3 PHOENIX DRIVE
30/07/2009	F0477858	False Alarm	False alarm: Accidental operation	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
9/05/2009	F0422256	False Alarm	False alarm: Malicious	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
6/05/2009	F0420236	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		SH 30 and GATEWAY DR
17/03/2009	F0382018	Mobile Property Fire	Mobile property fire - not classified above	Carter Holt Harvey Whakatane Pulp and Paper (WHAKATANE BOARD MILL)	UNKN00002 MILL ROAD
30/12/2008	F0321503	Rescue, Emergency, Medical Call	Assist ambulance		46B SH 30
15/12/2008	F0311133	Special Service Calls	Special service call - not classified above	Carter Holt Harvey Whakatane Pulp and Paper (CHH PULP AND PAPER WHAKATANE)	UNKN00002 MILL ROAD
11/12/2008	F0307792	False Alarm	False alarm: Undetermined alarm activation	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
10/10/2008	F0259652	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
29/09/2008	F251513	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		KEEPA ROAD
16/09/2008	F241764	False Alarm	False alarm: Accidental operation	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
30/05/2008	F167727	False Alarm	False alarm: Defective	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
19/05/2008	F160191	False Alarm	False alarm: Accidental operation	The Hub Whakatane	UNKN00001 PHOENIX DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 31 Gateway Drive, Whakatane

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
24/04/2008	F142863	False Alarm	False alarm: Malicious	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
4/04/2008	F127150	False Alarm	False alarm: Excess Smoke, Heat	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
1/04/2008	F125257	False Alarm	False alarm: Excess Smoke, Heat	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
6/03/2008	F104423	Electrical Hazards	Arcing, shorted electrical equipment	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
3/12/2007	F033328	Miscellaneous Fire	Miscellaneous fire - not classified above		3 PHOENIX DRIVE
17/09/2007	A745449	False Alarm	False alarm: Defective	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
22/08/2007	A739147	False Alarm	False alarm: Accidental operation	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
30/06/2007	A723193	False Alarm	False alarm: Defective	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
22/06/2007	A721112	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		KEEPA RD and SH 30
24/05/2007	A713668	False Alarm	False alarm: Defective	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
23/05/2007	A713446	False Alarm	False alarm: Defective	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
1/05/2007	A707642	False Alarm	False alarm: Accidental operation		PHOENIX DRIVE
8/04/2007	A701507	Miscellaneous Fire	Hangi, Umu fire, Cultural cooking fire		GATEWAY DRIVE
3/03/2007	A690148	False Alarm	False alarm: Defective	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
3/03/2007	A690111	False Alarm	False alarm: Defective	The Hub Whakatane	UNKN00001 PHOENIX DRIVE
25/01/2007	A679652	False Alarm	False alarm: Accidental operation	The Hub Whakatane (THE HUB STAGE 1)	UNKN00001 MILL ROAD
28/11/2006	A664953	Vegetation Fire	Single tree fire	J2 School of Welding And Engineering	39 GATEWAY DRIVE
31/10/2006	A655901	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		SH 30
15/07/2006	A629371	Special Service Calls	Animal rescue		KEEPA ROAD
8/06/2006	A619939	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Carter Holt Harvey Whakatane Pulp and Paper (WHAKATANE BOARD MILL)	UNKN00001 MILL ROAD
12/05/2006	A613782	Structure Fire	Structure fire - not classified above		MILL ROAD

OIA 2014-068 - NZFS Incidents within 500m of 31 Gateway Drive, Whakatane

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
6/03/2006	A597443	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		
28/01/2006	A588339	False Alarm	False alarm: Undetermined alarm activation		24 GATEWAY DRIVE
5/10/2005	A559790	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		46A SH 30
19/09/2005	A556511	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		
22/06/2005	A538326	Miscellaneous Fire	Miscellaneous fire - not classified above	Carter Holt Harvey Whakatane Pulp and Paper (WHAKATANE BOARD MILL)	UNKN00001 MILL ROAD
7/05/2005	A527815	Miscellaneous Fire	Rubbish bin, Skip fire		
25/01/2005	A503942	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Carter Holt Harvey Whakatane Pulp and Paper (WHAKATANE BOARD MILL)	UNKN00001 MILL ROAD
15/10/2004	A481089	Mobile Property Fire	Mobile property fire - not classified above		SH 30
8/08/2004	A468283	Rescue, Emergency, Medical Call	Assist ambulance		
8/04/2004	A444012	False Alarm	False alarm: Defective	Allied Concrete	16 GATEWAY WEST
7/04/2004	A443998	False Alarm	False alarm: Defective	Allied Concrete	16 GATEWAY DRIVE
18/01/2004	A425352	Structure Fire	Structure fire with no damage		MILL ROAD
7/01/2004	A423104	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		KEEPA ROAD
7/01/2004	A423040	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		KEEPA ROAD
22/09/2003	A399672	Structure Fire	Structure fire with no damage		MILL ROAD
26/02/2003	A358521	Structure Fire	Structure fire with damage		SH 30
25/01/2003	A351261	Structure Fire	Structure fire with no damage		MILL ROAD
14/12/2002	A343185	False Alarm	False alarm: Defective		MILL ROAD
28/11/2002	A339841	False Alarm	False alarm: Defective		UNKN00002 NULL
4/11/2002	A334589	Structure Fire	Structure fire with damage		UNKN00001 NULL
2/02/2002	A275167	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		SH 30
27/01/2002	A273683	Good Intent Calls	False alarm good intent: Authorised controlled burn		GATEWAY DRIVE
6/12/2001	A261685	False Alarm	False alarm: Undetermined alarm activation		UNKN0 Mill ROAD
26/09/2001	A245076	False Alarm	False alarm: Defective		UNKN0 Mill ROAD
10/06/2001	A222603	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		KEEPA ROAD
15/05/2001	A217136	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		SH 30
10/10/2000	A163044	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		GATEWAY DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 31 Gateway Drive, Whakatane

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
24/03/2000	A104735	False Alarm	False alarm: Defective		MILLROAD
13/01/2000	A088953	Vegetation Fire	Scrub fire (excluding gorse)		PUTUWAI ROAD
4/11/1999	A075673	False Alarm	False alarm: Defective		GATEWAY DRIVE
22/07/1999	A058143	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		SH2
27/06/1999	A054113	Good Intent Calls	False alarm good intent: Authorised controlled burn		MAIN ROAD
20/06/1999	A052832	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		MILL ROAD
16/03/1999	A035705	Miscellaneous Fire	Miscellaneous fire - not classified above		GATEWAY DRIVE

OIA 2014-068 - NZFS Incidents within 500m of 13 Hyland Crescent, Mangakakahi

Unable to locate address. More information required to locate correct land parcel.

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
9/06/2014	F1630402	False Alarm	False alarm: Accidental operation	Meta Processing (META PROCESSING RECYCLABLES BUILDING)	25 PARKHOUSE ROAD
30/05/2014	F1624986	False Alarm	False Alarm (NEW)	Mitek NZ	14 PILKINGTON WAY
26/05/2014	F1621561	False Alarm	False Alarm (NEW)	Christchurch Cool Stores	22 WATTS ROAD
16/05/2014	F1615982	False Alarm	False alarm: Accidental operation	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
18/04/2014	F1600512	False Alarm	False alarm: Defective		23 KILRONAN PLACE
18/04/2014	F1599598	Special Service Calls	Assist public		38 DAKOTA CRESCENT
17/04/2014	F1599465	False Alarm	False alarm: Accidental operation	Christchurch Cool Stores	22 WATTS ROAD
17/04/2014	F1597673	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm		40 HAYTON ROAD
15/04/2014	F1595929	False Alarm	False alarm: Defective	Christchurch Cool Stores	22 WATTS ROAD
3/04/2014	F1588720	Structure Fire	Structure fire with no damage	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
1/04/2014	F1586753	False Alarm	False alarm: Defective	Christchurch Cool Stores	22 WATTS ROAD
31/03/2014	F1586406	False Alarm	False alarm: Accidental operation	Christchurch Cool Stores	22 WATTS ROAD
24/03/2014	F1581696	Rescue, Emergency, Medical Call	Assist ambulance	Meta Processing	25 PARKHOUSE ROAD
13/03/2014	F1574172	False Alarm	False alarm: Undetermined alarm activation	Christchurch Cool Stores	22 WATTS ROAD
2/03/2014	F1566046	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Mainstream Christchurch	8 JIPCHO ROAD
22/02/2014	F1560065	Good Intent Calls	False alarm good intent: Smell of smoke	Recovered Materials Foundation	21 PARKHOUSE ROAD
19/02/2014	F1558338	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
14/02/2014	F1555111	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
10/02/2014	F1552261	False Alarm	False alarm: Accidental operation		52C HAYTON ROAD
7/02/2014	F1551092	Special Service Calls	Assist public		477A BLENHEIM ROAD
29/01/2014	F1544947	False Alarm	False alarm: Accidental operation	Meta Processing (META PROCESSING RECYCLABLES BUILDING)	25 PARKHOUSE ROAD
27/01/2014	F1543843	False Alarm	False alarm: Accidental operation	Meta Processing (META PROCESSING RECYCLABLES BUILDING)	25 PARKHOUSE ROAD
21/01/2014	F1539960	False Alarm	False alarm: Defective	RA and CR Davies	530 BLENHEIM ROAD
19/01/2014	F1538794	False Alarm	False alarm: Accidental operation		52C HAYTON ROAD

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
16/01/2014	F1536692	Miscellaneous Fire	Outside rubbish fire	Daily Freight Wigram Park	42 MCALPINE STREET
28/12/2013	F1526570	Structure Fire	Structure fire with damage		8 DAKOTA CRESCENT
22/12/2013	F1523628	False Alarm	False alarm: Accidental operation		52C HAYTON ROAD
18/12/2013	F1521243	Good Intent Calls	False alarm good intent: Hazardous substance no action taken	CSP Galvanising Christchurch	27 WASHBOURNES ROAD
18/12/2013	F1521131	False Alarm	False alarm: Accidental operation	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
15/12/2013	F1518829	Special Service Calls	Assist Police		BLENHEIM ROAD
19/11/2013	F1501886	False Alarm	False alarm: Accidental operation	Calcon	63 PILKINGTON WAY
1/11/2013	F1490790	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		BLENHEIM ROAD
31/10/2013	F1490174	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Sockburn Roundabout	MAIN SOUTH ROAD
24/10/2013	F1485985	False Alarm	False alarm: Accidental operation	Turners And Growers Sockburn	39 DAKOTA CRESCENT
15/10/2013	F1479897	Miscellaneous Fire	Outside rubbish fire	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
8/10/2013	F1475594	Good Intent Calls	False alarm good intent: Rescue no action taken		BLENHEIM ROAD
30/09/2013	F1470885	False Alarm	False alarm: Accidental operation	Christchurch Crematorium Chapel	65 VICKERYS ROAD
27/09/2013	F1469381	False Alarm	False alarm: Defective	Christchurch Cool Stores	22 WATTS ROAD
23/09/2013	F1466599	False Alarm	False alarm: Accidental operation	Christchurch Cool Stores	22 WATTS ROAD
13/09/2013	F1460994	Miscellaneous Fire	Outside rubbish fire		50 PILKINGTON WAY
18/08/2013	F1443936	False Alarm	False alarm: Accidental operation		52C HAYTON ROAD
15/08/2013	F1442728	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		BLENHEIM ROAD
8/08/2013	F1438745	False Alarm	False alarm: Accidental operation	Christchurch Cool Stores	22 WATTS ROAD
25/07/2013	F1430818	Miscellaneous Fire	Rubbish bin, Skip fire		MAIN SOUTH RD and BLENHEIM RD
25/07/2013	F1430817	Miscellaneous Fire	Rubbish bin, Skip fire		68 HAYTON ROAD
17/06/2013	F1406842	False Alarm	False alarm: Defective	Christchurch Cool Stores	22 WATTS ROAD
23/05/2013	F1393760	False Alarm	False alarm: Accidental operation	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
21/05/2013	F1392300	Mobile Property Fire	Mobile property fire - not classified above		38 PARKHOUSE ROAD
16/05/2013	F1389670	False Alarm	False alarm: Undetermined alarm activation	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
15/05/2013	F1389452	Rescue, Emergency, Medical Call	Rescue, Emergency medical call - not classified above		37 HAYTON ROAD
7/05/2013	F1384309	False Alarm	False alarm: Undetermined alarm activation	Calcon	63 PILKINGTON WAY

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
6/05/2013	F1383622	False Alarm	False alarm: Defective	Christchurch Cool Stores	22 WATTS ROAD
19/04/2013	F1374004	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	RA and CR Davies	530 BLENHEIM ROAD
18/04/2013	F1372695	False Alarm	False alarm: Defective	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
14/04/2013	F1370466	False Alarm	False alarm: Accidental operation	Christchurch Cool Stores	22 WATTS ROAD
1/04/2013	F1362759	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
25/03/2013	F1358631	Structure Fire	Structure fire with damage		BLENHEIM RD and CABLE ST
17/03/2013	F1353603	False Alarm	False alarm: Defective	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
10/03/2013	F1348508	False Alarm	False alarm: Defective	Online Security Services	57 PILKINGTON WAY
6/03/2013	F1345253	False Alarm	False alarm: Defective	Daily Freight Wigram Park	42 MCALPINE STREET
1/03/2013	F1341908	Special Service Calls	Assist Police	Sockburn Roundabout	MAIN SOUTH ROAD
22/02/2013	F1337007	Miscellaneous Fire	Barbecue fire: Wood, Charcoal		5 MICHELLE ROAD
1/02/2013	F1322852	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		50 PILKINGTON WAY
30/01/2013	F1321718	Rescue, Emergency, Medical Call	Assist ambulance	Meta Processing	25 PARKHOUSE ROAD
10/01/2013	F1309460	Special Service Calls	Repair roof		157 MAIN SOUTH ROAD
30/12/2012	F1303046	Structure Fire	Structure fire with damage		21A MICHELLE ROAD
1/12/2012	F1285626	Miscellaneous Fire	Outside rubbish fire		72 HAYTON ROAD
18/11/2012	F1278022	False Alarm	False alarm: Defective	Online Security Services	57 PILKINGTON WAY
12/11/2012	F1274568	False Alarm	False alarm: Accidental operation	Turners And Growers Sockburn	39 DAKOTA CRESCENT
24/10/2012	F1263338	False Alarm	False alarm: Excess Smoke, Heat		46 PARKHOUSE ROAD
24/10/2012	F1263271	False Alarm	False alarm: Excess Smoke, Heat	Hancocks Wine Spirit And Beer Merchants (GLENGARRY HANCOCKS)	26 PILKINGTON WAY
16/10/2012	F1258879	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		BLENHEIM ROAD
21/09/2012	F1245605	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		BLENHEIM ROAD
17/09/2012	F1243355	False Alarm	False alarm: Accidental operation	Hancocks Wine Spirit And Beer Merchants (GLENGARRY HANCOCKS)	26 PILKINGTON WAY
3/09/2012	F1235582	False Alarm	False alarm: Accidental operation	Hancocks Wine Spirit And Beer Merchants (GLENGARRY HANCOCKS)	26 PILKINGTON WAY
2/09/2012	F1235105	Rescue, Emergency, Medical Call	Assist ambulance		PARKHOUSE RD and HAYTON

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
					RD
2/09/2012	F1235097	Rescue, Emergency, Medical Call	Assist ambulance		PARKHOUSE RD and HAYTON RD
1/09/2012	F1234613	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm		23 KILRONAN PLACE
12/08/2012	F1223634	False Alarm	False alarm: Undetermined alarm activation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
12/08/2012	F1223221	Miscellaneous Fire	Outside rubbish fire		HAYTON ROAD
26/07/2012	F1214863	False Alarm	False alarm: Undetermined alarm activation	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
21/07/2012	F1211886	False Alarm	False alarm: Undetermined alarm activation	Christchurch Cool Stores	22 WATTS ROAD
21/07/2012	F1211862	False Alarm	False alarm: Defective	Christchurch Cool Stores	22 WATTS ROAD
8/07/2012	F1204790	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		ALLOY STREET
28/06/2012	F1199740	False Alarm	False alarm: Defective		11 PARKHOUSE ROAD
28/06/2012	F1199309	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		MAIN SOUTH RD and GREENHURST ST
25/05/2012	F1181663	False Alarm	False alarm: Defective	Online Security Services	57 PILKINGTON WAY
17/05/2012	F1177664	False Alarm	False alarm: Accidental operation		7 PARADYNE PLACE
19/04/2012	F1161892	False Alarm	False alarm: Defective	Christchurch Cool Stores	22 WATTS ROAD
12/04/2012	F1158673	False Alarm	False alarm: Excess Smoke, Heat		25 KILRONAN PLACE
4/04/2012	F1154101	False Alarm	False alarm: Undetermined alarm activation	Fletcher Aluminium (FIFTEEN PILKINGTON WAY)	15 PILKINGTON WAY
3/04/2012	F1153638	False Alarm	False alarm: Accidental operation	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
23/03/2012	F1147447	Not Recorded	Not Recorded	Christchurch Cool Stores	22 WATTS ROAD
23/03/2012	F1147435	False Alarm	False alarm: Undetermined alarm activation	Christchurch Cool Stores	22 WATTS ROAD
23/03/2012	F1147066	False Alarm	False alarm: Undetermined alarm activation	Fletcher Aluminium (FIFTEEN PILKINGTON WAY)	15 PILKINGTON WAY
18/03/2012	F1143759	Not Recorded	Not Recorded		BLenheim RD and MAIN SOUTH RD
16/03/2012	F1142341	False Alarm	False alarm: Undetermined alarm activation	Christchurch Cool Stores	22 WATTS ROAD
27/02/2012	F1129794	False Alarm	False alarm: Undetermined alarm activation		25 KILRONAN PLACE
17/02/2012	F1124246	Not Recorded	Not Recorded	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
13/02/2012	F1122336	Not Recorded	Not Recorded		74 MCALPINE STREET

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
5/02/2012	F1118117	False Alarm	False alarm: Undetermined alarm activation		20 DAKOTA CRESCENT
18/01/2012	F1108829	Not Recorded	Not Recorded	Online Security Services	57 PILKINGTON WAY
16/01/2012	F1107308	Not Recorded	Not Recorded		521 BLENHEIM ROAD
15/01/2012	F1106904	False Alarm	False alarm: Undetermined alarm activation	Mainstream Christchurch (AVON DISTRIBUTION CENTRE)	8 JIPCHO ROAD
6/01/2012	F1102417	Not Recorded	Not Recorded		20A DAKOTA CRESCENT
5/01/2012	F1101801	Not Recorded	Not Recorded	Recovered Materials Foundation ()	21 PARKHOUSE ROAD
26/12/2011	F1097317	Not Recorded	Not Recorded	Online Security Services	57 PILKINGTON WAY
23/12/2011	F1095492	Not Recorded	Not Recorded	Wrightson Woolstores	503 BLENHEIM ROAD
2/12/2011	F1083787	Not Recorded	Not Recorded	Viridian New World Glass	25 PILKINGTON WAY
14/11/2011	F1073074	Not Recorded	Not Recorded	Daily Freight Wigram Park	42 MCALPINE STREET
12/11/2011	F1071793	Not Recorded	Not Recorded		BLENHEIM RD and MAIN SOUTH RD
21/10/2011	F1060045	Not Recorded	Not Recorded	Meta Processing	25 PARKHOUSE ROAD
19/10/2011	F1058710	Not Recorded	Not Recorded	Meta Processing	25 PARKHOUSE ROAD
9/10/2011	F1053677	Not Recorded	Not Recorded	Meta Processing	25 PARKHOUSE ROAD
8/10/2011	F1053178	False Alarm	False alarm: Undetermined alarm activation	Meta Processing	25 PARKHOUSE ROAD
7/10/2011	F1052879	Not Recorded	Not Recorded	CSP Galvanising Christchurch	27 WASHBOURNES ROAD
9/09/2011	F1038093	Not Recorded	Not Recorded	Christchurch Cool Stores	22 WATTS ROAD
22/08/2011	F1027799	Not Recorded	Not Recorded		BLENHEIM ROAD
10/08/2011	F1021147	Not Recorded	Not Recorded	J Russell Engineering	9 KILRONAN PLACE
13/07/2011	F1007031	False Alarm	False alarm: Accidental operation	PIZZA PROMOTIONS	471 BLENHEIM ROAD
9/07/2011	F1004504	False Alarm	False alarm: Defective	Christchurch Cool Stores	22 WATTS ROAD
7/07/2011	F1003559	Structure Fire	Structure fire with no damage	Formthotics	26 DAKOTA CRESCENT
21/06/2011	F0995440	Natural Disasters	Earthquake	Wrightson Woolstores	503 BLENHEIM ROAD
20/06/2011	F0994670	False Alarm	False alarm: Defective		28 PILKINGTON WAY
14/06/2011	F0991105	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		25 KILRONAN PLACE
13/06/2011	F0990285	False Alarm	False alarm: Undetermined alarm activation	Wrightson Woolstores	503 BLENHEIM ROAD
3/06/2011	F0985293	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
2/06/2011	F0984808	Miscellaneous Hazardous Condition	Miscellaneous hazardous condition - not classified above	Mainfreight Terminal (MAINFREIGHT)	48 MCALPINE STREET
16/04/2011	F0956204	False Alarm	False alarm: Defective	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
11/04/2011	F0952427	Structure Fire	Structure fire with damage		12 PARADYNE PLACE
10/04/2011	F0951824	Miscellaneous Fire	Rubbish bin, Skip fire	Parkhouse Road Transfer Station (PARKHOUSE RD TRANSFER STATION)	21-29 PARKHOUSE ROAD
4/04/2011	F0947865	False Alarm	False alarm: Undetermined alarm activation	Wrightson Woolstores	503 BLENHEIM ROAD
28/02/2011	F0920564	False Alarm	False alarm: Undetermined alarm activation	Solid Energy Sockburn	472 BLENHEIM ROAD
17/02/2011	F0910021	False Alarm	False alarm: Defective	Online Security Services	57 PILKINGTON WAY
28/01/2011	F0894801	Miscellaneous Fire	Outside fire: Material burnt has definable value		HAYTON RD and PARKHOUSE RD
20/01/2011	F0887503	False Alarm	False alarm: Accidental operation	Wrightson Woolstores	503 BLENHEIM ROAD
27/12/2010	F0867115	False Alarm	False alarm: Accidental operation	Formula Foods	48 HAYTON ROAD
24/12/2010	F0864430	Special Service Calls	Repair roof		BLENHEIM RD and CABLE ST
22/12/2010	F0862435	False Alarm	False alarm: Defective	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
20/12/2010	F0859082	False Alarm	False alarm: Undetermined alarm activation	Christchurch Cool Stores	22 WATTS ROAD
20/12/2010	F0859054	False Alarm	False alarm: Defective	Christchurch Cool Stores	22 WATTS ROAD
19/12/2010	F0858259	False Alarm	False alarm: Defective		67 VICKERYS ROAD
17/12/2010	F0857075	Structure Fire	Structure fire with no damage	Calcon	63 PILKINGTON WAY
15/12/2010	F0854724	False Alarm	False alarm: Accidental operation	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
13/12/2010	F0852805	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		BLENHEIM RD and WATTS RD
4/12/2010	F0844445	False Alarm	False alarm: Accidental operation	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
3/12/2010	F0843990	Rescue, Emergency, Medical Call	Assist ambulance		BLENHEIM ROAD
20/11/2010	F0831197	False Alarm	False alarm: Undetermined alarm activation	Online Security Services	57 PILKINGTON WAY
11/11/2010	F0822205	Structure Fire	Structure fire with damage	Wilcock Truck Painters	108A HAYTON ROAD
4/11/2010	F0815659	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		46 PARKHOUSE ROAD
28/10/2010	F0809284	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
22/10/2010	F0804166	False Alarm	False alarm: Accidental operation	Hancocks Wine Spirit And Beer Merchants	26 PILKINGTON WAY

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
19/10/2010	F0801977	False Alarm	False alarm: Defective	Wrightson Woolstores	503 BLENHEIM ROAD
15/10/2010	F0798755	Miscellaneous Fire	Outside rubbish fire		154 MAIN SOUTH ROAD
29/09/2010	F0785770	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		BLENHEIM ROAD
23/09/2010	F0780762	False Alarm	False alarm: Defective	Daily Freight Wigram Park (DAILY FREIGHT TERMINAL BUILDING)	42 MCALPINE STREET
10/09/2010	F0766918	False Alarm	False alarm: Accidental operation	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
8/09/2010	F0763471	Good Intent Calls	False alarm good intent: Hazardous substance no action taken	Turners And Growers Sockburn	39 DAKOTA CRESCENT
4/09/2010	F0756826	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		DAKOTA CRESCENT
25/08/2010	F0750529	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Parkhouse Road Transfer Station	21 PARKHOUSE ROAD
6/08/2010	F0738763	False Alarm	False alarm: Defective		67 VICKERYS ROAD
25/07/2010	F0730946	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Sockburn Roundabout	MAIN SOUTH ROAD
8/07/2010	F0719761	Chemical, Flammable Liquid or Gas Fire	Flammable liquid, Gas fire	Mainfreight Terminal (MAINFREIGHT)	48 MCALPINE STREET
5/07/2010	F0717925	False Alarm	False alarm: Accidental operation	Calcon	63 PILKINGTON WAY
4/07/2010	F0717364	False Alarm	False alarm: Defective	Mitek NZ	14 PILKINGTON WAY
20/06/2010	F0708260	False Alarm	False alarm: Defective	Mitek NZ	14 PILKINGTON WAY
29/05/2010	F0693377	False Alarm	False alarm: Undetermined alarm activation	Meta Processing	25 PARKHOUSE ROAD
28/05/2010	F0692649	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Sockburn Roundabout	MAIN SOUTH ROAD
27/05/2010	F0692539	False Alarm	False alarm: not classified above		36 HAYTON ROAD
27/05/2010	F0692347	False Alarm	False alarm: Defective	Tyre General Sockburn	525 BLENHEIM ROAD
10/05/2010	F0679690	Good Intent Calls	False alarm good intent: not classified above		52 HAYTON ROAD
10/05/2010	F0679454	False Alarm	False alarm: Accidental operation	Meta Processing (META PROCESSING RECYCLABLES BUILDING)	25 PARKHOUSE ROAD
8/05/2010	F0677963	Good Intent Calls	False alarm good intent: Smell of smoke		BLENHEIM ROAD
8/05/2010	F0677801	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		BLENHEIM ROAD
1/05/2010	F0672180	False Alarm	False alarm: Defective	Trends Kitchens Christchurch	34A PARKHOUSE ROAD
21/04/2010	F0665227	Structure Fire	Structure fire with no damage	Trends Kitchens Christchurch	34A PARKHOUSE ROAD
11/04/2010	F0657344	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		DAKOTA CR and HAYTON RD

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
3/02/2010	F0606090	False Alarm	False alarm: Undetermined alarm activation	Online Security Services	57 PILKINGTON WAY
20/01/2010	F0596496	False Alarm	False alarm: Accidental operation	Formthotics	26 DAKOTA CRESCENT
4/01/2010	F0585748	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Tyre General Sockburn	525 BLENHEIM ROAD
3/01/2010	F0585115	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Solid Energy Sockburn	472 BLENHEIM ROAD
15/12/2009	F0571797	Not Recorded	Not Recorded		559 BLENHEIM ROAD
20/11/2009	F0553117	Not Recorded	Not Recorded		HAYTON ROAD
20/10/2009	F0530889	False Alarm	False alarm: Defective	Hancocks Wine Spirit And Beer Merchants ()	26 PILKINGTON WAY
19/10/2009	F0530156	Not Recorded	Not Recorded	Mainfreight Metro	23 MCALPINE STREET
12/10/2009	F0526507	Not Recorded	Not Recorded		52C HAYTON ROAD
22/09/2009	F0513983	Not Recorded	Not Recorded		BLENHEIM RD and MAIN SOUTH RD
14/09/2009	F0507799	False Alarm	False alarm: Accidental operation		7 PARADYNE PLACE
24/08/2009	F0493854	False Alarm	False alarm: Defective	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
24/08/2009	F0493777	False Alarm	False alarm: Defective	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
15/07/2009	F0467814	False Alarm	False alarm: Accidental operation		88 HAYTON ROAD
1/07/2009	F0458546	Special Service Calls	Domestic, Commercial water problem		BLENHEIM ROAD
24/05/2009	F0432712	Mobile Property Fire	Derelict mobile property fire		CABLE STREET
24/05/2009	F0432330	False Alarm	False alarm: Defective	Mitek NZ	14 PILKINGTON WAY
23/05/2009	F0432084	Rescue, Emergency, Medical Call	Assist ambulance		PILKINGTON WAY and HAYTON RD
9/05/2009	F0422092	False Alarm	False alarm: Defective		56 HAYTON ROAD
6/05/2009	F0420142	Special Service Calls	Assist Police	Sockburn Roundabout	MAIN SOUTH ROAD
20/04/2009	F0409235	False Alarm	False alarm: Excess Smoke, Heat		KILRONAN PLACE
13/04/2009	F0403634	False Alarm	False alarm: Defective	Mitek NZ	14 PILKINGTON WAY
24/03/2009	F0388293	False Alarm	False alarm: Accidental operation	Meta Processing (META PROCESSING RECYCLABLES BUILDING)	25 PARKHOUSE ROAD
12/03/2009	F0378262	False Alarm	False alarm: Undetermined alarm activation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
3/03/2009	F0370500	Structure Fire	Structure fire with no damage	Meta Processing	25 PARKHOUSE ROAD
1/03/2009	F0369236	False Alarm	False alarm: Undetermined alarm activation		56 HAYTON ROAD
4/02/2009	F0349484	False Alarm	False alarm: Undetermined alarm activation	Meta Processing (513427)	25 PARKHOUSE ROAD
16/01/2009	F0334180	False Alarm	False alarm: Undetermined alarm activation	Meta Processing	25 PARKHOUSE ROAD
7/01/2009	F0327618	False Alarm	False alarm: Excess Smoke, Heat		59 HAYTON ROAD
30/12/2008	F0321803	False Alarm	False alarm: Undetermined alarm activation		59 HAYTON ROAD
27/12/2008	F0319993	False Alarm	False alarm: Defective	Online Security Services	57 PILKINGTON WAY
8/12/2008	F0305836	False Alarm	False alarm: Undetermined alarm activation		36 HAYTON ROAD
6/12/2008	F0303502	False Alarm	False alarm: Defective	OCS Ltd and Cannon	38 HAYTON ROAD
4/12/2008	F0302088	False Alarm	False alarm: Accidental operation	Christchurch Cool Stores	22 WATTS ROAD
3/12/2008	F0301266	False Alarm	False alarm: Defective	Wrightson Woolstores	503 BLENHEIM ROAD
5/11/2008	F0278396	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		MAIN SOUTH ROAD
22/09/2008	F246080	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Allied Petroleum	14 MCALPINE STREET
13/09/2008	F239594	Miscellaneous Fire	Rubbish bin, Skip fire		NGA MAHI ROAD
3/09/2008	F233724	Good Intent Calls	False alarm good intent: Hazardous substance no action taken	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
25/08/2008	F227178	False Alarm	False alarm: Defective	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
22/08/2008	F225364	Structure Fire	Structure fire with damage		6 PARKHOUSE ROAD
14/08/2008	F220790	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		BLENHEIM ROAD
7/08/2008	F216224	False Alarm	False alarm: Undetermined alarm activation	Mainfreight Terminal (MAINFREIGHT)	48 MCALPINE STREET
24/07/2008	F202987	False Alarm	False alarm: Defective	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
21/07/2008	F201249	False Alarm	False alarm: Accidental operation	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
10/07/2008	F195167	False Alarm	False alarm: Undetermined alarm activation	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
8/07/2008	F193587	False Alarm	False alarm: Undetermined alarm activation	Wrightson Woolstores	503 BLENHEIM ROAD
7/07/2008	F192922	Rescue, Emergency, Medical Call	Assist ambulance	Solid Energy Sockburn	472 BLENHEIM ROAD
28/06/2008	F187306	False Alarm	False alarm: Defective	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
13/06/2008	F177320	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		ALLOY STREET
6/06/2008	F171981	False Alarm	False alarm: Defective	Online Security Services	57 PILKINGTON WAY
26/05/2008	F165232	False Alarm	False alarm: Excess Smoke, Heat		CABLE STREET
1/05/2008	F148091	False Alarm	False alarm: Defective	Christchurch Cool Stores	22 WATTS ROAD
1/05/2008	F148057	False Alarm	False alarm: Defective	Christchurch Cool Stores	22 WATTS ROAD
7/04/2008	F129039	False Alarm	False alarm: Accidental operation	Mainstream Christchurch (AVON DISTRIBUTION CENTRE)	8 JIPCHO ROAD
21/03/2008	F116531	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CABLE STREET
21/03/2008	F116531	Structure Fire	Structure fire with damage		CABLE STREET
5/03/2008	F103385	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		BLENHEIM ROAD
2/03/2008	F101221	Miscellaneous Fire	Rubbish bin, Skip fire		489 BLENHEIM ROAD
27/02/2008	F098076	Miscellaneous Fire	Outside rubbish fire	Parkhouse Road Transfer Station (PARKHOUSE RD TRANSFER STATION)	21-29 PARKHOUSE ROAD
3/02/2008	F079930	False Alarm	False alarm: Undetermined alarm activation		67 VICKERYS ROAD
12/01/2008	F062016	False Alarm	False alarm: Defective	Wrightson Woolstores	503 BLENHEIM ROAD
28/12/2007	F051812	False Alarm	False alarm: Undetermined alarm activation		148B MAIN SOUTH ROAD
17/12/2007	F044776	Electrical Hazards	Arcing, shorted electrical equipment	Christchurch Cool Stores	22 WATTS ROAD
2/12/2007	F032896	False Alarm	False alarm: Undetermined alarm activation		67 VICKERYS ROAD
29/11/2007	F030789	Miscellaneous Fire	Rubbish bin, Skip fire		NGA MAHI RD and BLENHEIM RD
16/11/2007	F019219	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		PILKINGTON WAY
15/11/2007	F018183	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		PILKINGTON WAY
14/11/2007	F018069	Miscellaneous Fire	Miscellaneous fire - not classified above		5 WASHBOURNES ROAD
4/11/2007	F009119	Miscellaneous Fire	Outside fire: Material burnt has definable value		38 HAYTON ROAD
4/11/2007	F009119	Mobile Property Fire	Derelict mobile property fire	OCS Ltd and Cannon	38 HAYTON ROAD
12/10/2007	M718632	False Alarm	False alarm: Accidental operation	Mainfreight Terminal (MAINFREIGHT)	48 MCALPINE STREET
11/09/2007	M710436	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		522 BLENHEIM ROAD
15/08/2007	M703448	False Alarm	False alarm: Accidental operation	Viridian New World Glass (PILKINGTON GLASS NZ SOCKBURN)	25 PILKINGTON WAY

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
2/08/2007	M700313	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Packaging House Christchurch	25 NGA MAHI ROAD
9/07/2007	M694000	False Alarm	False alarm: Accidental operation	RA and CR Davies	530 BLENHEIM ROAD
8/07/2007	M693355	False Alarm	False alarm: Defective	RA and CR Davies	530 BLENHEIM ROAD
20/06/2007	M689160	False Alarm	False alarm: Accidental operation	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
18/06/2007	M688281	Structure Fire	Structure fire with no damage	Mainfreight Terminal (MAINFREIGHT)	48 MCALPINE STREET
3/06/2007	M684670	Chemical, Biohazard, Radioactive Incident	Chemical emergency	General Cables NZ Warehouse (GENERAL CABLES WAREHOUSE)	466 BLENHEIM ROAD
27/05/2007	M682983	False Alarm	False alarm: Undetermined alarm activation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
21/05/2007	M681264	Miscellaneous Fire	Miscellaneous fire - not classified above		19 CABLE STREET
10/05/2007	M678918	Structure Fire	Structure fire with no damage		20 PARKHOUSE ROAD
25/04/2007	M675405	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		MAIN SOUTH RD and GREENHURST ST
23/04/2007	M674912	False Alarm	False alarm: Accidental operation	Christchurch Cool Stores	22 WATTS ROAD
9/04/2007	M671776	False Alarm	False alarm: Defective	Hancocks Wine Spirit And Beer Merchants	26 PILKINGTON WAY
30/03/2007	M669572	False Alarm	False alarm: Defective	Christchurch Cool Stores	22 WATTS ROAD
7/03/2007	M663746	False Alarm	False alarm: Undetermined alarm activation	Christchurch Cool Stores	22 WATTS ROAD
6/03/2007	M663269	False Alarm	False alarm: Defective	Hancocks Wine Spirit And Beer Merchants ()	26 PILKINGTON WAY
5/03/2007	M662536	Miscellaneous Fire	Outside rubbish fire	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
27/02/2007	M661279	Special Service Calls	Assist Police	Sockburn Roundabout	MAIN SOUTH ROAD
15/02/2007	M658232	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
7/02/2007	M656431	False Alarm	False alarm: Undetermined alarm activation	Online Security Services	57 PILKINGTON WAY
17/01/2007	M652129	False Alarm	False alarm: Accidental operation	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
15/01/2007	M651760	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
27/12/2006	M648172	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		MAIN SOUTH RD and BLENHEIM RD
22/12/2006	M647356	False Alarm	False alarm: Excess Smoke, Heat	Hancocks Wine Spirit And Beer Merchants ()	26 PILKINGTON WAY

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
15/12/2006	M645807	Good Intent Calls	False alarm good intent: Call cleared prior to arrival	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
1/12/2006	M642428	Structure Fire	Structure fire with damage	RA and CR Davies	530 BLENHEIM ROAD
24/11/2006	M640715	False Alarm	False alarm: Accidental operation	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
7/11/2006	M636950	False Alarm	False alarm: Excess Smoke, Heat	Hancocks Wine Spirit And Beer Merchants ()	26 PILKINGTON WAY
26/10/2006	M633037	False Alarm	False alarm: Undetermined alarm activation	Canzac (ALLIED PICKFORDS MIDDLETON)	3 HAYTON ROAD
25/10/2006	M632807	False Alarm	False alarm: Undetermined alarm activation		PARKHOUSE ROAD
25/10/2006	M632780	False Alarm	False alarm: Undetermined alarm activation	Canzac (ALLIED PICKFORDS MIDDLETON)	3 HAYTON ROAD
13/10/2006	M629940	Miscellaneous Fire	Outside rubbish fire		150 MAIN SOUTH ROAD
13/10/2006	M629584	Miscellaneous Fire	Outside rubbish fire		HAYTON RD and DAKOTA CR
27/09/2006	M625498	False Alarm	False alarm: Accidental operation	RA and CR Davies	530 BLENHEIM ROAD
19/09/2006	M623331	Miscellaneous Fire	Outside rubbish fire	Recovered Materials Foundation ()	21-29 PARKHOUSE ROAD
2/09/2006	M619314	Miscellaneous Fire	Outside rubbish fire		153 MAIN SOUTH ROAD
29/08/2006	M617830	False Alarm	False alarm: Accidental operation	Christchurch Cool Stores	22 WATTS ROAD
28/08/2006	M617680	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		6 JIPCHO ROAD
28/08/2006	M617680	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	MAINSTREAM FORWARDERS	6 JIPCHO ROAD
8/08/2006	M613353	False Alarm	False alarm: Defective	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
27/07/2006	M610807	False Alarm	False alarm: Accidental operation	Murdoch Manufacturing Middleton	11 PARADYNE PLACE
23/07/2006	M609841	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
17/07/2006	M608707	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		2 PARKHOUSE ROAD
19/06/2006	M602180	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
9/06/2006	M599799	Special Service Calls	Assist Police		
5/06/2006	M599117	False Alarm	False alarm: Defective	Online Security Services	57 PILKINGTON WAY
2/06/2006	M598507	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		BLENHEIM ROAD
17/05/2006	M595320	False Alarm	False alarm: Accidental operation	Hancocks Wine Spirit And Beer Merchants ()	26 PILKINGTON WAY
15/05/2006	M594888	False Alarm	False alarm: Accidental operation	Christchurch Cool Stores	22 WATTS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
14/05/2006	M594726	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
14/05/2006	M594704	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station (510733)	21-29 PARKHOUSE ROAD
12/05/2006	M594347	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
8/05/2006	M593344	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		PARKHOUSE ROAD
4/05/2006	M592640	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station (510733)	21-29 PARKHOUSE ROAD
3/05/2006	M592545	False Alarm	False alarm: Undetermined alarm activation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
1/05/2006	M592068	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		PARKHOUSE ROAD
29/04/2006	M591842	False Alarm	False alarm: Undetermined alarm activation	Murdoch Manufacturing Middleton (MURDOCH MANUFACTURING)	11 PARADYNE PLACE
13/04/2006	M587993	Chemical, Flammable Liquid or Gas Fire	Chemical fire	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
13/04/2006	M587958	Chemical, Flammable Liquid or Gas Fire	Chemical fire	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
1/04/2006	M585315	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
29/03/2006	M584743	False Alarm	False alarm: Undetermined alarm activation	Murdoch Manufacturing Middleton (MURDOCH MANUFACTURING)	11 PARADYNE PLACE
21/03/2006	M583253	False Alarm	False alarm: Defective	Murdoch Manufacturing Middleton (MURDOCH MANUFACTURING)	11 PARADYNE PLACE
12/03/2006	M581216	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		HAYTON ROAD
10/03/2006	M580981	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station ()	21 PARKHOUSE ROAD
3/03/2006	M579064	False Alarm	False alarm: Malicious		150 MAIN SOUTH ROAD
28/02/2006	M578203	False Alarm	False alarm: Undetermined alarm activation	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
17/02/2006	M575702	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		88 HAYTON ROAD
13/02/2006	M574728	Structure Fire	Chimney fire		8 DAKOTA CRESCENT
9/02/2006	M573979	False Alarm	False alarm: Undetermined alarm activation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
3/02/2006	M572706	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		PARKHOUSE ROAD
24/01/2006	M570582	Miscellaneous Fire	Rubbish bin, Skip fire		76 HAYTON ROAD
21/01/2006	M569693	Mobile Properties Hazardous Incidents	Gas, Liquid spill: Vehicle accident		146 MAIN SOUTH ROAD
21/01/2006	M569656	Special Service Calls	Assist Police		MAIN SOUTH ROAD

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
3/01/2006	M565490	Structure Fire	Structure fire with damage	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
7/12/2005	M558927	False Alarm	False alarm: Defective	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
12/10/2005	M545033	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
6/10/2005	M543906	Special Service Calls	Special service call - not classified above		
4/10/2005	M543478	False Alarm	False alarm: Defective	RA and CR Davies	530 BLENHEIM ROAD
3/09/2005	M536938	False Alarm	False alarm: not classified above		PARKHOUSE ROAD
3/09/2005	M536886	False Alarm	False alarm: not classified above		CABLE STREET
30/08/2005	M535934	False Alarm	False alarm: Defective	Furniture and Joinery Supplies Christchurch	104 HAYTON ROAD
30/08/2005	M535900	Miscellaneous Fire	Outside rubbish fire		150 MAIN SOUTH ROAD
24/08/2005	M534641	Mobile Property Fire	Mobile property fire - not classified above	EnviroWaste Services Christchurch ()	49 MCALPINE STREET
8/08/2005	M531206	Structure Fire	Structure fire with no damage	EnviroWaste Services Christchurch ()	49 MCALPINE STREET
19/07/2005	M527461	False Alarm	False alarm: Defective		KILRONAN PLACE
18/07/2005	M527144	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		
15/07/2005	M526602	Miscellaneous Fire	Incendiary device	Calcon	63 PILKINGTON WAY
30/05/2005	M517089	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
16/05/2005	M514091	Special Service Calls	Assist Police		BLENHEIM ROAD
16/04/2005	M507072	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		BLENHEIM ROAD
7/03/2005	M498025	False Alarm	False alarm: not classified above		BLENHEIM ROAD
16/02/2005	M493189	Rescue, Emergency, Medical Call	Assist ambulance	United Steel (WIREPLUS CHRISTCHURCH)	22 MCALPINE STREET
3/02/2005	M489679	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CABLE STREET
7/01/2005	M483816	Vegetation Fire	Vegetation Fire (less than 20 sq. m)	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
13/12/2004	M478898	Structure Fire	Structure fire with no damage		55 HAYTON ROAD
1/12/2004	M475943	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		
27/11/2004	M474887	False Alarm	False alarm: Accidental operation	Calcon ()	63 PILKINGTON WAY
8/11/2004	M470514	Chemical, Flammable Liquid or Gas Fire	Flammable liquid, Gas fire		8 DAKOTA CRESCENT

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
29/10/2004	M467825	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	OCS Ltd and Cannon ()	38 HAYTON ROAD
26/10/2004	M467088	Miscellaneous Fire	Miscellaneous fire - not classified above	Daily Freight Wigram Park (SOUTHERN PLAINS SEED CO)	42 MCALPINE STREET
20/10/2004	M465867	False Alarm	False alarm: Accidental operation	RA and CR Davies	530 BLENHEIM ROAD
18/09/2004	M458487	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		MAIN SOUTH RD & BLENHEIM RD
3/09/2004	M454983	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		HAYTON ROAD
2/09/2004	M454690	Rescue, Emergency, Medical Call	Assist ambulance		
25/08/2004	M453030	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
22/08/2004	M452451	False Alarm	False alarm: Defective		11 PARKHOUSE ROAD
22/08/2004	M452324	False Alarm	False alarm: Accidental operation		11 PARKHOUSE ROAD
21/08/2004	M452300	False Alarm	False alarm: Defective		11 PARKHOUSE ROAD
12/08/2004	M450099	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		EPSOM ROAD
2/08/2004	M447709	False Alarm	False alarm: Undetermined alarm activation		71 VICKERYS ROAD
23/07/2004	M445473	Miscellaneous Fire	Outside rubbish fire		75 MCALPINE STREET
22/07/2004	M445319	Miscellaneous Fire	Outside rubbish fire		MCALPINE STREET
8/07/2004	M442037	False Alarm	False alarm: Defective	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
7/07/2004	M441821	False Alarm	False alarm: Defective	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
7/07/2004	M441802	Chemical, Flammable Liquid or Gas Fire	Chemical, Flammable liquid fire - not classified above		PARKHOUSE ROAD
2/07/2004	M440696	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		40 HAYTON ROAD
18/06/2004	M437648	Structure Fire	Structure fire with damage		508 BLENHEIM ROAD
11/06/2004	M436148	Rescue, Emergency, Medical Call	Rescue, Emergency medical call - not classified above		MAIN SOUTH ROAD
24/05/2004	M432192	Structure Fire	Structure fire with no damage	Kiwi Kitchens Christchurch (WORKS INFRASTRUCTURE CHRISTCHURCH)	559-571 BLENHEIM ROAD
8/05/2004	M428611	Miscellaneous Fire	Outside rubbish fire		ALLOY STREET
29/04/2004	M426602	Miscellaneous Fire	Miscellaneous fire - not classified above	Waste Management Christchurch	47-49 HAYTON ROAD
7/04/2004	M421664	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Blairs Engines And Tyres (PHOENIX FREIGHT)	3 ALLOY STREET

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
7/04/2004	M421528	False Alarm	False alarm: Accidental operation	Mainfreight Terminal (MAINFREIGHT)	48 MCALPINE STREET
1/04/2004	M420207	Miscellaneous Fire	Outside rubbish fire		ALLOY STREET
31/03/2004	M420055	Miscellaneous Fire	Bonfire	Blairs Engines And Tyres (PHOENIX FREIGHT)	3 ALLOY STREET
31/03/2004	M420038	Miscellaneous Fire	Bonfire	Blairs Engines And Tyres (PHOENIX FREIGHT)	3 ALLOY STREET
9/03/2004	M414895	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		177 MAIN SOUTH ROAD
2/03/2004	M413368	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		BLENHEIM ROAD
1/03/2004	M413103	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
22/02/2004	M410967	Mobile Property Fire	Derelict mobile property fire		WATTS ROAD
21/02/2004	M410709	False Alarm	False alarm: Accidental operation		46 PARKHOUSE ROAD
17/02/2004	M409848	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
14/02/2004	M409020	Good Intent Calls	False alarm good intent: Rescue no action taken	Amega Wire	487 BLENHEIM ROAD
7/02/2004	M407518	False Alarm	False alarm: Defective		KILRONAN PLACE
6/02/2004	M407475	False Alarm	False alarm: Defective		KILRONAN PLACE
31/01/2004	M405932	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		46 HAYTON ROAD
22/12/2003	M395337	False Alarm	False alarm: Accidental operation		46 PARKHOUSE ROAD
10/12/2003	M391825	Structure Fire	Structure fire with no damage		8 DAKOTA CRESCENT
7/11/2003	M384090	False Alarm	False alarm: Defective		61-63 MCALPINE STREET
23/10/2003	M380058	False Alarm	False alarm: not classified above	RA and CR Davies	530 BLENHEIM ROAD
15/10/2003	M377789	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	MAINSTREAM FORWARDERS	6 JIPCHO ROAD
10/10/2003	M376706	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
16/08/2003	M364718	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		BLENHEIM ROAD
24/07/2003	M359886	False Alarm	False alarm: Defective	Allstor Self Storage Blenheim Road (LUMBER SPECIALTIES PROCESSING)	536 BLENHEIM ROAD
21/07/2003	M359419	Structure Fire	Structure fire with no damage	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
13/07/2003	M357486	False Alarm	False alarm: Accidental operation	RA and CR Davies	530 BLENHEIM ROAD
27/06/2003	M353659	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station (RECOVERED MATERIALS FOUNDATION)	21-29 PARKHOUSE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
20/06/2003	M352013	Miscellaneous Fire	Outside rubbish fire		508 BLENHEIM ROAD
13/06/2003	M350453	Miscellaneous Fire	Outside rubbish fire		506 BLENHEIM ROAD
3/06/2003	M348423	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke	Allstor Self Storage Blenheim Road	532 BLENHEIM ROAD
21/05/2003	M345476	False Alarm	False alarm: Defective		JIPCHO ROAD
18/05/2003	M344546	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		HAYTON ROAD
8/04/2003	M336072	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
22/03/2003	M332603	Good Intent Calls	False alarm good intent: Lights thought to be fire		256 BLENHEIM ROAD
8/03/2003	M329241	Vegetation Fire	Grass fire		CABLE STREET
8/03/2003	M329237	Vegetation Fire	Grass fire	Mainfreight Terminal (MAINFREIGHT)	48 MCALPINE STREET
6/03/2003	M328836	Structure Fire	Structure fire with no damage	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
26/02/2003	M326865	Miscellaneous Fire	Outside fire: Material burnt has definable value		PARKHOUSE ROAD
17/02/2003	M324798	Miscellaneous Fire	Outside rubbish fire		BLENHEIM ROAD
3/11/2002	M301859	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		ALLOY STREET
2/11/2002	M301733	Vegetation Fire	Scrub fire (excluding gorse)		PARADYNE PLACE
24/09/2002	M293424	Structure Fire	Structure fire with no damage	RA and CR Davies	530 BLENHEIM ROAD
17/09/2002	M291717	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		MCALPINE STREET
10/09/2002	M290334	False Alarm	False alarm: Defective	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
6/09/2002	M289458	False Alarm	False alarm: Defective	Canzac (ALLIED PICKFORDS MIDDLETON)	3 PARKHOUSE ROAD
11/08/2002	M284159	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		MAIN SOUTH ROAD
6/08/2002	M283318	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		HAYTON ROAD
23/06/2002	M274066	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		main south ROAD
12/06/2002	M271662	Good Intent Calls	False alarm good intent: Rescue no action taken		Epsom ROAD
27/05/2002	M268189	Special Service Calls	Animal rescue		21B PARKHOUSE ROAD
11/05/2002	M265105	Miscellaneous Fire	Outside rubbish fire	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
7/05/2002	M264203	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		40 HAYTON ROAD
29/04/2002	M262237	Natural Disasters	Flood	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
18/04/2002	M259915	Good Intent Calls	False alarm good intent: Rescue no action taken		HAYTON ROAD
12/04/2002	M258561	Miscellaneous Fire	Rubbish bin, Skip fire	MAINFREIGHT FIRESTONE WAREHOUSING	27 HAYTON ROAD
27/02/2002	M247099	Rescue, Emergency, Medical Call	Assist ambulance	Parkhouse Road Transfer Station	25 PARKHOUSE ROAD
9/02/2002	M243344	Good Intent Calls	False alarm good intent: Lights thought to be fire		52 HAYTON ROAD
1/02/2002	M241590	Miscellaneous Fire	Rubbish bin, Skip fire		11 PARKHOUSE ROAD
18/01/2002	M238836	Natural Disasters	Flood	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
13/12/2001	M231122	False Alarm	False alarm: Accidental operation		3 PARKHOUSE ROAD
12/12/2001	M230747	Structure Fire	Structure fire with no damage	RA and CR Davies	530 BLENHEIM ROAD
22/11/2001	M226875	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		Greenlane
3/10/2001	M215723	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		559 BLENHEIM ROAD
27/09/2001	M214107	Miscellaneous Fire	Outside rubbish fire		34C PARKHOUSE ROAD
3/09/2001	M208466	Structure Fire	Structure fire with no damage	Allstor Self Storage Blenheim Road (RA AND CR DAVIES)	530 BLENHEIM ROAD
3/09/2001	M208452	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Allstor Self Storage Blenheim Road (RA AND CR DAVIES)	530 BLENHEIM ROAD
9/07/2001	M196488	Structure Fire	Structure fire with damage	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
22/06/2001	M192098	Not Recorded	Not Recorded	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
5/05/2001	M180132	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		
20/04/2001	M176590	False Alarm	False alarm: Malicious		JIPCHO ROAD
13/04/2001	M174961	Miscellaneous Fire	Outside rubbish fire		Blenhiem ROAD
5/04/2001	M172618	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
2/04/2001	M171582	False Alarm	False alarm: Defective	Sockburn Service Centre	419 MAIN SOUTH ROAD
7/01/2001	M149291	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		kilrowan
28/12/2000	M147099	Vegetation Fire	Grass fire		HAYTON ROAD
21/11/2000	M137806	Good Intent Calls	False alarm good intent: Rescue no action taken	Mainfreight Terminal (MAINFREIGHT)	48 MCALPINE STREET
20/11/2000	M137484	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station	21-29 PARKHOUSE ROAD
5/11/2000	M133958	Good Intent Calls	False alarm good intent: Authorised controlled burn		HAYTON ROAD
30/10/2000	M131976	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		PARKHOUSE ROAD
15/10/2000	M128659	Miscellaneous Fire	Outside fire: Material burnt has definable value		DAKOTA CRESCENT

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
5/06/2000	M099014	Miscellaneous Fire	Outside fire: Material burnt has definable value		MAIN SOUTH ROAD
2/04/2000	M087353	Mobile Properties Hazardous Incidents	Chemical spill: Incorrect vehicle loading		BLenheim ROAD
24/02/2000	M079113	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		42 MCALPINE AVE
29/01/2000	M073910	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		HAYTONS ROAD
17/01/2000	M071460	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		BLenheim ROAD
17/01/2000	M071384	Good Intent Calls	False alarm good intent: Authorised controlled burn		12 MICHELLE ROAD
16/01/2000	M071289	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		VICKEMP ROAD
13/12/1999	M064899	Chemical, Flammable Liquid or Gas Fire	Chemical fire		PARKHOUSE ROAD
9/12/1999	M064243	Mobile Properties Hazardous Incidents	Gas, Liquid spill: Vehicle accident		MAIN STH ROAD
25/11/1999	M061627	Miscellaneous Fire	Outside rubbish fire		ALLOY STREET
23/09/1999	M052244	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		WATTS ROAD
22/09/1999	M052127	False Alarm	False alarm: Accidental operation	Mainfreight Terminal (MAINFREIGHT TRANSPORT LTD)	48 MCALPINE AVE
27/08/1999	M048459	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		MAIN SOUTH ROAD
23/08/1999	M047876	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		46 PARKHOUSE ROAD
18/07/1999	M043501	False Alarm	False alarm: Accidental activation of turnout system	Parkhouse Road Transfer Station (510733)	PARKHARSH ROAD
25/05/1999	M035911	Good Intent Calls	False alarm good intent: Smell of smoke		BLenHIEM/WATTS
15/05/1999	M034388	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station (512121)	PARKHOUSE ROAD
12/05/1999	M033874	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station (512121)	PARKHOUSE ROAD
10/05/1999	M033335	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		PARADYNE PLACE
27/04/1999	M031497	False Alarm	False alarm: Accidental operation	Parkhouse Road Transfer Station (512121)	PARKHOUSE ROAD
25/04/1999	M031245	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station (512121)	PARKHOUSE ROAD
11/04/1999	M029638	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		CNR HAYTONS/MCALPIN

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
24/03/1999	M027843	False Alarm	False alarm: Defective		NASH ROAD
13/03/1999	M026853	False Alarm	False alarm: Defective		HAYTON ROAD
1/03/1999	M025398	Miscellaneous Fire	Outside rubbish fire		15 PARKHOUSE ROAD
28/02/1999	M025180	False Alarm	False alarm: Malicious		RACECOURSE ROAD
24/02/1999	M024802	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		514 BLENHEIM ROAD
20/02/1999	M024222	False Alarm	False alarm: Malicious		PARKHOUSE ROAD
10/02/1999	M022893	Miscellaneous Fire	Outside rubbish fire		MCALPINE AVE
6/01/1999	M018588	False Alarm	False alarm: Accidental operation		50 PARKHOUSE ROAD
12/12/1998	M016357	Vegetation Fire	Grass fire		38 HAYTON ROAD
12/12/1998	M016308	Structure Fire	Structure fire with no damage		GRNHURST/MAIN S
8/12/1998	M015929	False Alarm	False alarm: Malicious		NASH ROAD
8/12/1998	M015916	False Alarm	False alarm: Undetermined alarm activation		CREYKE ROAD
8/12/1998	M015889	False Alarm	False alarm: Undetermined alarm activation		CREYKE ROAD
23/10/1998	M011064	Special Service Calls	Assist public		PARKHOUSE ROAD
5/10/1998	M009188	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		520 BLENHEIM ROAD
29/09/1998	M008694	Vegetation Fire	Hedge, Shelterbelt fire		MCALPINE STREET
25/09/1998	M008127	Special Service Calls	Assist Police		MAIN SOUTH ROAD
20/09/1998	M007497	False Alarm	False alarm: Defective		RACE COURSE ROAD
19/09/1998	M007433	False Alarm	False alarm: Telecom line fault		RACECOURSE ROAD
19/09/1998	M007405	False Alarm	False alarm: Telecom line fault		RACECOURSE ROAD
19/09/1998	M007402	False Alarm	False alarm: Telecom line fault		RACECOURSE ROAD
18/09/1998	M007393	False Alarm	False alarm: Telecom line fault		RACECOURSE ROAD
18/09/1998	M007389	False Alarm	False alarm: Telecom line fault		RACECOURSE ROAD
9/09/1998	M006353	False Alarm	False alarm: Telecom line fault		RACECOURSE ROAD
8/09/1998	M006336	False Alarm	False alarm: Telecom line fault		RACECOURSE ROAD
6/09/1998	M006191	Miscellaneous Fire	Rubbish bin, Skip fire		6 CABLE STREET
29/08/1998	M005390	Structure Fire	Structure fire with no damage		MCALPINE STREET
25/08/1998	M004930	False Alarm	False alarm: Telecom line fault		RACECOURSE ROAD
12/08/1998	M003860	False Alarm	False alarm: Defective	Parkhouse Road Transfer Station (512121)	21-29 PARKHOUSE ROAD

OIA 2014-068 - NZFS Incidents within 500m of 68-70 McAlpine Street Wigram

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
3/08/1998	M002862	False Alarm	False alarm: Telecom line fault	Allstor Self Storage Blenheim Road (1840)	536 BLENHEIM ROAD
13/07/1998	M001029	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		PARKHOUSE ROAD
13/07/1998	M001028	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		HAYTONS ROAD
4/07/1998	M000396	False Alarm	False alarm: Undetermined alarm activation		RACECOURSE ROAD
3/07/1998	M000326	False Alarm	False alarm: Defective		MAIN STH ROAD

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
18/05/2014	F1617085	False Alarm	False alarm: Defective	Ace Tyres	344 NEILSON STREET
14/05/2014	F1614713	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Original Screen	117 CAPTAIN SPRINGS ROAD
1/05/2014	F1607682	Structure Fire	Structure fire with no damage	Steelpipe NZ	224 NEILSON STREET
28/04/2014	F1605619	Special Service Calls	Special service call - not classified above	Marlin Electroplaters	54 ANGLE STREET
22/04/2014	F1602220	False Alarm	False alarm: Defective	Norman Ellison Carpets	273 NEILSON STREET
21/04/2014	F1601813	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Waikaraka Park Cemetery	ALFRED STREET
17/04/2014	F1597967	Special Service Calls	Repair roof	APPLICO GROUP	120 CAPTAIN SPRINGS ROAD
2/03/2014	F1566021	Miscellaneous Fire	Outside rubbish fire	Steel Slitting Services 2002	296 NEILSON STREET
28/02/2014	F1564726	False Alarm	False alarm: Undetermined alarm activation	Norman Ellison Carpets	273 NEILSON STREET
26/02/2014	F1563925	False Alarm	False alarm: Undetermined alarm activation	Ace Tyres	344 NEILSON STREET
5/02/2014	F1549575	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		CAPTAIN SPRINGS ROAD
16/01/2014	F1537003	False Alarm	False alarm: Defective	Fletcher Easy Steel Plate and Tech Onehunga	308 NEILSON STREET
19/12/2013	F1521371	False Alarm	False alarm: Defective	Fletcher Easy Steel Plate and Tech Onehunga	308 NEILSON STREET
10/12/2013	F1515618	False Alarm	False alarm: Defective	NZ Crane Hire	122 CAPTAIN SPRINGS ROAD
3/10/2013	F1472402	Electrical Hazards	Arcing, shorted electrical equipment		333 NEILSON STREET
28/09/2013	F1469870	False Alarm	False alarm: Accidental operation	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
24/09/2013	F1467210	False Alarm	False alarm: Defective	Steelpipe NZ	224 NEILSON STREET
25/08/2013	F1447775	False Alarm	False alarm: Undetermined alarm activation	Norman Ellison Carpets	273 NEILSON STREET
29/06/2013	F1416335	Structure Fire	Structure fire with no damage		9A BOND PLACE
17/06/2013	F1407284	False Alarm	False alarm: Defective	Norman Ellison Carpets	273 NEILSON STREET
14/06/2013	F1405515	False Alarm	False alarm: Accidental operation	Seamount Enterprises	69 CAPTAIN SPRINGS ROAD
14/06/2013	F1405500	False Alarm	False alarm: Accidental operation	Seamount Enterprises	69 CAPTAIN SPRINGS ROAD
4/05/2013	F1383050	False Alarm	False alarm: Undetermined alarm activation	Norman Ellison Carpets	273 NEILSON STREET
4/05/2013	F1382617	False Alarm	False alarm: Accidental operation	Steelpipe NZ	224 NEILSON STREET
12/04/2013	F1369237	Electrical Hazards	Power line down	Precision Air (RELIANCE WORLDWIDE)	305 NEILSON STREET
9/04/2013	F1367592	False Alarm	False alarm: Defective	Fletcher Easy Steel Plate and Tech Onehunga	308 NEILSON STREET
8/04/2013	F1366322	False Alarm	False alarm: Accidental operation		2 MIAMI PARADE

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
5/04/2013	F1364909	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
4/04/2013	F1364853	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
4/04/2013	F1364457	False Alarm	False alarm: Accidental operation	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
30/03/2013	F1361631	False Alarm	False alarm: Undetermined alarm activation	Ettason	108 CAPTAIN SPRINGS ROAD
15/03/2013	F1352284	Vegetation Fire	Vegetation Fire (specify Area of Vegetation burnt)	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
6/02/2013	F1326300	Special Service Calls	Assist Police		MIAMI PARADE
1/02/2013	F1322685	False Alarm	False alarm: not classified above	Morris and Watson	348 NEILSON STREET
25/01/2013	F1318217	Miscellaneous Fire	Outside rubbish fire	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
13/01/2013	F1311209	False Alarm	False alarm: Defective	Ampelite NZ	79 CAPTAIN SPRINGS ROAD
8/01/2013	F1307868	False Alarm	False alarm: Undetermined alarm activation	Ernslaw One	322 NEILSON STREET
23/12/2012	F1299500	False Alarm	False alarm: Undetermined alarm activation	Precision Air (RELIANCE WORLDWIDE)	305 NEILSON STREET
12/12/2012	F1292783	Special Service Calls	Domestic, Commercial water problem	Farmers Distribution Building (Old)	276 NEILSON STREET
9/12/2012	F1290859	Miscellaneous Fire	Outside rubbish fire		6 BOND PLACE
9/12/2012	F1290859	Structure Fire	Structure fire with damage		6 BOND PLACE
4/12/2012	F1287695	Miscellaneous Fire	Outside rubbish fire		10 BOND PLACE
29/11/2012	F1284860	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		CAPTAIN SPRINGS ROAD
27/11/2012	F1283132	False Alarm	False alarm: Defective	Steelpipe NZ	224 NEILSON STREET
20/11/2012	F1279274	Good Intent Calls	False alarm good intent: not classified above		NEILSON STREET
17/11/2012	F1277331	Miscellaneous Fire	Rubbish bin, Skip fire	Commercial Metals	324 NEILSON STREET
24/10/2012	F1263261	Miscellaneous Fire	Miscellaneous fire - not classified above		305B NEILSON STREET
14/10/2012	F1258113	Electrical Hazards	Arcing, shorted electrical equipment		228 NEILSON STREET
12/10/2012	F1256695	False Alarm	False alarm: Accidental operation	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
10/10/2012	F1255762	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill	Steelpipe NZ	224 NEILSON STREET

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
28/09/2012	F1249622	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
6/09/2012	F1237336	Structure Fire	Structure fire with damage		305A NEILSON STREET
2/09/2012	F1234806	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Mico Metals Auckland Branch And Head Office	306 NEILSON STREET
25/08/2012	F1230568	Miscellaneous Fire	Rubbish bin, Skip fire	Commercial Metals	324 NEILSON STREET
14/08/2012	F1224557	False Alarm	False alarm: Defective	Norman Ellison Carpets	273 NEILSON STREET
20/07/2012	F1211344	False Alarm	False alarm: Defective		3A EDINBURGH STREET
10/07/2012	F1205877	False Alarm	False alarm: Defective	Eco Diesel Front Building Unit B (ECODIESEL)	89B-91B CAPTAIN SPRINGS ROAD
25/06/2012	F1197501	False Alarm	False alarm: Accidental operation	Farmers Distribution Building (Old)	276 NEILSON STREET
30/05/2012	F1184654	False Alarm	False alarm: Defective	Ettason (BARLOWS FREIGHT LOGISTICS)	108 CAPTAIN SPRINGS ROAD
26/05/2012	F1182272	False Alarm	False alarm: Defective	Original Screen (ORIGINAL SCREEN LIMITED)	117 CAPTAIN SPRINGS ROAD
10/05/2012	F1173568	False Alarm	False alarm: Defective	Ettason (BARLOWS FREIGHT LOGISTICS)	108 CAPTAIN SPRINGS ROAD
5/05/2012	F1171179	Good Intent Calls	False alarm good intent: not classified above		10 PUKEMIRO STREET
16/04/2012	F1160206	Electrical Hazards	Arcing, shorted electrical equipment		4 MIAMI PARADE
8/04/2012	F1156514	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
5/04/2012	F1155103	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill		NEILSON STREET
21/03/2012	F1145794	False Alarm	False alarm: Undetermined alarm activation	Norman Ellison Carpets	273 NEILSON STREET
16/03/2012	F1142820	Not Recorded	Not Recorded		NEILSON ST and CAPTAIN SPRINGS RD
13/03/2012	F1140462	False Alarm	False alarm: Undetermined alarm activation	Seamount Enterprises	69 CAPTAIN SPRINGS ROAD
29/02/2012	F1131527	Not Recorded	Not Recorded	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
23/02/2012	F1127785	False Alarm	False alarm: Undetermined alarm activation	Steelpipe NZ	224 NEILSON STREET
20/02/2012	F1126008	Not Recorded	Not Recorded		11 EDINBURGH STREET
8/02/2012	F1119997	Not Recorded	Not Recorded	The Broken Car Collection Company	63 ANGLE STREET

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
29/01/2012	F1114855	Not Recorded	Not Recorded	Waikaraka Park	175-243 NEILSON STREET
24/01/2012	F1111983	False Alarm	False alarm: Undetermined alarm activation	Auckland Heliport	59 MIAMI PARADE
19/01/2012	F1109343	False Alarm	False alarm: Undetermined alarm activation	Auckland Heliport	59 MIAMI PARADE
16/01/2012	F1107306	Not Recorded	Not Recorded	Textile Products	22-24 MIAMI PARADE
11/01/2012	F1104976	False Alarm	False alarm: Undetermined alarm activation	Norman Ellison Carpets	273 NEILSON STREET
10/01/2012	F1104541	Not Recorded	Not Recorded	NZ Crane Hire	122 CAPTAIN SPRINGS ROAD
21/12/2011	F1094243	False Alarm	False alarm: Undetermined alarm activation	Seamount Enterprises	69 CAPTAIN SPRINGS ROAD
12/12/2011	F1089434	Not Recorded	Not Recorded	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
2/11/2011	F1065714	False Alarm	False alarm: Undetermined alarm activation	Steelpipe NZ	224 NEILSON STREET
1/11/2011	F1065602	Not Recorded	Not Recorded	Galvanising Services	23 EDINBURGH STREET
1/11/2011	F1065377	False Alarm	False alarm: Undetermined alarm activation	Farmers Distribution Building (Old)	276 NEILSON STREET
30/10/2011	F1064464	False Alarm	False alarm: Undetermined alarm activation	Original Screen (ORIGINAL SCREEN LIMITED)	117 CAPTAIN SPRINGS ROAD
14/10/2011	F1056580	Not Recorded	Not Recorded	Auckland Studio Potters	96 CAPTAIN SPRINGS ROAD
20/09/2011	F1043191	Not Recorded	Not Recorded	Chemwaste Industries	19 MIAMI PARADE
16/09/2011	F1041423	Not Recorded	Not Recorded	NZ Crane Hire	122 CAPTAIN SPRINGS ROAD
5/09/2011	F1035749	Not Recorded	Not Recorded		PATRICK STREET
20/08/2011	F1026863	False Alarm	False alarm: Defective	NZ Crane Hire	122 CAPTAIN SPRINGS ROAD
15/08/2011	F1023785	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
8/08/2011	F1020335	Not Recorded	Not Recorded		9A BOND PLACE
3/08/2011	F1017586	Structure Fire	Structure fire with no damage	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET
20/07/2011	F1010274	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
6/07/2011	F1003147	False Alarm	False alarm: Accidental operation	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
23/06/2011	F0996501	False Alarm	False alarm: Accidental operation	Farmers Distribution Building (Old)	276 NEILSON STREET
21/06/2011	F0994937	Rescue, Emergency, Medical Call	Assist ambulance		335 NEILSON STREET
1/06/2011	F0984524	Special Service Calls	Assist Police	Chemwaste Industries	19 MIAMI PARADE
14/05/2011	F0973943	Electrical Hazards	Power line down	TE PAPA BOWLING CLUB	138A CAPTAIN SPRINGS

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
					ROAD
13/05/2011	F0973417	Miscellaneous Fire	Outside rubbish fire	Payless Tyres	354 NEILSON STREET
4/05/2011	F0967100	False Alarm	False alarm: Accidental operation	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
20/04/2011	F0958832	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
3/04/2011	F0947100	False Alarm	False alarm: Defective	Ampelite NZ	79 CAPTAIN SPRINGS ROAD
5/03/2011	F0925826	Structure Fire	Structure fire with damage		7 EDINBURGH STREET
21/02/2011	F0912984	Structure Fire	Structure fire with damage		358 NEILSON STREET
16/02/2011	F0909263	False Alarm	False alarm: Accidental operation	Ampelite NZ	79 CAPTAIN SPRINGS ROAD
12/02/2011	F0906622	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Waikaraka Park	175-243 NEILSON STREET
23/01/2011	F0890009	False Alarm	False alarm: Defective	Eco Diesel Front Building Unit B (ECODIESEL)	89B-91B CAPTAIN SPRINGS ROAD
14/01/2011	F0881987	Miscellaneous Fire	Outside rubbish fire	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
10/01/2011	F0879013	False Alarm	False alarm: Malicious	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET
30/11/2010	F0840915	Structure Fire	Structure fire with no damage	Aluminium Anodisers	137 CAPTAIN SPRINGS ROAD
21/11/2010	F0832194	Structure Fire	Structure fire with no damage	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
18/11/2010	F0829953	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
1/11/2010	F0812442	False Alarm	False alarm: Defective	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET
1/11/2010	F0812230	Miscellaneous Fire	Outside rubbish fire	Semco Group	326 NEILSON STREET
28/10/2010	F0808943	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
6/10/2010	F0792000	False Alarm	False alarm: Defective	Rondo (GARDNER HOUSE)	117A CAPTAIN SPRINGS ROAD
3/10/2010	F0789943	False Alarm	False alarm: Defective	Precision Air (RELIANCE WORLDWIDE)	305 NEILSON STREET
30/09/2010	F0786845	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		MIAMI PARADE
29/09/2010	F0785986	False Alarm	False alarm: Accidental operation	Eco Diesel Front Building Unit B (ECODIESEL)	89B-91B CAPTAIN SPRINGS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
24/09/2010	F0781524	False Alarm	False alarm: Accidental operation	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
17/09/2010	F0774219	False Alarm	False alarm: Accidental operation	Steelpipe NZ	224 NEILSON STREET
15/09/2010	F0772395	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
31/08/2010	F0754231	Structure Fire	Structure fire with no damage		8 BOND PLACE
17/08/2010	F0745196	Good Intent Calls	False alarm good intent: Rescue no action taken		NEILSON STREET
16/08/2010	F0744546	False Alarm	False alarm: Undetermined alarm activation	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET
15/08/2010	F0744317	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		266 NEILSON STREET
22/05/2010	F0688329	False Alarm	False alarm: Defective	Eco Diesel Front Building Unit B (ECODIESEL)	89B-91B CAPTAIN SPRINGS ROAD
10/05/2010	F0679610	False Alarm	False alarm: Accidental operation	Seamount Enterprises (SEAMOUNT DISTRIBUTION)	69 CAPTAIN SPRINGS ROAD
6/05/2010	F0676420	False Alarm	False alarm: Accidental operation	Seamount Enterprises (SEAMOUNT DISTRIBUTION)	69 CAPTAIN SPRINGS ROAD
27/04/2010	F0669704	Miscellaneous Fire	Outside rubbish fire		MIAMI PARADE
22/04/2010	F0665671	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	NZ Crane Hire	122 CAPTAIN SPRINGS ROAD
17/04/2010	F0662603	Good Intent Calls	False alarm good intent: not classified above		CAPTAIN SPRINGS ROAD
22/03/2010	F0642474	False Alarm	False alarm: Defective	Fletcher Easy Steel Plate and Tech Onehunga (ATLAS SPECIALTY METALS)	308 NEILSON STREET
12/03/2010	F0634395	False Alarm	False alarm: Accidental operation	NZ Crane Hire	122 CAPTAIN SPRINGS ROAD
5/03/2010	F0628594	False Alarm	False alarm: Accidental operation	Morris and Watson	348 NEILSON STREET
23/02/2010	F0620958	False Alarm	False alarm: not classified above		5 BOND PLACE
15/02/2010	F0615005	Structure Fire	Structure fire with damage		36 ANGLE STREET
11/02/2010	F0611829	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		MIAMI PARADE
8/02/2010	F0609969	Electrical Hazards	Power line down		238 NEILSON STREET
15/01/2010	F0592790	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
13/01/2010	F0591632	False Alarm	False alarm: Undetermined alarm activation	Farmers Distribution Building (Old)	276 NEILSON STREET
11/01/2010	F0590570	False Alarm	False alarm: Defective	Eco Diesel Front Building Unit B (ECODIESEL)	89B-91B CAPTAIN SPRINGS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
23/12/2009	F0577629	Miscellaneous Fire	Outside rubbish fire	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
14/12/2009	F0571580	Not Recorded	Not Recorded	Climatech Head Office	314 NEILSON STREET
20/11/2009	F0553490	Not Recorded	Not Recorded	Steelpipe NZ	224 NEILSON STREET
7/11/2009	F0543459	Not Recorded	Not Recorded		EDINBURGH STREET
7/11/2009	F0543302	Not Recorded	Not Recorded	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
14/10/2009	F0527356	Not Recorded	Not Recorded		EDINBURGH ST and NEILSON ST
16/09/2009	F0509909	Not Recorded	Not Recorded		ANGLE STREET
26/06/2009	F0455443	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Horizon Panel and Paint	12 ANGLE STREET
8/05/2009	F0421700	False Alarm	False alarm: Accidental operation	Steelpipe NZ	224 NEILSON STREET
27/04/2009	F0414073	False Alarm	False alarm: Accidental operation	Farmers Distribution Building (Old)	276 NEILSON STREET
9/04/2009	F0401625	False Alarm	False alarm: Defective	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET
6/04/2009	F0398433	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		CAPTAIN SPRINGS ROAD
4/04/2009	F0396864	Structure Fire	Structure fire with no damage	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
27/03/2009	F0390567	False Alarm	False alarm: Accidental operation		2L EDINBURGH STREET
5/03/2009	F0372802	False Alarm	False alarm: Accidental operation		2L EDINBURGH STREET
11/02/2009	F0355404	False Alarm	False alarm: Accidental operation	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
22/01/2009	F0337747	False Alarm	False alarm: Accidental operation	Seamount Enterprises (SEAMOUNT DISTRIBUTION)	69 CAPTAIN SPRINGS ROAD
12/01/2009	F0330855	Structure Fire	Structure fire with damage	Climatech Head Office	314 NEILSON STREET
8/01/2009	F0328369	False Alarm	False alarm: Accidental operation	Ampelite NZ	79 CAPTAIN SPRINGS ROAD
19/12/2008	F0314044	False Alarm	False alarm: Defective	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET
3/12/2008	F0301578	False Alarm	False alarm: Defective	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET
27/11/2008	F0296145	False Alarm	False alarm: Accidental operation	Steelpipe NZ	224 NEILSON STREET
21/11/2008	F0291265	Miscellaneous Fire	Outside fire: Material burnt has definable value		297 NEILSON STREET
14/11/2008	F0286005	Vegetation Fire	Vegetation Fire (less than 20 sq. m)		111 CAPTAIN SPRINGS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
8/11/2008	F0280681	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		98 CAPTAIN SPRINGS ROAD
7/11/2008	F0279714	Miscellaneous Fire	Miscellaneous fire - not classified above	Seamount Enterprises	69 CAPTAIN SPRINGS ROAD
6/11/2008	F0278939	Miscellaneous Fire	Outside rubbish fire	Seamount Enterprises (SEAMOUNT DISTRIBUTION)	69 CAPTAIN SPRINGS ROAD
4/11/2008	F0277279	Miscellaneous Fire	Outside rubbish fire	Seamount Enterprises (SEAMOUNT DISTRIBUTION)	69 CAPTAIN SPRINGS ROAD
1/11/2008	F0275005	Miscellaneous Fire	Outside rubbish fire		CAPTAIN SPRINGS ROAD
30/10/2008	F0273698	Miscellaneous Fire	Outside rubbish fire	Seamount Enterprises (SEAMOUNT DISTRIBUTION)	69 CAPTAIN SPRINGS ROAD
25/10/2008	F0270011	False Alarm	False alarm: Defective		2L EDINBURGH STREET
8/10/2008	F0258248	False Alarm	False alarm: Defective	Farmers Distribution Building (Old)	276 NEILSON STREET
7/10/2008	F0257553	False Alarm	False alarm: Accidental operation	Metal Concept Unit A (BUSINESS PRINTING GROUP UNIT A)	89A-91A CAPTAIN SPRINGS ROAD
2/10/2008	F0253970	False Alarm	False alarm: Excess Smoke, Heat		2A-2B EDINBURGH STREET
21/08/2008	F224889	Good Intent Calls	False alarm good intent: Call in the vicinity of another fire	Contour Aluminium	331 NEILSON STREET
21/08/2008	F224847	Structure Fire	Structure fire with damage	The Broken Car Collection Company (STRONG BROS)	63 ANGLE STREET
9/08/2008	F217628	Good Intent Calls	False alarm good intent: Authorised controlled burn	Steelpipe NZ	224 NEILSON STREET
8/08/2008	F217126	False Alarm	False alarm: Defective	Steelpipe NZ	224 NEILSON STREET
20/07/2008	F200664	False Alarm	False alarm: Excess Smoke, Heat		2L EDINBURGH STREET
24/06/2008	F184252	Rescue, Emergency, Medical Call	Assist ambulance	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET
19/06/2008	F181216	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Mico Metals Auckland Branch And Head Office (CSP PACIFIC)	306 NEILSON STREET
12/06/2008	F176532	False Alarm	False alarm: Accidental operation	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
12/06/2008	F176337	False Alarm	False alarm: Accidental operation		2L EDINBURGH STREET
5/05/2008	F150617	False Alarm	False alarm: Defective	Eco Diesel Front Building Unit B (BUSINESS PRINTING GROUP UNIT B)	89B-91B CAPTAIN SPRINGS ROAD
27/04/2008	F145084	False Alarm	False alarm: Defective	Metal Concept Unit A (BUSINESS PRINTING GROUP UNIT A)	89A-91A CAPTAIN SPRINGS ROAD
17/04/2008	F137368	False Alarm	False alarm: Accidental operation	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
29/03/2008	F123364	Miscellaneous Fire	Outside rubbish fire		4A BOND PLACE

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
28/03/2008	F122159	Miscellaneous Fire	Outside rubbish fire		MIAMI PARADE
9/03/2008	F106539	Miscellaneous Fire	Rubbish bin, Skip fire	Food of the Pacific	133 CAPTAIN SPRINGS ROAD
9/03/2008	F106515	Miscellaneous Fire	Outside rubbish fire	Waikaraka Park	175-243 NEILSON STREET
4/03/2008	F103270	Mobile Properties Hazardous Incidents	Mobile property accident: No hazardous substance spill	Best Metals	277 NEILSON STREET
3/03/2008	F101820	False Alarm	False alarm: Accidental operation	Fletcher Easy Steel Plate and Tech Onehunga (ATLAS SPECIALTY METALS)	308 NEILSON STREET
19/02/2008	F092175	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
8/02/2008	F083675	Chemical, Flammable Liquid or Gas Fire	Chemical fire	Chemwaste Industries	19 MIAMI PARADE
13/01/2008	F062610	False Alarm	False alarm: Undetermined alarm activation	Ampelite NZ	79 CAPTAIN SPRINGS ROAD
9/01/2008	F060023	False Alarm	False alarm: Accidental operation	Farmers Distribution Building (Old)	276 NEILSON STREET
9/01/2008	F059426	Mobile Property Fire	Mobile property fire - not classified above	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
19/12/2007	F045852	False Alarm	False alarm: Defective	Celebrity Imports (BRANDON DESIGN)	16 ANGLE STREET
19/12/2007	F045494	Miscellaneous Fire	Miscellaneous fire - not classified above		ANGLE STREET
13/12/2007	F041332	Structure Fire	Structure fire with no damage	Ernslaw One	322 NEILSON STREET
28/11/2007	F029781	False Alarm	False alarm: Excess Smoke, Heat		7 BOND PLACE
20/10/2007	A753381	Miscellaneous Fire	Outside rubbish fire		MOUNTJOY PLACE
24/08/2007	A739703	False Alarm	False alarm: Accidental operation	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
24/08/2007	A739603	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire		297 NEILSON STREET
19/08/2007	A738493	Good Intent Calls	False alarm good intent: not classified above		226 NEILSON STREET
13/08/2007	A737051	False Alarm	False alarm: Excess Smoke, Heat	Expol	105 CAPTAIN SPRINGS ROAD
8/08/2007	A735576	False Alarm	False alarm: Undetermined alarm activation	Expol	105 CAPTAIN SPRINGS ROAD
4/08/2007	A734775	False Alarm	False alarm: Excess Smoke, Heat	Expol	105 CAPTAIN SPRINGS ROAD
3/08/2007	A734510	False Alarm	False alarm: Excess Smoke, Heat	Expol	105 CAPTAIN SPRINGS ROAD
1/08/2007	A734105	False Alarm	False alarm: Excess Smoke, Heat	Mico Metals Auckland Branch And Head Office (CSP PACIFIC)	306 NEILSON STREET
11/07/2007	A727488	False Alarm	False alarm: Defective	Contour Aluminium	331 NEILSON STREET

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
5/07/2007	A724116	False Alarm	False alarm: Accidental operation		2L EDINBURGH STREET
3/07/2007	A723848	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
28/06/2007	A722470	False Alarm	False alarm: Excess Smoke, Heat	Expol	105 CAPTAIN SPRINGS ROAD
17/06/2007	A719650	False Alarm	False alarm: Defective	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
18/04/2007	A704091	False Alarm	False alarm: Undetermined alarm activation	Celebrity Imports (BRANDON DESIGN LTD)	16 ANGLE STREET
5/04/2007	A700728	Mobile Property Fire	Derelict mobile property fire	Onehunga Wine Masters	232 NEILSON STREET
31/03/2007	A699331	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CAPTAIN SPRINGS ROAD
31/03/2007	A699331	Structure Fire	Structure fire with damage		69 CAPTAIN SPRINGS ROAD
30/03/2007	A699093	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET
26/03/2007	A697060	Miscellaneous Fire	Rubbish bin, Skip fire	Food of the Pacific	133 CAPTAIN SPRINGS ROAD
2/03/2007	A689780	Miscellaneous Fire	Rubbish bin, Skip fire		9 ANGLE STREET
2/03/2007	A689565	Structure Fire	Structure fire with no damage	Mico Metals Auckland Branch And Head Office	306 NEILSON STREET
26/02/2007	A688653	Miscellaneous Fire	Rubbish bin, Skip fire	Monarch Sheetmetals (APPLICO GROUP LTD)	120A CAPTAIN SPRINGS ROAD
25/02/2007	A688138	False Alarm	False alarm: Defective	Eco Diesel Front Building Unit B (BUSINESS PRINTING GROUP UNIT B)	89B-91B CAPTAIN SPRINGS ROAD
21/02/2007	A686970	Good Intent Calls	False alarm good intent: not classified above	Mico Metals Auckland Branch And Head Office	306 NEILSON STREET
16/02/2007	A685488	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Metal Concepts (PSM LTD)	13 PUKEMIRO STREET
14/02/2007	A685046	False Alarm	False alarm: Accidental operation	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
5/02/2007	A682568	Good Intent Calls	False alarm good intent: Hazardous substance no action taken	Ward Demolition Onehunga	13 MIAMI PARADE
13/01/2007	A676538	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
29/11/2006	A665318	False Alarm	False alarm: Defective	Seamount Enterprises (SEAMOUNT DISTRIBUTION)	69 CAPTAIN SPRINGS ROAD
27/11/2006	A664792	False Alarm	False alarm: Defective	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
9/11/2006	A660117	Natural Disasters	Wind storm, Tornado, Cyclone etc	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET
31/10/2006	A656009	Structure Fire	Structure fire with damage	Morris and Watson	348 NEILSON STREET
27/10/2006	A654807	False Alarm	False alarm: Defective	Expol	105 CAPTAIN SPRINGS ROAD
19/10/2006	A652723	Good Intent Calls	False alarm good intent: Hazardous substance no action taken	CHAIN And RIGGING SUPPLIES	136 CAPTAIN SPRINGS ROAD
19/10/2006	A652677	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Timbershade Blinds ()	138 CAPTAIN SPRINGS ROAD
31/08/2006	A639718	False Alarm	False alarm: Accidental operation	Industrial Alloys (INDUSTRIAL ALLOYS LTD)	29 MIAMI PARADE
26/08/2006	A638666	Miscellaneous Fire	Outside rubbish fire	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
11/08/2006	A635411	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		17 MIAMI PARADE
23/07/2006	A631093	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
9/07/2006	A628149	Miscellaneous Fire	Outside rubbish fire		ALFRED STREET
25/06/2006	A624538	Miscellaneous Fire	Rubbish bin, Skip fire	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
1/06/2006	A618421	Structure Fire	Structure fire with damage	Commercial Metals (COMMERCIAL METALS LTD)	324 NEILSON STREET
1/06/2006	A618354	False Alarm	False alarm: Defective	Seamount Enterprises (SEAMOUNT DISTRIBUTION)	69 CAPTAIN SPRINGS ROAD
23/05/2006	A616332	False Alarm	False alarm: Accidental operation	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET
24/04/2006	A609497	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		NEILSON STREET
5/04/2006	A605051	Mobile Properties Hazardous Incidents	Chemical spill: Vehicle accident	Payless Tyres (PAYLESS TYRES LTD)	354 NEILSON STREET
14/03/2006	A599413	False Alarm	False alarm: Accidental operation	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE & FREIGHT)	339 NEILSON STREET
11/03/2006	A598816	False Alarm	False alarm: Accidental operation	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
7/03/2006	A597667	Miscellaneous Fire	Miscellaneous fire - not classified above	Ampelite NZ ()	79 CAPTAIN SPRINGS ROAD
18/02/2006	A593146	Miscellaneous Fire	Outside rubbish fire		CAPTAIN SPRINGS ROAD
6/02/2006	A590244	False Alarm	False alarm: Defective	Steelpipe NZ	224 NEILSON STREET
29/01/2006	A588666	False Alarm	False alarm: Defective	Steelpipe NZ	224 NEILSON STREET

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
26/01/2006	A588053	False Alarm	False alarm: Accidental operation	Farmers Distribution Building (Old) (OLD FARMERS DISTRIBUTION BUILDING)	276 NEILSON STREET
23/01/2006	A586858	False Alarm	False alarm: Defective	Precision Air (RELIANCE WORLDWIDE)	305 NEILSON STREET
16/01/2006	A585045	False Alarm	False alarm: Accidental operation	Farmers Distribution Building (Old) (OLD FARMERS DISTRIBUTION BUILDING)	276 NEILSON STREET
9/01/2006	A583382	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Metal Concept Unit A (BUSINESS PRINTING GROUP UNIT A)	89-91 CAPTAIN SPRINGS ROAD
7/01/2006	A583007	False Alarm	False alarm: Undetermined alarm activation	Precision Air (RELIANCE WORLDWIDE)	305 NEILSON STREET
13/12/2005	A577520	Rescue, Emergency, Medical Call	Rescue: In or under machinery	Steel Slitting Services 2002 ()	298 NEILSON STREET
6/12/2005	A575613	False Alarm	False alarm: Defective	Expol (EXPOL LTD)	105 CAPTAIN SPRINGS ROAD
9/11/2005	A568589	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property	Ettason ()	108-112 CAPTAIN SPRINGS ROAD
9/11/2005	A568497	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Toll National Support Office (TRANZLINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
7/11/2005	A568130	False Alarm	False alarm: Accidental operation	Gateside Warehouse A1/B1 (FIVESTAR DISTRIBUTION ONEHUNGA)	345 NEILSON STREET
6/11/2005	A567819	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
2/11/2005	A566109	False Alarm	False alarm: Accidental operation	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
25/10/2005	A563801	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
20/09/2005	A556932	Structure Fire	Structure fire with no damage	Steel Slitting Services 2002 ()	298 NEILSON STREET
29/08/2005	A551775	Electrical Hazards	Arcing, shorted electrical equipment	Gateside Warehouse A1/B1 (FIVESTAR DISTRIBUTION ONEHUNGA)	345 NEILSON STREET
9/08/2005	A547952	False Alarm	False alarm: Accidental operation	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
8/08/2005	A547789	False Alarm	False alarm: Undetermined alarm activation	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
29/07/2005	A545889	False Alarm	False alarm: Accidental operation	Farmers Distribution Building (Old) (OLD FARMERS DISTRIBUTION BUILDING)	276 NEILSON STREET
22/07/2005	A544636	False Alarm	False alarm: Undetermined alarm activation	Gateside Warehouse A1/B1 (FIVESTAR DISTRIBUTION ONEHUNGA)	345 NEILSON STREET
17/07/2005	A543651	False Alarm	False alarm: Accidental operation	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
16/07/2005	A543263	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
16/06/2005	A537168	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		89 CAPTAIN SPRINGS ROAD
3/06/2005	A534339	Special Service Calls	Repair roof		230 NEILSON STREET
11/05/2005	A528448	False Alarm	False alarm: Accidental operation	Farmers Distribution Building (Old) (OLD FARMERS DISTRIBUTION BUILDING)	276 NEILSON STREET
2/05/2005	A526666	False Alarm	False alarm: Defective	Farmers Distribution Building (Old) (OLD FARMERS DISTRIBUTION BUILDING)	276 NEILSON STREET
26/04/2005	A525213	False Alarm	False alarm: Defective	Gateside Warehouse A1/B1 (FIVESTAR DISTRIBUTION ONEHUNGA)	345 NEILSON STREET
25/04/2005	A525052	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
22/04/2005	A524547	False Alarm	False alarm: Accidental operation	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE & FREIGHT)	339 NEILSON STREET
18/04/2005	A523490	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK LOGISTICS CTR)	339 NEILSON STREET
5/04/2005	A520525	Miscellaneous Fire	Outside rubbish fire		NEILSON STREET
4/04/2005	A520280	False Alarm	False alarm: Defective	Gateside Warehouse A1/B1 (FIVESTAR DISTRIBUTION ONEHUNGA)	345 NEILSON STREET
30/03/2005	A519060	Miscellaneous Fire	Outside rubbish fire		296 NEILSON STREET
28/03/2005	A518758	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
21/03/2005	A517184	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
20/03/2005	A516843	False Alarm	False alarm: Defective	Contour Aluminium (CONTOUR ALUMINIUM LTD)	331 NEILSON STREET
12/03/2005	A514950	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
18/02/2005	A509548	Miscellaneous Fire	Rubbish bin, Skip fire	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET
17/02/2005	A509427	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
15/02/2005	A508932	False Alarm	False alarm: Accidental operation	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET
16/01/2005	A502086	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
15/01/2005	A501856	False Alarm	False alarm: Malicious		NEILSON STREET
15/01/2005	A501807	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
14/01/2005	A501428	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
12/01/2005	A501035	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
9/01/2005	A500531	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
20/12/2004	A496739	False Alarm	False alarm: Accidental operation	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET
10/12/2004	A494411	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
22/11/2004	A490420	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
15/11/2004	A488805	Structure Fire	Structure fire with damage	Morris and Watson Penrose (MORRIS AND WATSON LTD)	350 NEILSON STREET
14/11/2004	A488640	False Alarm	False alarm: Accidental operation	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
8/11/2004	A487033	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		MIAMI PARADE
14/10/2004	A480765	False Alarm	False alarm: Accidental operation	Gateside Warehouse A1/B1 (FIVESTAR DISTRIBUTION ONEHUNGA)	345 NEILSON STREET
14/07/2004	A463188	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
9/07/2004	A462144	False Alarm	False alarm: Accidental operation	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE)	339 NEILSON STREET

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time) AND FREIGHT)	Address
22/06/2004	A458888	False Alarm	False alarm: Accidental operation	Pikes Point Transfer Station	11 ANGLE STREET
2/06/2004	A455227	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm	Spectrum Care Onehunga	270 NEILSON STREET
5/05/2004	A449432	False Alarm	False alarm: Accidental operation	Gateside Warehouse A1/B1 (FIVESTAR DISTRIBUTION ONEHUNGA)	345 NEILSON STREET
20/04/2004	A446521	Special Service Calls	Smoke problem		329 NEILSON STREET
20/04/2004	A446517	False Alarm	False alarm: Defective	Ernslaw One (ERNSLAW ONE LTD)	322 NEILSON STREET
16/04/2004	A445719	Mobile Property Fire	Mobile property fire - not classified above	Environmental Waste Services (ENVIRONMENTAL WASTE SERVICES LTD)	21 MIAMI PARADE
10/04/2004	A444484	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE AND FREIGHT)	339 NEILSON STREET
6/04/2004	A443692	Chemical, Biohazard, Radioactive Incident	Chemical emergency	Pikes Point Transfer Station	81 CAPTAIN SPRINGS ROAD
26/03/2004	A441154	Flammable Liquid, Gas Incident	Liquid, Gas leak or spill: No fire		PIKES POINT AIRFIELD
21/02/2004	A433326	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		NEILSON ST
4/02/2004	A429255	False Alarm	False alarm: Accidental operation	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET
3/02/2004	A429059	Special Service Calls	Assist Police	Ernslaw One (ERNSLAW ONE LTD)	322 NEILSON STREET
18/12/2003	A419157	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Food of the Pacific	133 CAPTAIN SPRINGS ROAD
17/12/2003	A418813	False Alarm	False alarm: Undetermined alarm activation	Gateside Warehouse A1/B1 (FIVESTAR DISTRIBUTION ONEHUNGA)	345 NEILSON STREET
20/11/2003	A412602	Miscellaneous Fire	Outside rubbish fire		26A PATRICK STREET
20/11/2003	A412550	False Alarm	False alarm: Defective	Ernslaw One (ERNSLAW ONE LTD)	322 NEILSON STREET
28/10/2003	A407001	False Alarm	False alarm: Accidental operation	Toll National Support Office (TRANZ LINK NATIONAL SUPPORT OFFICE & FREIGHT)	339 NEILSON STREET
22/10/2003	A405660	False Alarm	False alarm: Accidental operation	Crown Self Storage Te Papapa (DIMENSION FURNITURE)	249 NEILSON STREET
13/10/2003	A403751	False Alarm	False alarm: Accidental operation	Toll National Support Office (TRANZ LINK ADMINISTRATION BUILDING)	339 NEILSON STREET

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
30/09/2003	A401361	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK ADMINISTRATION BUILDING)	339 NEILSON STREET
28/09/2003	A400823	Good Intent Calls	False alarm good intent: Burglar or other alarm mistaken for fire alarm		270 NEILSON STREET
25/09/2003	A400210	False Alarm	False alarm: Accidental operation	Crown Self Storage Te Papapa (DIMENSION FURNITURE)	249 NEILSON STREET
15/09/2003	A398281	Electrical Hazards	Power line down		NEILSON STREET
1/09/2003	A395866	False Alarm	False alarm: Accidental operation	Toll National Support Office (TRANZ LINK ADMINISTRATION BUILDING)	339 NEILSON STREET
26/08/2003	A394858	False Alarm	False alarm: Defective		11 ANGLE STREET
24/08/2003	A394445	False Alarm	False alarm: Defective		11 ANGLE STREET
13/08/2003	A392275	False Alarm	False alarm: Defective	Norman Ellison Carpets (HORIZON YARNS)	273 NEILSON STREET
12/08/2003	A392172	False Alarm	False alarm: Accidental operation	Gateside Warehouse A1/B1 (FIVESTAR DISTRIBUTION)	345 NEILSON STREET
28/07/2003	A389672	False Alarm	False alarm: Defective	Toll National Support Office (TRANZ LINK ADMINISTRATION BUILDING)	339 NEILSON STREET
22/07/2003	A388318	False Alarm	False alarm: Defective	Celebrity Imports (BRANDON DESIGN LTD)	16 ANGLE STREET
17/07/2003	A387441	False Alarm	False alarm: Defective	Crown Self Storage Te Papapa (DIMENSION FURNITURE)	249 NEILSON STREET
16/07/2003	A387225	Rescue, Emergency, Medical Call	Assist ambulance		UNKN00001 NULL
5/07/2003	A385143	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Toll National Support Office (TRANZ LINK ADMINISTRATION BUILDING)	339 NEILSON STREET
24/06/2003	A383079	False Alarm	False alarm: Defective	Crown Self Storage Te Papapa (DIMENSION FURNITURE)	249 NEILSON STREET
22/05/2003	A376345	Mobile Properties Hazardous Incidents	Chemical spill: Incorrect vehicle loading	Gateside Warehouse A1/B1 (FIVESTAR DISTRIBUTION)	345 NEILSON STREET
6/05/2003	A373370	Miscellaneous Fire	Outside rubbish fire		331 NEILSON STREET
15/04/2003	A368418	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		
6/03/2003	A360143	Structure Fire	Structure fire with damage		275 NEILSON STREET
3/03/2003	A359559	False Alarm	False alarm: Defective	Steelpipe NZ	224 NEILSON STREET
22/02/2003	A357504	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident		NEILSON STREET
30/01/2003	A352176	False Alarm	False alarm: Defective		89 CAPTAIN SPRINGS ROAD

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
14/01/2003	A348956	False Alarm	False alarm: Accidental operation	Gateside Warehouse A1/B1 (FIVESTAR DISTRIBUTION)	345 NEILSON STREET
31/12/2002	A346216	False Alarm	False alarm: Defective		89 CAPTAIN SPRINGS ROAD
30/12/2002	A346196	False Alarm	False alarm: Defective		89 CAPTAIN SPRINGS ROAD
9/12/2002	A342210	Mobile Properties Hazardous Incidents	Chemical spill: Incorrect vehicle loading	Toll National Support Office (TRANZ LINK ADMINISTRATION BUILDING)	339 NEILSON STREET
7/12/2002	A341712	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		314 Neilson
15/11/2002	A336958	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		321 NEILSON STREET
9/11/2002	A335836	Structure Fire	Structure fire with no damage		5 BOND PLACE
6/11/2002	A335153	Electrical Hazards	Power line down		Neilson
1/11/2002	A334065	False Alarm	False alarm: Defective	Gateside Warehouse A1/B1 (FIVESTAR DISTRIBUTION)	345 NEILSON STREET
29/10/2002	A333351	False Alarm	False alarm: Accidental operation	Original Screen (BUTLER GIBPAT LTD)	117 CAPTAIN SPRINGS ROAD
7/10/2002	A328992	Good Intent Calls	False alarm good intent: Call cleared prior to arrival	Industrial Alloys	29 MIAMI PARADE
24/09/2002	A326572	False Alarm	False alarm: Accidental operation		321 NEILSON STREET
24/09/2002	A326502	False Alarm	False alarm: Accidental operation		11 ANGLE STREET
22/09/2002	A326260	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CAPTAIN SPRINGS ROAD
29/07/2002	A316210	Structure Fire	Structure fire with damage	Penrose Paint And Panel	124 CAPTAIN SPRINGS ROAD
18/06/2002	A307011	Mobile Properties Hazardous Incidents	Gas, Liquid spill: No vehicle accident	Steel Slitting Services 2002	298 NEILSON STREET
17/06/2002	A306840	False Alarm	False alarm: Accidental operation	Crown Self Storage Te Papapa (DIMENSION FURNITURE)	249 NEILSON STREET
15/06/2002	A306484	False Alarm	False alarm: Accidental operation	Farmers Distribution Building (Old) (OLD FARMERS DISTRIBUTION BUILDING)	270-280 NEILSON STREET
22/05/2002	A301138	False Alarm	False alarm: Defective	Gateside Warehouse A1/B1 (TRANZ LINK LOGISTICS CTR)	345 NEILSON STREET
17/05/2002	A300162	Overpressure, Rupture, Explosives, Over Heating	Overheating, Scorching, Excessive heat: No fire	Industrial Alloys	29 MIAMI PARADE
14/05/2002	A299351	Good Intent Calls	False alarm good intent: not classified above		MIAMI PARADE
11/05/2002	A298688	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		NEILSON STREET
12/04/2002	A291995	Miscellaneous Fire	Outside rubbish fire		331 Neilson
5/04/2002	A290425	Miscellaneous Fire	Outside rubbish fire		228 NEILSON STREET

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
4/04/2002	A289828	False Alarm	False alarm: Accidental operation	Toll National Support Office (TRANZ LINK ADMINISTRATION BUILDING)	339 NEILSON STREET
30/03/2002	A288845	Miscellaneous Fire	Outside rubbish fire		Neilson STREET
18/02/2002	A279158	False Alarm	False alarm: Defective	Crown Self Storage Te Papapa (LANCER PACIFIC)	249 NEILSON STREET
14/02/2002	A278217	False Alarm	False alarm: Accidental operation	Toll National Support Office (TRANZ LINK ADMINISTRATION BUILDING)	339 NEILSON STREET
14/02/2002	A278216	False Alarm	False alarm: Accidental operation	Steelpipe NZ	224 NEILSON STREET
9/02/2002	A277314	Miscellaneous Fire	Outside rubbish fire		228 NEILSON STREET
16/01/2002	A270985	False Alarm	False alarm: Defective	Steelpipe NZ	224 NEILSON STREET
25/12/2001	A266040	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		NEILSON STREET
17/12/2001	A264161	Good Intent Calls	False alarm good intent: not classified above		29 MIAMI PARADE
23/11/2001	A258694	False Alarm	False alarm: Accidental operation	Morris and Watson	348 NEILSON STREET
23/10/2001	A250995	Miscellaneous Fire	Outside rubbish fire		UNKN00001 NULL
10/10/2001	A248309	Natural Disasters	Volcanic eruption		117 CAPTAIN SPRINGS ROAD
17/09/2001	A242967	Structure Fire	Structure fire with no damage	Industrial Alloys	29 MIAMI PARADE
1/09/2001	A239452	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		NEILSON STREET
17/08/2001	A236622	False Alarm	False alarm: Excess Smoke, Heat	Toll National Support Office (TRANZ LINK ADMINISTRATION BUILDING)	339 NEILSON STREET
15/08/2001	A236323	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire	Commercial Metals	63 Angle STREET
2/08/2001	A233838	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		CAPTAIN SPRINGS ROAD
17/07/2001	A230746	False Alarm	False alarm: Defective		117 CAPTAIN SPRINGS ROAD
11/07/2001	A229461	False Alarm	False alarm: Excess Smoke, Heat		8A BOND PLACE
9/07/2001	A229142	False Alarm	False alarm: Defective		89 CAPTAIN SPRINGS ROAD
5/07/2001	A228283	False Alarm	False alarm: Accidental operation		89 CAPTAIN SPRINGS ROAD
15/06/2001	A223668	False Alarm	False alarm: Defective		89 CAPTAIN SPRINGS ROAD
20/05/2001	A218311	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		UNKN00004 NULL
11/05/2001	A216375	False Alarm	False alarm: Accidental operation	Toll National Support Office (TRANZ LINK ADMINISTRATION BUILDING)	339 NEILSON STREET
10/05/2001	A216114	False Alarm	False alarm: Defective	Farmers Distribution Building (Old) (FARMERS DISTRIBUTION)	270-280 NEILSON STREET
3/05/2001	A214533	Not Recorded	Not Recorded	Toll National Support Office	339 NEILSON STREET

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
				(TRANZ LINK ADMINISTRATION BUILDING)	
24/03/2001	A205000	Good Intent Calls	False alarm good intent: Authorised controlled burn		NEILSON STREET
17/03/2001	A203329	False Alarm	False alarm: Excess Smoke, Heat		CAPTAIN SPRINGS ROAD
15/02/2001	A196021	False Alarm	False alarm: Accidental operation	Steelpipe NZ	224 NEILSON STREET
2/02/2001	A192874	Miscellaneous Fire	Outside rubbish fire	Toll National Support Office (TRANZ LINK ADMINISTRATION BUILDING)	339 NEILSON STREET
19/01/2001	A189430	Miscellaneous Fire	Outside rubbish fire		55 ANGLE STREET
9/01/2001	A187346	False Alarm	False alarm: Defective	Farmers Distribution Building (Old) (FARMERS DISTRIBUTION)	270-280 NEILSON STREET
28/12/2000	A184229	False Alarm	False alarm: Accidental operation	Crown Self Storage Te Papapa (DUNLOP FLOW TECHNOLOGY)	249 NEILSON STREET
13/12/2000	A180244	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		NULL
7/12/2000	A178523	False Alarm	False alarm: Accidental operation		14 EDINBURGH STREET
17/11/2000	A173100	False Alarm	False alarm: Malicious	Aluminium Anodisers	137 CAPTAIN SPRINGS ROAD
7/11/2000	A170550	Rescue, Emergency, Medical Call	Assist ambulance		22 MIAMI PARADE
7/11/2000	A170434	False Alarm	False alarm: Accidental operation	TAPPER TRANSPORT	373A NEILSON STREET
19/10/2000	A165195	False Alarm	False alarm: Defective	Gateside Warehouse A1/B1 (TRANZ LINK LOGISTICS CTR)	345 NEILSON STREET
17/10/2000	A164480	False Alarm	False alarm: Accidental operation	TAPPER TRANSPORT	373A NEILSON STREET
4/09/2000	A154398	Miscellaneous Fire	Outside rubbish fire		339 NEILSON STREET
26/08/2000	A152141	False Alarm	False alarm: Malicious	Gateside Warehouse A1/B1 (113041)	NEILSON STREET
23/08/2000	A151159	False Alarm	False alarm: Accidental operation	Norman Ellison Carpets (110439)	273 NEILSON STREET
19/08/2000	A150205	False Alarm	False alarm: Accidental operation	Farmers Distribution Building (Old) (FARMERS DISTRIBUTION)	270 NEILSON STREET
28/07/2000	A143792	False Alarm	False alarm: Defective	Toll National Support Office (115684)	339 NEILSON STREET
24/07/2000	A142646	Special Service Calls	Domestic, Commercial water problem		20 MIAMI PARADE
4/07/2000	A135845	False Alarm	False alarm: Defective	Norman Ellison Carpets (110439)	NEILSON STREET
18/06/2000	A130148	Good Intent Calls	False alarm good intent: Unauthorised controlled burn	Ernslaw One	PUKEMIRO STREET
19/04/2000	A111623	False Alarm	False alarm: Defective	Gateside Warehouse A1/B1	345 NEILSON STREET

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time) (113041)	Address
15/04/2000	A110402	Good Intent Calls	False alarm good intent: Unauthorised controlled burn		9 ANGLE STREET
14/04/2000	A109779	Miscellaneous Fire	Outside rubbish fire		ANGLE STREET
9/04/2000	A108250	Miscellaneous Fire	Outside rubbish fire	Crown Self Storage Te Papapa (111732)	NEIBON STREET
1/04/2000	A106767	Good Intent Calls	False alarm good intent: Authorised controlled burn		CAPTAIN SPRINGS
1/04/2000	A106735	Good Intent Calls	False alarm good intent: Authorised controlled burn		CAPTAIN SPRINGS
26/03/2000	A105103	Miscellaneous Fire	Outside rubbish fire		NIELSON AVE
14/03/2000	A102154	False Alarm	False alarm: Defective		NEILSON STREET
12/03/2000	A101852	Mobile Properties Hazardous Incidents	Chemical spill: Incorrect vehicle loading		NEILSON STREET
28/02/2000	A098768	False Alarm	False alarm: Accidental operation	Rondo (110445)	117 CPTN SPRINGS ROAD
17/02/2000	A096269	False Alarm	False alarm: Defective	Fletcher Easy Steel Plate and Tech Onehunga (111731)	308 NIELSON STREET
13/02/2000	A095459	Vegetation Fire	Grass fire		MIAMI PARADE
10/02/2000	A094660	Mobile Property Fire	Derelict mobile property fire		228 NEILSON STREET
2/02/2000	A092973	Structure Fire	Structure fire with damage	Steelpipe NZ (110442)	224 NEILSON STREET
11/01/2000	A088563	False Alarm	False alarm: Defective	Norman Ellison Carpets (110439)	273 NEILSON STREET
11/11/1999	A076851	False Alarm	False alarm: Defective	Norman Ellison Carpets (110439)	273 NEILSON STREET
5/11/1999	A075929	Miscellaneous Fire	Bonfire		NIELSON STREET
30/10/1999	A074768	Structure Fire	Structure fire with damage	Industrial Alloys	29-33 MIAMI PARADE
27/10/1999	A074201	Vegetation Fire	Scrub fire (excluding gorse)		339 NIELSON STREET
25/10/1999	A073862	Mobile Property Fire	Derelict mobile property fire		ANGLE STREET
17/10/1999	A072488	False Alarm	False alarm: Defective	Gateside Warehouse A1/B1 (110434)	345 NEILSON STREET
26/09/1999	A068956	Mobile Property Fire	Car, Van, Truck, Boat, Plane, Train fire		ANGLE STREET
24/09/1999	A068552	False Alarm	False alarm: Accidental operation	Norman Ellison Carpets (110439)	270 NIELSEN STREET

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
2/08/1999	A059975	Good Intent Calls	False alarm good intent: Steam, Dust etc mistaken for smoke		339 NELSON STREET
22/07/1999	A058096	Miscellaneous Fire	Outside rubbish fire		ANGLE STREET
22/06/1999	A053050	Miscellaneous Fire	Outside rubbish fire		ANGLE STREET
17/05/1999	A046516	False Alarm	False alarm: Defective	Norman Ellison Carpets (110439)	270 NEILSON STREET
6/05/1999	A044688	Good Intent Calls	False alarm good intent: Call cleared prior to arrival		ANGLE STREET
28/04/1999	A042929	False Alarm	False alarm: Accidental operation	Norman Ellison Carpets (110439)	NEILSON STREET
28/04/1999	A042818	False Alarm	False alarm: Accidental operation	TAPPER TRANSPORT (113641)	473 NIELSON STREET
19/03/1999	A036370	False Alarm	False alarm: Excess Smoke, Heat		339 NIELSON STREET
11/03/1999	A035053	False Alarm	False alarm: Malicious	Aluminium Anodisers	137 CAPTAIN SP ROAD
6/03/1999	A034190	False Alarm	False alarm: Defective	Farmers Distribution Building (Old) (111716)	246 NIELSON STREET
6/03/1999	A034174	False Alarm	False alarm: Accidental activation of turnout system		14 EDINBOROUGH STREET
17/02/1999	A030835	Miscellaneous Fire	Outside rubbish fire		NEILSON STREET
7/02/1999	A028953	Special Service Calls	Assist public		PILES POINT
2/02/1999	A028142	False Alarm	False alarm: Accidental operation		ANGLE STREET
20/01/1999	A025706	False Alarm	False alarm: Accidental operation	Steelpipe NZ (110442)	244 NIELSON STREET
24/12/1998	A021598	False Alarm	False alarm: Accidental operation		11 ANGLE STREET
22/12/1998	A021354	Miscellaneous Fire	Outside rubbish fire		330 NIELSON STREET
12/12/1998	A019746	Rescue, Emergency, Medical Call	Rescue: In or under vehicle/mobile property		NEILSON STREET
9/11/1998	A014170	False Alarm	False alarm: Defective	Norman Ellison Carpets (110439)	273 NEILSON STREET
6/11/1998	A013496	False Alarm	False alarm: Accidental operation	Celebrity Imports (110463)	16 ANGLE STREET
3/11/1998	A012935	False Alarm	False alarm: Defective	Norman Ellison Carpets (110439)	NIELSON STREET
29/10/1998	A012283	False Alarm	False alarm: Malicious		339 NEILSON STREET
28/10/1998	A012061	False Alarm	False alarm: Accidental operation		ANGLE STREET
27/10/1998	A011875	Mobile Properties Hazardous	Mobile property accident: No hazardous substance		CNR NELSON/WAIKARAK

OIA 2014-068 - NZFS Incidents within 500m of 81 Captain Springs Road, Onehunga

Date/Time	CAD#	Incident Type Group	Incident Type	Common Name (Name at time)	Address
		Incidents	spill		
23/10/1998	A011483	False Alarm	False alarm: Defective	Norman Ellison Carpets (110439)	273 NEILSON STREET
20/10/1998	A011020	Vegetation Fire	Grass fire		PUKEMIRO STREET
16/10/1998	A010489	Structure Fire	Structure fire with damage	Natural Timber Joinery (DYC DEMOLITION)	24 PATRICLE STREET
5/10/1998	A009030	Good Intent Calls	False alarm good intent: Unauthorised controlled burn		ALFRED STREET
18/09/1998	A006772	False Alarm	False alarm: Accidental operation		9A ANGLE STREET
7/09/1998	A005199	Structure Fire	Structure fire with no damage		41 ANGLE STREET
14/08/1998	A002294	Good Intent Calls	False alarm good intent: Smell of smoke		266 NEILSON STREET
30/07/1998	A000304	Chemical, Biohazard, Radioactive Incident	Chemical emergency		339 NEILSON STREET