

30 June, 1995


Our Ref: 75910

Water Quality Officer Southland Regional Council Private Bag 90116 INVERCARGILL

Attention:

Mr I Welsh

Dear Ian



RE: SOUTHGAS JOINT VENTURE: USE OF GELLING AGENT FOR FRACCING WATER

Mr John Barry, consulting geologist to the Southgas Joint Venture has asked me to comment directly to you regarding the environmental implications of use of a gelling agent formulation in the carrier fluid for the fraccing trials. Halliburton Australia Pty Limited have supplied copies of their inhouse compound safety data sheets to John and he has forwarded these to me.

The carrier fluid additives constituting the gelling agent and their final concentrations in the carrier fluid would be as follows:

Carrier Fluid Additives

Additive	Composition	Hazard	Concentration (g m-3)
WG 11	guar gum derivative	None	2400
HYG 3	fumaric acid	None at low concentration	120
K 34	sodium bicarbonate	None at low concentration	120
GBW 30	cellulase enzyme carbohydrate	None	6

Guar gum derivatives are complex mucopolysaccharides which are used widely in the pharmaceutical industry including in orally ingested pills and syrups. They are non toxic and would be readily biodegraded in the aquatic environment. Fumaric acid is a weak, low molecular weight organic acid which appears in a wide variety of environmental contexts

(e.g., landfill leachate). It is non-toxic, non corrosive and readily biodegraded. Sodium bicarbonate is a weakly alkaline inorganic salt which, in such dilute solution, poses no environmental hazard. The cellulase enzyme (a carbohydrate) would be non-toxic and non-corrosive at these very low concentrations and is also likely to be readily biodegraded in the environment. I am further advised by Mr Bill Farraley of Halliburton that the final pH of the carrier fluid after addition of these compounds lies in the range 6 - 7.

It is my opinion that inclusion of these additives in the fraccing fluid adds no increased environmental risk from accidental discharge to the environment of carrier fluid or from the later planned, gradual discharge of back-extracted fluid and coal seam formation water to Oranea Stream.

Please call me if you have any further queries regarding this matter.

Yours sincerely,

KINGETT MITCHELL & ASSOCIATES LTD


lephen AShort.

DRSA SHORT

R J Hill Laboratories Limited

incorporating Analytical Services Laboratory

25 Te Aroha Street, P O Box 4048, Hamilton, New Zealand Telephone: +64 (7) 855-2266 Facsimile: +64 (7) 854-9886 Internet/Email: rjh@rjhill.co.nz



Client: Southland Regional Council

Address: Private Bag 90116

INVERCARGILL

Contact: Graeme McKenzie

Laboratory No: 95329

Date Registered: 12/09/95 Date Completed: 25/09/95

Page Number: 1 of 3

The results for the analyses you requested are as follows:

Sample Type: Water, Dirty

Sample Name		95/1279 07/09/95	95/1280 07/09/95
Lab No	PATABOOTAMAAAAA ATSE Eeste Seekeen	95329/1	95329/2
Calcium	(g.m-3)	12.2	3.51
Magnesium	(g.m-3)	6.00	1.62
Sodium	(g.m-3)	1100	8.54
Potassium	(g.m-3)	11.2	0.61
Ammonium-N	(g.m-3)	3.08	< 0.01
Total Kjeldahl Nitrogen (TKN)	(g.m-3)	3.7	0.7
Total Organic Nitrogen (TON)	(g.m-3)	0.6	0.7
Fluoride	(g.m-3)	2.73	2.81
Sulphate	(g.m-3)	7	8
Total Sulphide*	(g.m-3)	< 0.04 #	< 0.5 #
Total Boron*	(g.m-3)	0.14	< 0.01
Soluble Iron*	(g.m-3)	< 0.5	0.62
Soluble Manganese*	(g.m-3)	0.088	0.0111
Soluble Aluminium*	(g.m-3)	0.05	0.759
Total Arsenic*	(g.m-3)	< 0.02	< 0.004
Total Barium*	(g.m-3)	0.406	0.0106
Total Cadmium*	(g.m-3)	< 0.0005	0.0002
Soluble Chromium*	(g.m-3)	0.010	0.0013
Total Chromium*	(g.m-3)	0.031	0.002
Total Copper*	(g.m-3)	< 0.005	0.009
Total Nickel*	(g.m-3)	0.02	0.007
Total Lead*	(g.m-3)	0.002	0.0003
Total Selenium*	(g.m-3)	< 0.05	< 0.01
Total Zinc*	(g.m-3)	0.05	0.011

^{*} This test is not Telarc Registered.

See Note 1.



Sample Containers

The following table shows the sample containers that were provided by Red Hill Laboratories Ltd.

Container Description	Container Size (mL)	Number of Containers
Zinc acetate preserved (sulphide)	250	2
Filtered Nitric Preserved	250	2
Sulphuric Preserved	250	2

Details of sample bottle preparation procedures are available upon request.

Summary of Methods Used and Detection Limits

The following table(s) gives a brief description of the methods used to conduct the analyses for this job.

SubstanceType: Water

Parameter	Method Used	Detection Limit
Microwave total (nitric) acid digestion	Add nitric acid, digest in microwave.	N/A
	Test not Telarc Reg.	a representation of the second
Calcium	Flame AA Spectroscopy APHA 3500-Ca B	0.05 g.m-3
Magnesium	Flame AA Spectroscopy APHA 3500-Mg B	0.02 g.m-3
Sodium	Flame AA Spectroscopy APHA 3500-Na B	0.02 g.m-3
Potassium	Flame AA Spectroscopy APHA 3500-K B	0.02 g.m-3
Ammonium-N	Phenol/hypochlorite colorimetry APHA 4500-NH3 D	0.01 g.m-3
Total Kjeldahl Nitrogen (TKN)	Kjeldahl digestion, pheпol/hypochlorite colorimetry APHA 4500- Norg C	0.1 g.m-3
Total Organic Nitrogen (TON)	Calculation: TKN - NH4-N	0.1 g.m-3
Fluoride	Ion selective electrode APHA 4500-F C	0.05 g.m-3
Sulphate	BaCl2 Turbidimetry In-House	1 g.m-3
Total Sulphide	Methylene blue colorimetry APHA 4500-S2- D	0.02 g.m-3
	Test not Telarc Reg.	_
Total Boron	Boiling nitric acid digestion. ICP-MS.	0.01 g.m-3
	Test not Telarc Reg.	And Composition of the Compositi
Soluble Iron	Filtered Sample. ICP-MS.	0.05 g.m-3
	Test not Telarc Reg.	
Soluble Manganese	Filtered Sample, ICP-MS.	0.0005 g.m-3
	Test not Telarc Reg.	SERVICION A LA TRANS
Soluble Aluminium	Filtered Sample. ICP-MS.	0.003 g.m-3
A STATE OF THE STA	Test not Telarc Reg.	running a skingal
Total Arsenic	Boiling nitric acid digestion. ICP-MS. APHA 3113 (Modified)	0.004 g.m-3
AMMARANIA	Test not Telarc Reg.	n.a.v v a vocamena.v
Total Barium	Boiling nitric acid digestion. ICP-MS.	0.0002 g.m-3
	Test not Telarc Reg.	MANA PARA PARA PARA PARA PARA PARA PARA P
Гotal Cadmium	Boiling nitric acid digestion. ICP-MS.	0.0001 g.m-3
	Test not Telarc Reg.	DATA PROGRAMA
Soluble Chromium	Filtered Sample, ICP-MS.	0.0005 g.m-3
	Test not Telarc Reg.	
Fotal Chromium	Boiling nitric acid digestion. ICP-MS.	0.001 g.m-3
	Test not Telarc Reg.	

Parameter	Method Used	/ Detection Limit
Total Copper	Boiling nitric acid digestion, ICP-MS	0.001 g.m-3
	Test not Telarc Reg.	
Total Nickel	Boiling nitric acid digestion. ICP-MS.	0.002 g.m-3
	Test not Telarc Reg.	and the same
Total Lead	Boiling nitric acid digestion. ICP-MS.	0.0002 g.m-3
	Test not Telarc Reg.	William A Policy and P
Total Selenium	Boiling nitric acid digestion. ICP-MS. APHA 3113 (Modified)	0.01 g.m-3
	Test not Telarc Reg.	***
Total Zinc	Boiling nitric acid digestion. ICP-MS.	0.002 g.m-3
	Test not Telarc Reg.	m, as desired

Analyst's Comments:

These samples were collected by yourselves and analysed as received at the laboratory.

Note 1:

Severe matrix interference required that a dilution be performed prior to analysis, resulting in a detection limit higher than that normally achieved.

Peter Robinson, MSc(Hons), PhD FNZIC

Environmental Manager

Terry Cooney, MSc(Hons), PhD MNZIC Laboratory Manager

Page: 3 of 3



Southland Regional Council Private Bag 90 116 Invercargill

BP9175

RE 2/5

25 November 1994

Attention: Graeme McKenzie

Ultra Trace metal analysis of water samples

Date Received

: 17.11.94

Sample Type

ANALYSES					
	Lab No:	BP9175/1	BP9175/2	BP9175/3	
	Site	94/1200	94/1201	94/1202	
	Method				
Al	DISS	<5*	11	16	
As	DISS	5.5	0.51	0.65	
В	DISS	150	<3*	<3*	
Ba	DISS	180	2.3	6.1	
Cd	DISS	0.17	0.13	0.12	
Cr	DISS	5.0	1.6	1.3	
Cu	DISS	<2*	<2*	<2*	
Fe	DISS	75	120	170	
Mn	DISS	17	26	76	
Ni	DISS	0.41	0.43	0.55	
Pb	DISS	<.1*	<.1*	<.1*	
Se	DISS	0.81	1.7	1.6	
Zn	DISS	4.2	<1.3*	<1.3*	

	ANALYSES					
	Lab No: BP9175/4		BP9175/5			
	Site	94/1203	94/1204			
	Method					
Al	DISS	17	<5*			
As	DISS	0.60	8.8			
В	DISS	<3*	<3*			
Ba	DISS	6.3	1200			
Cd	DISS	0.079	0.46			
Cr	DISS	1.3	74			
Cu	DISS	<2*	9.4			
Fe	DISS	170	130			
Mn	DISS	74	32			
Ni	DISS	0.73	1.1			
Pb	DISS	<.1*	<.1*			
Se	DISS	1.1	<.2*			
Zn	DISS	<1.3*	3.7			

The units used are mg/m^3 .

The abbreviations and symbols in the above report have the following meanings:

Al = Aluminium

As = Arsenic

В = Boron

Ba = Barium = Cadmium Cd

= Chromium Cr Cu = Copper

Fe = Iron

Mn = Manganese

Ni = Nickel
Pb = Lead
Se = Selenium
Zn = Zinc
DISS = Dissolved

< = less than

* = Warning: below criterion of detection

Analytical results are for samples as received.

This report may be reproduced in full, but not in part.

Lawrence Pickston

Lewrence Rickster

Analyst

Dr S K Fellows Section Leader



Southland Regional Council Private Bag 90 116 Invercargill

BP9177 RE 2/5

25 November 1994

Attention: Graeme McKenzie

Ultra Trace metal analysis of water samples

Date Received

: 17.11.94

Sample Type

ANALYSES						
	Lab No:	BP9177/1	BP9177/2	BP9177/3		
	Site	94/1224	94/1225	94/1226		
	Method					
Al	DISS	<5*	12	16		
As	DISS	5.8	0.54	0.46		
В	DISS	140	<3*	<3*		
Ba	DISS	190	2.4	5.9		
Cd	DISS	0.17	0.088	0.084		
Cr	DISS	5.6	1.7	1.6		
Cu	DISS	<2*	<2*	<2*		
Fe	DISS	100	130	160		
Mn	DISS	18	19	66		
Ni	DISS	0.42	0.14(DL.2)#	0.58		
Pb	DISS	<.1*	<.1*	<.1*		
Se	DISS	<.2*	0.70	1.6		
Zn	DISS	3.1	<1.3*	<1.3*		

		ANALYSES	
	Lab No:	BP9177/4	BP9177/5
	Site	94/1227	94/1228
	Method		
Al	DISS	13	<5*
As	DISS	0.45	10
В	DISS	<3*	<3*
Ba	DISS	5.9	1300
Cd	DISS	0.057	0.22
Cr	DISS	1.4	79
Cu	DISS	<2*	8.9
Fe	DISS	140	120
Mn	DISS	60	33
Ni	DISS	0.55	1.3
Pb	DISS	<.1*	<.1*
Se	DISS	0.97	<.2*
Zn	DISS	<1.3*	<1.3*

The units used are mg/m^3 .

The abbreviations and symbols in the above report have the following meanings:

Al = Aluminium

As = Arsenic

B = Boron

Ba = Barium Cd = Cadmium

Cd = Cadmium Cr = Chromium

Cu = Copper

Fe = Iron

Mn = Manganese

Ni = Nickel
Pb = Lead
Se = Selenium
Zn = Zinc
DISS = Dissolved

< = less than

DL = Detection Limit

* = Warning: below criterion of detection
 # = Warning: below limit of detection
 (but above criterion of detection)

Analytical results are for samples as received.

This report may be reproduced in full, but not in part.

Lawrence Pickston

Analyst

Dr S K Fellows Section Leader



Southland Regional Council Private Bag 90 116 Invercargill

BP9174

RE 2/5

25 November 1994

Attention: Graeme McKenzie

Ultra Trace metal analysis of water samples

Date Received

: 17.11.94

Sample Type

	ANALYSES						
	Lab No:	BP9174/1	BP9174/2	BP9174/3	BP9174/4		
	Site	94/1216	94/1217	94/1218	94/1219		
	Method						
Al	DISS	<5*	12	12	10		
As	DISS	4.5	0.34	0.34	0.37		
В	DISS	150	<3*	<3*	<3*		
Ba	DISS	190	2.0	5.2	5.2		
Cd	DISS	0.049	0.042	0.021	0.032		
Cr	DISS	3.4	1.0	1.0	0.94		
Cu	DISS	<2*	<2*	<2*	<2*		
Fe	DISS	160	140	160	150		
Mn	DISS	19	22	33	42		
Ni	DISS	0.22	0.24	0.61	0.54		
Pb	DISS	<.1*	<.1*	<.1*	<.1*		
Se	DISS	<.2*	<.2*	<.2*	<.2*		
Zn	DISS	2.9	<1.3*	<1.3*	<1.3*		

	ANALYSES						
	Lab No:	BP9174/5	BP9174/6	BP9174/7			
	Site	94/1220	94/1222	94/1223			
	Method						
A1	DISS	<5*	<5*	<5*			
As	DISS	10	10	0.12			
В	DISS	<3*	<3*	<3*			
Ba	DISS	1200	1300	0.84			
Cd	DISS	0.13	0.13	0.050			
Cr	DISS	78	79	0.99			
Cu	DISS	8.8	8.5	<2*			
Fe	DISS	160	160	<2.5*			
Mn	DISS	31	31	<.1*			
Ni	DISS	0.80	0.86	<.2*			
Pb	DISS	<.1*	<.1*	<.1*			
Se	DISS	<.2*	<.2*	0.23			
Zn	DISS	3.3	3.9	<1.3*			

The units used are mg/m³.

The abbreviations and symbols in the above report have the following meanings:

Al = Aluminium

As = Arsenic

В = Boron Ba = Barium Cd

= Cadmium Cr = Chromium Cu = Copper Fe = Iron

= Manganese Mn

Ni = Nickel
Pb = Lead
Se = Selenium
Zn = Zinc
DISS = Dissolved

< = less than

* = Warning: below criterion of detection

Analytical results are for samples as received.

This report may be reproduced in full, but not in part.

Lawrence Pickston

Analyst

Dr S K Fellows Section Leader



Southland Regional Council Private Bag 90 116 Invercargill

BP9170

RE 2/5

25 November 1994

Attention: Graeme McKenzie

Ultra Trace metal analysis of water samples

Date Received

: 10.11.94

Sample Type

	ANALYSES					
	Lab No:	Lab No: BP9170/1	BP9170/2	BP9170/3		
	Site	94/1189	94/1193	94/1194		
	Method					
Al	DISS	<5*	<5*	19		
As	DISS	7.7	4.5	0.18		
В	DISS	<3*	150	<3*		
Ba	DISS	1300	190	2.1		
Cd	DISS	0.02	<.02*	<.02*		
Cr	DISS	71	4.6	1.3		
Cu	DISS	8.8	0.80	0.25		
Fe	DISS	110	65	140		
Mn	DISS	34	17	25		
Ni	DISS	0.88	0.25	0.13		
Pb	DISS	<.1*	<.1*	<.1*		
Se	DISS	<1*	<1*	<1*		
Zn	DISS	1.2	2.3	<1.3*		
Al	DIRECT	<5*				

As	DIRECT	8.8	
В	DIRECT	<3*	
Ba	DIRECT	1400	
Cd	DIRECT	0.02	
Cr	DIRECT	78	
Cu	DIRECT	8.6	
Fe	DIRECT	120	
Mn	DIRECT	39	
Ni	DIRECT	1.1	
Рь	DIRECT	<.1*	
Se	DIRECT	<1*	
Zn	DIRECT	27	

ANALYSES						
	Lab No:	BP9170/4	BP9170/5			
	Site	94/1195	94/1196			
	Method					
Al	DISS	12	60			
As	DISS	0.20	0.15			
В	DISS	<3*	<3*			
Ba	DISS	6.2	6.2			
Cd	DISS	<.02*	0.01(DL.02)#			
Cr	DISS	1.0	0.95			
Cu	DISS	0.63	0.73			
Fe	DISS	140	140			

Mn	DISS	45	55
Ni	DISS	0.71	0.97
Pb	DISS	<.1*	<.1*
Se	DISS	<1*	<1*
Zn	DISS	<1.3*	<1.3*

The units used are mg/m³.

The abbreviations and symbols in the above report have the following meanings:

Al = Aluminium
As = Arsenic
B = Boron
Ba = Barium
Cd = Cadmium
Cr = Chromium
Cu = Copper

Fe = Iron
Mn = Manganese

Ni = Nickel
Pb = Lead
Se = Selenium
Zn = Zinc

DISS = Dissolved (analysed by ICP-MS)

DIRECT = Direct ICP-MS analysis of sample acidified in the laboratory

< = less than

DL = Detection Limit

* = Warning: below criterion of detection # = Warning: below limit of detection (but above criterion of detection)

Analytical results are for samples as received.

This report may be reproduced in full, but not in part.

Lawrence Pickston

Analyst

Dr S K Fellows Section Leader

Mtellow