

SMS Incident Report

19/05/2017 11:00:38

Summary


CAD Number F0315258 **Status** Closed
Station Ellerslie Station
Incident Started 20/12/2008 17:49:26 **Incident Ended** 28/12/2008 13:25:33
Incident Type 1101: Structure fire with damage
Common Name SOUTHDOWN FREEZING WORKS
Address 140 HUGO JOHNSTON DRIVE PENROSE
Alarm Method 111 Telephone **Alarm Level** 5
PFA Number
Zone 14270301
Map Grid E 1762633 **Map Grid N** 5911758
First Caller MIGHTY RIVER POWER **First Caller Contact** ██████████
METRIX (CUSTO
Incident Closed 28/12/2008 13:25:33
Report Completed 10:0, Tue 07 Apr 2009 by Greg Daley

Responses

Call Sign	Type	Station Alert	Enroute Time	Arrival Time	Departed
ELLE274	PM	17:50:11 20 Dec 2008	17:51:28 20 Dec 2008	17:55:35 20 Dec 2008	11:09:48 27 Dec 2008
OTAH311	P1	17:50:14 20 Dec 2008	17:51:07 20 Dec 2008	17:56:10 20 Dec 2008	20:10:29 27 Dec 2008
REMU211	P1	17:56:29 20 Dec 2008	17:57:41 20 Dec 2008	18:03:53 20 Dec 2008	14:18:38 26 Dec 2008
ONEH221	P1	17:50:17 20 Dec 2008	17:51:34 20 Dec 2008	18:04:13 20 Dec 2008	09:55:14 28 Dec 2008
AUCK206	HPNP	17:57:22 20 Dec 2008	17:58:25 20 Dec 2008	18:08:21 20 Dec 2008	17:00:28 24 Dec 2008
PARN255	HPNP	17:57:25 20 Dec 2008	18:03:13 20 Dec 2008	18:08:24 20 Dec 2008	12:26:43 23 Dec 2008
AUCK2014	CU	17:56:23 20 Dec 2008	17:58:28 20 Dec 2008	18:09:23 20 Dec 2008	20:10:29 27 Dec 2008
MANG351	P1	17:57:31 20 Dec 2008	17:58:59 20 Dec 2008	18:09:32 20 Dec 2008	06:08:23 27 Dec 2008
BALM611	P1	17:57:33 20 Dec 2008	17:58:49 20 Dec 2008	18:09:37 20 Dec 2008	16:59:38 26 Dec 2008
MTWE237	PR	17:56:26 20 Dec 2008	17:57:18 20 Dec 2008	18:10:19 20 Dec 2008	12:16:51 26 Dec 2008
AUCK2015	BA	17:57:22 20 Dec 2008	17:58:41 20 Dec 2008	18:11:01 20 Dec 2008	21:24:11 22 Dec 2008
NORTHSHOR1	OF	18:00:51 20 Dec 2008	18:02:46 20 Dec 2008	18:15:35 20 Dec 2008	02:20:53 22 Dec 2008
MTRO621	P1	17:57:27 20 Dec 2008	17:59:16 20 Dec 2008	18:16:16 20 Dec 2008	18:17:46 27 Dec 2008
AUCKCONTRL	SPARE	18:16:37 20 Dec 2008	18:16:39 20 Dec 2008	18:16:42 20 Dec 2008	04:59:18 23 Dec 2008
PAPA344	PM	18:05:47 20 Dec 2008	18:07:04 20 Dec 2008	18:17:13 20 Dec 2008	20:43:58 21 Dec 2008
AUCK207	PR	18:05:51 20 Dec 2008	18:06:55 20 Dec 2008	18:17:23 20 Dec 2008	00:56:52 21 Dec 2008

AUCKFPOL3	FPOL	17:50:00 20 Dec 2008	17:55:58 20 Dec 2008	18:18:26 20 Dec 2008	16:20:14 22 Dec 2008
EASTAUCK2	OF	18:06:00 20 Dec 2008	18:08:17 20 Dec 2008	18:18:53 20 Dec 2008	21:57:42 22 Dec 2008
PARN251	P1	18:05:54 20 Dec 2008	18:07:45 20 Dec 2008	18:19:17 20 Dec 2008	06:10:59 28 Dec 2008
MANUKAU1	OF	18:13:31 20 Dec 2008	18:13:34 20 Dec 2008	18:20:48 20 Dec 2008	23:57:14 20 Dec 2008
AUCKFENG2	OF	18:21:20 20 Dec 2008	18:21:23 20 Dec 2008	18:21:26 20 Dec 2008	00:10:14 21 Dec 2008
AUCKHSA1	TLO	18:06:02 20 Dec 2008	18:24:23 20 Dec 2008	18:24:26 20 Dec 2008	22:25:48 20 Dec 2008
CENTAUCK1	OF	17:59:18 20 Dec 2008	18:02:33 20 Dec 2008	18:27:13 20 Dec 2008	15:25:07 21 Dec 2008
PAPA347	PR	18:05:47 20 Dec 2008	18:07:30 20 Dec 2008	18:27:23 20 Dec 2008	04:28:01 24 Dec 2008
NORTHCOM1	OF	18:10:00 20 Dec 2008	18:11:24 20 Dec 2008	18:28:23 20 Dec 2008	01:11:56 21 Dec 2008
RSOAUCK1	OF	18:00:39 20 Dec 2008	18:01:04 20 Dec 2008	18:29:17 20 Dec 2008	16:36:43 22 Dec 2008
AUCKFPOL8	CV	18:00:32 20 Dec 2008	18:07:41 20 Dec 2008	18:35:24 20 Dec 2008	16:31:42 23 Dec 2008
AUCKOPS2	OF	18:15:34 20 Dec 2008	18:18:56 20 Dec 2008	18:37:28 20 Dec 2008	09:57:46 23 Dec 2008
AUCKFSO17	FSO	18:13:29 20 Dec 2008	18:13:32 20 Dec 2008	18:38:17 20 Dec 2008	23:04:47 20 Dec 2008
AUCKFSO8	FSO	17:58:47 20 Dec 2008	18:14:38 20 Dec 2008	18:43:02 20 Dec 2008	15:02:01 24 Dec 2008
PRESTIGE1	OT	18:00:00 20 Dec 2008	18:01:41 20 Dec 2008	18:47:36 20 Dec 2008	03:53:57 23 Dec 2008
HOWI321	P1	18:43:09 20 Dec 2008	18:44:30 20 Dec 2008	18:57:57 20 Dec 2008	08:10:26 28 Dec 2008
OTAH3112	HL	18:43:06 20 Dec 2008	18:52:19 20 Dec 2008	18:58:01 20 Dec 2008	21:57:27 22 Dec 2008
BIRK821	P1	18:52:18 20 Dec 2008	18:54:33 20 Dec 2008	19:03:29 20 Dec 2008	21:49:35 22 Dec 2008
MANU301	P1	18:52:15 20 Dec 2008	18:53:39 20 Dec 2008	19:04:04 20 Dec 2008	05:00:35 25 Dec 2008
AUCK2016	HU	19:00:22 20 Dec 2008	19:06:23 20 Dec 2008	19:07:25 20 Dec 2008	22:13:34 21 Dec 2008
CENTAUCK2	OF	18:08:30 20 Dec 2008	18:09:30 20 Dec 2008	19:09:57 20 Dec 2008	01:27:39 21 Dec 2008
AUCKLAND3	OF	18:09:13 20 Dec 2008	18:17:12 20 Dec 2008	19:10:04 20 Dec 2008	00:55:34 21 Dec 2008
PONS261	P1	19:00:25 20 Dec 2008	19:01:45 20 Dec 2008	19:20:17 20 Dec 2008	08:51:57 27 Dec 2008
AUCKFPOL6	HU	18:53:21 20 Dec 2008	19:06:51 20 Dec 2008	19:31:34 20 Dec 2008	12:06:33 24 Dec 2008
AUCKFPOL4	FPOL	19:35:00 20 Dec 2008	19:40:07 20 Dec 2008	19:49:21 20 Dec 2008	13:21:33 23 Dec 2008
NORTHCOM2	OF	19:42:09 20 Dec 2008	19:51:06 20 Dec 2008	20:05:22 20 Dec 2008	23:43:49 20 Dec 2008
AVON604	SPARE	19:55:38 20 Dec 2008	19:55:40 20 Dec 2008	20:11:34 20 Dec 2008	22:09:06 22 Dec 2008
GLEN641	P1	20:09:16 20 Dec 2008	20:15:20 20 Dec 2008	20:20:05 20 Dec 2008	17:11:08 23 Dec 2008
HOWI322	P2	20:09:19 20 Dec 2008	20:11:47 20 Dec 2008	20:20:39 20 Dec 2008	02:08:23 21 Dec 2008
AVON601	P1	20:09:22 20 Dec 2008	20:10:49 20 Dec 2008	20:26:45 20 Dec 2008	18:24:43 26 Dec 2008
WAITAKER1	OF	20:28:46 20 Dec 2008	20:36:06 20 Dec 2008	20:40:34 20 Dec 2008	21:43:22 21 Dec 2008
AUCKFPOL1	OF	20:25:39 20 Dec 2008	20:25:42 20 Dec 2008	20:41:28 20 Dec 2008	00:47:31 21 Dec 2008
SILVFPOL1	FPOL	19:48:06 20 Dec 2008	19:56:41 20 Dec 2008	20:42:07 20 Dec 2008	01:18:14 21 Dec 2008
HAMI415	HP	19:33:00 20 Dec 2008	19:36:13 20 Dec 2008	20:57:35 20 Dec 2008	03:32:06 21 Dec 2008
BIRK8219	SV	21:16:23 20 Dec 2008	21:16:48 20 Dec 2008	21:39:54 20 Dec 2008	22:33:44 21 Dec 2008
AUCK403	SPARE	22:08:08 20 Dec 2008	22:08:10 20 Dec 2008	22:21:00 20 Dec 2008	15:42:28 21 Dec 2008
AUCK405	SPARE	22:27:58 20 Dec 2008	22:28:00 20 Dec 2008	22:29:01 20 Dec 2008	07:34:59 24 Dec 2008
STEELAK11	COMT	21:43:40 20 Dec 2008	21:43:42 20 Dec 2008	22:37:24 20 Dec 2008	23:00:46 20 Dec 2008
ROTORUA1	OF	22:54:48 20 Dec 2008	22:58:24 20 Dec 2008	22:58:32 20 Dec 2008	07:48:36 21 Dec 2008
AUCKFPOL5	FPOL	23:02:32 20 Dec 2008	23:02:34 20 Dec 2008	23:07:46 20 Dec 2008	19:09:14 21 Dec 2008

HAMILTON2	OF	22:00:00 20 Dec 2008	22:01:52 20 Dec 2008	23:09:12 20 Dec 2008	03:14:35 21 Dec 2008
MANUKAU2	OF	23:25:50 20 Dec 2008	23:25:53 20 Dec 2008	23:42:38 20 Dec 2008	07:55:58 21 Dec 2008
HOWI3219	SV	01:31:33 21 Dec 2008	01:43:12 21 Dec 2008	02:19:10 21 Dec 2008	12:11:57 21 Dec 2008
PAPA387	PR	02:06:04 21 Dec 2008	02:06:47 21 Dec 2008	02:19:17 21 Dec 2008	02:45:00 21 Dec 2008
AVON607	PR	02:40:00 21 Dec 2008	02:41:23 21 Dec 2008	02:43:26 21 Dec 2008	07:56:41 24 Dec 2008
STHE241	P1	02:58:48 21 Dec 2008	03:00:13 21 Dec 2008	03:16:59 21 Dec 2008	03:10:34 28 Dec 2008
EAST831	P1	03:00:43 21 Dec 2008	03:06:29 21 Dec 2008	03:32:07 21 Dec 2008	18:40:46 22 Dec 2008
DEVO811	P1	03:02:48 21 Dec 2008	03:08:06 21 Dec 2008	03:33:15 21 Dec 2008	12:06:34 22 Dec 2008
HEND657	PR	03:01:45 21 Dec 2008	03:04:37 21 Dec 2008	03:44:43 21 Dec 2008	12:57:51 21 Dec 2008
WAITAKER2	OF	07:05:22 21 Dec 2008	07:05:25 21 Dec 2008	07:16:27 21 Dec 2008	16:11:41 21 Dec 2008
NORTHSHOR2	OF	12:15:47 21 Dec 2008	12:15:50 21 Dec 2008	12:15:53 21 Dec 2008	22:18:03 21 Dec 2008
OTAR331	P1	12:55:56 21 Dec 2008	12:58:01 21 Dec 2008	13:11:45 21 Dec 2008	12:35:06 23 Dec 2008
ALBA851	P1	23:30:53 21 Dec 2008	23:31:27 21 Dec 2008	23:55:13 21 Dec 2008	16:11:56 22 Dec 2008
PRESTIGE2	OT	02:01:34 22 Dec 2008	02:01:44 22 Dec 2008	02:38:31 22 Dec 2008	08:45:32 23 Dec 2008
AUCKOSH1	OF	10:16:21 22 Dec 2008	10:16:24 22 Dec 2008	10:16:27 22 Dec 2008	10:46:01 23 Dec 2008
LAIN7010	RU	12:48:56 22 Dec 2008	12:52:06 22 Dec 2008	13:33:39 22 Dec 2008	17:43:41 22 Dec 2008
TAKA807	PR	03:07:00 23 Dec 2008	03:09:11 23 Dec 2008	03:29:03 23 Dec 2008	16:57:48 23 Dec 2008
CENTAUCK4	OF	09:46:24 27 Dec 2008	09:46:29 27 Dec 2008	08:34:56 28 Dec 2008	13:10:21 28 Dec 2008
TEAT6619	SV	21:09:53 20 Dec 2008	21:09:56 20 Dec 2008		21:25:31 20 Dec 2008
AKEVENTS1	SPARE	19:11:31 20 Dec 2008			04:29:10 21 Dec 2008



Elapsed Times

Call Sign	Start To Alert	Alert To Arrival	Start To Arrival	Start To Departed
ELLE274	00:00:45	00:05:24	00:06:09	61:20:22
OTAH311	00:00:48	00:05:56	00:06:44	70:21:03
REMU211	00:07:03	00:07:24	00:14:27	40:29:12
ONEH221	00:00:51	00:13:56	00:14:47	84:05:48
AUCK206	00:07:56	00:10:59	00:18:55	95:11:02
PARN255	00:07:59	00:10:59	00:18:58	66:37:17
AUCK2014	00:06:57	00:13:00	00:19:57	70:21:03
MANG351	00:08:05	00:12:01	00:20:06	56:18:57
BALM611	00:08:07	00:12:04	00:20:11	43:10:12
MTWE237	00:07:00	00:13:53	00:20:53	38:27:25
AUCK2015	00:07:56	00:13:39	00:21:35	51:34:45

NORTHSHOR1	00:11:25	00:14:44	00:26:09	32:31:27
MTRO621	00:08:01	00:18:49	00:26:50	68:28:20
AUCKCONTRL	00:27:11	00:00:05	00:27:16	59:09:52
PAPA344	00:16:21	00:11:26	00:27:47	26:54:32
AUCK207	00:16:25	00:11:32	00:27:57	07:07:26
AUCKFPOL3	00:00:34	00:28:26	00:29:00	46:30:48
EASTAUCK2	00:16:34	00:12:53	00:29:27	52:08:16
PARN251	00:16:28	00:13:23	00:29:51	80:21:33
MANUKAU1	00:24:05	00:07:17	00:31:22	06:07:48
AUCKFENG2	00:31:54	00:00:06	00:32:00	06:20:48
AUCKHSA1	00:16:36	00:18:24	00:35:00	04:36:22
CENTAUCK1	00:09:52	00:27:55	00:37:47	21:35:41
PAPA347	00:16:21	00:21:36	00:37:57	82:38:35
NORTHCOM1	00:20:34	00:18:23	00:38:57	07:22:30
RSOAUCK1	00:11:13	00:28:38	00:39:51	46:47:17
AUCKFPOL8	00:11:06	00:34:52	00:45:58	70:42:16
AUCKOPS2	00:26:08	00:21:54	00:48:02	64:08:20
AUCKFSO17	00:24:03	00:24:48	00:48:51	05:15:21
AUCKFSO8	00:09:21	00:44:15	00:53:36	93:12:35
PRESTIGE1	00:10:34	00:47:36	00:58:10	58:04:31
HOWI321	00:53:43	00:14:48	01:08:31	82:21:00
OTAH3112	00:53:40	00:14:55	01:08:35	52:08:01
BIRK821	01:02:52	00:11:11	01:14:03	52:00:09
MANU301	01:02:49	00:11:49	01:14:38	07:11:09
AUCK2016	01:10:56	00:07:03	01:17:59	28:24:08
CENTAUCK2	00:19:04	01:01:27	01:20:31	07:38:13
AUCKLAND3	00:19:47	01:00:51	01:20:38	07:06:08
PONS261	01:10:59	00:19:52	01:30:51	59:02:31
AUCKFPOL6	01:03:55	00:38:13	01:42:08	90:17:07
AUCKFPOL4	01:45:34	00:14:21	01:59:55	67:32:07
NORTHCOM2	01:52:43	00:23:13	02:15:56	05:54:23
AVON604	02:06:12	00:15:56	02:22:08	52:19:40
GLEN641	02:19:50	00:10:49	02:30:39	71:21:42
HOWI322	02:19:53	00:11:20	02:31:13	08:18:57
AVON601	02:19:56	00:17:23	02:37:19	44:35:17
WAITAKER1	02:39:20	00:11:48	02:51:08	27:53:56
AUCKFPOL1	02:36:13	00:15:49	02:52:02	06:58:05
SILVFPOL1	01:58:40	00:54:01	02:52:41	07:28:48
HAMI415	01:43:34	01:24:35	03:08:09	09:42:40
BIRK8219	03:26:57	00:23:31	03:50:28	28:44:18

AUCK403	04:18:42	00:12:52	04:31:34	21:53:02
AUCK405	04:38:32	00:01:03	04:39:35	85:45:33
STEELAK11	03:54:14	00:53:44	04:47:58	05:11:20
ROTORUA1	05:05:22	00:03:44	05:09:06	13:59:10
AUCKFPOL5	05:13:06	00:05:14	05:18:20	25:19:48
HAMILTON2	04:10:34	01:09:12	05:19:46	09:25:09
MANUKAU2	05:36:24	00:16:48	05:53:12	14:06:32
HOWI3219	07:42:07	00:47:37	08:29:44	18:22:31
PAPA387	08:16:38	00:13:13	08:29:51	08:55:34
AVON607	08:50:34	00:03:26	08:54:00	86:07:15
STHE241	09:09:22	00:18:11	09:27:33	77:21:08
EAST831	09:11:17	00:31:24	09:42:41	48:51:20
DEVO811	09:13:22	00:30:27	09:43:49	42:17:08
HEND657	09:12:19	00:42:58	09:55:17	19:08:25
WAITAKER2	13:15:56	00:11:05	13:27:01	22:22:15
NORTHSHOR2	18:26:21	00:00:06	18:26:27	28:28:37
OTAR331	19:06:30	00:15:49	19:22:19	66:45:40
ALBA851	29:41:27	00:24:20	30:05:47	46:22:30
PRESTIGE2	32:12:08	00:36:57	32:49:05	62:56:06
AUCKOSH1	40:26:55	00:00:06	40:27:01	64:56:35
LAIN7010	42:59:30	00:44:43	43:44:13	47:54:15
TAKA807	57:17:34	00:22:03	57:39:37	71:08:22
CENTAUCK4	59:56:58	22:48:32	82:45:30	87:20:55
TEAT6619	03:20:27			03:36:05
AKEVENTS1	01:22:05			10:39:44

Notifications

Date	Time	Party Notified
20 Dec 2008	17:52:06	CFO/DCFOD AUCKLAND EAST PAGED
20 Dec 2008	17:52:15	AUCK2014 OIC PAGED
20 Dec 2008	17:52:23	FP AUCKLAND PAGED
20 Dec 2008	17:54:48	GRAHAM FULLER ACK PAGE - WANTS UPDATES
20 Dec 2008	17:56:59	VECTOR
20 Dec 2008	17:57:00	GRAHAM FULLER ACK PAGE - WANTS UPDATES
20 Dec 2008	17:57:00	AUCK2014 OIC PAGED
20 Dec 2008	17:57:00	CFO/DCFOD AUCKLAND EAST PAGED
20 Dec 2008	17:57:00	FP AUCKLAND PAGED
20 Dec 2008	17:57:06	ARC POLLUTION PAGED
20 Dec 2008	17:57:25	POLICE

20 Dec 2008	17:57:30	AMBO
20 Dec 2008	17:57:34	CFO/DCFO AUCKLAND EAST PAGED
20 Dec 2008	17:57:47	3X DUTY CFO/DCFO AUCKLAND PAGED
20 Dec 2008	17:57:53	AUCKLAND 3RD ALARM GROUP PAGED
20 Dec 2008	17:57:59	FSO AUCKLAND 8 WESTERN ON CALL PAGED
20 Dec 2008	17:59:05	CFO AUCKLAND CITY PAGE ACK
20 Dec 2008	17:59:52	CFO NORTH SHORE PAGE ACK
20 Dec 2008	18:01:34	FSO AUCKLAND 8 IS ENROUTE IN 5MINS @181
20 Dec 2008	18:01:44	ARC POLLUTION ACK PAGE - WILL CALL BACK IN 10 MINUTES FOR SITREP
20 Dec 2008	18:02:01	AUCKLAND 3 PAGE ACK
20 Dec 2008	18:02:45	CFO MANUKAU PAGE ACK
20 Dec 2008	18:04:11	ACM NORTHERN PAGE ACK
20 Dec 2008	18:05:09	RUSSEL DICKSON ACK PAGE
20 Dec 2008	18:05:13	CENTAUCK2 ACK PAGE - REQUESTED TO BE ATTACHED TO JOB
20 Dec 2008	18:05:54	AUCKLAND 3RD ALARM GROUP PAGED
20 Dec 2008	18:06:02	AUCKLAND REGIONAL MANAGEMENT GROUP PAGED
20 Dec 2008	18:06:10	NATIONAL COMMANDERS GROUYP PAGED
20 Dec 2008	18:08:44	AUCKAND 2 PAGE ACK
20 Dec 2008	18:11:21	NATION COMMANDERS GROUP PAGE ACK
20 Dec 2008	18:12:32	██████████ PAGE ACK
20 Dec 2008	18:17:00	CFO EAST AUCK PHONED IN - NOT RESPONDING
20 Dec 2008	18:17:46	HOWI322 -REPAGED TO STAND BY AT STATION
20 Dec 2008	18:17:53	ARC POLLUTION REP ATTENDING DUE TO ALARM LEVEL
20 Dec 2008	18:31:14	BIRK821 TO CITY
20 Dec 2008	18:31:15	TRAIN CONTROL HAVE CONCERNS ABOUT RUNNING TRAIONS THROUGH
20 Dec 2008	18:31:45	DIRECT DIAL FOR TRAIN CONTROL ██████████
20 Dec 2008	18:39:34	CFO WAITAKERE ACK PAGE
20 Dec 2008	18:45:27	GRAEME FULLER - HAS MADE HIMSELF AVAILABLE - HE HAS TO BE CONTACTED VIA CELL
20 Dec 2008	18:53:02	FIRE POLICE 3 - WE ARE GOING TO OTAHU TO UP FIRE POLICE6
20 Dec 2008	18:54:02	GRAHAM FULLER - RE 5TH ALARM
20 Dec 2008	18:56:17	AUCKLAND 3RD ALARM AND ABOVE
20 Dec 2008	18:56:26	AUCKLAND REGIONAL MANAGEMENT
20 Dec 2008	18:56:35	TRAIN CONTROL ADVISED TRAINS WILL BE STOPPED
20 Dec 2008	18:56:53	NATIONAL COMMANDERS GROUP
20 Dec 2008	18:58:20	HPO - LEFT MESSAGE TO PHONE HSA ON CELL PHONE
20 Dec 2008	19:00:28	██████████ CALLED IN - PUT THROUGH TO PETER STEVENSON
20 Dec 2008	19:01:13	██████████ NATIONAL COMMANDERS GROUP ACK PAGE
20 Dec 2008	19:04:29	PAGED FRC AUCKLAND WITH UPDATED SITREP
20 Dec 2008	19:04:43	██████████ LODGE MANAGER CDEM AKL CITY HAS CALKLED IN

20 Dec 2008	19:12:29	██████████ CALLED IN - PUT THROUGH TO ██████████
20 Dec 2008	19:14:20	NATIONAL COMMANDER UPDATE GIVEN REQUIRES ██████████ TO CALL WHEN
20 Dec 2008	19:17:56	██████████ NATIONAL COMMANDER NUMBER ██████████
20 Dec 2008	19:25:04	VECTOR WHO ADVISE FAULTMAN THERE TOLD TO GO TO COMMAND UNIT
20 Dec 2008	19:32:33	AFRC HAMILTON ROY BREEZE OF HAMILTON AERIAL APPLAINE
20 Dec 2008	19:33:42	HAMILTON FIRE - RE 415 REQUIRED AT INCIDENT
20 Dec 2008	19:35:23	AUCK2014 RE FAX
20 Dec 2008	19:37:29	PAGED FP AUCKLAND TO CLOSE OFF SYLVIA PARK RD/GRET SOUTH RD
20 Dec 2008	19:37:56	AVON607 RETURNING TO AVON TO PICK UP BRONTO, THEY ARE TRAINED
20 Dec 2008	19:38:17	FRC AUCKLAND AND CFO/DCFO HAMILTON ON AERAIL RESPONSE FROM HAMILTON
20 Dec 2008	19:41:21	AFRC WAIKATO PHONED IN FOR DETAILS
20 Dec 2008	20:03:13	██████████ PHONED IN DETAILS PASSED
20 Dec 2008	20:06:40	NORTHCOM2 TAKEN OVER FROM NORTHCOM1 AT NORTHERN COMM CENTRE
20 Dec 2008	20:10:41	DEVO MANNED
20 Dec 2008	20:27:20	DAVE CARROLL REQUESTS 20-30 MORE FF ON THE FIRE GROUND
20 Dec 2008	20:34:32	TRAIN CONTROL - CONFIRMED NO TRAINS COMING THROUGH - ADVISED THEM THAT HOSES
20 Dec 2008	20:38:51	PAGED TEAT661/6619 FOR STAND BY CREW AT STATION
20 Dec 2008	20:44:52	GRAHAM FULLER EMAILED WITH AV PUMPS AND GREATER ALARM FAXSHEET
20 Dec 2008	20:47:18	PAGED STEELAK11 TO PHONE TERRY HEWITT
20 Dec 2008	21:20:07	BIRK FIRE - HAVE ENOUGH TO CREW 822
20 Dec 2008	21:25:19	FM CU - GET A 2ND MECHANIC DON'T CARE WHO WE NEED DIESIL URGENTLY
20 Dec 2008	21:28:45	TRAIN ADVISED - THEY WANT UPDATE N HALF AN HOUR
20 Dec 2008	21:32:29	PRESTIGE1 - ██████████ RANG IN TO SY
20 Dec 2008	22:13:24	AVON607 IS GOING INTO CITY TO GET MANNED
20 Dec 2008	22:21:07	AUCK2014 WITH UPDATED FAXSHEET
20 Dec 2008	22:42:18	HSA1 PUT THROUGH
20 Dec 2008	23:07:49	NATIONAL COMMANDERS GROUP
20 Dec 2008	23:08:08	FRC AUCKLAND OF LAST SITREP
20 Dec 2008	23:10:53	██████████ NATIONAL COMMANDERS GROUP ACK PAGE
20 Dec 2008	23:11:53	PUT ██████████ PUT CFO AUCKLAND CELL PHONE
20 Dec 2008	23:49:55	PUBLIC HEALTH ENQUIRIES CONTACT ██████████
21 Dec 2008	00:02:06	██████████ REQUESTS RADIO BROADCASTS BE CANCELLED
21 Dec 2008	00:04:47	TVNZ AND RADIO NZ TO CEASE MESSAGES
21 Dec 2008	00:18:49	AKEVENTS1 K2 ARRIVED AT APPROX 2135
21 Dec 2008	00:57:13	HAMILTON2 - PAGED TO CALL GRAHAM FULLER ASAP
21 Dec 2008	02:23:23	FROM BIRJ=KENHEAD FIRE. BIRKENHEAD CREW HAVE ARRIVED BACK AT STATION VIA VAN
21 Dec 2008	04:44:54	TRAIN CONTROL

21 Dec 2008	05:50:21	██████████ AKL PUBLIC HEALTH WILL GATHER HER TEAM AND RESPOND ASAP
21 Dec 2008	06:09:08	██████████ PHONED - RETURNING TO SCENE
21 Dec 2008	06:31:04	DCFO WAITAKERE AND DCFO NORTH SHORE TO CONTACT AUCK2014
21 Dec 2008	06:33:01	DCFO WAITAKERE PUT THRU TO AUCK2014
21 Dec 2008	06:52:14	PAPAKURA VOLLYS HAVE A CREW IF NEEDED
21 Dec 2008	07:07:04	██████████ AK REGION PUBLIC HEALTH ██████████ CALLS TEAM RESPONDING NOW
21 Dec 2008	07:13:28	COVER MOVE AVON601 TO ONEHUNGA
21 Dec 2008	07:28:37	AUCKLAND REGIONAL HEALTH TRANSFERRED TO AUCK2014
21 Dec 2008	07:57:47	METROWATER REQUEST FROM EASTAUCK1
21 Dec 2008	08:05:34	OTAR331 TO STANDBY AT ONEHUNGA STN
21 Dec 2008	08:51:07	██████████ FROM SOUTHDOWN FREEEXING WORK TRANSFERRED TO ██████████
21 Dec 2008	08:52:22	PAGED PRESTIGE TO RESPOND
21 Dec 2008	08:52:48	██████████ FROM SOUTHDOWN FREEZING WORKS TRANSFERRED TO ██████████
21 Dec 2008	09:01:40	BIRK822 IS MANNED
21 Dec 2008	10:48:08	ONTRACK RAIL . THEY HAVE CLOSED AREA SO NO TRAINS WILL BE COMING THROUGH.
21 Dec 2008	14:11:25	PRESTIGE1 PAGED TO ATTEND INCIDENT AS PER SOUTHDOWN COMMAND - APPLIANCE
21 Dec 2008	14:15:54	POLICE
22 Dec 2008	00:41:52	CFO/DCFO AUCKLAND EAST PER PAGER..
22 Dec 2008	00:42:07	██████████ ██████████
22 Dec 2008	00:42:15	CFO ODONOGHUE PER PHONE..
22 Dec 2008	00:48:10	██████████ ACK PAGER..
22 Dec 2008	01:52:37	PRESTIGE
22 Dec 2008	02:04:08	TRAIN CONTROL ADVISED
22 Dec 2008	02:13:37	VECTOR
22 Dec 2008	02:14:50	VECTOR RESPONDING. ETA 30 MINUTES
22 Dec 2008	05:24:05	PAP347/GLEN641/BALM611/BIRK821 - ADVISED STANDBY @0600HRS..
22 Dec 2008	07:19:16	HOWI321,DEVO811,ONEH221,PAPA344 RE 8AM STANDBY
22 Dec 2008	11:05:09	STHEL241 ETA IS 1200
22 Dec 2008	16:05:02	PRESTIGE1 PAGED FOR URGENT DESIEL
22 Dec 2008	18:34:15	PRESTIGE
22 Dec 2008	20:18:41	POLICE AND ██████████
22 Dec 2008	20:20:40	POLICE
22 Dec 2008	20:20:45	FSO AUCKLAND 8 ██████████
22 Dec 2008	21:00:40	AVON604 CALLED IN - COMMIT TO JOB FOR RELIEF
22 Dec 2008	22:24:03	██████████ (DUTY MEDICAL OFFICER FROM PUBLIC HEALTH) TRANSFERRED
23 Dec 2008	02:10:20	PRESTIGE 1 CALLED IN - K38
23 Dec 2008	04:59:08	PRESTIGE

23 Dec 2008	09:15:55	ONEHUNGA
23 Dec 2008	09:17:17	GLEN EDEN FIRE
23 Dec 2008	09:17:28	BRIKENHEAD
23 Dec 2008	10:01:44	POLICE
23 Dec 2008	10:55:33	POLICE OF REQUEST FOR EAGLE TO TAKE TIC IMAGES
23 Dec 2008	15:41:34	COMCEN OPS MANAGER ACK PAGER CALL
23 Dec 2008	16:02:09	FROM [REDACTED]. THIS INCIDENT IS GOING TO BE SCALED DOWN AS FIRE IS
24 Dec 2008	07:45:43	AUCKFSO12 PAGED TO CONTACT FIRECOM & THEN WE'LL TRANSFER CALL
24 Dec 2008	11:01:31	POLICE
25 Dec 2008	06:43:02	ONEHUNGA OF STANDBY AT 0800
25 Dec 2008	07:33:11	ONEH CALLED IN TO SEE WHO REST OF STANDBYS ARE - WILL ARRANGE
26 Dec 2008	09:26:50	ING TO WORRY ABOUT - DIRECT ALL RT COMMUNICATIONS TO THE BRONTO
26 Dec 2008	09:26:58	CFO AUCKLAND ACKS PAGE
26 Dec 2008	09:28:03	CENTRAL AUCKLAND 4 ACK PAGE
27 Dec 2008	09:02:10	CFO/DCFO MANUKAU, DCFO WAITAKERE, DCFO AUCKLAND EAST
27 Dec 2008	09:06:13	DCFO CALLISTER PUT THRU TO ONEH221
27 Dec 2008	09:06:23	DCFO MANUKAU ACK PAGE
27 Dec 2008	11:20:46	POLICE
27 Dec 2008	12:54:07	FSO8 REQUESTS ETA FOR POLICE AT SOUTHDOWN
27 Dec 2008	18:21:41	CFO CALLISTER ADVISES STAND BY WILL CONTINUE UNTIL 0800HRS IN THE AM
27 Dec 2008	21:20:16	ONEH221 PAGED WITH WELFARE CHECK
28 Dec 2008	10:50:21	AUCKLAND REGIONAL MANAGEMENT OF STOP MESSAGE
28 Dec 2008	10:50:33	NATIONAL COMMANDERS GROUP OF STOP MESSAGE

Message Log

Time	Message
17:49:57	INC INFO: BUILDING FIRE
17:49:57	** LOI search completed at 20/12/08 17:49:57
17:49:59	INC INFO: BUILDING FIRE
17:50:05	** Recommended unit ELLE274 for requirement PUMP (>3.65 km)
17:50:05	** Recommended unit OTAH311 for requirement PUMP (>1.79 km)
17:50:05	** Recommended unit ONEH221 for requirement PUMP (>4.03 km)
17:50:10	INC INFO: BUILDING FIRE
17:50:10	Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -
17:50:10	STRUCTURE FIRE, Caller Name = T R GROUP LTD, Caller Ph Number = [REDACTED], Caller
17:50:10	Address = [REDACTED], PENROSE,AUCKLAND CITY, Call Source = 111Inc
17:50:10	InfoBUILDING FIRE
17:50:10	End of Duplicate Event data

17:50:18 LARGE FLAMES SEEN

17:50:41 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -

17:50:41 STRUCTURE FIRE, Caller Name = [REDACTED], Caller Ph Number = [REDACTED]

17:50:41 Caller Address = [REDACTED], PENROSE,AUCKLAND CITY, Call Source =

17:50:41 111Inc InfoSMOKE SHOWING

17:50:41 End of Duplicate Event data

17:50:42 INC INFO: BUILDING FIRE

17:51:00 021451004

17:51:08 Unit OTAH311 [K1 : PROCEEDING TO INCIDENT]

17:51:28 Unit ELLE274 [K1 : PROCEEDING TO INCIDENT]

17:51:35 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = MIN -

17:51:35 Unit ONEH221 [K1 : PROCEEDING TO INCIDENT]

17:51:35 MINOR, Caller Name = [REDACTED], Caller Ph Number = [REDACTED], Caller

17:51:35 Address = TELECOM CELLULAR 027 , AUCKLAND CENTRAL,AUCKLAND, Call Source = 111Inc

17:51:35 InfoSMOKE SHOWING

17:51:35 End of Duplicate Event data

17:51:36 INC INFO: BUILDING FIRE

17:53:03 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -

17:53:03 STRUCTURE FIRE, Caller Name = [REDACTED], Caller Ph Number = [REDACTED], Call Source

17:53:03 = 111Inc InfoSMOKE IN VICINITY

17:53:03 End of Duplicate Event data

17:53:04 INC INFO: BUILDING FIRE

17:53:33 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = MIN -

17:53:33 MINOR, Call Source = 111Inc InfoSMOKE SHOWING

17:53:33 End of Duplicate Event data

17:53:34 INC INFO: BUILDING FIRE

17:53:50 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -

17:53:50 INC INFO: BUILDING FIRE

17:53:50 STRUCTURE FIRE, Caller Name = AUCKLAND CITY COUNCIL (CUSTOMBIL, Caller Ph Number

17:53:50 = [REDACTED], Caller Address = TELECOM CELLULAR 027 , AUCKLAND CENTRAL,AUCKLAND,

17:53:50 Call Source = 111Inc InfoSMOKE IN AREA

17:53:50 End of Duplicate Event data

17:54:05 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -

17:54:05 INC INFO: BUILDING FIRE

17:54:05 STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc InfoEMPTY

17:54:05 BLDG ON FIRE

17:54:05 End of Duplicate Event data

17:55:06 CFO AUCKLAND EAST

17:55:36 Unit ELLE274 [K99 : PROPERTY FIRE WELL INV]

17:55:52 Unit ELLE274 [KP : PRIORITY MESSAGE]

17:55:58 Unit AUCKFPOL3 [K1 : PROCEEDING TO INCIDENT]

17:56:04 Unit ELLE274 [KP : PRIORITY MESSAGE] TXT 3RD

17:56:10 Unit OTAH311 [K2 : IN ATTENDANCE AT INCIDENT]

17:56:16 ** Alarm level updated to 2

17:56:17 ** Recommended unit AUCK2014 for requirement COMU (>9.88 km)

17:56:17 ** Recommended unit MTWE237 for requirement PUMP (>4.23 km)

17:56:17 ** Recommended unit REMU211 for requirement PUMP (>6.58 km)

17:57:00 Duplicate Event:Location = 140 HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY:

17:57:00 INC INFO: BUILDING FIRE

17:57:00 ** LOI search completed at 20/12/08 17:49:57

17:57:00 @SOUTHDOWN FREEZING WORKS, Type = 1F - ASSIST FIRE/AMBULANCE/TRAFFIC, Subtype =

17:57:00 2, Caller Name = MIGHTY RIVER POWER METRIX (CUSTO, Caller Ph Number = [REDACTED])

17:57:00 INC INFO: BUILDING FIRE

17:57:00 INC INFO: BUILDING FIRE

17:57:00 Caller Address = 200 HUGO JOHNSTON DRIVE, PENROSE,AUCKLAND CITY, Call Source =

17:57:00 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -

17:57:00 111Inc InfoBUILDING FIRE

17:57:00 STRUCTURE FIRE, Caller Name = T R GROUP LTD, Caller Ph Number = [REDACTED], Caller

17:57:00 End of Duplicate Event data

17:57:00 Address = [REDACTED], PENROSE,AUCKLAND CITY, Call Source = 111Inc

17:57:00 InfoBUILDING FIRE

17:57:00 End of Duplicate Event data

17:57:00 LARGE FLAMES SEEN

17:57:00 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -

17:57:00 STRUCTURE FIRE, Caller Name = [REDACTED], Caller Ph Number = [REDACTED],

17:57:00 Caller Address = [REDACTED], PENROSE,AUCKLAND CITY, Call Source =

17:57:00 111Inc InfoSMOKE SHOWING

17:57:00 End of Duplicate Event data

17:57:00 INC INFO: BUILDING FIRE

17:57:00 021451004

17:57:00 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = MIN -

17:57:00 MINOR, Caller Name = [REDACTED], Caller Ph Number = [REDACTED], Caller

17:57:00 Address = TELECOM CELLULAR 027 , AUCKLAND CENTRAL,AUCKLAND, Call Source = 111Inc

17:57:00 InfoSMOKE SHOWING

17:57:00 End of Duplicate Event data

17:57:00 INC INFO: BUILDING FIRE

17:57:00 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -

17:57:00 STRUCTURE FIRE, Caller Name = [REDACTED] Caller Ph Number = [REDACTED], Call Source

17:57:00 = 111Inc InfoSMOKE IN VICINITY

17:57:00 End of Duplicate Event data

17:57:00 INC INFO: BUILDING FIRE
17:57:00 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = MIN -
17:57:00 MINOR, Call Source = 111Inc InfoSMOKE SHOWING
17:57:00 End of Duplicate Event data
17:57:00 INC INFO: BUILDING FIRE
17:57:00 INC INFO: BUILDING FIRE
17:57:00 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -
17:57:00 STRUCTURE FIRE, Caller Name = AUCKLAND CITY COUNCIL (CUSTOMBIL, Caller Ph Number
17:57:00 = 272306889, Caller Address = TELECOM CELLULAR 027 , AUCKLAND CENTRAL,AUCKLAND,
17:57:00 Call Source = 111Inc InfoSMOKE IN AREA
17:57:00 End of Duplicate Event data
17:57:00 INC INFO: BUILDING FIRE
17:57:00 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -
17:57:00 STRUCTURE FIRE, Caller Ph Number = [REDACTED] Call Source = 111Inc InfoEMPTY
17:57:00 BLDG ON FIRE
17:57:00 End of Duplicate Event data
17:57:00 CFO AUCKLAND EAST
17:57:00 Unit ELLE274 [KP : PRIORITY MESSAGE] TXT 3RD
17:57:00 === FROM FIRE - ON SCENE AT BUILDING FIRE - 3RD ALARM TRANSMITTED ON ARRIVAL ===
17:57:01 INC INFO: BUILDING FIRE
17:57:13 ** Cross Referenced to Event # P002544862 at: 20/12/08 17:57:13
17:57:13 ** Cross Referenced to Event # P002544861 at: 20/12/08 17:57:13
17:57:14 ** Alarm level updated to 3
17:57:15 ** Recommended unit AUCK206 for requirement AERIAL (>9.88 km)
17:57:15 ** Recommended unit PARN255 for requirement AERIAL (>9.47 km)
17:57:15 ** Recommended unit AUCK2015 for requirement BAT (>9.88 km)
17:57:15 ** Recommended unit MTRO621 for requirement PUMP (>6.90 km)
17:57:15 ** Recommended unit MANG351 for requirement PUMP (>5.08 km)
17:57:15 ** Recommended unit BALM611 for requirement PUMP (>8.56 km)
17:57:15 ** Unfilled Requirements for Alarm 3:(1 CANT)
17:57:18 Unit MTWE237 [K1 : PROCEEDING TO INCIDENT]
17:57:42 Unit REMU211 [K1 : PROCEEDING TO INCIDENT]
17:57:46 INC INFO: BUILDING FIRE
17:57:46 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -
17:57:46 STRUCTURE FIRE, Call Source = 111Inc InfoBUILDING FIRE
17:57:46 End of Duplicate Event data
17:58:22 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -
17:58:22 INC INFO: BUILDING FIRE
17:58:22 STRUCTURE FIRE, Call Source = 111Inc InfoBUILDING FIRE
17:58:22 End of Duplicate Event data

17:58:25	Unit AUCK206 [K1 : PROCEEDING TO INCIDENT]
17:58:29	Unit AUCK2014 [K1 : PROCEEDING TO INCIDENT]
17:58:34	Unit REMU211 [K1 : PROCEEDING TO INCIDENT]
17:58:41	Unit AUCK2015 [K1 : PROCEEDING TO INCIDENT]
17:58:50	Unit BALM611 [K1 : PROCEEDING TO INCIDENT]
17:58:59	Unit MANG351 [K1 : PROCEEDING TO INCIDENT]
17:59:00	Unit AUCKFSO8 [K7 : AT NORMAL STATION]
17:59:16	Unit MTRO621 [K1 : PROCEEDING TO INCIDENT]
18:00:30	Unit RSOAUCK1 [KC : UNIT CALLING]
18:00:34	Unit PRESTIGE1 [KC : UNIT CALLING]
18:00:36	Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -
18:00:36	STRUCTURE FIRE, Call Source = 111Inc InfoSMOKE SHOWING
18:00:37	INC INFO: BUILDING FIRE
18:00:37	End of Duplicate Event data
18:00:59	Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -
18:00:59	STRUCTURE FIRE, Call Source = 111Inc InfoSMOKE SHOWING
18:00:59	End of Duplicate Event data
18:01:00	INC INFO: BUILDING FIRE
18:01:05	Unit RSOAUCK1 [K1 : PROCEEDING TO INCIDENT]
18:01:38	@1801
18:01:41	Unit PRESTIGE1 [K1 : PROCEEDING TO INCIDENT]
18:02:34	Unit CENTAUCK1 [K1 : PROCEEDING TO INCIDENT]
18:02:36	Unit ONEH221 [K44 : COMMAND OR CONTROL POINT ESTABLISHED - OIC AND LOCATION]
18:02:36	COMMAND POINT HUGO JOHNSTON DRIVE
18:02:46	Unit NORTHSHOR1 [K1 : PROCEEDING TO INCIDENT]
18:03:13	Unit PARN255 [K1 : PROCEEDING TO INCIDENT]
18:03:53	Unit REMU211 [K2 : IN ATTENDANCE AT INCIDENT]
18:03:55	Unit PARN255 [K1 : PROCEEDING TO INCIDENT]
18:04:13	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
18:04:17	Unit ONEH221 [KP : PRIORITY MESSAGE]
18:04:34	Unit ONEH221 [KP : PRIORITY MESSAGE] TXT 4 TH ALARM
18:04:45	** Alarm level updated to 4
18:04:46	** Recommended unit PAPA344 for requirement AERIAL (>7.73 km)
18:04:46	** Recommended unit AUCK207 for requirement PUMP (>9.88 km)
18:04:46	** Recommended unit PARN251 for requirement PUMP (>9.47 km)
18:04:46	** Recommended unit PAPA347 for requirement PUMP (>7.73 km)
18:06:56	Unit AUCK207 [K1 : PROCEEDING TO INCIDENT]
18:07:05	Unit PAPA344 [K1 : PROCEEDING TO INCIDENT]
18:07:15	Unit AUCK207 [K1 : PROCEEDING TO INCIDENT]
18:07:27	Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -

18:07:27	Unit AUCK207 [K1 : PROCEEDING TO INCIDENT]
18:07:27	STRUCTURE FIRE, Call Source = 111Inc InfoBUILDING FIRE
18:07:27	End of Duplicate Event data
18:07:28	INC INFO: BUILDING FIRE
18:07:30	Unit PAPA347 [K1 : PROCEEDING TO INCIDENT]
18:07:41	Unit AUCKFPOL8 [K1 : PROCEEDING TO INCIDENT]
18:07:45	Unit PARN251 [K1 : PROCEEDING TO INCIDENT]
18:08:18	Unit EASTAUCK2 [K1 : PROCEEDING TO INCIDENT]
18:08:21	Unit AUCK206 [K2 : IN ATTENDANCE AT INCIDENT]
18:08:24	Unit PARN255 [K2 : IN ATTENDANCE AT INCIDENT]
18:09:23	Unit AUCK2014 [K2 : IN ATTENDANCE AT INCIDENT]
18:09:30	Unit CENTAUCK2 [K1 : PROCEEDING TO INCIDENT]
18:09:33	Unit MANG351 [K2 : IN ATTENDANCE AT INCIDENT]
18:09:37	Unit BALM611 [K2 : IN ATTENDANCE AT INCIDENT]
18:10:03	Unit PAPA344 [K1 : PROCEEDING TO INCIDENT]
18:10:20	Unit MTWE237 [K2 : IN ATTENDANCE AT INCIDENT]
18:11:01	Unit AUCK2015 [K2 : IN ATTENDANCE AT INCIDENT]
18:11:24	Unit NORTHCOM1 [K1 : PROCEEDING TO INCIDENT]
18:11:30	COVERING UNIT MANU301 DISPATCHED TO STATION MANGERE
18:11:30	D0191983
18:12:13	COVERING UNIT HOWI321 DISPATCHED TO STATION ELLERSLIE
18:12:13	D0191983
18:13:14	Unit ONEH221 [SITREP :] THIS BUILDING 100M X 50M. DERELICT 3 STOREY BUILDING
18:13:14	FIRE ON 1ST FLOOR. TRYING TO ESTABLISH EXACT LOCATION. LOCATING ARIAL
18:13:32	Unit AUCKFSO17 [K1 : PROCEEDING TO INCIDENT]
18:13:34	Unit MANUKAU1 [K1 : PROCEEDING TO INCIDENT]
18:14:17	COVERING UNIT AVON601 DISPATCHED TO STATION MT ROSKILL
18:14:17	D0191983
18:14:38	Unit AUCKFSO8 [K1 : PROCEEDING TO INCIDENT]
18:15:35	Unit NORTHSHOR1 [K2 : IN ATTENDANCE AT INCIDENT]
18:16:17	Unit MTRO621 [K2 : IN ATTENDANCE AT INCIDENT]
18:16:42	Unit AUCKCONTRL [K2 : IN ATTENDANCE AT INCIDENT]
18:16:46	Unit AUCK2014 [K44 : COMMAND OR CONTROL POINT ESTABLISHED - OIC AND LOCATION]
18:16:46	SOUTH DOWN COMMAND SSO ROBERTS
18:16:54	Unit AUCKLAND3 [KC : UNIT CALLING]
18:17:12	Unit AUCKLAND3 [K1 : PROCEEDING TO INCIDENT]
18:17:13	Unit PAPA344 [K2 : IN ATTENDANCE AT INCIDENT]
18:17:24	Unit AUCK207 [K2 : IN ATTENDANCE AT INCIDENT]
18:18:27	Unit AUCKFPOL3 [K2 : IN ATTENDANCE AT INCIDENT]
18:18:53	Unit PAPA344 [K1 : PROCEEDING TO INCIDENT]

18:18:54	Unit EASTAUCK2 [K2 : IN ATTENDANCE AT INCIDENT]
18:18:56	Unit AUCKOPS2 [K1 : PROCEEDING TO INCIDENT]
18:19:05	Unit PAPA344 [K2 : IN ATTENDANCE AT INCIDENT]
18:19:17	Unit PARN251 [K2 : IN ATTENDANCE AT INCIDENT]
18:20:49	Unit MANUKAU1 [K2 : IN ATTENDANCE AT INCIDENT]
18:21:26	Unit AUCKFENG2 [K2 : IN ATTENDANCE AT INCIDENT]
18:23:03	Duplicate Event:Location = 761 GREAT SOUTH RD,PENROSE,AUCKLAND CITY, Type = STRU
18:23:03	- STRUCTURE FIRE, Call Source = 111Inc InfoTHICK SMOKE IN VICINTY
18:23:03	End of Duplicate Event data
18:23:04	INC INFO: BUILDING FIRE
18:23:09	Unit ONEH221 [KP : PRIORITY MESSAGE]
18:23:36	Unit PRESTIGE1 [KC : UNIT CALLING]
18:23:55	Unit ONEH221 [KP : PRIORITY MESSAGE] MAKE ARIAL SCOPE IF AVAILABLE 140
18:23:55	SOUTHDOWN LANE
18:24:27	Unit AUCKHSA1 [K2 : IN ATTENDANCE AT INCIDENT]
18:26:59	COVERING UNIT PAPA387 DISPATCHED TO STATION PAPATOETOE
18:26:59	D0191983
18:27:14	Unit CENTAUCK1 [K2 : IN ATTENDANCE AT INCIDENT]
18:27:23	Unit PAPA347 [K2 : IN ATTENDANCE AT INCIDENT]
18:27:45	COVERING UNIT PAPA381 DISPATCHED TO STATION PAKURA
18:27:45	D0191983
18:28:23	Unit NORTHCOM1 [K2 : IN ATTENDANCE AT INCIDENT]
18:29:18	Unit RSOAUCK1 [K2 : IN ATTENDANCE AT INCIDENT]
18:34:19	Unit AUCK2014 [SITREP :] JUCT CHECKING SITUATION WITH TRACKS
18:34:48	Unit PRESTIGE1 [KC : UNIT CALLING]
18:35:25	Unit AUCKFPOL8 [K2 : IN ATTENDANCE AT INCIDENT]
18:36:19	Unit PRESTIGE1 [COMCEN COM : MESSAGE]
18:37:06	Unit AUCK2014 [SITREP :] WE WILL REQUIRE THE SNORKEL THAT IS AT OTARA TO
18:37:06	RESPOND
18:37:28	Unit AUCKOPS2 [K2 : IN ATTENDANCE AT INCIDENT]
18:37:38	Unit PRESTIGE1 [KC : UNIT CALLING]
18:38:17	Unit AUCKFSO17 [K2 : IN ATTENDANCE AT INCIDENT]
18:40:43	Unit AUCKCONTRL [KC : UNIT CALLING]
18:41:33	Unit AUCK2014 [SITREP :] K 45 DISTRICT CHIEF FIRE OFFICER EDWARDS. ADDITIONAL
18:41:33	WATER REQUIRED HOSE LAYER TO RESPOND
18:42:06	Unit AUCK2014 [SITREP :] HOSE LAYER TO REPOSND 1CU
18:43:02	Unit AUCKFSO8 [K2 : IN ATTENDANCE AT INCIDENT]
18:44:30	Unit HOWI321 [K1 : PROCEEDING TO INCIDENT]
18:45:27	PHONE
18:46:02	COVERING UNIT AVON601 DISPATCHED TO STATION ELLERSLIE

18:46:02	D0191983
18:47:36	Unit PRESTIGE1 [K2 : IN ATTENDANCE AT INCIDENT]
18:51:30	Unit AUCKCONTRL [KP : PRIORITY MESSAGE]
18:51:47	TRAIN CONTROL PHONED IN TO CHECK IF TRAINS CAN START MOVING THROUGH
18:51:51	NO REPLY FROM FIRE GROUND
18:51:54	Unit AUCK2014 [KP : PRIORITY MESSAGE] CFO EDWARDS TXT 5TH ALARM.
18:51:59	TRAIN CONTROL LETTING TRAINS MOVE THROUGH SLOWLY
18:52:08	** Recommended unit MANU301 for requirement PUMP (>5.08 km)
18:52:08	** Alarm level updated to 5
18:52:08	** Recommended unit BIRK821 for requirement PUMP (>9.88 km)
18:52:19	Unit OTAH3112 [K1 : PROCEEDING TO INCIDENT]
18:53:06	Unit HOWI321 [KC : UNIT CALLING]
18:53:39	Unit MANU301 [K1 : PROCEEDING TO INCIDENT]
18:54:10	Unit AUCK2014 [SITREP :] ALL RESPONDING APPLIANCES LOCATED BEHIND 126 HUGO
18:54:10	JOHNSTON DRIVE
18:54:33	Unit BIRK821 [K1 : PROCEEDING TO INCIDENT]
18:54:36	Unit AUCK2014 [SITREP :] HPO REQUIRED TO CONTACT HSA THORNTON GRIMES PERS CELL
18:54:36	PHONE
18:55:57	Unit AUCK2014 [SITREP :] CONTACT TRAIN CONTROL AND HAVE THEM STOPPED
18:57:57	Unit HOWI321 [K2 : IN ATTENDANCE AT INCIDENT]
18:58:01	Unit OTAH3112 [K2 : IN ATTENDANCE AT INCIDENT]
18:58:43	COVERING UNIT DEVO811 DISPATCHED TO STATION AUCKLAND
18:58:43	TERMINAL: D0191983
18:59:19	Unit AUCKCONTRL [KP : PRIORITY MESSAGE]
18:59:37	Unit AUCK2014 [KP : PRIORITY MESSAGE] HAZMAT REQUIRED
19:01:29	Unit AUCKCONTRL [KC : UNIT CALLING]
19:01:45	Unit PONS261 [K1 : PROCEEDING TO INCIDENT]
19:02:59	Unit AUCK2014 [SITREP :] DCFO EDWARDS BUILDING 250 X 150M. USED AS ABANDONED
19:02:59	COOL STORE. MULTIPLE LPD AND ARIAL APPL IN USE. EXTERNAL ATTACK ONLY
19:03:29	Unit BIRK821 [K2 : IN ATTENDANCE AT INCIDENT]
19:04:04	Unit MANU301 [K2 : IN ATTENDANCE AT INCIDENT]
19:04:58	Unit AUCKFPOL3 [KC : UNIT CALLING]
19:05:15	COVERING UNIT AVON607 DISPATCHED TO STATION AUCKLAND
19:05:15	TERMINAL: D0191983
19:06:12	COVERING UNIT GLEN641 DISPATCHED TO STATION AVONDALE
19:06:12	D0191983
19:06:23	Unit AUCK2016 [K1 : PROCEEDING TO INCIDENT]
19:06:51	Unit AUCKFPOL6 [K1 : PROCEEDING TO INCIDENT]
19:07:25	Unit AUCK2016 [K2 : IN ATTENDANCE AT INCIDENT]
19:07:30	Unit AUCK2016 [K1 : PROCEEDING TO INCIDENT]

19:08:57	COVERING UNIT EAST831 DISPATCHED TO STATION PONSONBY
19:08:57	D0191983
19:09:28	COVERING UNIT EAST832 DISPATCHED TO STATION EAST COAST
19:09:28	TERMINAL: D0191983
19:09:57	Unit CENTAUCK2 [K2 : IN ATTENDANCE AT INCIDENT]
19:10:04	Unit AUCKLAND3 [K2 : IN ATTENDANCE AT INCIDENT]
19:14:20	FREE OR AVAILABLE
19:14:52	PAGED BIRK822 TO STAND BY AT STATION AS PER CALL FROM VOLUNTEER ADVISING ONLY
19:14:52	TWO CREW ON STATION
19:16:28	Unit AUCKCONTRL [KC : UNIT CALLING]
19:17:03	Unit AUCK2014 [SITREP :] ETA OF HAZMAT
19:19:21	Unit AUCK2014 [SITREP :] EMAIL COPY OF ALL FIRE APPLIANCES ON FIRE GROUND
19:20:17	Unit PONS261 [K2 : IN ATTENDANCE AT INCIDENT]
19:21:30	Unit AUCK2016 [K2 : IN ATTENDANCE AT INCIDENT]
19:23:15	Unit AUCK2014 [SITREP :] WE NEED TO KNOW IF POWER HAVE BEEN RESPONDED AND IF
19:23:15	THEY ARE ON THE FIRE GROUND
19:25:09	EAST832 ARE MANNED
19:29:16	Unit AUCKCONTRL [KP : PRIORITY MESSAGE]
19:29:39	Unit AUCK2014 [KP : PRIORITY MESSAGE] HAVE HAMILTON ARIALS APPLIANCE RESPOND
19:31:14	Unit AUCKFPOL3 [KC : UNIT CALLING]
19:31:34	Unit AUCKFPOL6 [K2 : IN ATTENDANCE AT INCIDENT]
19:36:13	Unit HAMI415 [K1 : PROCEEDING TO INCIDENT]
19:37:14	FSO 15 PHONED IN REQUESTING FP TO CLOSE OFF GREAT SOUTH RD/SYLVIA PARK RD
19:40:08	Unit AUCKFPOL4 [K1 : PROCEEDING TO INCIDENT]
19:40:14	INC INFO: LARGE AMOUNT OF SMOKE IN GENERAL AREA
19:40:14	End of Duplicate Event data
19:40:14	Duplicate Event: REEVES RD MANUKAU CITYCross Street 1CORTINA PLCross Street
19:40:14	** Cross Referenced to Event # F0315304 at: 20/12/08 19:40:14
19:40:14	** LOI search completed at 20/12/08 19:37:21
19:40:14	2AYLESBURY ST, Type = ADV ADVISED, Caller Name = [REDACTED], Caller Ph
19:40:14	INC INFO: LARGE AMOUNT OF SMOKE IN GENERAL AREA
19:40:14	Number = [REDACTED], Caller Address = [REDACTED], HIGHLAND PARK,MANUKAU
19:40:14	CITY, Call Source = 111Alarm Level1Inc InfoLARGE AMOUNT OF SMOKE IN GENERAL AREA
19:40:14	** Event Type changed from STRU to ADV at: 20/12/08 19:38:07
19:40:14	** Event Priority changed from 1 to 9 at: 20/12/08 19:38:07
19:40:14	CALLER LOOKING FROM A DISTANCE COULD SEE LOTS OF SMOKE LOOKING WEST FROM HIS
19:40:14	ADDRESS
19:42:33	PETER WILDING PHONED IN - MEDIA CALLS TO GO TO HIS CELL
19:42:35	PHONE
19:45:08	Unit AUCKFPOL8 [KC : UNIT CALLING]

19:49:21	Unit AUCKFPOL4 [K2 : IN ATTENDANCE AT INCIDENT]
19:51:06	Unit NORTHCOM2 [K1 : PROCEEDING TO INCIDENT]
19:54:08	Unit HAMI415 [K1 : PROCEEDING TO INCIDENT]
19:55:40	Unit AVON604 [K1 : PROCEEDING TO INCIDENT]
19:56:41	Unit SILVFPOL1 [K1 : PROCEEDING TO INCIDENT]
20:01:10	Unit AUCK2014 [SITREP :] 4 ARIAL APPLIANCES. 4 GROUND MONITORS AND 2 LPD"S IN USE
20:01:10	USE
20:03:31	██████████ PHONED IN - GRAEME FULLER AND PETER WILDING TO PHONE HIM
20:03:36	PAGED GRAHAM FULLER
20:03:57	COVERING UNIT DEVO812 DISPATCHED TO STATION DEVONPORT
20:03:57	D0191983
20:04:18	PHONED PETE WILDING AND PUT THROUGH TO ██████████ CELL PHONE
20:05:14	Unit AVON604 [SITREP :] WHATS YOUR ETA ON FIRE GROUND. (5-10 MINUTES)
20:05:22	Unit NORTHCOM2 [K2 : IN ATTENDANCE AT INCIDENT]
20:05:43	Unit AUCKFPOL3 [KC : UNIT CALLING]
20:06:06	Unit AUCKFPOL3 [SITREP :] NOW TOWING OPS CARAVAN AND RETURNING TO FG
20:08:20	Unit AUCKCONTRL [KP : PRIORITY MESSAGE] TRANSMIT 6TH ALARM ... EXTRA 3 PUMPS
20:08:20	WITH CREWS
20:10:50	Unit AVON601 [K1 : PROCEEDING TO INCIDENT]
20:11:01	COVERING UNIT BEAC437 DISPATCHED TO STATION HOWICK AT
20:11:01	D0191983
20:11:35	Unit AVON604 [K2 : IN ATTENDANCE AT INCIDENT]
20:11:47	Unit HOWI322 [K1 : PROCEEDING TO INCIDENT]
20:12:14	COVERING UNIT ALBA851 DISPATCHED TO STATION TAKAPUNA
20:12:14	D0191983
20:13:12	COVERING UNIT TITI691 DISPATCHED TO STATION AVONDALE AT
20:13:12	D0191983
20:15:20	Unit GLEN641 [K1 : PROCEEDING TO INCIDENT]
20:19:04	PHONED HEND651 - COVER MOVE TO MTROSKILL
20:19:09	Unit HAMI415 [KC : UNIT CALLING]
20:19:28	COVERING UNIT GREE841 DISPATCHED TO STATION ALBANY AT
20:19:28	D0191983
20:19:55	Unit GLEN641 [K1 : PROCEEDING TO INCIDENT]
20:20:05	Unit GLEN641 [K2 : IN ATTENDANCE AT INCIDENT]
20:20:39	Unit HOWI322 [K2 : IN ATTENDANCE AT INCIDENT]
20:24:42	Unit AUCKCONTRL [SITREP :] REQUEST CFO AUCKLAND TO ORGANISE CALL BACK OF OFF
20:24:42	DUTY CREWS
20:25:42	Unit AUCKFPOL1 [K1 : PROCEEDING TO INCIDENT]
20:26:45	Unit AVON601 [K2 : IN ATTENDANCE AT INCIDENT] ENTERED BY FC
20:30:13	WAITAKERE 1 PHONED IN - RESPONDING TO AUCK REGION

20:30:50	Unit AUCKFPOL3 [KC : UNIT CALLING]
20:32:43	PAGED WAIA711 FOR CREW FOR COVER MOVE - AS PER REQUEST FROM WAIATARUA FIRE
20:32:44	Unit AUCKCONTRL [KC : UNIT CALLING]
20:33:32	Unit AUCK2014 [SITREP :] WE NEED CONFIRMATION FROM TRAIN CONTROL THAT ALL
20:33:32	TRAINS HAVE BEEN STOPPED AS WE HAVE TO RUN FEEDERS ACROSS LINES
20:34:32	WILL BE ACROSS TRACKS - TRAIN CONTROL WANT UPDATE IN AN HOURS TIME
20:36:06	Unit WAITAKER1 [K1 : PROCEEDING TO INCIDENT]
20:38:15	COVERING UNIT WAIA711 DISPATCHED TO STATION GLEN EDEN
20:38:15	D0191987
20:40:09	Unit AUCK2014 [SITREP :] WE HAVE FP PATROLLING SOUTH BOUND LANE CHECKING FOR
20:40:09	FIRES
20:40:35	Unit WAITAKER1 [K2 : IN ATTENDANCE AT INCIDENT]
20:40:53	Unit WAITAKER1 [K2 : IN ATTENDANCE AT INCIDENT]
20:40:59	COVERING UNIT HEND651 DISPATCHED TO STATION ELLERSLIE
20:40:59	D0191983
20:41:28	Unit AUCKFPOL1 [K2 : IN ATTENDANCE AT INCIDENT]
20:42:07	Unit SILVFPOL1 [K2 : IN ATTENDANCE AT INCIDENT]
20:43:12	Unit AUCK2014 [SITREP :] ANY CONFIRMATION OF FF"S NUMBERS BACK ON DUTY
20:43:46	COVERING UNIT WAIT672 DISPATCHED TO STATION WAITEMATA
20:43:46	D0191987
20:51:27	Unit AVON601 [K2 : IN ATTENDANCE AT INCIDENT]
20:55:25	Unit HAMI415 [K4 : ON RT INSIDE NORMAL TURNOUT AREA] CHANGING TO AK NODE
20:57:14	Unit HAMI415 [K1 : PROCEEDING TO INCIDENT]
20:57:35	Unit HAMI415 [K2 : IN ATTENDANCE AT INCIDENT] NOW ASSIGNED TO AK NODE
21:00:28	Unit NORTHCOM1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
21:02:08	Unit AUCK2014 [SITREP :] WE NEED CELL PHONE FOR POWER AUTHORITY THATS ON SITE
21:03:22	Duplicate Event:Location = 140 HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY:
21:03:22	@SOUTHDOWN FREEZING WORKS, Type = STRU - STRUCTURE FIRE, Call Source = 111Inc
21:03:22	InfoLARGE FIRE SEEN
21:03:22	End of Duplicate Event data
21:03:24	INC INFO: BUILDING FIRE
21:04:25	WAIT671/672 MANNED ON STATION
21:06:14	COVERING UNIT WAIT671 DISPATCHED TO STATION OTAHUHU AT
21:06:14	D0191983
21:09:47	COVERING UNIT TITI692 DISPATCHED TO STATION BALMORAL AT
21:09:47	D0191983
21:09:56	Unit TEAT6619 [K1 : PROCEEDING TO INCIDENT]
21:15:01	Unit AUCKCONTRL [KP : PRIORITY MESSAGE]
21:15:27	Unit AUCK2014 [KP : PRIORITY MESSAGE] CAN WE HAVE BIRKENHEAD LIGHTING UNTI
21:15:27	RESPOND TO INCIDENT

21:16:48 Unit BIRK8219 [K1 : PROCEEDING TO INCIDENT]
21:16:57 Unit BIRK8219 [K1 : PROCEEDING TO INCIDENT]
21:25:19 Unit TEAT6619 [K28 : UNIT IS TO RETURN TO STATION]
21:25:29 Unit AUCK2014 [SITREP :] REQUIRE ONLY 1 LIGHTING PLANT
21:25:32 Unit TEAT6619 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
21:27:17 Unit AUCK2014 [SITREP :] UPDATE FOR TRAIN CONTROL WE STILL REQUIRE ALL TRAIN
21:27:17 TRAFFIC CEASED
21:33:29 Unit PRESTIGE1 [SITREP :] NO NEED FOR MINI TANKERS OR 2ND MECHANIC HAVE SPOKEN
21:33:29 TO AUCK2014
21:33:30 [REDACTED] BASED AT THAT LOCATION AND CAN ADVISE THAT THE CARETAKER
21:33:30 WHO IS UNACCOUNTED FOR IS ON HOLIDAY AT ORERE POINT YOU HAVE JUST SPOKEN TO HIM
21:33:49 [REDACTED]
21:34:44 Unit AUCK405 [SITREP :] VSOAUCK IS TAKING IT CITY TO GET CREWED
21:36:57 TRAIN CONTROL; WANTING TO KNOW TRAINS COMING FROM BRITOMART TO PENROSE
21:36:57 STATION AND BRITOMART TO PANMURE THEY WONT GO FURTRHER
21:39:55 Unit BIRK8219 [K2 : IN ATTENDANCE AT INCIDENT]
21:42:18 AUCK2014 CONFIRM FOR TRAIN CONTROL THAT IS FINE JUST DONT COME DOWN SOUTH
21:42:18 BOUND LINE
21:43:33 COVERING UNIT OTAR331 DISPATCHED TO STATION ELLERSLIE
21:43:33 D0191983
21:43:42 Unit STEELAK11 [K1 : PROCEEDING TO INCIDENT]
21:45:24 BEACHLANDS 437 IS ON HOWICK STATION
22:01:52 Unit HAMILTON2 [K1 : PROCEEDING TO INCIDENT]
22:02:13 Unit AUCK2014 [SITREP :] SEND UP GRADED EMAIL OF APPLIANCES IN ATT
22:02:38 Unit HAMILTON2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
22:03:25 Unit HAMILTON2 [K1 : PROCEEDING TO INCIDENT]
22:03:56 Unit AUCK2014 [SITREP :] WE WILL BE DECONTAMINATING FOR APPROX 30 PERSONAL
22:04:09 Unit AUCKFPOL4 [KC : UNIT CALLING]
22:04:18 Unit AUCKFPOL4 [KC : UNIT CALLING]
22:04:41 Unit AUCKFPOL4 [K1 : PROCEEDING TO INCIDENT]
22:04:46 Unit AUCKFPOL4 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
22:08:10 Unit AUCK403 [K1 : PROCEEDING TO INCIDENT]
22:18:16 COVERING UNIT HEND651 DISPATCHED TO STATION MT
22:18:16 TERMINAL: D0191983
22:21:00 Unit AUCK403 [K2 : IN ATTENDANCE AT INCIDENT]
22:21:05 Unit AUCK403 [K2 : IN ATTENDANCE AT INCIDENT]
22:25:22 AUCKLAND REGIONAL PUBLIC HEALTH SERVICE [REDACTED] IF
22:25:43 REQD Unit HAMILTON2 [K1 : PROCEEDING TO INCIDENT]

22:25:49 Unit AUCKHSA1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
22:25:56 Unit HAMILTON2 [K1 : PROCEEDING TO INCIDENT]
22:29:02 Unit AUCK405 [K2 : IN ATTENDANCE AT INCIDENT]
22:31:23 .
22:37:25 Unit STEELAK11 [K2 : IN ATTENDANCE AT INCIDENT]
22:39:19 PUKEKOHE FIRE PHONED IN - HAVE CREW ON STATION - STANDING BY
22:39:42 Unit AUCK2014 [SITREP :] [REDACTED]
22:42:32 TO CELL
22:49:46 COVERING UNIT PUKE551 DISPATCHED TO STATION PAPAURA
22:49:46 D0191982
22:51:47 Unit NORTHCOM1 [K1 : PROCEEDING TO INCIDENT]
22:54:28 COVERING UNIT PAPA381 DISPATCHED TO STATION REMUERA AT
22:54:28 D0191982
22:58:24 Unit ROTORUA1 [K1 : PROCEEDING TO INCIDENT]
22:58:32 Unit ROTORUA1 [K2 : IN ATTENDANCE AT INCIDENT]
22:58:39 Unit AVON604 [K99 : PROPERTY FIRE WELL INV]
22:59:33 Unit AUCKFPOL4 [K1 : PROCEEDING TO INCIDENT]
22:59:41 Unit AUCKFPOL4 [K1 : PROCEEDING TO INCIDENT]
23:00:47 Unit STEELAK11 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
23:00:53 Unit AUCKCONTRL [KC : UNIT CALLING]
23:02:10 Unit AUCK2014 [SITREP :] MUTI STOREY BUILDING 200 X 50 MULTI OCCUPANCY. FIRE
23:02:10 Unit AUCKFPOL4 [K2 : IN ATTENDANCE AT INCIDENT]
23:02:10 LOCATED THROUGHOUT. MULTIPLE LPD. AND ARIAL ATTACK. ASBESTOS HAZARD
ELECTRICAL
23:02:10 POWER HAZRAD
23:02:34 Unit AUCKFPOL5 [K1 : PROCEEDING TO INCIDENT]
23:04:47 Unit AUCKFSO17 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
23:07:46 Unit AUCKFPOL5 [K2 : IN ATTENDANCE AT INCIDENT]
23:08:38 Unit AUCKFSO8 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
23:09:12 Unit HAMILTON2 [K2 : IN ATTENDANCE AT INCIDENT]
23:10:10 Unit AUCK2014 [SITREP :] REQUEST CONTACT DETAILS FOR BUILDING MANAGER
23:11:08 Unit NORTHCOM1 [K2 : IN ATTENDANCE AT INCIDENT]
23:24:27 Unit AUCK2014 [SITREP :] FROM SSO WOON SAFETY OFFICE WE HAVE
23:24:27 11 KVA POWERLINES ON PRIVATE PROP POWER COMPANY UNABLE TO ISOL
23:24:27 REQUIRE KEYHOLDER
23:25:54 Unit MANUKAU2 [K1 : PROCEEDING TO INCIDENT]
23:34:24 FROM VSO AUCKLAND 1 NEED TO CONTACT WENDY COX TOTAL CARE NEED 20
23:34:24 SETS OF UNIFORMS WILL BE THERE IN APPROX 30 MINS
23:37:46 Unit AUCKOPS2 [SITREP :] CONTACT SILV9029 PROCEED TO REGIONAL HQ PITT ST
23:42:38 Unit MANUKAU2 [K2 : IN ATTENDANCE AT INCIDENT]

23:43:50	Unit NORTHCOM2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
23:43:59	HPO - DUTY ON CALL COMMS MANAGER FOR PUBLIC [REDACTED] -
23:46:15	Unit AUCK2014 [COMCEN COM : MESSAGE] ADVISED OF ALARM ACTIVATION AT SIEMENS
23:57:15	Unit MANUKAU1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
00:20:16	Unit NORTHSHOR1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
00:33:03	Unit EASTAUCK2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
00:39:00	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
00:40:22	Unit AUCKCONTRL [KC : UNIT CALLING]
00:40:49	Unit AUCK2014 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] CFO FULLER
00:47:31	Unit AUCKFPOL1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
00:55:35	Unit AUCKLAND3 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
00:56:53	Unit AUCK207 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
00:57:04	Unit CENTAUCK1 [SITREP :] LEAVING FIREGROUND NOW AND RETURNING AT 0700HRS
01:00:20	Unit CENTAUCK1 [K6 : ON TELEPAGER]
01:11:56	Unit NORTHCOM1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
01:12:02	Unit ONEH221 [K7 : AT NORMAL STATION]
01:18:15	Unit SILVFPOL1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
01:20:46	Unit AUCKCONTRL [KC : UNIT CALLING]
01:21:03	Unit AUCK2014 [SITREP :] K26-1
01:27:39	Unit CENTAUCK2 [K6 : ON TELEPAGER]
01:30:25	Unit AUCK2014 [SITREP :] HEALTH INSPECTOR ASKED FP FOR ASSISTANCE FOR
01:30:25	EVACUATING 703 GREAT SOUTH ROAD. FP REQUESTED ASSISTANCE FROM, POLICE.
01:30:25	POLICE
01:30:25	ACTIONED IT.
01:30:53	Unit AUCK2014 [SITREP :] REQUEST TA ATATU LIGHTING PLANT.
01:31:18	Unit AUCK2014 [SITREP :] IGNORE. REQUEST HOWI LIGHTING PLANT
01:32:52	Unit AUCKFPOL3 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
01:39:09	Unit BEAC437 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
01:42:52	Unit HOWI3219 [KC : UNIT CALLING]
01:43:13	Unit HOWI3219 [K1 : PROCEEDING TO INCIDENT]
01:44:43	Unit RSOAUCK1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
02:05:05	Unit HOWI322 [KC : UNIT CALLING]
02:06:35	Unit PAPA387 [KC : UNIT CALLING]
02:06:47	Unit PAPA387 [K1 : PROCEEDING TO INCIDENT]
02:08:24	Unit HOWI322 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
02:19:08	Unit AUCKOPS2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
02:19:10	Unit HOWI3219 [K2 : IN ATTENDANCE AT INCIDENT]
02:19:17	Unit PAPA387 [K2 : IN ATTENDANCE AT INCIDENT]
02:34:52	Unit PAPA347 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
02:39:29	Unit PRESTIGE1 [SITREP :] JUST MAKING SURE THAT THERE IS NO OUTSTANDING JOBS

02:39:29	FOR ME - NEG
02:43:26	Unit AVON607 [K2 : IN ATTENDANCE AT INCIDENT]
02:43:38	Unit AVON604 [KP : PRIORITY MESSAGE]
02:43:48	Unit AVON604 [KP : PRIORITY MESSAGE]
02:44:22	Unit PAPA387 [KC : UNIT CALLING]
02:44:53	Unit PAPA387 [SITREP :] LEAVING FIRE GROUND WITH CREW OF 344 KO
02:45:01	Unit PAPA387 [K0 : NOT AVAILABLE]
02:50:51	Unit AUCKCONTRL [KC : UNIT CALLING]
02:51:38	Unit AUCK2014 [SITREP :] UPDATE CFO FULLER BRIGADE WORKING WITH ARIALS AND
02:51:38	MONITORS. FIRE CUT OFF AND CONTAINED. K26-1
02:55:07	Unit PARN255 [K7 : AT NORMAL STATION]
02:57:28	Unit AUCK2014 [SITREP :] 4 PUMPS REQUIRED TO RELIEVE CREW -
02:57:28	MAN301,AVON601,MANG351,HOWI321
03:00:00	Unit AVON604 [K55 : SPECIAL SERVICE EVENT]
03:00:14	Unit STHE241 [K1 : PROCEEDING TO INCIDENT]
03:03:57	Unit EAST831 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
03:04:39	Unit HEND657 [K1 : PROCEEDING TO INCIDENT]
03:05:23	Unit AUCK2015 [KC : UNIT CALLING]
03:06:00	Unit DEVO811 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
03:06:29	Unit EAST831 [K1 : PROCEEDING TO INCIDENT]
03:08:06	Unit DEVO811 [K1 : PROCEEDING TO INCIDENT]
03:10:00	Unit DEVO811 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
03:10:26	Unit DEVO811 [K1 : PROCEEDING TO INCIDENT]
03:11:15	PONS CREW ARE ON STATION BUT NO APPLIANCE - BUT ABLE TO MAN THE FOAM TENDER
03:14:04	Unit EAST831 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
03:14:36	Unit HAMILTON2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
03:17:00	Unit STHE241 [K2 : IN ATTENDANCE AT INCIDENT]
03:17:18	COVERING UNIT ONEH221 DISPATCHED TO STATION MT
03:17:18	TERMINAL: D0191983
03:20:32	Unit REMU211 [K7 : AT NORMAL STATION]
03:29:38	Unit AUCK2015 [K0 : NOT AVAILABLE]
03:32:07	Unit HAMI415 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
03:32:07	Unit EAST831 [K2 : IN ATTENDANCE AT INCIDENT]
03:33:16	Unit DEVO811 [K2 : IN ATTENDANCE AT INCIDENT]
03:34:16	Unit DEVO811 [KC : UNIT CALLING]
03:40:38	Unit GLEN641 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
03:44:43	Unit HEND657 [K2 : IN ATTENDANCE AT INCIDENT]
03:54:20	Unit MANG351 [K7 : AT NORMAL STATION]
03:55:15	Unit PARN251 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
04:09:55	Unit HOWI321 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

04:27:42 Unit AUCKCONTRL [KC : UNIT CALLING]

04:28:02 Unit AUCKCONTRL [K26 : UNIT WILL BE ENGAGED AT INCIDENT - STATE TIME] 1

04:37:01 COVERING UNIT OTAR331 DISPATCHED TO STATION AVONDALE

04:37:01 D0191983

04:37:06 Unit EAST831 [K2 : IN ATTENDANCE AT INCIDENT]

04:37:11 Unit EAST831 [K2 : IN ATTENDANCE AT INCIDENT]

04:37:18 Unit EAST831 [K2 : IN ATTENDANCE AT INCIDENT]

04:37:51 Unit EAST831 [K2 : IN ATTENDANCE AT INCIDENT]

04:44:02 Unit AUCKCONTRL [KC : UNIT CALLING]

04:44:43 Unit AUCK2014 [SITREP :] ADVISE ONTRACK. HOSE LINES CLEAR. TRAINS CAN COMMENCE

05:08:01 Unit AUCKCONTRL [KC : UNIT CALLING]

05:08:43 Unit AUCK2014 [SITREP :] ADVISE ONTRACK THAT IF THEY DO RETURN TRAINS TO THE

05:08:43 TRACK THAT THEIR VISON MAY BE BLOCK BY SMOKE STREAM

05:23:26 Unit MANU301 [KC : UNIT CALLING]

05:23:49 Unit MANU301 [K7 : AT NORMAL STATION]

05:38:10 Unit AUCK2014 [SITREP :] PAGE DCFO GREGORY AND [REDACTED] AT 0630 TO CONTACT

05:38:10 ICU

05:43:28 Unit AUCKCONTRL [KC : UNIT CALLING]

05:45:13 Unit AUCK2014 [SITREP :] REQUEST AUCK PUBLIC HEALTH TO RESPOND TO MONITOR

05:45:13 DOWNWIND EFFECT OF SMOKE FROM FIRE. TO REPSOND FP TO END OF F SOUTHDOWN

05:45:13 LANE AND

05:45:13 INDUSTRY ROAD TO BLOCK ANY PUBLIC ACCESS TO OLD RAILWAY LINE DUE TO SMOKE

05:48:36 FP PHONED IN - DETAILS PASSED

05:49:38 Unit BIRK8219 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

06:16:38 Unit CENTAUCK1 [KC : UNIT CALLING]

06:17:05 Unit CENTAUCK1 [K1 : PROCEEDING TO INCIDENT]

06:17:20 Unit CENTAUCK1 [SITREP :] AM I ABLE TO ENTER A K1 ? AFFIRM

06:19:30 Unit AVON601 [K7 : AT NORMAL STATION]

06:24:53 Unit AUCKCONTRL [COMCEN COM : MESSAGE] WEATHER REPORT BEING FAXED TO YOU

06:35:46 Unit AUCKCONTRL [KC : UNIT CALLING]

06:36:27 Unit AUCKCONTRL [SITREP :] UNABLE TO R"CVE FAX - CAN YOU SEND IT TO THE HAZMAT

06:36:27 FAX

06:37:08 Unit AUCKCONTRL [SITREP :] WE DONT HAVE A NUMBER TO THE HAZMAT FAX - CAN YOU

06:37:08 PASS IT

06:38:47 Unit CENTAUCK1 [K2 : IN ATTENDANCE AT INCIDENT]

06:39:25 Unit HEND657 [K22-1 : UNIT AVAILABLE FOR A FURTHER EVENT]

06:39:36 Unit AUCKCONTRL [KC : UNIT CALLING]

06:39:44 Unit PRESTIGE1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

06:41:00 Unit AUCKCONTRL [SITREP :] HAZMAT [REDACTED]

06:44:23 Unit AUCKOPS2 [K1 : PROCEEDING TO INCIDENT]

06:45:32 .

06:45:45 ASSEMBLY POINT FOR RELIEF CREWS - AT THE ICU 126 HUGO JOHNSTON DRIVE

06:50:07 Unit AVON607 [K7 : AT NORMAL STATION]

06:50:22 Unit AUCK2014 [SITREP :] (VIA PHONE) IF [REDACTED] PHONES IN. ADVISE HIM HE

06:50:22 IS NO LONGER REQUIRED

06:57:05 Unit ONEH221 [K1 : PROCEEDING TO INCIDENT]

06:57:30 Unit ONEH221 [SITREP :] WITH BLUE WATCH CREW RETURNING TO SCENE

07:05:25 Unit WAITAKER2 [K1 : PROCEEDING TO INCIDENT]

07:06:21 Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]

07:10:02 Unit AUCKOPS2 [K2 : IN ATTENDANCE AT INCIDENT]

07:16:27 Unit WAITAKER2 [K2 : IN ATTENDANCE AT INCIDENT]

07:23:53 Unit AUCKCONTRL [KC : UNIT CALLING]

07:24:32 Unit AUCKCONTRL [SITREP :] REQUEST ATTENDANCE OF PUBLIC MEDICAL HEALTH OFFICER

07:24:32 - RESPOND TO ICU

07:34:41 Unit AUCKCONTRL [KC : UNIT CALLING]

07:35:05 Unit AUCKCONTRL [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] [REDACTED]

07:35:16 Unit AUCKCONTRL [COMCEN COM : MESSAGE] PASS UPDATED SITREP

07:35:32 Unit AUCKCONTRL [K26 : UNIT WILL BE ENGAGED AT INCIDENT - STATE TIME] ONE

07:37:00 Unit HEND657 [K1 : PROCEEDING TO INCIDENT]

07:48:36 Unit ROTORUA1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

07:55:02 Unit PARN255 [K1 : PROCEEDING TO INCIDENT]

07:55:58 Unit MANUKAU2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

07:59:35 Unit HEND657 [K2 : IN ATTENDANCE AT INCIDENT]

08:00:40 Unit EAST831 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

08:05:03 Unit AVON604 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

08:06:40 Unit PARN255 [K2 : IN ATTENDANCE AT INCIDENT]

08:08:17 Unit AVON604 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

08:08:22 Unit WAITAKER1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

08:43:01 Unit RSOAUCK1 [K1 : PROCEEDING TO INCIDENT]

08:49:52 Unit AUCKCONTRL [KC : UNIT CALLING]

08:50:37 Unit AUCKCONTRL [SITREP :] RESPOND PRESTIGE TO THE FIREGROUND

08:51:24 Unit AUCKFPOL4 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

09:02:06 Unit PRESTIGE1 [K1 : PROCEEDING TO INCIDENT]

09:11:25 Unit AUCKCONTRL [KC : UNIT CALLING]

09:11:55 Unit AUCKCONTRL [SITREP :] CONTACT PRESTIGE AND ADVISE THEM WE REQUIRE FUEL

09:11:55 FOR THE APPLIANCES

09:12:09 Unit PRESTIGE1 [SITREP :] MESSAGE COPIED

09:15:13 Unit RSOAUCK1 [K2 : IN ATTENDANCE AT INCIDENT]

09:33:04 Unit AUCKCONTRL [KC : UNIT CALLING]

09:34:01 Unit AUCKCONTRL [SITREP :] ETA PRESTIGE ?

09:34:13	Unit PRESTIGE1 [SITREP :] 10 -15 MINS
09:47:26	Unit PRESTIGE1 [K2 : IN ATTENDANCE AT INCIDENT]
10:08:38	Unit AUCKFSO8 [K1 : PROCEEDING TO INCIDENT]
10:11:25	Unit DEVO811 [K7 : AT NORMAL STATION]
10:45:36	Unit AUCKCONTRL [KC : UNIT CALLING]
10:46:48	Unit AUCK2014 [SITREP :] COULD YOU CONT TRAIN CONTROL AND ADVISE ROOFING
10:46:48	DEBRIS ON RAILWAY TRACKS AND COULD YOU ADVISE THEM THIS IS A PRIORITY FOR THEM
10:46:48	TO COME AND INVESTIGATE
10:48:08	THEY ADVISE THAT THEY WILL HAVE A CREW OUT LATER TODAY TO INVESTIGATE
10:58:43	Unit AUCKFSO8 [K2 : IN ATTENDANCE AT INCIDENT]
11:17:05	Unit AUCKCONTRL [KP : PRIORITY MESSAGE]
11:18:25	Unit AUCKCONTRL [SITREP :] CONFIRM IF TRAINS HAVE BEEN HALTED - WE HAVE
11:18:25	SEVERAL SCRUB IFRES NEARBY AND CREWS HAVE HOSES OVER TRACKS
11:18:43	Unit AUCKCONTRL [COMCEN COM : MESSAGE] ALL TRAINS HALTED - ONTRACK WILL HAVE A
11:18:43	CREW OUT LATER TO INVESTIGATE
12:11:58	Unit HOWI3219 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
12:15:54	Unit NORTHSHOR2 [K2 : IN ATTENDANCE AT INCIDENT]
12:34:37	Unit PARN255 [KC : UNIT CALLING]
12:40:48	Unit MTWE237 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
12:41:14	Unit MANU301 [K1 : PROCEEDING TO INCIDENT]
12:41:19	Unit MANU301 [K1 : PROCEEDING TO INCIDENT]
12:41:25	Unit MANU301 [K2 : IN ATTENDANCE AT INCIDENT]
12:52:58	Unit EAST831 [K2 : IN ATTENDANCE AT INCIDENT]
12:55:48	Unit EAST831 [K2 : IN ATTENDANCE AT INCIDENT]
12:57:52	Unit HEND657 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
12:58:01	Unit OTAR331 [K1 : PROCEEDING TO INCIDENT]
13:02:21	Unit MANG351 [K1 : PROCEEDING TO INCIDENT]
13:03:24	Unit AVON604 [K2 : IN ATTENDANCE AT INCIDENT]
13:11:45	Unit OTAR331 [K2 : IN ATTENDANCE AT INCIDENT]
13:22:32	Unit MANG351 [K2 : IN ATTENDANCE AT INCIDENT]
13:26:25	Unit HOWI321 [K2 : IN ATTENDANCE AT INCIDENT]
13:38:14	Unit ONEH221 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
13:38:25	Unit AUCKOPS2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
13:49:36	Unit STHE241 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
13:52:02	Unit DEVO811 [K2 : IN ATTENDANCE AT INCIDENT]
13:53:14	Unit DEVO811 [K2 : IN ATTENDANCE AT INCIDENT]
13:53:41	.
13:53:52	GLEN641 TO COVER MTRO62
14:03:01	Unit PAPA347 [K2 : IN ATTENDANCE AT INCIDENT]
14:03:08	Unit PAPA347 [K2 : IN ATTENDANCE AT INCIDENT]

14:07:25 Unit DEVO811 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
14:11:25 SHOWING WEAR
14:14:50 Unit AUCK2014 [SITREP :] (VIA PHONE) CAN WE HAVE A POLICE REP ATTEND INCIDENT
14:14:50 AS WE HAVE A CROWD CONTROL PROBLEM ON THE EASTERN SIDE OF THE RAILWAY TRACKS
14:14:50 VICINITY OF INDUSTRY RD. WE REQUIRED POLICE TO MOVE THESE PEOPLE ALONG.
14:15:49 ** Cross Referenced to Event # P002550864 at: 21/12/08 14:15:49
14:24:34 Unit AUCKFSO8 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
14:26:57 Unit PAPA347 [K1 : PROCEEDING TO INCIDENT]
14:27:15 Unit PAPA347 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
14:43:15 Unit ELLE274 [K7 : AT NORMAL STATION]
14:51:17 Unit NORTHSHOR1 [K1 : PROCEEDING TO INCIDENT]
14:52:09 Unit NORTHSHOR1 [K2 : IN ATTENDANCE AT INCIDENT]
15:01:14 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -
15:01:14 STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc
15:01:14 InfoBUILDING FIRE
15:01:14 End of Duplicate Event data
15:01:15 INC INFO: BUILDING FIRE
15:01:45 Unit WAITAKER1 [K2 : IN ATTENDANCE AT INCIDENT]
15:06:22 INC INFO: SMOKE IN AREA
15:06:22 Duplicate Event:Location = HUGO JOHNSTON DR,PENROSE,AUCKLAND CITY, Type = STRU -
15:06:22 STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc InfoSMOKE IN
15:06:22 AREA
15:06:22 End of Duplicate Event data
15:06:23 INC INFO: BUILDING FIRE
15:15:33 Unit AUCKCONTRL [KC : UNIT CALLING]
15:15:56 Unit AUCKCONTRL [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] CFO O'DONOGHUE
15:25:07 Unit CENTAUCK1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
15:42:29 Unit AUCK403 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
16:11:42 Unit WAITAKER2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
17:05:53 Duplicate Event:Location = 140 HUGO JOHNSTON DR AUCKLAND CITY @SOUTHDOWN
17:05:53 FREEZING WORKSCross Street 1SOUTHPARK PL, Type = ADV ADVISED, Call Source =
17:05:53 111Alarm Level1Inc Info*POLICE REQUESTED*
17:05:54 ** Cross Referenced to Event # F0315756 at: 21/12/08 17:05:54
17:05:54 End of Duplicate Event data
17:05:54 COMMAND UNIT IS REQUESTING POLICE TO ATTEND AS MEMBERS OF PUBLIC ARE IGNORING
17:05:54 INC INFO: *POLICE REQUESTED*
17:05:54 FIRE SERVICE AND CONTINUE TO WANDER THROUGH THE GROUNDS OF THIS PREMISES
17:05:54 FIRE POLICE ARE BEING IGNORED

17:05:54	** LOI search completed at 21/12/08 16:23:01
17:05:54	PLEASE REPORT TO THE COMMAND UNIT AT THE FIRE GROUND
17:05:54	** Cross Referenced to Event # P002551550 at: 21/12/08 16:23:52
17:06:03	.
17:06:22	Unit OTAR331 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
17:34:19	Unit MANG351 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
17:55:53	.
17:56:19	PAPA347 WERE PROCEEDING FOR CREW CHANGEOVER - NOW COMMITTED TO F0315788
18:07:34	Unit AVON604 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
18:08:21	Unit AUCKFPOL3 [K1 : PROCEEDING TO INCIDENT]
18:08:32	Unit AUCKFPOL3 [K2 : IN ATTENDANCE AT INCIDENT]
18:21:23	Unit PAPA347 [K1 : PROCEEDING TO INCIDENT]
18:22:40	Unit PAPA347 [K2 : IN ATTENDANCE AT INCIDENT]
18:26:33	Unit PONS261 [KC : UNIT CALLING]
18:27:23	Unit PONS261 [SITREP :] OUT OF COMMISSION
18:32:13	Unit BALM611 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
18:36:17	Unit EAST831 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
18:39:40	Unit RSOAUCK1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
18:51:52	Unit PAPA347 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
18:55:04	Unit MTRO621 [K7 : AT NORMAL STATION]
18:56:35	Unit MANG351 [K1 : PROCEEDING TO INCIDENT]
19:09:15	Unit AUCKFPOL5 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
19:11:35	Unit MANG351 [K2 : IN ATTENDANCE AT INCIDENT]
19:32:36	Unit PONS261 [KC : UNIT CALLING]
19:32:57	Unit PONS261 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
19:43:21	Unit MANU301 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
20:20:22	Unit AUCKCONTRL [SITREP :] BIRK8219 REQD FOR LIGHTING
20:23:08	Unit BIRK8219 [K1 : PROCEEDING TO INCIDENT]
20:43:58	Unit PAPA344 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
20:50:06	Unit DEVO811 [K1 : PROCEEDING TO INCIDENT]
20:52:12	Unit BIRK8219 [K2 : IN ATTENDANCE AT INCIDENT]
20:59:17	Unit MANU301 [K2 : IN ATTENDANCE AT INCIDENT]
21:00:44	Unit ONEH221 [K1 : PROCEEDING TO INCIDENT]
21:00:50	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
21:03:27	Unit DEVO811 [K2 : IN ATTENDANCE AT INCIDENT]
21:20:03	Unit AUCKCONTRL [KC : UNIT CALLING]
21:20:25	Unit AUCKCONTRL [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SSO LANE
21:43:22	Unit WAITAKER1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
22:13:35	Unit AUCK2016 [K7 : AT NORMAL STATION]
22:18:03	Unit NORTHSHOR2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

22:21:22	Unit BIRK821 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
22:28:28	Unit OTAH311 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
22:33:44	Unit BIRK8219 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
22:37:02	Unit MANG351 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
23:07:06	Unit PRESTIGE1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
23:31:28	Unit ALBA851 [K1 : PROCEEDING TO INCIDENT]
23:38:33	Unit MTRO621 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
23:42:56	Unit MTRO621 [K1 : PROCEEDING TO INCIDENT]
23:48:35	Unit MTRO621 [K2 : IN ATTENDANCE AT INCIDENT]
23:50:20	Unit MTWE237 [K2 : IN ATTENDANCE AT INCIDENT]
23:55:13	Unit ALBA851 [K2 : IN ATTENDANCE AT INCIDENT]
23:56:03	Unit AUCKCONTRL [KC : UNIT CALLING]
23:56:39	Unit AUCKCONTRL [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SSO ROBERTS
23:58:22	Unit NORTHSHOR1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
00:02:30	Unit OTAR331 [K2 : IN ATTENDANCE AT INCIDENT]
00:08:14	Unit ONEH221 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
00:10:46	Unit HOWI321 [KC : UNIT CALLING]
00:16:44	Unit HOWI321 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
00:24:56	Unit MANU301 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
00:36:22	Unit AUCKCONTRL [KC : UNIT CALLING]
00:37:35	Unit AUCKCONTRL [SITREP :] OUT BREAK OF FIRE ON 2ND AND 3RD FLOOR IN SECTOR
00:37:35	FOUR, ONE ADDITION PUMP AND ONE ADDITION AERIAL APPROACH FROM EASTERN SIDE OF
00:37:35	SECTOR FOUR THAT BEING INDUSTRY RD
00:39:15	** Recommended unit ELLE274 for requirement PUMP (>3.65 km)
00:39:15	** Recommended unit AUCK2015 for requirement BAT (>9.88 km)
00:39:15	** Recommended unit OTAH311 for requirement PUMP (>1.79 km)
00:39:15	** Recommended unit PARN251 for requirement PUMP (>1.79 km)
00:39:15	** Recommended unit AUCK205 for requirement AERIAL (>9.88 km)
00:39:15	** Recommended unit ONEH221 for requirement PUMP (>4.03 km)
00:39:15	** Recommended unit REMU211 for requirement PUMP (>6.58 km)
00:39:15	** Recommended unit MANG351 for requirement PUMP (>5.08 km)
00:39:15	** Recommended unit BALM611 for requirement PUMP (>8.56 km)
00:39:15	** Recommended unit AUCK207 for requirement PUMP (>9.88 km)
00:39:15	** Recommended unit PAPA344 for requirement PUMP (>7.73 km)
00:40:33	Unit OTAH311 [K1 : PROCEEDING TO INCIDENT]
00:41:04	Unit ELLE274 [K1 : PROCEEDING TO INCIDENT]
00:42:12	Unit OTAH311 [KC : UNIT CALLING]
00:48:00	Unit AUCKCONTRL [KC : UNIT CALLING]
00:49:15	Unit AUCKCONTRL [SITREP :] ADDITIONAL APPLIANCES TO GO TO END OF INDUSTRY RD
00:49:15	THEN TURN RIGHT INTO SOUTHDOWN LANE AND ASSEMBLE AT END OF CUL DE SAC

00:50:52 Unit NORTSHOR1 [K1 : PROCEEDING TO INCIDENT]
00:51:51 Unit ELLE274 [K2 : IN ATTENDANCE AT INCIDENT]
00:52:37 Unit AUCKCONTRL [COMCEN COM : MESSAGE] CONFIRM IF THERE IS A REQST FOR TRAIN
00:52:37 LINES TO BE CLOSED
00:53:09 Unit AUCKCONTRL [SITREP :] AFFIRMATIVE ALL THREE TRAIN LINES TO BE SHUT DOWN
00:53:09 FOR TWO HOURS AT THIS STAGE
00:54:16 TRAIN CONTROL PHONE TO CONFIRM IF REQUEST WAS AUTHENTIC AS SOMEONE HAD
00:54:16 PHONED
00:54:16 MANAGER AT HOME
00:54:31 INFO PASSED TO TRAIN CONTROL TO CLOSE THE 3 LINES
00:54:56 [REDACTED]
01:03:42 Unit AUCKCONTRL [KC : UNIT CALLING]
01:05:03 Unit AUCKCONTRL [SITREP :] RAILWAY TRACKS CLOSED DOWN GROUND MONITOR IN
01:05:03 SECTOR
01:05:03 FOUR MOVED ONTO TRACKS TO GIVE BETTER PENERATION INTO FIRE OUTBREAK
01:10:14 Unit NORTSHOR1 [K2 : IN ATTENDANCE AT INCIDENT]
01:27:46 Unit AUCKCONTRL [KC : UNIT CALLING]
01:28:28 Unit AUCKCONTRL [SITREP :] GROUND MONITOR WORKING FROM RAILWAY TRACKS ALL
01:28:28 VISIBLE FIRE EXT ON 2ND AND 3RD FLOOR
01:30:11 Unit OTAH311 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
01:30:37 Unit ELLE274 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
01:31:58 Unit DEVO811 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
01:50:24 Unit AUCKCONTRL [KC : UNIT CALLING]
01:51:06 Unit AUCKCONTRL [SITREP :] 2 APPLIANCES NEED REFUELLING IN ABOUT HALF AN HOUR
01:51:06 WORKSHOPS REQD
02:01:45 Unit PRESTIGE2 [K1 : PROCEEDING TO INCIDENT]
02:02:12 Unit AUCKCONTRL [KC : UNIT CALLING]
02:03:15 Unit AUCKCONTRL [SITREP :] INFORM ON TRACK 3 TRACKS CLOSED DOWN CAN NOW BE
02:03:15 REOPENED INDEFINITELY
02:12:01 Unit AUCKCONTRL [SITREP :] POWER LINES DOWN EASTERN SIDE OF THE BUILDING ALONG
02:12:01 THE RAILWAY TRACKS BETWEEN SOUTHDOWN AND INDUSTRY. WE NEED CONFIRMATION
02:12:01 THESE
02:12:01 WIRES HAVE BEEN ISOLATED
02:12:58 Unit AUCKCONTRL [SITREP :] WATER FLOWING AROUND THE VICINITY OF THOSE WIRES
02:12:58 AND WE NEED TO KNOW WE ARE NOT GOING TO BE AFFECTED
02:20:53 Unit NORTSHOR1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
02:38:31 Unit PRESTIGE2 [K2 : IN ATTENDANCE AT INCIDENT]
02:40:28 Unit REMU211 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
02:40:48 Unit REMU211 [K38 : ASSOCIATE THIS UNIT TO EVENT - EVENT ADDRESS]
02:41:01 Unit REMU211 [K31 : REQUEST PERMISSION TO GO OFF RT]
02:41:23 Unit AVON607 [K1 : PROCEEDING TO INCIDENT]

02:41:39 Unit AVON607 [K2 : IN ATTENDANCE AT INCIDENT]
02:43:37 Unit REMU211 [K1 : PROCEEDING TO INCIDENT]
02:51:01 Unit EAST831 [KC : UNIT CALLING]
02:51:42 Unit EAST831 [K2 : IN ATTENDANCE AT INCIDENT]
02:54:46 Unit PAPA344 [K1 : PROCEEDING TO INCIDENT]
03:02:48 Unit REMU211 [K2 : IN ATTENDANCE AT INCIDENT]
03:11:51 Unit ALBA851 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
03:13:09 Unit PAPA344 [K2 : IN ATTENDANCE AT INCIDENT]
03:27:10 Unit AUUCKCONTRL [KC : UNIT CALLING]
03:27:30 Unit AUUCKCONTRL [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SSO WOON
03:29:18 Unit OTAR331 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
03:42:38 Unit MTRO621 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
03:48:16 Unit MTWE237 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
05:38:19 Unit BALM611 [K2 : IN ATTENDANCE AT INCIDENT]
05:53:45 Unit GLEN641 [K2 : IN ATTENDANCE AT INCIDENT]
05:54:30 Unit BIRK821 [K1 : PROCEEDING TO INCIDENT]
05:55:28 Unit PAPA347 [K1 : PROCEEDING TO INCIDENT]
05:56:07 Unit BIRK821 [K2 : IN ATTENDANCE AT INCIDENT]
05:57:26 Unit PAPA347 [K2 : IN ATTENDANCE AT INCIDENT]
06:11:46 Unit AUUCKCONTRL [KC : UNIT CALLING]
06:12:07 Unit AUUCKCONTRL [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SSO TWOMEY
06:18:45 Unit EAST831 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
06:22:30 Unit PAPA344 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
06:27:07 Unit GLEN641 [K2 : IN ATTENDANCE AT INCIDENT]
06:29:12 Unit AVON607 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
06:33:25 =====
06:43:45 Unit REMU211 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
06:55:51 Unit AUUCKCONTRL [SITREP :] STANDBY 0800 HOURS: HOWI321, DEVO811, ONEH221,
06:55:51 PAPA344
07:26:50 [REDACTED] AND DCFO GREGORY RESPONDING @ 0730
08:02:17 .
08:02:21 ONEH221 @ 0801 PROCEEDING TO SOUTHDOWN
08:02:23 .
08:03:17 PAPA
08:03:42 Unit PAPA344 [K2 : IN ATTENDANCE AT INCIDENT] ENTERED BY FCOMMS
08:04:04 Unit PAPA344 [K31 : REQUEST PERMISSION TO GO OFF RT]
08:04:15 Unit PAPA344 [COMCEN COM : MESSAGE] PERMISSION GRANTED
08:11:50 Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT] ENTERED BY FCOMMS
08:12:10 Unit ONEH221 [K31 : REQUEST PERMISSION TO GO OFF RT]
08:12:21 Unit ONEH221 [COMCEN COM : MESSAGE] PERMISSION GRANTED

08:13:31	Unit RSOAUCK1 [K2 : IN ATTENDANCE AT INCIDENT]
08:13:43	Unit RSOAUCK1 [K2 : IN ATTENDANCE AT INCIDENT]
08:21:31	Unit HOWI321 [K2 : IN ATTENDANCE AT INCIDENT] ENTERED BY FCOMMS
08:21:49	Unit HOWI321 [K31 : REQUEST PERMISSION TO GO OFF RT]
08:22:07	Unit HOWI321 [COMCEN COM : MESSAGE] GRANTED
08:23:38	Unit AUCKFSO8 [K1 : PROCEEDING TO INCIDENT]
08:37:38	Unit PAPA347 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
08:41:28	Unit AUCKFSO8 [K2 : IN ATTENDANCE AT INCIDENT]
08:43:06	Unit DEVO811 [K2 : IN ATTENDANCE AT INCIDENT]
08:43:35	.
08:43:38	Unit BALM611 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
08:43:53	Unit PRESTIGE2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
08:44:07	Unit BIRK821 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
08:46:54	Duplicate Event:Location = GREAT SOUTH RD,PENROSE,AUCKLAND CITY, Type = STRU -
08:46:54	STRUCTURE FIRE, Call Source = 111
08:46:54	End of Duplicate Event data
08:46:55	INC INFO: BUILDING FIRE
08:59:46	Unit AUCKFPOL4 [K1 : PROCEEDING TO INCIDENT]
09:02:02	Unit GLEN641 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
09:02:28	Unit AUCKFPOL4 [K2 : IN ATTENDANCE AT INCIDENT]
09:03:01	Unit AUCKFPOL4 [K2 : IN ATTENDANCE AT INCIDENT]
09:05:28	Unit AUCKCONTRL [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] [REDACTED]
10:14:34	Unit AUCKOPS2 [K2 : IN ATTENDANCE AT INCIDENT]
10:16:27	Unit AUCKOSH1 [K2 : IN ATTENDANCE AT INCIDENT]
10:26:00	Unit AUCKCONTRL [SITREP :] [REDACTED] . MAKE BAT 1
10:27:39	Unit AUCK2015 [K1 : PROCEEDING TO INCIDENT]
10:35:07	Unit AUCKCONTRL [SITREP :] [REDACTED] . CREWS WORKING WITH 2 AERIAL
10:35:07	APPLIANCES AND 2 GROUND MONITORS
10:38:01	Unit AUCK2015 [K2 : IN ATTENDANCE AT INCIDENT]
10:50:36	-----
10:51:20	Unit AUCKCONTRL [SITREP :] [REDACTED] ALBA851, MTRO621, MTWE237, MANG351 TO
10:51:20	STANDBY 1130
10:57:16	Unit AUCKCONTRL [SITREP :] (VIA PHONE) CAN WE ALSO HAVE STHE241 AND AVON604
10:57:16	FOR STAND BY 1130
10:59:39	.
11:00:22	[REDACTED] FROM AUCKLAND REGIONAL PUBLIC HEALTH IS TAKING OVER
11:00:22	COMMUNICATIONS MNGR ROLE - [REDACTED]
11:04:33	.
11:05:00	HAVE ATTEMPTED ALL MEANS TO CONTACT MTWE237...NO CONTACT BEEN MADE
11:16:01	Unit AVON604 [K1 : PROCEEDING TO INCIDENT]

11:25:58 Unit MTRO621 [K2 : IN ATTENDANCE AT INCIDENT]
11:26:44 Unit STHE241 [K1 : PROCEEDING TO INCIDENT]
11:28:43 Unit AUCK2015 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
11:39:36 Unit ALBA851 [KC : UNIT CALLING]
11:40:02 Unit ALBA851 [K2 : IN ATTENDANCE AT INCIDENT]
11:40:07 Unit ALBA851 [K2 : IN ATTENDANCE AT INCIDENT]
11:40:14 Unit ALBA851 [K2 : IN ATTENDANCE AT INCIDENT]
11:46:21 Unit AVON604 [K2 : IN ATTENDANCE AT INCIDENT]
11:52:32 Unit MANG351 [K2 : IN ATTENDANCE AT INCIDENT]
11:55:26 Unit STHE241 [K2 : IN ATTENDANCE AT INCIDENT]
11:56:49 @11:33 SPOKE TO MTWE237 RE STANDBY REQUIRED @ 11:30...MTWE OFFICER WAS GOING TO
11:56:49 CONTACT DCFO @ INCIDENT
12:01:36 MTWE237 PROCEEDING TO STANDBY AT SOUTHDOWN - 1201HRS
12:06:35 Unit DEVO811 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
12:22:29 Unit DEVO811 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
12:37:24 Unit HOWI321 [SITREP :] ROUTINE NOT WORKING. BACK ON NORMAL TURNOUT. K3-27
12:37:36 Unit HOWI321 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
12:40:03 MTWE237
12:40:08 Unit MTWE237 [K1 : PROCEEDING TO INCIDENT]
12:41:56 Unit MTWE237 [K2 : IN ATTENDANCE AT INCIDENT]
12:46:40 Unit PAPA344 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
12:52:06 Unit LAIN7010 [K1 : PROCEEDING TO INCIDENT]
13:03:50 Unit ONEH221 [KC : UNIT CALLING]
13:04:00 Unit ONEH221 [KC : UNIT CALLING]
13:04:06 Unit ONEH221 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
13:09:19 Unit AUCKFSO8 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
13:16:51 Unit AUCKOPS2 [K6 : ON TELEPAGER]
13:27:45 Unit MTRO621 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
13:31:06 Unit STHE241 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
13:33:40 Unit LAIN7010 [K2 : IN ATTENDANCE AT INCIDENT]
13:35:37 ..
13:36:05 [REDACTED] INCIDENT CONTROLLER AUCKLAND PUBLIC HEALTH
13:36:07 ..
14:05:06 Unit EASTAUCK2 [K1 : PROCEEDING TO INCIDENT]
14:05:16 Unit EASTAUCK2 [K2 : IN ATTENDANCE AT INCIDENT]
14:19:11 Unit AUCKCONTRL [K26 : UNIT WILL BE ENGAGED AT INCIDENT - STATE TIME] -1
14:58:27 Unit EAST831 [K2 : IN ATTENDANCE AT INCIDENT]
15:07:35 Unit OTAR331 [K2 : IN ATTENDANCE AT INCIDENT]
15:13:02 Unit AUCKCONTRL [SITREP :] MAKE BAT 1

15:17:32	Unit AUCK2015 [K1 : PROCEEDING TO INCIDENT]
15:20:07	Unit REMU211 [K2 : IN ATTENDANCE AT INCIDENT] BY FCOMMS
15:20:16	Unit REMU211 [K31 : REQUEST PERMISSION TO GO OFF RT] GRANTED
15:21:43	Unit BALM611 [K2 : IN ATTENDANCE AT INCIDENT]
15:28:14	Unit AUCK2015 [K2 : IN ATTENDANCE AT INCIDENT] VERBAL
15:35:09	Unit MANG351 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
15:35:24	Unit AUCKCONTRL [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] DCFO
15:35:24	CALLISTER.
15:36:51	Unit AUCKCONTRL [SITREP :] ELLE274 REQUIRED @ 1600
16:00:06	Unit OTAR331 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
16:04:15	Unit BALM611 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
16:11:25	Unit ALBA851 [KC : UNIT CALLING]
16:11:34	Unit ALBA851 [KC : UNIT CALLING]
16:11:53	Unit ALBA851 [KC : UNIT CALLING]
16:11:56	Unit ALBA851 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
16:12:41	Unit ELLE274 [K2 : IN ATTENDANCE AT INCIDENT]
16:13:33	Unit PRESTIGE1 [K1 : PROCEEDING TO INCIDENT]
16:20:14	Unit AUCKFPOL3 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
16:20:39	Unit PRESTIGE1 [K2 : IN ATTENDANCE AT INCIDENT]
16:36:43	Unit RSOAUCK1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
16:42:18	Unit AUCK2015 [K7 : AT NORMAL STATION]
16:47:45	Unit AVON604 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
16:49:15	Unit PRESTIGE1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
16:54:11	Unit EAST831 [K2 : IN ATTENDANCE AT INCIDENT]
17:10:12	Unit LAIN7010 [K2 : IN ATTENDANCE AT INCIDENT]
17:10:20	Unit LAIN7010 [K2 : IN ATTENDANCE AT INCIDENT]
17:21:21	Unit LAIN7010 [K55 : SPECIAL SERVICE EVENT]
17:21:29	Unit LAIN7010 [K55 : SPECIAL SERVICE EVENT]
17:21:37	Unit LAIN7010 [K55 : SPECIAL SERVICE EVENT]
17:43:41	Unit LAIN7010 [K9 : OFF RT - STATE LOCATION]
17:43:55	Unit AUCKFPOL4 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
17:55:09	1754 BIRK8219 PROCEEDING TO SOUTHDOWN TO CHANGE LIGHTING EQUIPMENT
18:04:10	Unit BIRK821 [K1 : PROCEEDING TO INCIDENT]
18:04:18	Unit BIRK821 [K2 : IN ATTENDANCE AT INCIDENT]
18:04:23	Unit BIRK821 [K2 : IN ATTENDANCE AT INCIDENT]
18:04:28	Unit BIRK821 [K2 : IN ATTENDANCE AT INCIDENT]
18:04:41	Unit BIRK821 [K2 : IN ATTENDANCE AT INCIDENT]
18:04:46	Unit BIRK821 [K2 : IN ATTENDANCE AT INCIDENT]
18:04:51	Unit BIRK821 [K2 : IN ATTENDANCE AT INCIDENT]
18:05:01	Unit BIRK821 [K2 : IN ATTENDANCE AT INCIDENT]

18:23:27	Unit REMU211 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
18:30:19	Unit AUCKCONTRL [SITREP :] WORKSHOPS MECHANIC TO REPORT TO INCIDENT GROUND
18:30:19	HAVE A PROBLEM WITH ONE OF THE PUMPS
18:38:07	Unit PRESTIGE1 [K1 : PROCEEDING TO INCIDENT]
18:40:47	Unit EAST831 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
18:44:05	Unit AUCKCONTRL [SITREP :] ██████████ EST LPD FROM SPARTAN LADDER TO
18:44:05	SECOND FLR INTERNAL AGGRESSIVE WARD DEMOLITION REPLACING 50 TONNE DIGGER
18:44:05	METROWATER CALLED IN TO INV 50% DROP IN WATER SUPPLY
19:19:11	Unit PRESTIGE1 [K2 : IN ATTENDANCE AT INCIDENT]
19:35:14	Unit AUCKCONTRL [SITREP :] RESPOND BA TENDER NORMAL TRAFFIC
19:38:27	Unit AUCK2015 [K1 : PROCEEDING TO INCIDENT]
19:52:51	Unit AUCK2015 [K2 : IN ATTENDANCE AT INCIDENT]
20:02:48	Unit AUCKCONTRL [SITREP :] 2130 CHANGE AROUND - APPL ONEH221 AVON604 STHE241
20:02:48	ANOTHER CHANGE AT 0030 - MANG351 PAPA344 WITH SSO REM211 ANOTHER CHANGE OVER
20:02:48	WILL HAPPEN AT 0330 TOO
20:18:26	FM LANCE AT INCIDENT GROUND - HAVE PERSON ON SCENE HAVE INFO ABOUT ARSONIST
20:19:27	** Cross Referenced to Event # P002558765 at: 22/12/08 20:19:27
20:25:01	FSO AUCK 8 PHONED IN - ETA 30 MINS
20:31:56	Unit AUCKFSO8 [K1 : PROCEEDING TO INCIDENT]
20:32:14	Unit AUCKFSO8 [KC : UNIT CALLING]
20:33:27	Unit AUCKFSO8 [SITREP :] ETA 20-25 MINS
20:33:29	ROGER CALLISTER PHONED IN PUT ██████████ THROUGH TO HIS CELL ██████████
20:56:44	Unit AUCKFSO8 [K2 : IN ATTENDANCE AT INCIDENT]
21:00:21	Unit STHE241 [K1 : PROCEEDING TO INCIDENT]
21:01:14	Unit AVON604 [K1 : PROCEEDING TO INCIDENT]
21:15:30	Unit STHE241 [K2 : IN ATTENDANCE AT INCIDENT]
21:20:32	Unit AVON604 [K2 : IN ATTENDANCE AT INCIDENT]
21:24:12	Unit AUCK2015 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
21:29:21	Unit AUCKCONTRL [SITREP :] DCFO CALLISTER SECTOR ONE PPV USED ON LOWER
21:29:21	RESIDENCES SECTOR 4 CONTINUEING WITH AERIAL ATTACK ONLY DUE TO LOW WATER
21:29:21	SUPPLY
21:29:21	METROWATER IN ATTENDENCE AND REPAIRING WATER MANIFOLD SUPPLY WARD
21:29:21	DEMOLITION
21:29:21	POSITIONING 50 TONNE DIGGER INTO LOCATION FOR DEMOLITION PURPOSES
21:29:31	Unit AUCKCONTRL [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SSO LANE
21:31:25	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
21:31:36	Unit PRESTIGE1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
21:39:58	Unit AUCKFSO8 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
21:49:35	Unit BIRK821 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
21:57:27	Unit OTAH3112 [K9 : OFF RT - STATE LOCATION]
21:57:43	Unit EASTAUCK2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

22:09:07	Unit AVON604 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
22:24:17	TO GARY LANE ON 2014 RE COMPLAINT FROM FAMILY IN OTAHUHU
22:24:39	Unit MTWE237 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
23:07:18	Unit AUCKCONTRL [SITREP :] AT 0330 TAKA807 MTRO621, GLEN641 AT 0630 AVON601
23:07:18	WITH SSO, MANU301, HOWI321
23:46:43	Unit AUCKCONTRL [KC : UNIT CALLING]
23:48:04	Unit AUCKCONTRL [SITREP :] SSO LANE SECTOR ONE DAMPENING DOWN, SECTOR FOUR
23:48:04	WORKING WITH REDUCED WATER SUPPLY ONE LADDER AND ONE TYPE 4 APPLIANCE IN USE,
23:48:04	METROWATER NO LONGER ON SCENE, WARD DEMOLITION RETURNING AT DAYLIGHT
00:22:47	Unit MANG351 [K1 : PROCEEDING TO INCIDENT]
00:22:51	Unit REMU211 [K2 : IN ATTENDANCE AT INCIDENT]
00:22:56	Unit PAPA344 [K1 : PROCEEDING TO INCIDENT]
00:26:56	Unit MANG351 [K2 : IN ATTENDANCE AT INCIDENT]
00:30:40	Unit PAPA344 [K2 : IN ATTENDANCE AT INCIDENT]
00:45:51	Unit STHE241 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
01:09:46	Unit AUCKCONTRL [KC : UNIT CALLING]
01:10:13	Unit AUCKCONTRL [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SSO TWOMEY
01:11:49	Unit ONEH221 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
01:35:51	Unit AUCKCONTRL [KC : UNIT CALLING]
01:36:45	Unit ELLE274 [K7 : AT NORMAL STATION]
01:37:09	Unit AUCKCONTRL [SITREP :] SSO SECTOR ONE AND FOUR STILL OPERATING AERIAL WITH
01:37:09	INTERMITTENT WATER SUPPLY DUE TO MAINS FAILURE ESTABISHING NEW WATER SUPPLY
02:12:09	Unit PRESTIGE1 [K1 : PROCEEDING TO INCIDENT]
02:22:22	Unit PARN255 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
03:00:07	Unit PRESTIGE1 [K2 : IN ATTENDANCE AT INCIDENT]
03:07:27	Unit MTRO621 [K1 : PROCEEDING TO INCIDENT]
03:09:11	Unit TAKA807 [K1 : PROCEEDING TO INCIDENT]
03:09:17	Unit TAKA807 [K1 : PROCEEDING TO INCIDENT]
03:09:25	Unit TAKA807 [K1 : PROCEEDING TO INCIDENT]
03:09:38	Unit TAKA807 [K1 : PROCEEDING TO INCIDENT]
03:11:22	Unit GLEN641 [K1 : PROCEEDING TO INCIDENT]
03:17:42	Unit MTRO621 [K2 : IN ATTENDANCE AT INCIDENT]
03:29:03	Unit TAKA807 [K2 : IN ATTENDANCE AT INCIDENT]
03:37:20	Unit MANG351 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
03:39:57	Unit GLEN641 [K2 : IN ATTENDANCE AT INCIDENT]
03:53:57	Unit PRESTIGE1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
04:05:38	Unit AUCKCONTRL [KC : UNIT CALLING]
04:06:12	Unit AUCKCONTRL [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SSO WEBSTER
04:09:18	Unit PAPA344 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

04:14:39	Unit AUCKCONTRL [KC : UNIT CALLING]
04:14:47	Unit AUCKCONTRL [KC : UNIT CALLING]
04:15:01	Unit REMU211 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
04:15:13	Unit AUCKCONTRL [SITREP :] NEW WATER RELAY SUPPLY ESTABLISHED
04:40:25	Unit AUCK2014 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
04:56:29	Unit TAKA807 [KC : UNIT CALLING]
04:57:25	Unit TAKA807 [SITREP :] ICU NOW TAKA807 ADVS PRESTIGE MECHANIC GLEN641
04:57:25	REQUIRES DIESEL
04:59:19	Unit AUCKCONTRL [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
05:01:36	Unit PRESTIGE2 [K1 : PROCEEDING TO INCIDENT]
05:34:44	Unit TAKA807 [KC : UNIT CALLING]
05:35:03	Unit TAKA807 [K26 : UNIT WILL BE ENGAGED AT INCIDENT - STATE TIME] ONE
05:41:18	Unit PRESTIGE2 [K2 : IN ATTENDANCE AT INCIDENT]
05:47:34	INC INFO: BUILDING FIRE
05:59:28	Unit AVON607 [K1 : PROCEEDING TO INCIDENT]
05:59:42	Unit AVON607 [K2 : IN ATTENDANCE AT INCIDENT]
06:22:41	Unit MANU301 [K1 : PROCEEDING TO INCIDENT]
06:22:44	Unit MANU301 [K2 : IN ATTENDANCE AT INCIDENT]
06:35:55	Unit GLEN641 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
06:36:47	Unit TAKA807 [KC : UNIT CALLING]
06:37:19	Unit TAKA807 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SSO WOON ON
06:37:19	AVON607
06:37:34	Unit TAKA807 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
06:38:22	Unit HOWI321 [K2 : IN ATTENDANCE AT INCIDENT]
06:38:34	Unit HOWI321 [K31 : REQUEST PERMISSION TO GO OFF RT]
06:46:35	Unit MTRO621 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
07:36:25	Unit AUCK2014 [K1 : PROCEEDING TO INCIDENT]
07:37:18	Unit OTAR331 [K1 : PROCEEDING TO INCIDENT]
07:46:08	Unit MTWE237 [K1 : PROCEEDING TO INCIDENT]
07:46:26	Unit MTWE237 [K1 : PROCEEDING TO INCIDENT]
07:47:07	Unit AUCK2014 [K2 : IN ATTENDANCE AT INCIDENT]
07:57:24	Unit OTAR331 [K2 : IN ATTENDANCE AT INCIDENT]
07:57:33	Unit MTWE237 [K2 : IN ATTENDANCE AT INCIDENT]
08:09:06	Unit MTRO621 [K2 : IN ATTENDANCE AT INCIDENT]
08:17:03	Unit AUCK2014 [K44 : COMMAND OR CONTROL POINT ESTABLISHED - OIC AND LOCATION]
08:17:03	SOUTHDOWN COMMAND OIC SSO BEST
08:17:33	Unit AUCK2014 [SITREP :] LOCATION OF MTRO621 AND ETA
08:18:02	Unit MTRO621 [SITREP :] LOCATION HUGO JOHNSON DR ETA 2MINS
08:18:36	Unit AUCKFSO8 [K1 : PROCEEDING TO INCIDENT]
08:27:51	Unit HOWI321 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

08:31:09 Unit AUCKOPS2 [K1 : PROCEEDING TO INCIDENT]
08:32:44 Unit AUCKFSO8 [K2 : IN ATTENDANCE AT INCIDENT]
08:42:56 Unit AVON607 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
08:43:10 Unit MANU301 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
08:44:29 Unit AUCKOPS2 [K2 : IN ATTENDANCE AT INCIDENT]
08:45:33 Unit PRESTIGE2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
08:46:39 Unit AUCK2014 [SITREP :] REQ PARN255 TO ATTEND THIS INCIDENT
08:47:40 Unit PARN255 [K1 : PROCEEDING TO INCIDENT]
09:03:51 Unit PARN255 [K2 : IN ATTENDANCE AT INCIDENT]
09:13:12 FROM SOUTHDOWN COMMAND COVERAGE REQUIRED ON SITE @ 12:00
09:13:33 ONEH221 (SSO) GLEN641 AND BIRK821
09:17:08 ICP ON HUGO JOHNSTON - STAGING POINT
09:34:40 Unit AUCK2014 [SITREP :] ██████████ CREWS WORKING WITH AERIAL APPLIACES GROUND
09:34:40 MONITERS AND LPDS 1 AERIAL PLATFORM BEING USED TO SECURE ROOFING 1 20 TONNE
AND
09:34:40 1 50 TONNE DIGGER BEING USED TO GAIN ACCESS TO FIRE BRIGADE LIAISING WITH BLDG
09:34:40 OWNERS RE OCCUPANCY
09:57:48 Unit AUCKOPS2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
10:00:39 Unit AUCK2014 [SITREP :] K11P SUSPICIOUS FIRE
10:01:40 ** Cross Referenced to Event # P002561410 at: 23/12/08 10:01:40
10:27:08 Unit AUCK2014 [SITREP :] MAKE PUMPS 4 SPOT FIRES
10:27:35 ** Recommended unit PAPA344 for requirement PUMP (>1.79 km)
10:27:35 ** Recommended unit ONEH221 for requirement PUMP (>4.03 km)
10:27:35 ** Recommended unit REMU211 for requirement PUMP (>6.58 km)
10:27:35 ** Recommended unit AUCK2015 for requirement BAT (>9.88 km)
10:27:35 ** Recommended unit MANG351 for requirement PUMP (>5.08 km)
10:27:35 ** Recommended unit BALM611 for requirement PUMP (>8.56 km)
10:27:35 ** Recommended unit AUCK205 for requirement AERIAL (>9.88 km)
10:27:35 ** Recommended unit AUCK207 for requirement PUMP (>9.88 km)
10:27:35 ** Recommended unit PARN251 for requirement PUMP (>9.47 km)
10:27:35 ** Recommended unit PAPA347 for requirement PUMP (>7.73 km)
10:27:35 ** Recommended unit MANU301 for requirement PUMP (>7.73 km)
10:27:35 ** Recommended unit HOWI321 for requirement PUMP (>8.09 km)
10:27:35 ** Recommended unit STHE241 for requirement PUMP (>7.67 km)
10:28:50 Unit ONEH221 [K1 : PROCEEDING TO INCIDENT]
10:31:07 ABOVE MESSAGE WAS KP
10:34:24 Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
10:46:01 Unit AUCKOSH1 [K6 : ON TELEPAGER]
10:57:15 NEW STANDBYS FOR MIDDAY - TAKA807 GLEN641 BALM611
10:59:30 COVERING UNIT REMU211 DISPATCHED TO STATION ONEHUNGA

10:59:30	TERMINAL: D0191983
11:39:41	Unit BALM611 [K1 : PROCEEDING TO INCIDENT]
11:41:28	Unit AUCKFSO8 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
11:42:36	COVERING UNIT PARN251 DISPATCHED TO STATION ST HELIERS
11:42:36	TERMINAL: D0191983
11:56:36	Unit GLEN641 [K1 : PROCEEDING TO INCIDENT]
12:10:38	Unit BALM611 [K2 : IN ATTENDANCE AT INCIDENT]
12:26:43	Unit PARN255 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
12:27:29	Unit AUCKFPOL4 [K1 : PROCEEDING TO INCIDENT]
12:35:07	Unit OTAR331 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
12:39:07	Unit AUCKFPOL4 [K2 : IN ATTENDANCE AT INCIDENT]
12:39:51	Unit TAKA807 [K1 : PROCEEDING TO INCIDENT]
12:39:55	Unit TAKA807 [K2 : IN ATTENDANCE AT INCIDENT]
12:43:45	Unit ONEH221 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
13:04:44	Unit MTRO621 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
13:21:34	Unit AUCKFPOL4 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
13:24:16	Unit AUCK2014 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SSO NEVILLE
13:36:07	Unit GLEN641 [K2 : IN ATTENDANCE AT INCIDENT] F/COM
13:38:37	Unit MTWE237 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
15:29:56	Unit HOWI321 [K1 : PROCEEDING TO INCIDENT]
16:02:09	BASICALLY OUT. COMMAND UNIT PACKING UP. LEFT AT SCENE WILL BE 1 PUMP AND 1
16:02:09	ARIAL. SCALE DOWN WILL COMMENCE FROM 1700-1800HRS
16:06:27	SOUTHDOWN COMMAND TO CONTACT PARNELL FIRE
16:11:10	Unit AUCK2014 [SITREP :] CONTROL POINT NOW TRANSFERRED FROM AUCK2014 TO
16:11:10	TAKA807 SSO NEVILLE
16:15:11	Unit BALM611 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
16:24:46	Unit AUCK2014 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
16:31:43	Unit AUCKFPOL8 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
16:38:35	ONEH221 ENROUTE TO RELIEVE TAKA807
16:45:14	Unit ONEH221 [K1 : PROCEEDING TO INCIDENT]
16:45:21	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
16:56:14	Unit ONEH221 [KC : UNIT CALLING]
16:56:34	Unit ONEH221 [K44 : COMMAND OR CONTROL POINT ESTABLISHED - OIC AND LOCATION]
16:56:34	SOUTHDOWN COMMAND SSO MILLAR
16:57:49	Unit TAKA807 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
17:02:52	Unit HOWI321 [K2 : IN ATTENDANCE AT INCIDENT]
17:04:46	SSO ON ONE221 REQ FOR FURTHER STANDBYS - MANG351, AN SSO CREW TO RELIEVE
17:04:46	ONEH221, A CITY CREW FOR THE LADDER & ANOTHER PUMP TO RELIEVE HOWI321
17:09:01	ADV MANGERE FIRE - BLUE WATCH CREW IS TO RESPOND TO FIREGROUND
17:11:09	Unit GLEN641 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

17:14:20	RANG PONSONBY FIRE - SO OLSEN & CREW WILL RESPOND SHORTLY
17:21:12	RANG MT WELLINGTON FIRE - SSO SEARLE & CREW TO RESPOND SHORTLY
17:35:31	Unit MTWE237 [K1 : PROCEEDING TO INCIDENT]
17:40:11	Unit PONS261 [K1 : PROCEEDING TO INCIDENT]
17:41:19	MANGERE NOW TIED UP AT ANOTHER JOB - MTRO621 TO RESPOND INSTEAD
17:59:12	Unit MTRO621 [K2 : IN ATTENDANCE AT INCIDENT]
18:03:02	Unit PONS261 [K2 : IN ATTENDANCE AT INCIDENT]
18:12:32	Unit ONEH221 [KC : UNIT CALLING]
18:13:14	Unit ONEH221 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
18:13:28	Unit ONEH221 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] MTWE237 SSO
18:13:28	SEARLE
18:17:55	Unit MTWE237 [COMCEN COM : MESSAGE] CAN YOU CONTACT CITY ROSTERS
18:28:53	Unit MTWE237 [K2 : IN ATTENDANCE AT INCIDENT]
18:35:16	Unit MTWE237 [KC : UNIT CALLING]
18:36:07	Unit MTWE237 [SITREP :] AS WE MAY BE AWAY FROM APPLIANCE - YOU CAN CALL US ON
18:36:07	021401768
18:42:14	Unit HOWI321 [K7 : AT NORMAL STATION]
20:26:20	Unit PONS261 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
21:32:13	Unit STHE241 [K1 : PROCEEDING TO INCIDENT]
21:34:26	Unit STHE241 [COMCEN COM : MESSAGE] FROM THE FIRE GROUND, CAN YOU RESPOND TO
21:34:26	SECTOR 1
21:34:41	Unit STHE241 [SITREP :] RC"VD, WHOSE THE OIC?
21:34:49	Unit STHE241 [COMCEN COM : MESSAGE] SSO SEARLE
21:40:53	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
21:45:51	Unit STHE241 [K2 : IN ATTENDANCE AT INCIDENT]
21:50:27	Unit MTRO621 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
21:53:45	Unit MTWE237 [KC : UNIT CALLING]
21:54:26	Unit MTWE237 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SO WOON ONEH221
21:55:12	Unit MTWE237 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
21:57:34	Unit ONEH221 [KC : UNIT CALLING]
21:58:01	Unit ONEH221 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SSO WOON
22:10:43	.
23:24:35	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
23:25:41	Unit ONEH221 [KC : UNIT CALLING]
23:26:23	Unit ONEH221 [SITREP :] WERE YOU CALLING US?
23:26:35	Unit ONEH221 [COMCEN COM : MESSAGE] DISREGARD
23:56:24	Unit ONEH221 [SITREP :] SSO WOON DOWNGRADED TO 1 PUMP SSO STANDBY ADVISE
23:56:24	ONCOMING CREWS
23:56:59	Unit STHE241 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
00:54:15	Unit PAPA347 [K2 : IN ATTENDANCE AT INCIDENT]

00:54:19	Unit PAPA347 [K2 : IN ATTENDANCE AT INCIDENT]
00:54:47	Unit PAPA347 [K2 : IN ATTENDANCE AT INCIDENT]
00:56:20	Unit ONEH221 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
03:44:22	Unit AVON607 [K2 : IN ATTENDANCE AT INCIDENT]
04:28:01	Unit PAPA347 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
07:34:59	Unit AUUCK405 [K7 : AT NORMAL STATION] ENTERED BY COMCEN
07:43:44	Unit AVON607 [KC : UNIT CALLING]
07:44:34	Unit AVON607 [SITREP :] CONTACT AUUCKFSO12 & HAVE HIS CALL TRANSFERRED THRU TO
07:44:34	OUR APPLIANCE
07:45:06	Unit ONEH221 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
07:46:07	Unit ONEH221 [K1 : PROCEEDING TO INCIDENT]
07:46:16	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
07:56:42	Unit AVON607 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
07:57:00	Unit ONEH221 [KC : UNIT CALLING]
07:57:27	Unit ONEH221 [K44 : COMMAND OR CONTROL POINT ESTABLISHED - OIC AND LOCATION]
07:57:27	SSO MILLAR
08:08:43	TRIED PHONING AUUCKFSO12 - NO REPLY
08:09:04	ADV AVON607 THAT AUUCKFSO12 UNABLE TO BE CONTACTED
08:09:35	SSO TURNER ADV THAT ONEH221 WILL CONTACT US LATER TO HAVE FSO CONTACTED
08:10:06	THEY NEED TO ASCERTAIN THE AREAS THEY CAN PUT THE DIGGER INTO THAT WON'T
08:10:06	COMPROMISE FIRE INVESTIGATIONS
08:29:45	Unit ONEH221 [KC : UNIT CALLING]
08:40:23	Unit AUUCKFSO8 [K38 : ASSOCIATE THIS UNIT TO EVENT - EVENT ADDRESS]
08:40:26	Unit AUUCKFSO8 [K1 : PROCEEDING TO INCIDENT]
08:51:26	Unit AUUCKFSO8 [K2 : IN ATTENDANCE AT INCIDENT]
10:21:49	NEXT STANDBY AT 1200HRS IS ELLE274... THEN FOLLOWED BY OTAH311
10:58:53	Unit ONEH221 [KC : UNIT CALLING]
10:59:49	Unit ONEH221 [K11P : POLICE REQUIRED] FROM ██████████ STANDBY FOR A PHONECALL
11:00:05	2ND SEAT OF FIRE - ADV POLICE
11:00:45	SUSPICIOUS
11:01:21	** Cross Referenced to Event # P002568124 at: 24/12/08 11:01:21
12:05:34	Unit ELLE274 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
12:06:33	Unit AUUCKFPOL6 [K7 : AT NORMAL STATION]
12:06:56	Unit ELLE274 [K2 : IN ATTENDANCE AT INCIDENT]
12:29:08	Unit ONEH221 [KC : UNIT CALLING]
12:29:38	Unit ONEH221 [KC : UNIT CALLING]
12:30:16	Unit ONEH221 [K44 : COMMAND OR CONTROL POINT ESTABLISHED - OIC AND LOCATION]
12:30:16	ELLE274
12:30:29	Unit ELLE274 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SO DALEY
12:30:37	Unit ONEH221 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

13:17:48	STANDBY TRUCK REQD AT 1430
13:30:05	PAPA344 TO DO 1430 STANDBY
14:01:00	Unit PAPA344 [K38 : ASSOCIATE THIS UNIT TO EVENT - EVENT ADDRESS] TO SOUTHDOWN
14:01:00	FOR STANDBY
14:01:05	Unit PAPA344 [K1 : PROCEEDING TO INCIDENT]
14:19:16	Unit PAPA344 [K2 : IN ATTENDANCE AT INCIDENT]
14:38:24	Unit PAPA344 [KC : UNIT CALLING]
14:39:06	Unit PAPA344 [K44 : COMMAND OR CONTROL POINT ESTABLISHED - OIC AND LOCATION]
14:39:06	PAPA344
14:40:25	Unit ELLE274 [KC : UNIT CALLING]
14:41:32	Unit ELLE274 [KC : UNIT CALLING]
14:41:51	Unit ELLE274 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
14:41:56	Unit PAPA344 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SO MONRAD
15:02:01	Unit AUCKFSO8 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
15:26:44	Unit AUCK407 [K7 : AT NORMAL STATION]
15:52:34	Unit AUCK206 [KC : UNIT CALLING]
17:00:29	Unit AUCK206 [K0 : NOT AVAILABLE]
17:47:39	Unit PAPA344 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
17:49:18	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
17:49:36	Unit ONEH221 [K44 : COMMAND OR CONTROL POINT ESTABLISHED - OIC AND LOCATION]
17:49:36	ONEH221
17:49:46	Unit ONEH221 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SSO WALSH
20:01:37	Unit REMU211 [K31 : REQUEST PERMISSION TO GO OFF RT]
20:01:41	Unit REMU211 [K2 : IN ATTENDANCE AT INCIDENT]
20:07:29	Unit ONEH221 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
22:53:56	Unit OTAH311 [K31 : REQUEST PERMISSION TO GO OFF RT] PROCEEDING TO STAND BY AT
22:53:56	SOUTHDOWN
22:54:32	Unit OTAH311 [COMCEN COM : MESSAGE] PERMISSION GRANTED
23:16:03	Unit REMU211 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
23:16:28	Unit OTAH311 [K2 : IN ATTENDANCE AT INCIDENT]
01:37:32	Unit MANU301 [K38 : ASSOCIATE THIS UNIT TO EVENT - EVENT ADDRESS]
01:54:40	Unit MANU301 [KC : UNIT CALLING]
01:55:25	Unit MANU301 [SITREP :] CAN YOU HAVE OTAH311 CONTACT MANU301 VIA UHF
01:55:35	Unit OTAH311 [SITREP :] MESSAGE COPIED
02:01:40	Unit MANU301 [K2 : IN ATTENDANCE AT INCIDENT]
02:14:04	Unit OTAH311 [KC : UNIT CALLING]
02:14:27	Unit OTAH311 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
02:14:28	Unit OTAH311 [SITREP :] OTAH311 BACK ON NORMAL TURN OUT
04:40:59	Unit MTRO621 [K2 : IN ATTENDANCE AT INCIDENT]
04:59:58	Unit MANU301 [KC : UNIT CALLING]

05:00:23	Unit MANU301 [SITREP :] MANU301 BACK ON NORMAL TURN OUT
05:00:35	Unit MANU301 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
07:33:23	ELLE FOR 10AM TAKEOVER, AND CALL BACK WITH FURTHER STANDBYS
08:09:11	Unit MTRO621 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
08:11:00	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
08:12:20	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
10:13:01	Unit ONEH221 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
10:13:42	Unit ELLE274 [K31 : REQUEST PERMISSION TO GO OFF RT]
10:13:52	Unit ELLE274 [K2 : IN ATTENDANCE AT INCIDENT] ENTERED BY COMMS
10:14:06	Unit ELLE274 [K9 : OFF RT - STATE LOCATION]
10:23:45	Unit ELLE274 [K2 : IN ATTENDANCE AT INCIDENT]
12:10:16	Unit OTAH311 [K2 : IN ATTENDANCE AT INCIDENT]
12:26:29	Unit ELLE274 [KC : UNIT CALLING]
12:26:48	Unit ELLE274 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
14:10:25	Unit MTRO621 [K2 : IN ATTENDANCE AT INCIDENT]
14:10:56	Unit MTRO621 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SO CLARKSON
14:14:28	Unit OTAH311 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
15:45:40	Unit MANG351 [K1 : PROCEEDING TO INCIDENT]
16:22:57	Unit MTRO621 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
16:28:52	Unit MANG351 [K2 : IN ATTENDANCE AT INCIDENT]
17:41:28	Unit ONEH221 [K1 : PROCEEDING TO INCIDENT]
17:41:40	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
17:49:58	Unit MANG351 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
20:40:35	Unit OTAH311 [K2 : IN ATTENDANCE AT INCIDENT] SO LEWIS
20:40:56	Unit OTAH311 [K2 : IN ATTENDANCE AT INCIDENT]
20:46:40	Unit ONEH221 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
00:06:27	Unit OTAH311 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
00:09:12	Unit ELLE274 [K2 : IN ATTENDANCE AT INCIDENT]
00:12:59	Unit ELLE274 [KC : UNIT CALLING]
02:49:37	Unit MTWE237 [K1 : PROCEEDING TO INCIDENT]
02:58:59	Unit MTWE237 [K2 : IN ATTENDANCE AT INCIDENT]
03:03:19	Unit ELLE274 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
05:57:40	Unit REMU211 [K1 : PROCEEDING TO INCIDENT]
05:57:45	Unit REMU211 [K2 : IN ATTENDANCE AT INCIDENT]
05:57:56	Unit REMU211 [K2 : IN ATTENDANCE AT INCIDENT]
06:00:40	Unit MTWE237 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
07:37:40	Unit MTWE237 [K1 : PROCEEDING TO INCIDENT]
07:37:45	Unit MTWE237 [K1 : PROCEEDING TO INCIDENT]
07:51:50	Unit MTWE237 [K2 : IN ATTENDANCE AT INCIDENT]
08:20:21	Unit REMU211 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

09:08:56	MAKE BRONTOS 1 - HAVE APPLIANCE REPORT TO SSO ROBERTS
09:09:27	** Recommended unit ELLE274 for requirement PUMP (>3.65 km)
09:09:27	** Recommended unit AUCK2014 for requirement COMU (>9.88 km)
09:09:27	** Recommended unit OTAH311 for requirement PUMP (>1.79 km)
09:09:27	** Recommended unit REMU211 for requirement PUMP (>6.58 km)
09:09:27	** Recommended unit AUCK205 for requirement AERIAL (>9.88 km)
09:09:27	** Recommended unit PARN255 for requirement AERIAL (>9.47 km)
09:09:27	** Recommended unit AUCK2015 for requirement BAT (>9.88 km)
09:09:27	** Recommended unit MANG351 for requirement PUMP (>5.08 km)
09:09:27	** Recommended unit BALM611 for requirement PUMP (>8.56 km)
09:09:27	** Recommended unit MTRO621 for requirement PUMP (>8.56 km)
09:09:27	** Recommended unit PAPA344 for requirement AERIAL (>7.73 km)
09:09:27	** Recommended unit AUCK207 for requirement PUMP (>9.88 km)
09:09:27	** Recommended unit PARN251 for requirement PUMP (>9.47 km)
09:09:27	** Recommended unit PAPA347 for requirement PUMP (>7.73 km)
09:09:27	** Recommended unit HOWI321 for requirement PUMP (>8.09 km)
09:09:27	** Recommended unit STHE241 for requirement PUMP (>7.67 km)
09:09:27	** Recommended unit PONS261 for requirement PUMP (>10.90 km)
09:09:27	** Unfilled Requirements for Alarm 3:(1 CANT)
09:10:44	Unit ELLE274 [K1 : PROCEEDING TO INCIDENT]
09:11:31	Unit ONEH221 [K1 : PROCEEDING TO INCIDENT]
09:11:46	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
09:15:14	Unit ELLE274 [K2 : IN ATTENDANCE AT INCIDENT]
09:21:29	Unit ONEH221 [SITREP :] SSO ROBERTS - WE HAVE A 1ST ALARM PLUS OTAH IS COMING
09:21:29	DOWN IN A FEW MINUTES - WE WILL BE HERE FOR 2.5HRS MAKING UP HOSES - YOU MAY
09:21:29	WANT TO LOOK AT PUTTING A COVER MOVE
09:26:50	Unit ONEH221 [SITREP :] IS REMU211 GOING AT 11 - IT'S A LITTLE WEE FIRE
09:27:20	Unit ONEH221 [SITREP :] A LITTLE HOT SPOTS
09:27:41	CORRECTION - A LITTLE HOT SPOT
09:28:12	COVERING UNIT MTRO621 DISPATCHED TO STATION ELLERSLIE
09:28:12	D0191983
09:28:59	REMU211 STILL GOING DOWN AT 11AM TOO
09:53:23	Unit OTAH311 [K2 : IN ATTENDANCE AT INCIDENT]
10:59:21	Unit REMU211 [K2 : IN ATTENDANCE AT INCIDENT]
11:01:15	Unit ELLE274 [KC : UNIT CALLING]
11:01:37	Unit ELLE274 [SITREP :] BACK ON NORMAL TURNOUT
11:01:38	Unit ELLE274 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
11:01:46	Unit ONEH221 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
11:45:28	Unit OTAH311 [KC : UNIT CALLING]
11:45:53	Unit OTAH311 [SITREP :] BACK ON NORMAL TURNOUT

11:45:58	Unit OTAH311 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
12:16:51	Unit MTWE237 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
14:18:38	Unit REMU211 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
14:26:13	Unit BALM611 [K2 : IN ATTENDANCE AT INCIDENT]
16:44:07	Unit AVON601 [K2 : IN ATTENDANCE AT INCIDENT]
16:44:15	Unit AVON601 [K31 : REQUEST PERMISSION TO GO OFF RT]
16:59:38	Unit BALM611 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
17:58:07	Unit MTRO621 [K2 : IN ATTENDANCE AT INCIDENT]
17:58:12	Unit MTRO621 [K2 : IN ATTENDANCE AT INCIDENT]
18:24:43	Unit AVON601 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
20:42:48	Unit STHE241 [K1 : PROCEEDING TO INCIDENT]
20:45:48	Unit STHE241 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
21:28:26	Unit MTRO621 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
21:40:55	Unit STHE241 [K2 : IN ATTENDANCE AT INCIDENT]
23:50:49	Unit HOWI321 [K31 : REQUEST PERMISSION TO GO OFF RT]
23:50:53	Unit HOWI321 [K2 : IN ATTENDANCE AT INCIDENT]
00:01:07	Unit STHE241 [KC : UNIT CALLING]
00:08:32	Unit STHE241 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
02:57:31	Unit MANG351 [K2 : IN ATTENDANCE AT INCIDENT]
02:57:40	Unit MANG351 [K9 : OFF RT - STATE LOCATION]
03:07:26	Unit HOWI321 [KC : UNIT CALLING]
03:07:46	Unit HOWI321 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
04:17:30	BUSINESS RULE CHECKS CANCELLED AT 27/12/08 04:17:30
04:18:45	Unit MANG351 [K2 : IN ATTENDANCE AT INCIDENT]
04:19:19	Unit MANG351 [K9 : OFF RT - STATE LOCATION]
04:19:37	Unit MANG351 [K2 : IN ATTENDANCE AT INCIDENT]
05:24:55	Unit PONS261 [K2 : IN ATTENDANCE AT INCIDENT]
06:08:23	Unit MANG351 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
08:06:56	Unit ONEH221 [K31 : REQUEST PERMISSION TO GO OFF RT]
08:08:23	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT] ENTERED BY FIRECOM
08:08:27	Unit ONEH221 [K1 : PROCEEDING TO INCIDENT]
08:08:32	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
08:51:57	Unit PONS261 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
09:00:24	Unit ONEH221 [SITREP :] AN ON CALL EXEC TO RESPOND TO INCIDENT TO DISCUSS
09:00:24	STAND DOWN
09:46:30	Unit CENTAUCK4 [K1 : PROCEEDING TO INCIDENT]
09:46:46	Unit CENTAUCK4 [K38 : ASSOCIATE THIS UNIT TO EVENT - EVENT ADDRESS] FOR
09:46:46	INSPECTION
09:54:24	Unit ONEH221 [KP : PRIORITY MESSAGE]
09:54:44	Unit ONEH221 [SITREP :] MP2 TO HELP DAMPEN DOWN HOT SPOTS

09:56:23	** Cross Referenced to Event # P002585615 at: 27/12/08 09:56:23
09:56:34	Unit ELLE274 [K1 : PROCEEDING TO INCIDENT]
10:00:42	Unit ELLE274 [K2 : IN ATTENDANCE AT INCIDENT]
11:09:48	Unit ELLE274 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
11:18:56	Unit ONEH221 [KC : UNIT CALLING]
11:19:18	Unit ONEH221 [K11P : POLICE REQUIRED] CIB IF POSSIBLE
11:20:13	** Cross Referenced to Event # P002586019 at: 27/12/08 11:20:13
11:32:14	Unit ONEH221 [KC : UNIT CALLING]
11:32:35	Unit ONEH221 [SITREP :] ARE POLICE ABLE TO GIVE US AN ETA TO SOUTHDOWN
11:33:42	Unit ONEH221 [COMCEN COM : MESSAGE] POLICE ARE ENROUTE BUT NO ETA
11:38:41	Unit ONEH221 [SITREP :] SSO LANE 1 PUMP STANDBYS REQUIRED UNTIL 1800
12:15:52	Unit CENTAUCK4 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
12:18:57	Unit OTAH311 [K2 : IN ATTENDANCE AT INCIDENT]
12:24:14	Unit ONEH221 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
12:56:00	FSO8 ADVISES TO GO IN DRIVEWAY WITH #118 ON IT - FOLLOW DRIVE AROUND AND TO THE
12:56:00	RIGHT. HE IS AT THE REAR OF THE COMPLEX
15:08:37	Unit MTRO621 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SO CLARKSON
15:08:37	SOUTHDOWN
15:09:17	Unit MTRO621 [K2 : IN ATTENDANCE AT INCIDENT]
15:09:32	Unit MTRO621 [K2 : IN ATTENDANCE AT INCIDENT]
15:14:08	Unit OTAH311 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
15:18:17	Unit MTRO621 [KC : UNIT CALLING]
15:18:59	Unit MTRO621 [K9 : OFF RT - STATE LOCATION]
15:19:24	Unit MTRO621 [K2 : IN ATTENDANCE AT INCIDENT]
15:19:32	Unit MTRO621 [K31 : REQUEST PERMISSION TO GO OFF RT]
18:10:57	Unit ONEH221 [KC : UNIT CALLING]
18:12:17	Unit ONEH221 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
18:12:45	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
18:17:46	Unit MTRO621 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
20:10:29	Unit OTAH311 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
20:45:41	Unit PAPA344 [K2 : IN ATTENDANCE AT INCIDENT]
21:18:24	Unit PAPA344 [COMCEN COM : MESSAGE] IS 221 STILL ON SCENE - NEG THEY LEFT 10MIN
21:18:24	AGO
21:19:29	Unit ONEH221 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
23:59:31	Unit STHE241 [K31 : REQUEST PERMISSION TO GO OFF RT]
23:59:55	Unit STHE241 [K2 : IN ATTENDANCE AT INCIDENT]
00:19:28	Unit PAPA344 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
02:54:42	Unit PARN251 [K38 : ASSOCIATE THIS UNIT TO EVENT - EVENT ADDRESS]
02:54:50	Unit PARN251 [K1 : PROCEEDING TO INCIDENT]
02:56:20	Unit PARN251 [K2 : IN ATTENDANCE AT INCIDENT]

03:10:13	Unit STHE241 [KC : UNIT CALLING]
03:10:35	Unit STHE241 [SITREP :] BACK ON NORMAL T/O
03:10:35	Unit STHE241 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
06:05:21	Unit HOWI321 [K2 : IN ATTENDANCE AT INCIDENT]
06:10:59	Unit PARN251 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
07:50:53	Unit CENTAUCK4 [K1 : PROCEEDING TO INCIDENT]
08:10:26	Unit HOWI321 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
08:13:47	Unit ONEH221 [K1 : PROCEEDING TO INCIDENT]
08:13:55	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
08:14:55	Unit ONEH221 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
08:17:00	Unit ONEH221 [K1 : PROCEEDING TO INCIDENT]
08:17:11	Unit ONEH221 [K2 : IN ATTENDANCE AT INCIDENT]
08:34:56	Unit CENTAUCK4 [K2 : IN ATTENDANCE AT INCIDENT]
09:45:52	Unit ONEH221 [KC : UNIT CALLING]
09:46:35	Unit ONEH221 [STOP : MESSAGE] DCFO CALLISTER SOUTHDOWN HANDED OVER TO AUCKLAND
09:46:35	CITY ENVIRONMENT NO FURTHER STANDBYS REQD
09:55:15	Unit ONEH221 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
13:10:22	Unit CENTAUCK4 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
13:24:03	UNIT AUCK405 RESPONSE TIME [NULL] ADJUSTED TO
13:24:04	UNIT AUCKCONTRL RESPONSE TIME [NULL] ADJUSTED TO
13:24:04	UNIT AUCKFENG2 RESPONSE TIME [NULL] ADJUSTED TO
13:24:04	UNIT AUCKHSA1 RESPONSE TIME [NULL] ADJUSTED TO
13:24:04	UNIT AUCKOSH1 RESPONSE TIME [NULL] ADJUSTED TO
13:24:04	UNIT NORTHSHOR2 RESPONSE TIME [NULL] ADJUSTED TO
13:24:04	UNIT AVON607 RESPONSE TIME [NULL] ADJUSTED TO
13:25:31	UNIT AUCKFPOL3 ALERT TIME [NULL] ADJUSTED TO
13:25:31	** Assigned Result Code: STRU, Detailed Event Type: 1100, Qualifier 1: Q1,
13:25:31	UNIT AUCK403 ALERT TIME [NULL] ADJUSTED TO
13:25:31	UNIT AUCK405 ALERT TIME [NULL] ADJUSTED TO
13:25:31	UNIT AUCKCONTRL ALERT TIME [NULL] ADJUSTED TO
13:25:31	UNIT AUCKFPOL1 ALERT TIME [NULL] ADJUSTED TO
13:25:31	UNIT AUCKFENG2 ALERT TIME [NULL] ADJUSTED TO
13:25:31	Qualifier 2:
13:25:32	UNIT AUCKFPOL4 ALERT TIME [NULL] ADJUSTED TO
13:25:32	UNIT AUCKFPOL4 ALERT TIME [NULL] ADJUSTED TO
13:25:32	UNIT AUCKFSO17 ALERT TIME [NULL] ADJUSTED TO
13:25:32	UNIT AUCKOSH1 ALERT TIME [NULL] ADJUSTED TO
13:25:32	UNIT AVON607 ALERT TIME [NULL] ADJUSTED TO
13:25:32	UNIT EASTAUCK2 ALERT TIME [NULL] ADJUSTED TO

13:25:32	UNIT HAMILTON2 ALERT TIME [NULL] ADJUSTED TO
13:25:32	UNIT HAMILTON2 ALERT TIME [NULL] ADJUSTED TO
13:25:32	UNIT HAMILTON2 ALERT TIME [NULL] ADJUSTED TO
13:25:32	UNIT HAMILTON2 ALERT TIME [NULL] ADJUSTED TO
13:25:32	UNIT MANUKAU1 ALERT TIME [NULL] ADJUSTED TO
13:25:33	UNIT WAITAKER2 ALERT TIME [NULL] ADJUSTED TO
13:25:33	UNIT MANUKAU2 ALERT TIME [NULL] ADJUSTED TO
13:25:33	UNIT NORTHCOM1 ALERT TIME [NULL] ADJUSTED TO
13:25:33	UNIT NORTHSHOR2 ALERT TIME [NULL] ADJUSTED TO
13:25:33	UNIT PRESTIGE1 ALERT TIME [NULL] ADJUSTED TO
13:25:33	UNIT STEELAK11 ALERT TIME [NULL] ADJUSTED TO
13:25:33	UNIT TAKA807 ALERT TIME [NULL] ADJUSTED TO
13:25:33	UNIT TAKA807 ALERT TIME [NULL] ADJUSTED TO
13:25:33	UNIT TAKA807 ALERT TIME [NULL] ADJUSTED TO
13:25:33	UNIT TEAT6619 ALERT TIME [NULL] ADJUSTED TO

Incident

CAD Number F0315258
Incident Reporter Greg Daley
Incident Controller S.O Daley
Distance Travelled (km) 8
Delay In Receiving Call

Property Details

Occupant Southdown Freezing Works
Building Owner Owner occupied
General Property Use Industrial, Manufacturing
Special Property Use Manufacturing Property - not classified above
Purpose Group

Actions

Persons Reported Trapped No
Evacuation Status Evacuation in progress
Action Prior 1
Action Prior 2
Action Taken Hazardous materials involved in fire, extinguishment and stabilisation

Civilians

Civilians Rescued 0

Civilians Extricated	0
Civilians Assisted	0
Civilians Evacuated	

Origin

Location	Wall assembly: Concealed wall space
Level	Ground level

Equipment Used

Quantity	Equipment
10	Low pressure delivery
8	Hose reel, high pressure delivery
5	Monitor (ground)
5	Monitor (aerial)
1	Turntable Ladder, TTL
2	Hydraulic elevating platform (HEP), Snorkel, other Aerial
20	Handheld Radio (or Cellphone)
6	Scene protection equipment (eg. signs, tarps, lighting, safety wands etc)
4	Thermal Imaging Camera

Equipment Involved

Equipment Involved
 Year
 Make
 Model

Hazardous Materials

Control	Uncontrolled incident: No evacuation
Activation of detection and control systems	No other action determined
Extent of Spread on Arrival	Spread not confined to property of origin
Wind Direction on Arrival	Northeast
Wind Speed on Arrival	Moderate breeze
Cause of Leakage	Explosion and fire
Environ. Contamination	Combinations-Air/Ground/Water: Air and ground
Population Density	Industrial: Low density
Primary Advice	Hazchem
Secondary Advice	Company agent/rep of organisation not connected with product

Chemicals

Trade Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (3077)
-------------------	---

Hazard Class	9
UNSI	3077
Quantity of Leakage	Unknown
Substance Leaking From	
Number of Containers	
Container Labeling	
Method of Disposal	Removed and disposed
Org. Responsible for Disposal	Incident completed by Fire Service assisted by other organisation
Place of Disposal	Burnt off, Consumed by fire

Fire

Arrival Condition	Totally involved fire		
Heat Source	Lighter/Match/Candle - POSSIBLE combination of		
Termination Stage	Flame		
First Object Ignited	Exterior side wall covering surface, Cladding (included eaves)		
First Object Material	Wood: sawn, finished timber		
Second Object Ignited			
Second Object Material			
Indicated Cause	Suspicious		
Certainty of Cause	High		
Age of Person	Unknown		
Ethnicity	Unknown		
Gender			
FAIP Service Offered	No	FAIP Service Accepted	No

Structure

Area of One Floor		13500
Age of Building	1900 - 1945	
Structural Frame Type	Reinforced concrete with combustible cladding	
Number of Floors		4
Number of Basements		1
Internal Wall Lining	Combination of materials	
Ceiling Lining	Combination of materials	
Material Generating Most Flame	Asphalt treated material	
Material Generating Most Smoke	Wood: Sawn, Finished timber	
Avenue of Flame Travel	Service shaft, pipe shaft	
Avenue of Smoke Travel	Pre-existing opening not a wall or door	
Extent of Flame Damage	Extended beyond structure of origin	

Area of Flame Damage		10000
Extent of Smoke Damage	Extended beyond structure of origin	
Area of Smoke Damage		10000
Extent of Water Damage	Extended beyond structure of origin	
Area of Water Damage		10000
Extent of Fire Control Damage	Extended beyond structure of origin	
Area of Fire Control Damage		10000

Comments

12/29/2008 6:28:37 AM

Reporter Comments

AKEVENTS1 was towed by Fire Police to the incident and remained there until the 24th December,when it was returned to Otahuhu Workshops. [REDACTED]

[REDACTED]

4/7/2009 9:56:24 AM

Reporter Comments

This Fire is considered suspicious/incendary.Asbestos was located in the structural compoendents of the Freezing works building/s..Decon was carried out at the time of the incident and subsequently asbestos is being removed during further demolition

Greg Daley

4/7/2009 10:00:08 AM

Reporter Comments

[REDACTED] is the lead Fire Service investigator.

Greg Daley

Released under the Official Information Act