

SMS Incident Report

05/09/2017 08:23:36


Summary

CAD Number F2372095 **Status** Closed
Station Greenhithe Volunteer Fire Brigade
Incident Started 01/09/2017 03:55:11 **Incident Ended** 02/09/2017 09:22:48
Incident Type 1103: Derelict building fire
Common Name
Address 72 SQUADRON DRIVE HOBSONVILLE
Alarm Method 111 Telephone **Alarm Level** 3
PFA Number
Zone 146771
Map Grid E 1747846 **Map Grid N** 5926577
First Caller **First Caller Contact** [REDACTED]
Incident Closed 02/09/2017 09:22:48
Report Completed 20:13, Mon 04 Sep 2017 by [REDACTED]

Responses

Call Sign	Type	Station Alert	Enroute Time	Arrival Time	Departed
GREE841	P1	03:56:08 01 Sep 2017	04:01:21 01 Sep 2017	04:04:24 01 Sep 2017	05:59:48 01 Sep 2017
ALBA851	P1	03:56:13 01 Sep 2017	03:58:08 01 Sep 2017	04:07:03 01 Sep 2017	14:03:13 01 Sep 2017
WEST671	P1	03:56:10 01 Sep 2017	03:58:04 01 Sep 2017	04:08:25 01 Sep 2017	08:59:32 02 Sep 2017
WEST672	P2	04:00:34 01 Sep 2017	04:05:43 01 Sep 2017	04:10:58 01 Sep 2017	06:41:18 01 Sep 2017
TAKA807	PR	04:03:31 01 Sep 2017	04:04:29 01 Sep 2017	04:14:01 01 Sep 2017	08:12:36 01 Sep 2017
TEAT664	PM	04:03:24 01 Sep 2017	04:06:56 01 Sep 2017	04:15:25 01 Sep 2017	09:56:17 01 Sep 2017
KUME867	PR	04:05:11 01 Sep 2017	04:10:28 01 Sep 2017	04:20:20 01 Sep 2017	06:41:50 01 Sep 2017
TEAT662	P2	04:05:27 01 Sep 2017	04:12:10 01 Sep 2017	04:21:17 01 Sep 2017	06:42:08 01 Sep 2017
EAST831	P1	04:05:14 01 Sep 2017	04:07:05 01 Sep 2017	04:21:30 01 Sep 2017	06:14:14 01 Sep 2017
AUCKOSU2	SV	04:02:19 01 Sep 2017	04:03:01 01 Sep 2017	04:22:21 01 Sep 2017	07:03:04 01 Sep 2017
VSOWAITEM1	VSO	04:16:41 01 Sep 2017	04:19:05 01 Sep 2017	04:25:18 01 Sep 2017	06:43:02 01 Sep 2017
AUCK206	HPNP	04:05:17 01 Sep 2017	04:07:30 01 Sep 2017	04:25:29 01 Sep 2017	05:24:20 01 Sep 2017
WAITEMATA2	OF	04:02:44 01 Sep 2017	04:26:09 01 Sep 2017	04:26:09 01 Sep 2017	07:03:14 01 Sep 2017
AUCK2018	CUHU	04:03:27 01 Sep 2017	04:06:52 01 Sep 2017	04:27:44 01 Sep 2017	06:56:29 01 Sep 2017
AVON607	PR	04:05:24 01 Sep 2017	04:11:47 01 Sep 2017	04:28:04 01 Sep 2017	06:07:03 01 Sep 2017
EAST832	P2	04:05:07 01 Sep 2017	04:15:45 01 Sep 2017	04:30:21 01 Sep 2017	05:52:09 01 Sep 2017

PARN255	HPNP	04:05:20 01 Sep 2017	04:08:40 01 Sep 2017	04:31:13 01 Sep 2017	05:27:00 01 Sep 2017
AUCKCITY4	OF	04:03:56 01 Sep 2017	04:12:08 01 Sep 2017	04:31:40 01 Sep 2017	06:21:33 01 Sep 2017
AUCKCITY2	OF	04:06:25 01 Sep 2017	04:11:14 01 Sep 2017	04:40:16 01 Sep 2017	05:36:15 01 Sep 2017
OTAH3112	HL	04:12:11 01 Sep 2017	04:14:53 01 Sep 2017	04:40:28 01 Sep 2017	05:05:07 01 Sep 2017
OTAH311	P1	04:12:08 01 Sep 2017	04:12:16 01 Sep 2017	04:40:32 01 Sep 2017	05:04:45 01 Sep 2017
AUCKOSU6	FPOL	04:24:13 01 Sep 2017	04:24:47 01 Sep 2017	04:41:39 01 Sep 2017	05:50:09 01 Sep 2017
AVON6015	BA	04:05:24 01 Sep 2017	04:17:06 01 Sep 2017	04:49:39 01 Sep 2017	06:25:47 01 Sep 2017
TEAT6619	LU	04:52:41 01 Sep 2017	05:01:50 01 Sep 2017	05:16:56 01 Sep 2017	05:35:09 01 Sep 2017
FIWAITEM3	FSO	04:56:23 01 Sep 2017	05:06:36 01 Sep 2017	05:20:27 01 Sep 2017	09:11:41 01 Sep 2017
FIWAITEM2	FSO	07:27:47 01 Sep 2017	07:28:59 01 Sep 2017	07:53:28 01 Sep 2017	14:25:54 01 Sep 2017
EVENTNCC1	OT	13:57:21 01 Sep 2017	13:57:21 01 Sep 2017	13:57:21 01 Sep 2017	08:59:31 02 Sep 2017



Elapsed Times

Call Sign	Start To Alert	Alert To Arrival	Start To Arrival	Start To Departed
GREE841	00:00:57	00:08:16	00:09:13	02:04:37
ALBA851	00:01:02	00:10:50	00:11:52	10:08:02
WEST671	00:00:59	00:12:15	00:13:14	29:04:21
WEST672	00:05:23	00:10:24	00:15:47	02:46:07
TAKA807	00:08:20	00:10:30	00:18:50	04:17:25
TEAT664	00:08:13	00:12:01	00:20:14	06:01:06
KUME867	00:10:00	00:15:09	00:25:09	02:46:39
TEAT662	00:10:16	00:15:50	00:26:06	02:46:57
EAST831	00:10:03	00:16:16	00:26:19	02:19:03
AUCKOSU2	00:07:08	00:20:02	00:27:10	03:07:53
VSOWAITEM1	00:21:30	00:08:37	00:30:07	02:47:51
AUCK206	00:10:06	00:20:12	00:30:18	01:29:09
WAITEMATA2	00:07:33	00:23:25	00:30:58	03:08:03
AUCK2018	00:08:16	00:24:17	00:32:33	03:01:18
AVON607	00:10:13	00:22:40	00:32:53	02:11:52
EAST832	00:09:56	00:25:14	00:35:10	01:56:58
PARN255	00:10:09	00:25:53	00:36:02	01:31:49
AUCKCITY4	00:08:45	00:27:44	00:36:29	02:26:22
AUCKCITY2	00:11:14	00:33:51	00:45:05	01:41:04
OTAH3112	00:17:00	00:28:17	00:45:17	01:09:56

Caution: The information contained in this report is subject to the provisions of the Official Information Act 1982 and the Privacy Act 1993. Neither the information nor the report should be released to any person outside NZ Fire and Emergency without prior approval

OTAH311	00:16:57	00:28:24	00:45:21	01:09:34
AUCKOSU6	00:29:02	00:17:26	00:46:28	01:54:58
AVON6015	00:10:13	00:44:15	00:54:28	02:30:36
TEAT6619	00:57:30	00:24:15	01:21:45	01:39:58
FIWAITEM3	01:01:12	00:24:04	01:25:16	05:16:30
FIWAITEM2	03:32:36	00:25:41	03:58:17	10:30:43
EVENTNCC1	10:02:10	00:00:00	10:02:10	29:04:20

Notifications

Date	Time	Party Notified
01 Sep 2017	03:57:27	AAC WAITEMATA PAGED
01 Sep 2017	03:57:36	AAC AUCKLAND CITY 2 AND 4 PAGED
01 Sep 2017	03:57:44	OSU AUCKLAND PAGED
01 Sep 2017	03:59:52	VECTOR
01 Sep 2017	04:01:38	AAC WAITEMATA 2 PAGE ACK
01 Sep 2017	04:03:25	ROGER CALLISTER ACK PAGE
01 Sep 2017	04:04:57	WAITEMATA AREA 3RD ALARM PAGED
01 Sep 2017	04:05:19	AC WAITEMATA 1 PAGED
01 Sep 2017	04:05:29	AAC AUCKLAND CITY 2 AND 4 PAGED
01 Sep 2017	04:05:33	OSU AUCKLAND PAGED
01 Sep 2017	04:06:46	AAC AU CKLAND CITY 2 PAGE ACK WILL RESPOND
01 Sep 2017	04:07:50	AAC WAITEMATA 3 PAGE ACK
01 Sep 2017	04:26:28	GREATER ALARM ATTENDANCE SHEET EMAILED
01 Sep 2017	04:35:43	GLEN641 CONTINUING K25 TO WEST HARBOUR AFTER ATTENDING MED CALL
01 Sep 2017	05:30:20	UNIVERSAL HOMES
01 Sep 2017	05:33:12	MESSAGE LEFT FOR [REDACTED] UNIVERSAL HOMES
01 Sep 2017	05:34:22	MESSAGE LEFT FOR [REDACTED] AT UNIVERSAL HOMES
01 Sep 2017	05:36:57	MESSAGE LEFT FOR [REDACTED] UNIVERSAL HOMES
01 Sep 2017	05:39:20	WAITEMATA AREA 3RD ALARM PAGED
01 Sep 2017	05:39:20	GREATER ALARM ATTENDANCE SHEET EMAILED
01 Sep 2017	05:39:20	ROGER CALLISTER ACK PAGE
01 Sep 2017	05:39:20	AAC WAITEMATA 2 PAGE ACK
01 Sep 2017	05:39:20	GLEN641 CONTINUING K25 TO WEST HARBOUR AFTER ATTENDING MED CALL
01 Sep 2017	05:39:20	AAC WAITEMATA 3 PAGE ACK
01 Sep 2017	05:39:20	MESSAGE LEFT FOR [REDACTED] UNIVERSAL HOMES
01 Sep 2017	05:39:20	MESSAGE LEFT FOR [REDACTED] UNIVERSAL HOMES
01 Sep 2017	05:39:20	OSU AUCKLAND PAGED
01 Sep 2017	05:39:20	AAC AUCKLAND CITY 2 AND 4 PAGED
01 Sep 2017	05:39:20	VECTOR

01 Sep 2017	05:39:20	AAC WAITEMATA PAGED
01 Sep 2017	05:39:20	AC WAITEMATA 1 PAGED
01 Sep 2017	05:39:20	AAC AU CKLAND CITY 2 PAGE ACK WILL RESPOND
01 Sep 2017	05:39:20	MESSAGE LEFT FOR ██████████ AT UNIVERSAL HOMES
01 Sep 2017	05:39:20	AAC AUCKLAND CITY 2 AND 4 PAGED
01 Sep 2017	05:39:20	OSU AUCKLAND PAGED
01 Sep 2017	05:39:20	UNIVERSAL HOMES
01 Sep 2017	05:42:06	██████████ NORTH SHOWER SCAFFOLDING PER PHONE WILL RESPOND ETA 30 MINS
01 Sep 2017	05:44:12	██████████ - SALES MANAGER FOR UNIVERSAL HOMES, LEFT MESSAGE TO CALL COMMS
01 Sep 2017	06:25:40	JTOC WHO WILL PASS ON INFO TO SCATS
01 Sep 2017	06:26:51	DEVO811 COVER TAKAPUNA STATION
01 Sep 2017	06:33:50	JTOC THAT SQUADRON DR AND HOBSONVILLE POINT RD IS CLOSED, THEY REQUESTED WE
01 Sep 2017	06:36:46	REGION 1A FRC KERRY GREGORY CALLS IN FOR SITREP - PASSED
01 Sep 2017	06:37:04	GLEN641 STOOD DOWN FROM COVER BY PHONE
01 Sep 2017	06:37:28	GREY261 STOOD DOWN FROM COVER AS DEVO811 COVERING TAKAPUNA
01 Sep 2017	06:44:29	ALERT AUCK2018
01 Sep 2017	06:44:46	VIA PHONE FROM JTOC, DOES THE BRIGADE REQUIRE ANY ASSISTANCE FROM TRAFFIC
01 Sep 2017	06:45:52	NO ANSWER ON 2018 ICU-1 CELL PHONE
01 Sep 2017	06:46:02	NO ANSWER ON 2018 ICU-2 CELL PHONE
01 Sep 2017	06:46:41	NO ANSWER ON 2018 GSM MOBILE NUMBER
01 Sep 2017	06:48:17	JTOC ADV TRAFFIC MANAGEMENT REQ
01 Sep 2017	06:48:27	JTOC WILL CALL BACK WITH ETA
01 Sep 2017	06:50:02	TE ATATU FIRE - ADVISED VIA PHONE
01 Sep 2017	06:51:49	JTOC CONTRACTOR ETA 10 MINS
01 Sep 2017	07:17:25	VIA PHONE FROM DEVO811, WE ARE HEADING BACK TO STATION TO CHANGE CREWS
01 Sep 2017	07:28:03	FIWAITEM2 PAGED TO RESPOND
01 Sep 2017	07:32:14	GLEN EDEN FIRE PHONED - GLEN641 TO COVER TE ATATU STATION THIS MORNING
01 Sep 2017	10:07:17	ALBANY FIRE ADVISED BY PHONE RE STANDBY AT MIDDAY
01 Sep 2017	12:45:38	CE HAS BEEN POSTED ON BUILDING
01 Sep 2017	12:45:38	LOOKING AT CANCELLING STAND BY AT 1400 (WILL ADVISE CLOSER TO THE TIME) WEST
01 Sep 2017	16:36:21	WEST HARBOUR PHONED ASKING THEM TO ADVISE THE NIGHT CREW TO RETURN AFTER

Message Log

Time	Message
03:55:29	INC INFO: HOUSE FIRE
03:55:30	** LOI search completed at 01/09/17 03:55:30

03:55:46 ** Recommended unit WEST671 for requirement PUMP (>4.5 km)

03:55:46 INC INFO: HOUSE FIRE OPPOSITE

03:55:46 Duplicate Event:Location = 51 MAPOU RD,HOBSONVILLE,AUCKLAND, Type = STRU -

03:55:46 ** Recommended unit GREE841 for requirement PUMP (>2.4 km)

03:55:46 STRUCTURE FIRE, Caller Name = [REDACTED], Caller Ph Number = [REDACTED],

03:55:46 ** Recommended unit ALBA851 for requirement CANBACKUP (>6.3 km)

03:55:46 Caller Address = [REDACTED] MAPOU ROAD, HOBSONVILLE, AUCKLAND CITY, Call Source = 111Inc

03:55:46 InfoHOUSE FIRE OPPOSITE, Event Source = Fire 111

03:55:46 ** No recommendation for requirement RPUMP

03:55:46 End of Duplicate Event data

03:55:54 INC INFO: HOUSE FIRE OPPOSITE

03:56:15 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =

03:56:15 INC INFO: HOUSE FIRE

03:56:15 STRU - STRUCTURE FIRE, Caller Name = FIRST SECURITY GUARD SERVICESLIMITED,

03:56:15 Caller Ph Number = [REDACTED], Caller Address = TELECOM CELLULAR 027, ELSDON,

03:56:15 PORIRUA CITY, Call Source = 111Inc InfoHOUSE FIRE, Event Source = Fire 111

03:56:15 End of Duplicate Event data

03:56:46 INC INFO: HOUSE FIRE

03:56:46 Duplicate Event:Location = SQUADRON DR,/HOBSONVILLE POINT

03:56:46 RD,HOBSONVILLE,AUCKLAND, Type = STRU - STRUCTURE FIRE, Caller Ph Number =

03:56:46 [REDACTED] Call Source = 111Inc InfoHOUSE FIRE, Event Source = Fire 111

03:56:46 End of Duplicate Event data

03:57:13 INC INFO: HOUSE FIRE

03:57:13 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =

03:57:13 STRU - STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc

03:57:13 InfoHOUSE FIRE, Event Source = Fire 111

03:57:13 End of Duplicate Event data

03:57:39 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =

03:57:39 INC INFO: HOUSE FIRE

03:57:39 STRU - STRUCTURE FIRE, Caller Name = SPARK NZ TRADING LTD (INTERNAL MOBILES),

03:57:39 Caller Ph Number = [REDACTED], Caller Address = TELECOM CELLULAR 027, BLENHEIM,

03:57:39 MARLBOROUGH DISTRICT, Call Source = 111Inc InfoHOUSE FIRE, Event Source = Fire

03:57:39 111

03:57:39 End of Duplicate Event data

03:58:04 Unit WEST671 [K1 : PROCEEDING TO INCIDENT]

03:58:06 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =

03:58:06 INC INFO: HOUSE FIRE

03:58:06 STRU - STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc

03:58:06 InfoHOUSE FIRE, Event Source = Fire 111

03:58:06 End of Duplicate Event data

03:58:08 Unit ALBA851 [K1 : PROCEEDING TO INCIDENT]
03:58:57 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =
03:58:57 INC INFO: HOUSE FIRE
03:58:57 STRU - STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc
03:58:57 InfoHOUSE FIRE, Event Source = Fire 111
03:58:57 End of Duplicate Event data
03:59:11 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =
03:59:11 INC INFO: HOUSE FIRE
03:59:11 INC INFO: HOUSE FIRE
03:59:11 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =
03:59:11 STRU - STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc
03:59:11 STRU - STRUCTURE FIRE, Caller Name = [REDACTED], Caller Ph Number =
03:59:11 InfoHOUSE FIRE, Event Source = Fire 111
03:59:11 [REDACTED], Caller Address = TELECOM CELLULAR 027, KAIPARA FLATS, AUCKLAND
03:59:11 CITY, Call Source = 111Inc InfoHOUSE FIRE , Event Source = Fire 111
03:59:11 End of Duplicate Event data
03:59:11 End of Duplicate Event data
03:59:31 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =
03:59:31 INC INFO: HOUSE FIRE
03:59:31 STRU - STRUCTURE FIRE, Caller Name = [REDACTED], Caller Ph Number = [REDACTED],
03:59:31 Caller Address = TELECOM CELLULAR 027, WELLINGTON CENTRAL, WELLINGTON CITY, Call
03:59:31 Source = 111Inc InfoHOUSE FIRE, Event Source = Fire 111
03:59:31 End of Duplicate Event data
03:59:43 Unit WEST671 [KP : PRIORITY MESSAGE]
04:00:11 Unit WEST671 [KP : PRIORITY MESSAGE] K99 PROCEEDING MAKE PUMPS 4
04:00:20 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =
04:00:20 INC INFO: HOUSE FIRE
04:00:20 STRU - STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc
04:00:20 InfoHOUSE FIRE, Event Source = Fire 111
04:00:20 End of Duplicate Event data
04:00:24 Duplicate Event:Location = HOBSONVILLE POINT RD,/SQUADRON
04:00:24 INC INFO: HOUSE FIRE
04:00:24 DR,HOBSONVILLE,AUCKLAND, Type = STRU - STRUCTURE FIRE, Caller Ph Number =
04:00:24 [REDACTED], Call Source = 111Inc InfoHOUSE FIRE, Event Source = Fire 111
04:00:24 End of Duplicate Event data
04:00:38 Duplicate Event:Location = 102 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =
04:00:38 INC INFO: HOUSE FIRE
04:00:38 STRU - STRUCTURE FIRE, Caller Name = [REDACTED], Caller Ph Number =
04:00:38 [REDACTED], Caller Address = [REDACTED] HOBSONVILLE POINT ROAD, HOBSONVILLE, AUCKLAND
04:00:38 CITY, Call Source = 111Inc InfoHOUSE FIRE , Event Source = Fire 111

04:00:38 End of Duplicate Event data

04:00:41 Unit GREE841 [KC : UNIT CALLING]

04:01:16 INC INFO: HOUSE FIRE

04:01:16 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =

04:01:16 STRU - STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc

04:01:16 InfoHOUSE FIRE , Event Source = Fire 111

04:01:16 End of Duplicate Event data

04:01:21 Unit GREE841 [K1 : PROCEEDING TO INCIDENT]

04:01:31 Unit GREE841 [K1 : PROCEEDING TO INCIDENT]

04:01:51 Unit GREE841 [K1 : PROCEEDING TO INCIDENT]

04:02:13 Unit WEST671 [KP : PRIORITY MESSAGE]

04:02:22 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =

04:02:22 STRU - STRUCTURE FIRE, Caller Name = [REDACTED], Caller Ph Number =

04:02:22 [REDACTED], Caller Address = [REDACTED] BEACH HAVEN ROAD, BEACH HAVEN, AUCKLAND CITY,

04:02:22 Call Source = 111Inc InfoHOUSE FIRE, Event Source = Fire 111

04:02:23 INC INFO: HOUSE FIRE

04:02:23 End of Duplicate Event data

04:02:29 INC INFO: HOUSE FIRE

04:02:29 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =

04:02:29 STRU - STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc

04:02:29 InfoHOUSE FIRE, Event Source = Fire 111

04:02:29 End of Duplicate Event data

04:02:38 AMBO EVENT 0094-1-2017/09/01-FIR LINKED AT 01/09/2017 04:02:38

04:02:44 FIR2POL AND AMBO 3RD ALARM TRANSMITTED

04:02:45 Unit WEST671 [KP : PRIORITY MESSAGE] TXMT 3RD ALARM MULTI STORYS WELL INV

04:02:59 INC INFO: 3RD ALARM HOUSE FIRE

04:03:02 Unit AUCKOSU2 [K1 : PROCEEDING TO INCIDENT]

04:03:14 ** Alarm level updated to 2

04:03:14 ** Recommended unit TEAT664 for requirement AERIAL (>7.3 km)

04:03:14 ** Recommended unit AUCK2018 for requirement COMU (>11.3 km)

04:03:14 ** Recommended unit TAKA807 for requirement PUMP (>8.1 km)

04:03:14 ** No recommendation for requirement RPUMP

04:04:24 Unit GREE841 [K2 : IN ATTENDANCE AT INCIDENT]

04:04:29 Unit TAKA807 [K1 : PROCEEDING TO INCIDENT]

04:04:46 ** Alarm level updated to 3

04:04:46 ** Recommended unit EAST831 for requirement CANBACKUP (>10.9 km)

04:04:46 ** Recommended unit AUCK206 for requirement AERIAL (>11.4 km)

04:04:46 ** Recommended unit PARN255 for requirement AERIAL (>12.8 km)

04:04:46 ** Recommended unit AVON6015 for requirement BAT (>12.0 km)

04:04:46 ** Recommended unit TEAT662 for requirement PUMP (>7.3 km)

04:04:46 ** Recommended unit EAST832 for requirement PUMP (>10.9 km)
04:04:46 ** Recommended unit KUME867 for requirement PUMP (>10.4 km)
04:04:46 ** No recommendation for requirement RPUMP
04:04:46 ** No recommendation for requirement CANT
04:05:43 Unit WEST672 [K1 : PROCEEDING TO INCIDENT]
04:06:44 AL: PAGING ACK TIMED OUT FOR STATION: 1466 at 01/09/17 04:06:44
04:06:53 Unit AUCK2018 [K1 : PROCEEDING TO INCIDENT]
04:06:56 Unit TEAT664 [K1 : PROCEEDING TO INCIDENT]
04:07:03 Unit ALBA851 [K2 : IN ATTENDANCE AT INCIDENT]
04:07:05 Unit EAST831 [K1 : PROCEEDING TO INCIDENT]
04:07:08 Unit WEST671 [KP : PRIORITY MESSAGE]
04:07:25 Unit WEST671 [KP : PRIORITY MESSAGE]
04:07:30 Unit AUCK206 [K1 : PROCEEDING TO INCIDENT]
04:08:26 Unit WEST671 [K99 : PROPERTY FIRE WELL INV]
04:08:28 AL: PAGING ACK TIMED OUT FOR STATION: 1466 at 01/09/17 04:08:28
04:08:40 Unit PARN255 [K1 : PROCEEDING TO INCIDENT]
04:09:31 Unit WEST671 [KP : PRIORITY MESSAGE] [REDACTED]; 3 STORY MULTI HOUSING ON FIRE.
04:09:31 MAKE HL 1 .FIRE SERVICE HAVING TROUBLE LOCATING WATER SUPPLY ADVISE LOCATION
OF
04:09:31 HYDRANT
04:10:29 Unit KUME867 [K1 : PROCEEDING TO INCIDENT]
04:10:59 Unit WEST672 [K2 : IN ATTENDANCE AT INCIDENT]
04:11:10 Unit WEST671 [COMCEN COM : MESSAGE] HYDRANT LOCATIONS PASSED
04:11:15 Unit AUCKCITY2 [K1 : PROCEEDING TO INCIDENT]
04:11:47 Unit AVON607 [K1 : PROCEEDING TO INCIDENT]
04:11:51 VECTOR ETA 30 MINS
04:12:00 VECTOR ETA 30 MINS @ 0411
04:12:10 Unit TEAT662 [K1 : PROCEEDING TO INCIDENT]
04:12:10 Unit AUCKCITY4 [K1 : PROCEEDING TO INCIDENT]
04:12:12 Unit TEAT662 [K1 : PROCEEDING TO INCIDENT]
04:12:17 Unit OTAH311 [K1 : PROCEEDING TO INCIDENT]
04:12:25 Unit AUCKCITY4 [K1 : PROCEEDING TO INCIDENT]
04:12:30 Unit OTAH3112 [K7 : AT NORMAL STATION]
04:14:02 Unit TAKA807 [K2 : IN ATTENDANCE AT INCIDENT]
04:14:53 Unit OTAH3112 [K1 : PROCEEDING TO INCIDENT]
04:15:26 Unit TEAT664 [K2 : IN ATTENDANCE AT INCIDENT]
04:15:45 Unit EAST832 [K1 : PROCEEDING TO INCIDENT]
04:16:09 Unit WEST671 [KC : UNIT CALLING]
04:16:10 COVERING UNIT GLEN641 DISPATCHED TO STATION WEST
04:17:06 Unit AVON6015 [K1 : PROCEEDING TO INCIDENT]

04:17:47 Unit WEST671 [SITREP :] [REDACTED]; 1 DECK MONITOR, 4 LPD. POLICE EVACUATING
04:17:47 SURROUNDING HOUSES. BA
04:18:19 COVERING UNIT BIRK821 DISPATCHED TO STATION ALBANY AT
04:18:19 D0710063
04:18:43 Unit AUCKCITY4 [K1 : PROCEEDING TO INCIDENT]
04:18:55 Unit OTAH311 [KC : UNIT CALLING]
04:18:56 COVERING UNIT BIRK822 DISPATCHED TO STATION BIRKENHEAD
04:18:56 TERMINAL: D0710063
04:19:05 Unit VSOWAITEM1 [K1 : PROCEEDING TO INCIDENT]
04:19:47 Unit OTAH311 [SITREP :] CHECK WITH WEST671 FOR A HYDRANT FOR US TO RESPOND TO
04:20:20 Unit KUME867 [K2 : IN ATTENDANCE AT INCIDENT]
04:20:35 INC INFO: HOUSE FIRE
04:20:35 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =
04:20:35 STRU - STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc
04:20:35 InfoHOUSE FIRE , Event Source = Fire 111
04:20:35 End of Duplicate Event data
04:20:58 Unit WEST671 [COMCEN COM : MESSAGE] FROM OTAH311 ADVISE A HYDRANT YOU WOULD
04:20:58 LIKE
04:20:58 OTAH3112 TO RESPOND TO
04:21:17 Unit TEAT662 [K2 : IN ATTENDANCE AT INCIDENT]
04:21:30 Unit EAST831 [K2 : IN ATTENDANCE AT INCIDENT]
04:22:21 Unit AUCKOSU2 [K2 : IN ATTENDANCE AT INCIDENT]
04:23:18 <> UNITS ALL ON CORDONS
04:23:47 Unit OTAH311 [COMCEN COM : MESSAGE] THERE IS A 250 ML HYDRANT O/S 34 SQUADRON
04:23:47 DR, UNSURE IF IT IS BEING USED
04:24:47 Unit AUCKOSU6 [K1 : PROCEEDING TO INCIDENT]
04:24:49 COVERING UNIT GREY261 DISPATCHED TO STATION TAKAPUNA
04:24:49 TERMINAL: D0710063
04:25:18 Unit VSOWAITEM1 [K2 : IN ATTENDANCE AT INCIDENT]
04:25:30 Unit AUCK206 [K2 : IN ATTENDANCE AT INCIDENT]
04:26:10 Unit WAITEMATA2 [K2 : IN ATTENDANCE AT INCIDENT]
04:27:45 Unit AUCK2018 [K2 : IN ATTENDANCE AT INCIDENT]
04:28:05 Unit AVON607 [K2 : IN ATTENDANCE AT INCIDENT]
04:28:16 Unit EAST832 [KC : UNIT CALLING]
04:30:21 Unit EAST832 [K2 : IN ATTENDANCE AT INCIDENT]
04:31:13 Unit PARN255 [K2 : IN ATTENDANCE AT INCIDENT]
04:31:41 Unit AUCKCITY4 [K2 : IN ATTENDANCE AT INCIDENT]
04:40:17 Unit AUCKCITY2 [K2 : IN ATTENDANCE AT INCIDENT]
04:40:28 Unit OTAH3112 [K2 : IN ATTENDANCE AT INCIDENT]
04:40:32 Unit OTAH311 [K2 : IN ATTENDANCE AT INCIDENT]

04:41:39 Unit AUCKOSU6 [K2 : IN ATTENDANCE AT INCIDENT]

04:49:39 Unit AVON6015 [K2 : IN ATTENDANCE AT INCIDENT] FC

04:51:08 Unit AUCK2018 [KC : UNIT CALLING]

04:51:46 Unit AUCK2018 [SITREP :] MAKE LIGHTING PLANTS 1.

04:51:58 Unit AUCK2018 [COMCEN COM : MESSAGE] SITREP WHEN AVAILABLE

04:52:06 ** Requirement LU added for alarm level 3

04:52:30 ** Recommended unit GLEN641 for requirement CANBACKUP (>4.5 km)

04:52:30 ** Recommended unit GREY261 for requirement CANBACKUP (>8.1 km)

04:52:30 ** Recommended unit TEAT6619 for requirement ADHOC LU (>7.3 km)

04:52:30 ** No recommendation for requirement RPUMP

04:52:30 ** No recommendation for requirement CANT

04:55:28 Unit FIWAITEM3 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

04:55:46 INC INFO: 3RD ALARM HOUSE FIRE TOC 0355 TOA 0404

04:56:43 Unit AUCK2018 [KC : UNIT CALLING]

04:58:08 Unit AUCK2018 [KC : UNIT CALLING]

04:58:15 Unit AUCK2018 [SITREP :] K44 AAC BOOTH; HOBSONVILLE COMMAND

04:59:17 ** Event Type changed from FIR2POL to 1F(2) at: 01/09/17 04:59:17

04:59:24 ** Event Type changed from FIR2POL to 1F(2) at: 01/09/17 04:59:24

04:59:36 Unit AUCK2018 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] AAC BOOTH

04:59:49 Unit AUCK2018 [K44 : COMMAND OR CONTROL POINT ESTABLISHED - OIC AND LOCATION]

04:59:49 HOBSONVILLE COMMAND

05:00:07 Unit AUCK2018 [KC : UNIT CALLING]

05:01:42 Unit AUCK2018 [SITREP :] AAC BOOTH; BUILDING 40 X 40 MTRS, BRIGADE GTWW

05:01:42 INTERIOR CUTOFF GROUND FLOOR. MULTI LPD AND MONITORS AND AERIALS FOR UPPER

05:01:42 FLOORS

05:01:50 Unit TEAT6619 [K1 : PROCEEDING TO INCIDENT]

05:04:46 Unit OTAH311 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

05:05:08 Unit OTAH3112 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

05:06:00 Unit AUCK2018 [KC : UNIT CALLING]

05:06:36 Unit FIWAITEM3 [K1 : PROCEEDING TO INCIDENT]

05:06:40 Unit AUCK2018 [SITREP :] BRIG NOW ENTERING BUILDING TO EXTINGUISH FIRE

05:16:57 Unit TEAT6619 [K2 : IN ATTENDANCE AT INCIDENT]

05:20:27 Unit FIWAITEM3 [K2 : IN ATTENDANCE AT INCIDENT]

05:24:21 Unit AUCK206 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

05:27:01 Unit PARN255 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

05:28:01 Unit AUCK2018 [KC : UNIT CALLING]

05:29:50 Unit AUCK2018 [SITREP :] CAN WE HAVE REP FROM NORTH SHORE SCAFFOLDING TO

05:29:50 ATTEND, ALSO UNIVERSAL HOMES REP [REDACTED]

05:32:31 NORTH SHORE SCAFFOLDING [REDACTED] - NO ANSWER

05:35:10 Unit TEAT6619 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

05:36:16 Unit AUUCKCITY2 [K6 : ON TELEPAGER]

05:39:19 Duplicate Event:Location = 74 HOBSONVILLE POINT RD AUCKLAND, Cross Street 1 =

05:39:19 SQUADRON DR, Cross Street 2 = METEOR RD, Type = 1F STRU 1F FIR2AMB ASSIST

05:39:19 FIRE/AMBULANCE/TRAFFIC STRUCTURE FIRE ASSIST FIRE/AMBULANCE/TRAFFIC FIRE REQUEST

05:39:19 AMBULANCE ASSIST, Subtype = 2 default 2 default, Caller Ph Number = [REDACTED]

05:39:19 Call Source = 111, Alarm Level = 1 3 1, Headline = HOUSE FIRE OPPOSITE 3RD ALARM

05:39:19 HOUSE FIRETOC 0355 TOA 0404 HOUSE FIRE OPPOSITE, Event Source = Fire 111

05:39:20 INC INFO: HOUSE FIRE

05:39:20 Duplicate Event:Location = 51 MAPOU RD,HOBSONVILLE,AUCKLAND, Type = STRU -

05:39:20 INC INFO: HOUSE FIRE OPPOSITE

05:39:20 INC INFO: HOUSE FIRE OPPOSITE

05:39:20 INC INFO: HOUSE FIRE

05:39:20 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =

05:39:20 Caller Ph Number = [REDACTED], Caller Address = TELECOM CELLULAR 027, ELSDON,

05:39:20 PORIRUA CITY, Call Source = 111Inc InfoHOUSE FIRE, Event Source = Fire 111

05:39:20 End of Duplicate Event data

05:39:20 Duplicate Event:Location = SQUADRON DR,/HOBSONVILLE POINT

05:39:20 [REDACTED], Call Source = 111Inc InfoHOUSE FIRE, Event Source = Fire 111

05:39:20 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =

05:39:20 INC INFO: HOUSE FIRE

05:39:20 InfoHOUSE FIRE, Event Source = Fire 111

05:39:20 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =

05:39:20 Caller Ph Number = [REDACTED], Caller Address = TELECOM CELLULAR 027, BLENHEIM,

05:39:20 MARLBOROUGH DISTRICT, Call Source = 111Inc InfoHOUSE FIRE, Event Source = Fire

05:39:20 111

05:39:20 End of Duplicate Event data

05:39:20 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =

05:39:20 INC INFO: HOUSE FIRE

05:39:20 STRU - STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc

05:39:20 End of Duplicate Event data

05:39:20 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =

05:39:20 End of Duplicate Event data

05:39:20 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =

05:39:20 INC INFO: HOUSE FIRE

05:39:20 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =

05:39:20 STRU - STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc

05:39:20 STRU - STRUCTURE FIRE, Caller Name = [REDACTED], Caller Ph Number =

05:39:20 [REDACTED], Caller Address = TELECOM CELLULAR 027, KAIPARA FLATS, AUCKLAND

05:39:20 InfoHOUSE FIRE, Event Source = Fire 111

05:39:20 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =
05:39:20 INC INFO: HOUSE FIRE
05:39:20 STRU - STRUCTURE FIRE, Caller Name = ██████████, Caller Ph Number = ██████████,
05:39:20 Source = 111Inc InfoHOUSE FIRE, Event Source = Fire 111
05:39:20 End of Duplicate Event data
05:39:20 INC INFO: HOUSE FIRE
05:39:20 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =
05:39:20 STRU - STRUCTURE FIRE, Caller Ph Number = ██████████, Call Source = 111Inc
05:39:20 InfoHOUSE FIRE, Event Source = Fire 111
05:39:20 End of Duplicate Event data
05:39:20 Duplicate Event:Location = HOBSONVILLE POINT RD,/SQUADRON
05:39:20 DR,HOBSONVILLE,AUCKLAND, Type = STRU - STRUCTURE FIRE, Caller Ph Number =
05:39:20 ██████████, Call Source = 111Inc InfoHOUSE FIRE, Event Source = Fire 111
05:39:20 Duplicate Event:Location = 102 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =
05:39:20 STRU - STRUCTURE FIRE, Caller Name = ██████████, Caller Ph Number =
05:39:20 ██████████, Caller Address = ██████ HOBSONVILLE POINT ROAD, HOBSONVILLE, AUCKLAND
05:39:20 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =
05:39:20 STRU - STRUCTURE FIRE, Caller Ph Number = ██████████, Call Source = 111Inc
05:39:20 InfoHOUSE FIRE, Event Source = Fire 111
05:39:20 End of Duplicate Event data
05:39:20 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =
05:39:20 ██████████, Caller Address = ██████ BEACH HAVEN ROAD, BEACH HAVEN, AUCKLAND CITY,
05:39:20 Call Source = 111Inc InfoHOUSE FIRE, Event Source = Fire 111
05:39:20 INC INFO: HOUSE FIRE
05:39:20 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =
05:39:20 STRU - STRUCTURE FIRE, Caller Ph Number = ██████████, Call Source = 111Inc
05:39:20 InfoHOUSE FIRE, Event Source = Fire 111
05:39:20 End of Duplicate Event data
05:39:20 FIR2POL AND AMBO 3RD ALARM TRANSMITTED
05:39:20 INC INFO: 3RD ALARM HOUSE FIRE
05:39:20 AMBO update to 0094-1-2017/09/01-FIR:
05:39:20 Caller Name = , Caller Phone = ██████████, Headline = HOUSE FIRE OPPOSITE
05:39:20 Problem changed to: ORANGE - 40E04 POLICE/FIRE STANDBY
05:39:20 Location = 74 Hobsonville Point Rd,HOBSONVILLE,
05:39:20 Location = 74 Hobsonville Point Rd,HOBSONVILLE,
05:39:20 * TL MCGOWAN AWARE
05:39:20 Location = 74 Hobsonville Point Rd,HOBSONVILLE,
05:39:20 AMBO update to 0094-1-2017/09/01-FIR:
05:39:20 D0710063
05:39:20 TERMINAL: D0710063

05:39:20 INC INFO: HOUSE FIRE

05:39:20 Duplicate Event:Location = 74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND, Type =

05:39:20 InfoHOUSE FIRE , Event Source = Fire 111

05:39:20 <> UNITS ALL ON CORDONS

05:39:20 TERMINAL: D0710063

05:39:20 INC INFO: 3RD ALARM HOUSE FIRE TOC 0355 TOA 0404

05:39:20 ** Event Type changed from FIR2POL to 1F(2) at: 01/09/17 04:59:17

05:39:20 ** Event Type changed from FIR2POL to 1F(2) at: 01/09/17 04:59:24

05:39:20 NORTH SHORE SCAFFOLDING 4445710 - NO ANSWER

05:39:20 Duplicate Event:Location = 74 HOBSONVILLE POINT RD AUCKLAND, Cross Street 1 =

05:39:20 SQUADRON DR, Cross Street 2 = METEOR RD, Type = 1F STRU 1F FIR2AMB ASSIST

05:39:20 HOUSE FIRE TOC 0355 TOA 0404 HOUSE FIRE OPPOSITE, Event Source = Fire 111

05:39:24 FM BIRK822 - WE ARE BACK ON STATION AND WILL WAIT UNTIL 821 GETS BACK @ 0539

05:42:18 NORTHSHORE

05:43:26 Unit AUCK2018 [KC : UNIT CALLING]

05:44:12 ASAP

05:44:50 Unit AUCK2018 [SITREP :] EVACUATION OFFICER HAS RETURNED ALL EVACUATED

05:44:50 RESIDENTS TO THEIR BUILDINGS. THEY HAVE BEEN ADVISED TO MAINTAIN IN PLACE

05:44:50 PROTECTION.

05:45:09 Unit AUCK2018 [KC : UNIT CALLING]

05:46:06 Unit AUCK2018 [SITREP :] REP FROM UNIVERSAL HOMES ARE ON SCENE

05:46:22 Unit AUCK2018 [COMCEN COM : MESSAGE] SCAFFOLDING REP ETA 30 MINUTES

05:50:10 Unit AUCKOSU6 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

05:52:10 Unit EAST832 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

05:56:05 Unit AVON6015 [K2 : IN ATTENDANCE AT INCIDENT]

05:57:38 Unit AUCK2018 [KC : UNIT CALLING]

05:58:27 Unit AUCK2018 [SITREP :] CREWS DAMPENING DOWN HOT SPOTS MANAGEMENT BREAKING

05:58:27 DOWN APPLIANCE ATTENDANCE

05:59:49 Unit GREE841 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

06:07:04 Unit AVON607 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

06:13:51 Unit EAST831 [KC : UNIT CALLING]

06:13:56 Unit AUCK2018 [KC : UNIT CALLING]

06:14:15 Unit EAST831 [K10 : RECOMMISSIONING]

06:14:53 Unit AUCK2018 [SITREP :] UNIVERSAL HOMES REP IN ATTEND - LIASING W FIRE RISK

06:14:53 MANAGEMENT OFFICERS

06:21:34 Unit AUCKCITY4 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

06:21:59 Unit AUCK2018 [KC : UNIT CALLING]

06:23:09 Unit AUCK2018 [SITREP :] CAN YOU ADVISE AUCKLAND TRANSPORT THAT THE TRAFFIC

06:23:09 LIGHTS AT THIS INCIDENT APPEAR TO HAVE SUFFERED DAMAGE AND MAY BE UNSTABLE

06:23:09 GIVEN THE TIME AND BUS ROUTE ETC

06:23:10	Unit AUCK2018 [KC : UNIT CALLING]
06:25:49	Unit AVON6015 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
06:27:00	Unit TEAT664 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
06:30:34	Unit AUCK2018 [KC : UNIT CALLING]
06:31:33	Unit AUCK2018 [SITREP :] CAN YOU ADVISE JTOC INTERSECTION OF HOBSONVILLE POINT ROAD AND SQUADRON DRIVE IS CLOSED
06:31:33	
06:33:09	Unit AUCK2018 [COMCEN COM : MESSAGE] DO WE HAVE A TIME FRAME THE ROAD WILL BE CLOSED FOR JTOC
06:33:09	
06:33:25	Unit AUCK2018 [KC : UNIT CALLING]
06:33:50	CONTACT THEM WHEN THE INTERSECTION IS OPEN AGAIN
06:33:59	Unit AUCK2018 [SITREP :] ESTIMATED TIME REOPENING 0800HRS - SSO PILGRIM WILL ADVISZE WHEN INTERSECTION IS REOPENED
06:33:59	
06:41:19	Unit WEST672 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
06:41:51	Unit KUME867 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
06:42:09	Unit TEAT662 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
06:43:03	Unit VSOWAITEM1 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
06:43:44	Unit AUCK2018 [COMCEN COM : MESSAGE] NO ANSWER WHEN CALLED (X2)
06:44:46	MANAGEMENT AT THIS EVENT
06:48:05	Unit AUCK2018 [SITREP :] VIA PHONE - RING STATIONS WEST671 YELLOW WATCH SHOULD BE RETURNING TO SCENE ASAP - TEAT DAY SHIFT ASAP TO SCENE
06:48:05	
06:48:23	Unit AUCK2018 [COMCEN COM : MESSAGE] DO YOU WANT JTOC TRAFFIC MANAGMENT - AFFIRM
06:52:05	@0652HRS
06:53:40	Unit AUCK2018 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] TAKA807 - SSO PILGRIM
06:53:40	
06:54:52	Unit TAKA807 [COMCEN COM : MESSAGE] NO ANSWER WHEN CALLED (X2)
06:56:30	Unit AUCK2018 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
06:58:16	Unit ALBA851 [KC : UNIT CALLING]
06:59:03	Unit ALBA851 [SITREP :] SSO PILGRIM. ALL RADIO COMMS TO COME TRHOUGH ALBA851
06:59:38	Unit ALBA851 [COMCEN COM : MESSAGE] JTOC ETA 5 MINUTES
07:03:05	Unit AUCKOSU2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
07:03:14	Unit WAITEMATA2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
07:10:49	Unit WEST671 [SITREP :] WE ARE JUST RECOMMISIONING AND THEN HEADING OUT TO THE FIRE GROUND - SHOULD BE RESPONDING IN ABOUT 10 MINUTES (@0710HRS)
07:10:49	
07:12:24	Unit TEAT664 [K2 : IN ATTENDANCE AT INCIDENT]
07:12:43	Unit WEST671 [K2 : IN ATTENDANCE AT INCIDENT]
07:13:02	Unit TEAT664 [SITREP :] WE ARE RECOMMISIONING FOLLOWING A FURTHER CALL AND WE WILL GET BLUE WATCH TO RETURN TO THE FIREGROUND AS SOON AS POSSIBLE
07:13:02	
07:15:14	Unit TEAT664 [K7 : AT NORMAL STATION]
07:21:48	** Event Location changed from "74 HOBSONVILLE POINT RD,HOBSONVILLE,AUCKLAND" to

07:21:48	"72 SQUADRON DR,HOBSONVILLE,AUCKLAND" at: 01/09/17 07:21:48
07:21:49	** LOI search completed at 01/09/17 07:21:49
07:27:23	Unit FIWAITEM3 [SITREP :] (VIA PHONE) PAGE CHRIS LEWIS TO RESPOND
07:28:59	Unit FIWAITEM2 [K1 : PROCEEDING TO INCIDENT]
07:43:33	Unit ALBA851 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
07:43:55	Unit TEAT664 [KC : UNIT CALLING]
07:44:23	Unit TEAT664 [SITREP :] PROCEEDING TO HOBSONVILLE POINT FOR STANDBY
07:44:26	Unit TEAT664 [K2 : IN ATTENDANCE AT INCIDENT]
07:53:29	Unit FIWAITEM2 [K2 : IN ATTENDANCE AT INCIDENT]
08:09:27	Unit TAKA807 [KC : UNIT CALLING]
08:10:12	Unit TAKA807 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] K45 SO CHRISTIAN
08:10:12	ON WEST671
08:11:43	Unit TAKA807 [KC : UNIT CALLING]
08:12:37	Unit TAKA807 [K10 : RECOMMISSIONING]
09:11:42	Unit FIWAITEM3 [K6 : ON TELEPAGER]
09:56:18	Unit TEAT664 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
10:00:29	Unit WEST671 [SITREP :] VIA PHONE FROM MARK CHRISTIAN: HE IS RELEASING TE
10:00:29	ATATU FROM THIS EVENT, HE WILL NEED A FURTHER STAND BY CREW AT THIS EVENT IN
10:00:29	APROX 1200
10:01:28	Unit WEST671 [SITREP :] VIA PHONE: REPLACEMENT STANDBY CREW, PROBABLY ALBANY
11:02:29	Unit WEST671 [KC : UNIT CALLING]
11:02:56	Unit WEST671 [SITREP :] WE ARE WORKING ON ZONE C DUE TO RADIO TRAFFIC AND AWAY
11:02:56	FROM THE TRUCK
11:30:12	Unit WEST671 [KC : UNIT CALLING]
11:42:58	Unit ALBA851 [K2 : IN ATTENDANCE AT INCIDENT]
11:43:02	Unit ALBA851 [K38 : ASSOCIATE THIS UNIT TO EVENT - EVENT ADDRESS]
11:58:06	Unit WEST671 [KC : UNIT CALLING]
11:58:40	Unit WEST671 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SO WILKINSON
12:00:55	Unit WEST671 [SITREP :] VIA PHONE: FURTHER STANDBYS WILL BE REQ AFTER ALBANY -
12:00:55	PREFERABLY NOT US -
12:20:09	Unit WEST671 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
12:45:38	HARBOUR VOLLEYS TO ATTEND BETWEEN 1800-2000 TO CHECK - PROHIBITED TO ACCESS
13:54:54	Unit ALBA851 [KC : UNIT CALLING]
13:56:12	Unit ALBA851 [SITREP :] SO WILKINSON. NO FURTHER STANDBYS REQUIRED. RESTRICTED
13:56:12	ENTRY NOTICE IN PLACE FROM 1200HRS FOR 72 HOURS. SCAFFOLDING CREW WORKING ON
13:56:12	ITE
13:56:12	UNTIL 1700HRS. REQUEST WAITEMATA CREW TO VISUALLY INSPECT BUILDING AFTER
13:56:12	1800HRS.
13:57:21	Unit EVENTNCC1 [K2 : IN ATTENDANCE AT INCIDENT] HOLD FOR WEST671 CREW TO
13:57:21	INSPECT AFTER 1800HOURS

14:03:14	Unit ALBA851 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
14:25:48	Unit FIWAITEM2 [SITREP :] GOING OFF THE EVENT, MAY NEED TO RETURN WHEN THE
14:25:48	PROPERTY OWNERS REQUIRE HIM
14:25:56	Unit FIWAITEM2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
16:25:23	** Cross Referenced to Event # F2372453 at: 01/09/17 16:25:23
16:33:44	..
16:34:31	ASSOCIATED ADVISED EVENT ENTERED ADVISING TODD O'DONOGHUE IS TO BE CONTACTED IF
16:34:31	BREACHES OF THE RESTRICTED NOTICE ARE REPORTED
16:34:32	..
16:36:21	1800 HOURS
16:36:23	..
08:58:30	Unit WEST671 [STOP : MESSAGE] FROM WEST HARBOUR FIRE, CAN CLOSE THIS EVENT
08:59:32	Unit EVENTNCC1 [K7 : AT NORMAL STATION]
08:59:34	Unit WEST671 [K7 : AT NORMAL STATION]
09:22:41	UNIT WAITEMATA2 RESPONSE TIME [NULL] ADJUSTED TO
09:22:41	UNIT EVENTNCC1 RESPONSE TIME [NULL] ADJUSTED TO
09:22:47	UNIT EVENTNCC1 ALERT TIME [NULL] ADJUSTED TO
09:22:47	** Assigned Result Code: STRU, Detailed Event Type: 1100, Qualifier 1: Q1,
09:22:47	Qualifier 2:

Incident

CAD Number	F2372095
Incident Reporter	[REDACTED]
Incident Controller	[REDACTED]
Distance Travelled (km)	6
Delay In Receiving Call	Information not recorded

Property Details

Occupant	
Building Owner	
General Property Use	Construction, Renovation - not classified above
Special Property Use	Flats, Apartments, Units 3 to 10
Purpose Group	

Actions

Persons Reported Trapped	
Evacuation Status	
Action Prior 1	
Action Prior 2	

Action Taken Fire related - not classified above

Origin

Location

Level

Equipment Used

Quantity	Equipment
2	Low pressure delivery
1	Vehicle Radio (LMR)
4	Handheld Radio (or Cellphone)
4	BA set
0	Miscellaneous equipment - not classified above

Equipment Involved

Equipment Involved

Year

Make

Model

Fire

Arrival Condition

Heat Source

Termination Stage

First Object Ignited

First Object Material

Second Object Ignited

Second Object Material

Indicated Cause Undetermined

Certainty of Cause Low

Age of Person Unknown

Ethnicity Unknown

Gender Female

FAIP Service Offered No

FAIP Service Accepted No

Released under the Official Information Act