

Waitemata Fire Area Fire Risk Management Office PO Box 300 412, Albany Auckland 0752

Phone: 09 354 5170

17 August 2017



Dear

Subject: Pyrotechnic Display - Written Agreement

Venue: Trusts Arena, 65-67 Central Park Drive, Henderson

Date: 01 October 2017 at 2145

Agreement Conditions – No alteration to event details as per your email. Display can viewed prior to use.

Conditions:

That resource consent from the Auckland Council has been granted.

- 2. Only the approved handler in charge, and those listed as being under there direct supervision, must attend and are to be engaged with the firing and handling, on site.
- 3. All product manufacturers/distributors instructions to be adhered to
- 4. The wind speed within the discharge area does not exceed, with the exception of occasional gusts, 30 km/hr.
- 5. No burning fragments fall within an area where a member of the public are present.
- 6. All spectators must be kept well clear of fireworks at all times during the display.
- 7. A procedure be put in place to evacuate the public away from the display area, should this be needed.
- 8. Suitable, in-service, first aid firefighting equipment (e.g. fire extinguishers, knapsack pumps, etc) are immediately available at the firing points and any other appropriate location, along with trained personnel to operate them.
- 9. Potential areas of vegetation fire, in the expected area of pyrotechnic landing, should be managed prior to firing. to avert accidental ignition (e.g. grass areas to be mown; dry gardens and vegetation wet down).
- 10. No Chinese lanterns are to be used.
- 11. Examination of site and surrounds is to be carried out post-firing
- 12. A phone must be available to contact fire or other emergency services (Dial 111).
- 13. Unobstructed access to the area must be maintained for emergency vehicles.
- 14. The New Zealand Fire Service Communication Centre notified prior to event (Phone: 09 486 7648 and place an 'Advised Event')

The Area Commander for Waitemata Fire Area hereby agrees to the above display in accordance with the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001, Section 39 (2),

The agreement is subject to the above 'agreement conditions'. If such conditions are not met, or continued to be met then this agreement is deemed to be withdrawn and you must seek a new approval from the Area Commander.

Yours sincerely

Denis O'Donoghue

Area Commander



APPLICATION FORM

Outdoor pyrotechnic display written agreement and notification H4-2a FM

Complete this form when seeking Fire Service written agreement for an outdoor pyrotechnic display.

Your answers should reflect the complexity and size of the display and should have been reached in conjunction with appropriate parties such as the event organiser, building or land owner.

Email the completed form and supporting documentation to fireinfo@fire.org.nz

Section A – Cont	act details
Person in charge of display	
Address of person in charge	
Contact phone number	Mobile phone number
Fax or email	@pyroworks.co.nz
Confirmation	Name

Section B – Pyrotechnic display information requirements				
Physical address of display	The Trusts Arena, 65-67 Central Park Driv	e, Waitakere		
Latitude and longitude (marine locations)	Location display fired from, if known, e.g., barge, shore. Latitude and longitude details essential for maritime/marine locations. See HSNO Pyrotechnics Application attached			
Display:	Date: 1 October 2017 + rain date	Time: 21:45 approx		

NZ FIRE SERVICE
WAITEMATA FIRE AREA

1 7 AUG 2017

SIGNI
FIRE PERMANAGEMENT

Leading integrated fire and emergency services for a safer New Zealand

www.fire.org.nz

Section C - Supporting documentation

Attach a display plan that is scaled, marked and labelled with the:

- discharge area
- exclusion zone
- position of firing points, number of firings from each point, and direction of flight of pyrotechnics
- audience location and evacuation routes
- · position, number and types of firefighting equipment
- buildings within the exclusion zone if applicable.

Details of arrangements for identifying exclusion zone If the firing involves a display height over 60 m, describe the arrangements for the treatment or safeguarding of the ground and any vegetation so that a fire cannot spread more than five metres from the point of ignition/initiation.

See attached HSNO Pyrotechnics Appilcation

For Official New Zealand Fire Service use only To be completed by the Area Manager Additional firefighting capability specified by an Area Manager Written agreement of the Area Manager Note: This application is not subject to variation once signed. A variation requires a new written agreement Name Position Region Area Signature lagree to the above outdoor display in accordance with the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001, clause 39(2)

Leading integrated fire and emergency services for a safer New Zealand

www.fire.org.nz

T AUG 2017





DESIGNER MANUFACTURER DISPLAYER OF FIREWORKS & PYROTECHNIC EFFECTS

Ph.D. (Chem), B.Sc. (Chem & Physics), MNZIC, IPS, PGII, AFN
Phone/Fax 64-7-8246564 Mobile
Email: @pyroworks.co.nz Web: www.pyroworks.co.nz

HAZARDOUS SUBSTANCES AND NEW ORGANISMS ACT 1996

APPLICATION FOR AN OUTDOOR PYROTECHNICS DISPLAY TEST CERTIFICATE

	ous Substances (Class1 to 5 Controls) Regulations 2001
1. Person with overall responsil	pility for the display
Full name: Company: Address: Home phone number: Work phone number: Mobile phone number: Email address:	Van Tiel Pyrotechnics Ltd (07) 824 6564 @pyroworks.co.nz
2. Client details	
Full name: Company:	Waitakere Indian Association
Address:	PO Box 21670, Henderson, Auckland
Work phone number:	
Mobile phone number:	
Email address:	waitindass@gmail.com
3. Consent of owner of property	or owner's delegate
Owner's full name: Address:	
Work phone number:	
Home phone number:	
Mobile phone number:	
Email address:	
Signature & date:	

4. Approved handler in charge of the pyrotechnics display

Full name: Address:

Home phone number: Work phone number: Mobile phone number: Email address:



MACHMENIT

5. Test certificate details of approved handler in charge

Approved handler test certificate number: AH001-841

Expiry date: 20/9/2020

Valid for hazard classes: 1.1B, 1.1D, 1.1G, 1.2G, 1.3C, 1.3G, 1.4G, 1.4S, 2.1.1A, 3, 4, 5.1, 5.2, 6, 8

Level of approved handler: LEVEL 3 Special conditions of test certificate:

Name of test certifier who issued the approved handler test certificate: Ian Donald

6. Details of the display

The Trusts Arena, 65-67 Central Park Drive, Waitakere Display location:

36°51'31.23"S 174°38'14.97"E GPS co-ordinates:

1 October 2017 Date of display: Time of display: 21:45 hours approx Postponement date(s): 2 October 2017 Type of firings: Outdoor 297 Number of firings:

7. Additional pyrotechnic personnel

Name & test certificate number: Name & test certificate number: Name & test certificate number:

Name & test certificate number:

AH001-966 AH001-965

8. Pyrotechnics supplier

Van Tiel Pyrotechnics Ltd Company name:

Address:

Work phone number: Mobile phone number:

Email address:

(07) 824 6564

@pyroworks.co.nz

9. Display plan

A copy of the display plan must be attached and include:

- A site plan of the discharge area and the exclusion zone, including any exclusion zone for indoor pyrotechnics as required under regulation 45(2)(d) of the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001: SEE ATTACHED MAP
- Details of arrangements for identifying and securing discharge area and exclusion zone: DISCHARGE AREA OF 25 METERS. EXCLUSION ZONE ESTABLISHED BY A FENCED AREA AND/OR SECURITY.

• The name of the manufacturer, and the size, type and number of pyrotechnic articles to be used: VAN TIEL PYROTECHNICS AND/OR IMPORTED PYROTECHNIC PRODUCTS 110 x 2.5", 72 x 3", 54 x 4", 28 x 5" STAR SHELLS (1.3G), 20 x 100mm STAR MINES (1.4G), 13 x MULTISHOTS (1.4G), 2 x ROMAN CANDLES (1.4G)

NEQ = 74 KG

- Details of positioning of firing points and mortar tubes and the methods of firing: FIRING POINTS AS INDICATED ON MAP. PLASTIC HDPE MORTAR TUBES IN WOODEN RACKS/BOXES, ELECTRIC FIRING.
- The name and responsibilities of all authorized persons operating the display: SEE ABOVE FOR AUTHORIZED PERSONNEL. DUTIES INCLUDE, PREPARATION, FIRING, SECURITY OF PYROTECHNICS, CLEAN UP AND OTHER DUTIES ASSOCIATED WITH CONDUCTING A PYROTECHNICS DISPLAY.
- An indication that the requirements of regulation 42 of the Hazardous Substances
 (Classes 1 to 5 Controls) Regulations 2001 will be met:
 UNINTENDED INITIATION OR IGNITION OF CLASS 1 CATEGORY G SUBSTANCES
 INCLUDE COVERING/CAPS, PROTECT OR REMOVE ANY CLASS 2, 3, 4 OR 5
 SUBSTANCES, APPROVED COMPUTER OR MANUAL FIRING SYSTEMS, EVACUATION DURING THUNDERSTORM
- Where indoor pyrotechnics are used, an indication that the requirements of regulation 45(4)(b) of the
 Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001 will be met:
 ALL MATERIAL IN THE EXCLUSION ZONE IS SUFFICIENTLY FIRE RESISIANT TO
 WITHSTAND CONTACT WITH A BURNING OBJECT LIKELY TO BE GENERATED AS A
 RESULT OF THE DISPLAY FOR 30 SECONDS
- In the case of aerial displays over 60m in height, an indication that the requirement of regulation 43
 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001 will be met:
 APPROVED PLASTIC MORTARS, WIND STRENGTH AND DIRECTION TAKEN INTO
 CONSIDERATION REGARDING EXCLUSION ZONE, NO RELOADING

10. Fire Service written agreement

Refer regulation 39 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001. Regulation 39(2)(a), the person in charge of the display must obtain prior written agreement for the holding of the display from the New Zealand Fire Service or the New Zealand Rural Fire Authority:

Written agreement of the Chief Fire Officer or Principal Rural Fire Officer:

Name:	
Position:	O'
Organisation:	20
Additional conditio	ns specified by a Chief Fire Officer:





Specify fire fighting equipment to be used:
 2 x 10 LITRE FOAM FIRE EXTINGUISHERS. WATER SPRAYER AND BUCKETS AS REQUIRED.

Describe appropriate steps so that a fire cannot spread more than 5 metres from the point of ignition: SITE VEGETATION – MOWN GRASS & GARDEN AREA. WET DOWN GARDEN AREA DEPENDING ON WEATHER CONDITIONS IN FIREWORKS ZONE. MAXIMUM WIND SPEED 30KM/HR FROM FIRING ZONE.

- Describe the evacuation route the audience will use to a place of safety should an emergency arise as a result of the pyrotechnic display:
 LARGE OUTDOOR AREAS WITH EVACUATION ROUTES AWAY FROM PYROTECHNICS DISPLAY. EVENT ORGANISER AND/OR SECURITY WILL DIRECT SPECTATORS IN THE EVENT OF AN EVACUATION.
- Applicant will organize a thorough inspection of the site post firing to ensure no subsequent fire will occur:
 POST DISPLAY INSPECTION AND 30 MINUTE FIRE WATCH, REMOVAL OF BULK PYROTECHNIC WASTE.

11. Civil Aviation Authority (CAA) or Air Traffic Control (ATC) written agreement

Refer regulation 39 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001. Regulation 39(2)(b), the person in charge of the display must obtain prior written agreement for the holding of the display from the agency responsible for air safety in the vincinity of the display if the firing involves heights over 60 meters:

Application for approval made: YES
When written approval has been obtained this will be attached to this application.

12. Notifications

Refer regulation 39 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001.

Regulation 39(1), the person in charge of an outdoor pyrotechnic display involving the firing of Class 1 category G substances to any height must, at least 3 working days before the first firing occurs notify:

WorkSafe New Zealand. A copy of the notification attached.

Maritime New Zealand (for displays on or over water). A copy of the notification attached.

13. Signature

Pursuant to the Hazardous substances and New Organisms (HSNO) Act 1996, the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001, and the Code of Practice for Outdoor Pyrotechnic Displays (HSNOCOP30-2), I hereby make an application for a test certificate for an outdoor pyrotechnics display:

Signature of applicant

NZ FIRE SERVICE
WAITEMATA FIRE AREA

17 AUG 2017


SIGH:
FIRE PER MATAGEMENT

Date: 14/08/2017

PYROTECHNICS DISPLAY SITE MAP

DATE: 1 OCTOBER 2017

THE TRUSTS ARENA, CENTRAL PARK DRIVE, WAITAKERE





★ = FIREWORKS

= DISCHARGE AREA - 25m

EXCLUSION ZONE – 50m TO SIDES, 125m DOWN RANGE

= DIRECTION OF FLIGHT



Associated the property of the