

# SMS Incident Report

27/03/2018 15:29:04


## Summary

**CAD Number** F2496594 **Status** Closed  
**Station** Otahuhu Station  
**Incident Started** 07/03/2018 01:55:59 **Incident Ended** 08/03/2018 17:12:23  
**Incident Type** 1502: Outside Rubbish bin, Skip fire  
**Common Name** SIMS PACIFIC METALS MANUKAU  
**Address** / 263 James Fletcher Drive Favona  
**Alarm Method** 111 Telephone **Alarm Level** 4  
**PFA Number**  
**Zone** 143132  
**Map Grid E** 1762765 **Map Grid N** 5909252  
**First Caller** **First Caller Contact** ██████████  
**Incident Closed** 08/03/2018 17:12:23  
**Report Completed** 15:28, Tue 27 Mar 2018 by Chris Lane

## Responses

Call Sign	Type	Station Alert	Enroute Time	Arrival Time	Departed
OTAH311	P1	01:56:32 07 Mar 2018	01:58:17 07 Mar 2018	02:03:15 07 Mar 2018	10:38:46 08 Mar 2018
MANG351	P1	01:56:35 07 Mar 2018	01:58:14 07 Mar 2018	02:03:48 07 Mar 2018	16:18:15 08 Mar 2018
PAPA347	PR	02:02:12 07 Mar 2018	02:04:29 07 Mar 2018	02:11:32 07 Mar 2018	23:50:01 07 Mar 2018
PAPA344	PM	02:02:12 07 Mar 2018	02:05:05 07 Mar 2018	02:12:36 07 Mar 2018	15:00:38 08 Mar 2018
ELLE274	PM	02:02:06 07 Mar 2018	02:04:26 07 Mar 2018	02:12:54 07 Mar 2018	16:13:04 08 Mar 2018
OTAR3318	CUHU	02:02:09 07 Mar 2018	02:04:55 07 Mar 2018	02:13:20 07 Mar 2018	12:13:24 08 Mar 2018
OTAR331	P1	02:05:38 07 Mar 2018	02:07:07 07 Mar 2018	02:14:29 07 Mar 2018	10:57:19 08 Mar 2018
ONEH221	P1	02:06:00 07 Mar 2018	02:07:52 07 Mar 2018	02:16:39 07 Mar 2018	09:46:26 08 Mar 2018
MTRO621	P1	02:06:00 07 Mar 2018	02:07:29 07 Mar 2018	02:21:40 07 Mar 2018	01:58:03 08 Mar 2018
AUCK205	HPNP	02:05:12 07 Mar 2018	02:08:23 07 Mar 2018	02:22:02 07 Mar 2018	23:35:39 07 Mar 2018
PARN255	HPNP	02:05:31 07 Mar 2018	02:08:15 07 Mar 2018	02:25:52 07 Mar 2018	05:12:30 08 Mar 2018
AVON607	PR	02:05:30 07 Mar 2018	02:08:10 07 Mar 2018	02:29:37 07 Mar 2018	12:31:40 08 Mar 2018
AUCKOSU6	FPOL	02:13:12 07 Mar 2018	02:13:29 07 Mar 2018	02:30:23 07 Mar 2018	11:40:43 07 Mar 2018
FICOUNT1	FSO	02:08:45 07 Mar 2018	02:19:34 07 Mar 2018	02:30:31 07 Mar 2018	02:59:52 07 Mar 2018
AUCKCITY4	OF	02:08:51 07 Mar 2018	02:14:25 07 Mar 2018	02:31:02 07 Mar 2018	11:32:04 07 Mar 2018
COUNTIES2	OF	02:14:17 07 Mar 2018	02:14:18 07 Mar 2018	02:31:14 07 Mar 2018	11:36:57 07 Mar 2018

AUCKOSU3	SV	02:07:16 07 Mar 2018	02:07:16 07 Mar 2018	02:31:55 07 Mar 2018	06:51:06 07 Mar 2018
AVON6015	BA	02:05:30 07 Mar 2018	02:08:19 07 Mar 2018	02:34:23 07 Mar 2018	12:32:40 08 Mar 2018
AUCKCITY5	OF	02:08:32 07 Mar 2018	02:16:30 07 Mar 2018	02:44:07 07 Mar 2018	10:27:00 07 Mar 2018
MTWE237	PR	02:35:52 07 Mar 2018	02:37:25 07 Mar 2018	02:46:03 07 Mar 2018	21:39:19 07 Mar 2018
OTAH3112	HL	02:35:52 07 Mar 2018	02:44:58 07 Mar 2018	02:46:25 07 Mar 2018	10:47:23 08 Mar 2018
AUCKOSU4	CV	02:06:01 07 Mar 2018	02:36:04 07 Mar 2018	03:27:50 07 Mar 2018	11:29:58 08 Mar 2018
MANU301	P1	03:21:40 07 Mar 2018	03:23:34 07 Mar 2018	03:31:37 07 Mar 2018	22:08:14 07 Mar 2018
REMU211	P1	03:21:48 07 Mar 2018	03:23:08 07 Mar 2018	03:32:05 07 Mar 2018	05:35:11 08 Mar 2018
STHE241	P1	03:21:37 07 Mar 2018	03:23:00 07 Mar 2018	03:33:51 07 Mar 2018	01:26:03 08 Mar 2018
COUNTIES3	OF	03:30:58 07 Mar 2018	03:30:58 07 Mar 2018	03:38:02 07 Mar 2018	08:23:41 08 Mar 2018
COUNTIES4	OF	03:28:29 07 Mar 2018	03:31:28 07 Mar 2018	03:47:08 07 Mar 2018	00:32:23 08 Mar 2018
COUNTIES1	OF	03:35:07 07 Mar 2018	03:35:35 07 Mar 2018	03:58:53 07 Mar 2018	07:11:49 08 Mar 2018
ALBA851	P1	06:00:37 07 Mar 2018	06:10:26 07 Mar 2018	06:10:27 07 Mar 2018	09:07:04 07 Mar 2018
TEAT661	P1	06:00:33 07 Mar 2018	06:02:22 07 Mar 2018	06:26:36 07 Mar 2018	12:14:46 08 Mar 2018
GREY261	P1	06:00:34 07 Mar 2018	06:01:16 07 Mar 2018	06:28:55 07 Mar 2018	07:28:30 08 Mar 2018
AUCKOSU2	SV	06:47:08 07 Mar 2018	06:47:15 07 Mar 2018	06:47:44 07 Mar 2018	21:47:03 07 Mar 2018
WAITEMATA3	OF	07:40:16 07 Mar 2018	07:40:16 07 Mar 2018	08:49:57 07 Mar 2018	14:48:07 07 Mar 2018
MTWE2329	VN	07:25:40 07 Mar 2018	07:25:41 07 Mar 2018	09:21:31 07 Mar 2018	10:40:40 07 Mar 2018
AUCK2029	VN	07:25:53 07 Mar 2018	07:25:54 07 Mar 2018	09:21:38 07 Mar 2018	10:40:57 07 Mar 2018
TEAT664	PM	09:46:54 07 Mar 2018	09:48:10 07 Mar 2018	10:06:39 07 Mar 2018	10:23:28 07 Mar 2018
REGION1C	OF	13:33:59 07 Mar 2018	13:34:00 07 Mar 2018	13:34:07 07 Mar 2018	00:34:45 08 Mar 2018
BIRK821	P1	13:30:20 07 Mar 2018	13:30:21 07 Mar 2018	14:06:08 07 Mar 2018	19:48:01 07 Mar 2018
PARN251	P1	13:54:15 07 Mar 2018	13:54:15 07 Mar 2018	14:16:46 07 Mar 2018	06:04:13 08 Mar 2018
TITI691	P1	13:31:52 07 Mar 2018	13:31:53 07 Mar 2018	14:42:08 07 Mar 2018	19:45:19 07 Mar 2018
AUCKOSU1	SV	17:51:36 07 Mar 2018	17:51:46 07 Mar 2018	17:56:12 07 Mar 2018	10:48:53 08 Mar 2018
PAPA348	HR	17:39:06 07 Mar 2018	17:39:07 07 Mar 2018	18:00:13 07 Mar 2018	19:21:36 07 Mar 2018
HOWI321	P1	17:45:43 07 Mar 2018	17:47:23 07 Mar 2018	18:01:58 07 Mar 2018	23:47:39 07 Mar 2018
PAPA387	PR	17:45:40 07 Mar 2018	17:47:28 07 Mar 2018	18:04:45 07 Mar 2018	18:34:31 07 Mar 2018
BALM611	P1	17:45:37 07 Mar 2018	17:49:25 07 Mar 2018	18:18:38 07 Mar 2018	20:03:24 07 Mar 2018
PARN2529	VN	18:31:09 07 Mar 2018	18:31:10 07 Mar 2018	18:37:16 07 Mar 2018	22:05:33 07 Mar 2018
REGION1G	OF	18:18:26 07 Mar 2018	18:18:26 07 Mar 2018	18:39:07 07 Mar 2018	00:32:41 08 Mar 2018
HOWI3219	LU	18:46:23 07 Mar 2018	18:47:12 07 Mar 2018	19:04:41 07 Mar 2018	21:15:01 07 Mar 2018
AUCK2018	CUHU	19:59:51 07 Mar 2018	20:00:47 07 Mar 2018	20:20:11 07 Mar 2018	20:39:59 07 Mar 2018
PRESTIGE1	OT	06:05:26 08 Mar 2018			13:06:00 08 Mar 2018



Alert->1st Arrival

**Elapsed Times**

Call Sign	Start To Alert	Alert To Arrival	Start To Arrival	Start To Departed
OTAH311	00:00:33	00:06:43	00:07:16	32:42:47
MANG351	00:00:36	00:07:13	00:07:49	38:22:16
PAPA347	00:06:13	00:09:20	00:15:33	21:54:02
PAPA344	00:06:13	00:10:24	00:16:37	37:04:39
ELLE274	00:06:07	00:10:48	00:16:55	38:17:05
OTAR3318	00:06:10	00:11:11	00:17:21	34:17:25
OTAR331	00:09:39	00:08:51	00:18:30	33:01:20
ONEH221	00:10:01	00:10:39	00:20:40	31:50:27
MTRO621	00:10:01	00:15:40	00:25:41	24:02:04
AUCK205	00:09:13	00:16:50	00:26:03	21:39:40
PARN255	00:09:32	00:20:21	00:29:53	27:16:31
AVON607	00:09:31	00:24:07	00:33:38	34:35:41
AUCKOSU6	00:17:13	00:17:11	00:34:24	09:44:44
FICOUNT1	00:12:46	00:21:46	00:34:32	01:03:53
AUCKCITY4	00:12:52	00:22:11	00:35:03	09:36:05
COUNTIES2	00:18:18	00:16:57	00:35:15	09:40:58
AUCKOSU3	00:11:17	00:24:39	00:35:56	04:55:07
AVON6015	00:09:31	00:28:53	00:38:24	34:36:41
AUCKCITY5	00:12:33	00:35:35	00:48:08	08:31:01
MTWE237	00:39:53	00:10:11	00:50:04	19:43:20
OTAH3112	00:39:53	00:10:33	00:50:26	32:51:24
AUCKOSU4	00:10:02	01:21:49	01:31:51	33:33:59
MANU301	01:25:41	00:09:57	01:35:38	20:12:15
REMU211	01:25:49	00:10:17	01:36:06	27:39:12
STHE241	01:25:38	00:12:14	01:37:52	23:30:04
COUNTIES3	01:34:59	00:07:04	01:42:03	30:27:42
COUNTIES4	01:32:30	00:18:39	01:51:09	22:36:24
COUNTIES1	01:39:08	00:23:46	02:02:54	29:15:50
ALBA851	04:04:38	00:09:50	04:14:28	07:11:05
TEAT661	04:04:34	00:26:03	04:30:37	34:18:47
GREY261	04:04:35	00:28:21	04:32:56	29:32:31
AUCKOSU2	04:51:09	00:00:36	04:51:45	19:51:04
WAITEMATA3	05:44:17	01:09:41	06:53:58	12:52:08
MTWE2329	05:29:41	01:55:51	07:25:32	08:44:41
AUCK2029	05:29:54	01:55:45	07:25:39	08:44:58
TEAT664	07:50:55	00:19:45	08:10:40	08:27:29

REGION1C	11:38:00	00:00:08	11:38:08	22:38:46
BIRK821	11:34:21	00:35:48	12:10:09	17:52:02
PARN251	11:58:16	00:22:31	12:20:47	28:08:14
TITI691	11:35:53	01:10:16	12:46:09	17:49:20
AUCKOSU1	15:55:37	00:04:36	16:00:13	32:52:54
PAPA348	15:43:07	00:21:07	16:04:14	17:25:37
HOWI321	15:49:44	00:16:15	16:05:59	21:51:40
PAPA387	15:49:41	00:19:05	16:08:46	16:38:32
BALM611	15:49:38	00:33:01	16:22:39	18:07:25
PARN2529	16:35:10	00:06:07	16:41:17	20:09:34
REGION1G	16:22:27	00:20:41	16:43:08	22:36:42
HOWI3219	16:50:24	00:18:18	17:08:42	19:19:02
AUCK2018	18:03:52	00:20:20	18:24:12	18:44:00
PRESTIGE1	28:09:27			35:10:01

**Notifications**

Date	Time	Party Notified
07 Mar 2018	01:58:28	VECTOR
07 Mar 2018	02:03:04	AAC COUNTIES MANUKAU 2ND ALARM
07 Mar 2018	02:03:17	AAC AUCKCITY4 2ND ALARM
07 Mar 2018	02:03:36	AAC AUCKCITY5 2ND ALARM
07 Mar 2018	02:04:28	OSU AUCKLAND 2ND ALARM
07 Mar 2018	02:04:58	VECTOR - 3RD ALARM
07 Mar 2018	02:05:59	COUNTIES MANUKAU AREA 3RD ALARM
07 Mar 2018	02:06:10	AC COUNTIES 1 3RD ALARM
07 Mar 2018	02:06:24	AAC AUCKCITY4 3RD ALARM
07 Mar 2018	02:06:37	AAC AUCKCITY5 3RD ALARM
07 Mar 2018	02:08:48	VECTOR ETA 30- 45 MINS
07 Mar 2018	02:09:02	COUNTIES2 AAC CRAIG MONRAD ACK PAGE
07 Mar 2018	02:09:08	AAC A
07 Mar 2018	02:09:21	AAC AUCKCITY5 ACK PAGE, RESPONDING
07 Mar 2018	02:10:13	COUNTIES2 AAC CRAIG MONRAD RESPONDING
07 Mar 2018	02:10:53	AAM COUNTIES3 ACK PAGE
07 Mar 2018	02:11:23	COUNTIES 4 ACK PAGE
07 Mar 2018	02:13:50	AC COUNTIES 1 ACK PAGE
07 Mar 2018	02:17:29	GREATER ALARM ATTENDANCE SHEET EMAILED TO xxx.xxxxx@xxxxxxxxxxxxxxxx.xx AND
07 Mar 2018	03:22:21	POL
07 Mar 2018	03:22:22	AMB
07 Mar 2018	03:22:27	VECTOR

07 Mar 2018	03:24:47	NATIONAL COMMANDERS GROUP 4TH ALARM
07 Mar 2018	03:26:08	OT REGION 1 AUCK AREA 4TH AND ABOVE PAGED 4TH ALARM
07 Mar 2018	03:26:27	REGION 1 REGIONAL MANAGEMENT 4TH ALARM
07 Mar 2018	03:26:57	CIVIAL DEFENCE MOB NUMBER - NOT IN SERVICE
07 Mar 2018	03:27:30	DUTY COMCEN MANAGER NATIONAL ON CALL ( CENTRAL COMCEN MANAGER) PAGED 4TH
07 Mar 2018	03:28:22	AAC COUNTIES 4 ACK PAGE, RESPONDING
07 Mar 2018	03:28:25	REGION 1B DAVE WOON ACK PAGE
07 Mar 2018	03:31:22	DIR BRENDAN NALLY ACK PAGE FOR NAT CMDRS GRP
07 Mar 2018	03:31:40	GREATER ALARM ATTENDANCE SHEET FOR 4TH ALAM EMAILED TO
07 Mar 2018	03:32:09	OPS MGR CENTRALCOM ACK PAGE
07 Mar 2018	03:32:22	NORTHCOM CM ACK PAGE
07 Mar 2018	03:33:05	WAITEMATA1 ACK 4TH ALARM PAGE
07 Mar 2018	03:35:21	AC AUCKCITY1 ACK PAGE
07 Mar 2018	03:41:30	0800 CIVIL DEFENCE - GOES TO ACC - WHO HAVE THE SAME NUMBER AS PER SOPS
07 Mar 2018	03:44:16	CIVIL DEFENCE - PAGED MANUALLY TO RING FIRECOMMS
07 Mar 2018	03:46:14	██████ FOR CIVIL DEFENCE
07 Mar 2018	03:51:12	JOTC - NO FURTHER ROAD CLOSURES ARE IN PLACE ON THE SOUTH WESTERN MOTORWAY
07 Mar 2018	04:03:06	WATERCARE
07 Mar 2018	04:07:20	WATERCARE - OIN HOLD
07 Mar 2018	04:10:35	WATERCARE - THE PRESSURE CANNOT BE BOOSTED - ITS IMPOSSIBLE
07 Mar 2018	04:49:43	JTOC RE ROAD CLOSURE
07 Mar 2018	04:56:21	PRESTIGE 1 TO RESPOND WITH FUL TRAILOR
07 Mar 2018	05:03:14	POLLUTION HOTLINE ADVISED
07 Mar 2018	05:05:06	PRESTIGE ADVISE HES JUST GOT TO THE YARD - DOUBLE CHECKING HOW MUCH DEISEL
07 Mar 2018	05:07:34	MIDDLEMORE HOSPITAL
07 Mar 2018	05:28:53	TRAIN CONTROL INQUIRING ABOUT FIRE - LOCATION ADVISED AND LOTS OF SMOKE IN
07 Mar 2018	05:37:12	AIAL
07 Mar 2018	05:37:29	HPO
07 Mar 2018	05:40:35	JTOC 1 CREW ON SITE - 1 ENROUTE
07 Mar 2018	05:41:14	JTOC - DIVERSION ARE IN PLACE
07 Mar 2018	06:00:54	HEALTH PROTECTION OFFICER ACK PAGE
07 Mar 2018	06:29:45	KERRY GREGORY PHONED IN - FIREGROUND REQ COMMS ASSISTANCE - CAN ON CALL
07 Mar 2018	06:30:43	NATIONAL MEDIA SUPPORT PAGED TO CALL NORTHCOM
07 Mar 2018	06:36:53	CIVIL DEFENCE AUCKLAND COUNCIL PAGED TO CALL FIRECOMM
07 Mar 2018	06:43:32	AUCKLAND CIVIL DEFENCE GIVEN AC PURCELLS DETAILS
07 Mar 2018	07:36:58	FY STATION TO LET THEM KNOW
07 Mar 2018	07:39:06	PAPATOETOE FIRE ADV RE RTN OF 851

07 Mar 2018	08:00:10	DAVE WOOD/AVONDALE RANG IN THEY HAVE A MAN THERE & CAN TAKE CREW DOWN TO THE
07 Mar 2018	08:48:12	████████ FROM BAYS WILL TAKE 832 TO ALBANY SO CREW CAN HAVE A TRUCK
07 Mar 2018	08:51:54	PUBLIC HEALTH (████████████████████) PUT THROUGH TO OIC BARRY FOX
07 Mar 2018	09:42:08	WORKSAFE
07 Mar 2018	09:45:35	WORKSAFE REFERENCE NO
07 Mar 2018	09:51:06	AUCKLAND CITY FIRE STN ADV - ██████████ WILL PH AN EXEC TO SEE IF HE CAN GET THEM
07 Mar 2018	09:52:40	AUCKLAND COUNCIL POLLUTION RE HSNO OFFICER
07 Mar 2018	09:59:26	DAVE CAROLL ADV THEY RE ON THE WAY IN 2018 WITH RADIOS AND AND BATTERIES
07 Mar 2018	10:09:48	WORKSAFE RANG IN - PH ██████████ ██████████ - - UNABLE TO GET HOLD OF CU
07 Mar 2018	10:19:07	WORKSAFE/████████ PUT THRU TO GEOFF PURCELL
07 Mar 2018	10:30:54	COUNCIL - CHASING UP ON HAZNO OFFICER AS WE HAVE HAD NO RESPONSE
07 Mar 2018	10:54:46	EMAIL SENT 1043 HOURS WITH LIST OF APPLIANCES IN ATTENDANCE
07 Mar 2018	11:30:33	CURRENT WEATHER REPORT FROM MET SERVICE - NORTHEASTERLY WINDFLOW AROUND 10
07 Mar 2018	11:55:54	EMAIL LIST SENT OF APPLIANCES AND VEHICLES IN ATTENDANCE @ 1150HRS
07 Mar 2018	12:05:44	████████████████████ ADVISES NO CREW AT BEACHLANDS
07 Mar 2018	12:19:03	AUCK207 PUT THROUGH TO OTAR3318
07 Mar 2018	13:31:42	DEVO811 REDIRECTION TO ONEHUNGA
07 Mar 2018	14:38:29	JTOC TRANSFERED THROUGH TO SIMS COMMAND
07 Mar 2018	15:13:17	EMAIL LIST SENT TO OTAR3318
07 Mar 2018	16:54:09	STHE241 - THEY ARE WAITING FOR AN OVERTIMER AND WILL RESPOND ASAP TO BE
07 Mar 2018	16:58:33	PAPA387 ADVISED AND WILL HEAD TO THE FIRE GROUND FOR 1800
07 Mar 2018	16:59:04	BALM611
07 Mar 2018	16:59:32	BALM611 ADVISED - WILL RESPOND WHEN THEIR OVERTIMER (OFFICER) ARRIVES FROM
07 Mar 2018	17:03:57	HOWI321 WILL RESPOND AS SOON AS THEIR 2 X OVERTIMERS ARRIVE
07 Mar 2018	17:26:55	OSU AUCKLAND PAGED RE. CANTEEN UNIT
07 Mar 2018	17:27:50	OSU AUCKLAND PAGED TO CANCEL
07 Mar 2018	17:50:23	611 ARE STILL @ STN - WAITING ON NIGHT SHIFT OFFICER TO COME IN SO DAY SHIFT
07 Mar 2018	18:06:36	ELLE FIRE - MSG PASSED
07 Mar 2018	18:07:51	ELLE WILL HEAD DOWN 1815 2 OT ALREADY AT FIRE GROUND WILL HEAD DOWN WITH
07 Mar 2018	18:20:37	FM ANDREW POLLUTION HOTLINE - RECEIVED COMPLAINTS FROM MOTORIST STUCK IN
07 Mar 2018	18:25:17	OTAHUHU FIRE STATION CALLED IN AS THEY ARE RECIEVING CALLS FROM KINGS
07 Mar 2018	18:29:08	REGION1A KERRY GREGORY CALLED IN TO ASK US TO CONTACT AAC COUNTIES3 MIKE

07 Mar 2018	18:41:14	BEAC437 IS FULLY MANNED READY TO STAND BY AT ANY STATION REQUIRED.
07 Mar 2018	18:46:12	HOWI3219 MANNED AND READY TO GO IF REQUIRED
07 Mar 2018	18:51:31	OTAR3118 REQST ON DUTY PUBLIC HEALTH OFFICER TO CONTACT THEM
07 Mar 2018	18:53:39	AUCKLAND REGION PUBLIC HEALTH SERVICE [REDACTED] - DETAILS PASSED, THEY
07 Mar 2018	19:03:59	GREATER ALARM ATTENDANCE UPDATE EMAILED TO ICU OTARA (SIMS COMMAND) AT 1900
07 Mar 2018	19:04:26	PUBLIC HEALTH OFFICER [REDACTED]
07 Mar 2018	19:19:21	TITI692 CREW GOING OFF STATION ON TO PAGER TURNOUT
07 Mar 2018	19:27:39	SO BRIDGER - AUCK2018 IS K0 WITH NO CREW - AWAITING CREW TO RETURN FROM FIRE
07 Mar 2018	19:32:04	AUCKLAND CITY SSO (DEVOE) WILL GET A CREW TOGETHER AND RESPOND IN AUCK2018
07 Mar 2018	20:15:01	ONEHUNGA FIRE - SSO RUSBRIDGE [REDACTED] ADVSS NIGHT SHIFT CREW ARE SITTING
07 Mar 2018	20:20:09	SIMS COMMAND - OTAR331 RE ONEHUNGA FIRE REQUEST. THEY ADVS THEY WILL GET
07 Mar 2018	20:20:35	ONEHUNGA FIRE ADVSD RE COMMAND UNIT ADVSING COMMGR1
07 Mar 2018	21:38:57	FROM REGION 1G: MTWE237 TO BE RELEASED SHORTLY; @2230 TEAT661 TO FIREGROUND
07 Mar 2018	21:45:14	2018/3318 CREW CHANGE NOW @ 0100
07 Mar 2018	21:58:22	@ 2300; OTAR331 SWAPPING WITH PAPA347
07 Mar 2018	23:19:04	FRM REGION 1G; @ 0100 MTRO621 <-> ONEH221 / REMU211 <-> STHE241
07 Mar 2018	23:29:34	WATERCARE
07 Mar 2018	23:47:30	AAC COUNTIES 3 ETA 0015
08 Mar 2018	00:41:11	SO MANDERSON - ELLE274 IS ON SCENE - CREWED BY TE ATATU
08 Mar 2018	00:43:47	ELLERSLIE FIRE ARE IN TEAT661 - AVAIL FROM ELLERSLIE
08 Mar 2018	04:40:17	ELLERSLIE'S CREW WILL RETURN TO THE FIREGROUND WITH TEAT661, HOWEVER THEY
08 Mar 2018	06:11:47	PRESTIGE PHONED IN - DETAILS PASSED - HE IS HEADING THEIR NOW
08 Mar 2018	09:07:25	ELLERSLIE FIRE, WE ARE FINSHING RECOMMISSION AND FIXING THINGS. WILL BE
08 Mar 2018	09:32:05	221
08 Mar 2018	09:32:05	PAPATOETOE FIRE
08 Mar 2018	09:32:05	MANGERE FIRE
08 Mar 2018	09:32:05	AVONDALE FIRE
08 Mar 2018	09:32:05	MANGERE FIRE VIA STAFF LINE
08 Mar 2018	09:32:05	MT ROSKILL FIRE
08 Mar 2018	09:32:05	SIMS COMMAND FOR CLARIFICATION..
08 Mar 2018	09:32:05	MT ROSKILL - THEY WILL TAKE 351 TO MANGERE FIRE @0800 FOR THE DAY CREW TO
08 Mar 2018	09:32:05	AVONDALE FIRE - NO ANSWER
08 Mar 2018	09:32:05	[REDACTED] FIRE GOING TO MAKE ENQUIRES TO GET A VAN TO TRANSPORT AND WILL CALL
08 Mar 2018	09:32:05	AVONDALE FIRE - ([REDACTED]) HAVE A MAN APPLIANCE THEY MAY BE ABLE TO USE

08 Mar 2018	09:32:05	ELLE ADVISE THEY ARE NOT REQUIRED AT INCIDENT NOW @ 0659
08 Mar 2018	09:32:05	ONEHUNGA ADV NO LONGER REQD
08 Mar 2018	10:29:51	ELLERSLIE FIRE
08 Mar 2018	10:41:50	ELLERSLIE FIRE
08 Mar 2018	10:42:37	WORKSHOP TRANSFERED TO OTAR3318
08 Mar 2018	10:44:28	TEAT661 VIA PHONE - NO RESPONSE
08 Mar 2018	15:38:49	D AS
08 Mar 2018	15:44:55	OTAHUHU FIRE
08 Mar 2018	15:46:07	PETER MURPHY [REDACTED] RE PICKING UP HOSES - HE IS FINISHED FOR TODAY BUT
08 Mar 2018	15:46:56	OTAHUHU FIRE WANT MANGERE TO RESPOND AS THEY HAVENT BEEN THERE TODAY -
08 Mar 2018	15:53:26	PETER MURPHY - HE WILL PHONE IF HE CAN'T FIND THEM - ADVISE HIM WE WOULD LET
08 Mar 2018	16:58:24	LEFT MESSAGE FOR PETER MURPHY RE LOCATION OF HOSES

**Message Log**

Time	Message
01:56:19	INC INFO: BUILDING FIRE
01:56:20	** LOI search completed at 07/03/18 01:56:20
01:56:25	** Recommended unit OTAH311 for requirement PUMP (>1.5 km)
01:56:25	** Recommended unit MANG351 for requirement PUMP (>3.4 km)
01:56:59	UNKNOWN WHAT IS ON FIRE CALLED BY SECURITY GUARD'
01:57:01	Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = STRU -
01:57:01	INC INFO: BUILDING FIRE
01:57:01	STRUCTURE FIRE, Call Source = 111Inc InfoBUILDING FIRE
01:57:01	End of Duplicate Event data
01:57:47	Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = STRU -
01:57:47	INC INFO: BUILDING ON FIRE
01:57:47	STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc InfoBUILDING
01:57:47	ON FIRE, Event Source = Fire 111
01:57:48	End of Duplicate Event data
01:58:15	Unit MANG351 [ K1 : PROCEEDING TO INCIDENT]
01:58:18	Unit OTAH311 [ K1 : PROCEEDING TO INCIDENT]
01:58:51	Unit OTAH311 [COMCEN COM : MESSAGE] MULTIPLE CALLS + HYDRANT INFO PASSED
02:01:28	Unit OTAH311 [ KC : UNIT CALLING]
02:01:46	Unit OTAH311 [ SITREP : ] K99 - TX 2ND ALARM
02:01:53	INC INFO: BUILDING FIRE - TX 2ND ALARM
02:01:58	** Alarm level updated to 2
02:01:58	** Recommended unit ELLE274 for requirement AERIAL (>5.8 km)
02:01:58	** Recommended unit OTAR3318 for requirement COMU (>5.6 km)



02:01:58	** Recommended unit PAPA347 for requirement PUMP (>5.7 km)
02:01:58	** Recommended unit PAPA344 for requirement PUMP (>5.8 km)
02:02:09	INC INFO: BUILDING FIRE
02:02:09	Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = STRU -
02:02:09	STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc
02:02:09	InfoBUILDING FIRE, Event Source = Fire 111
02:02:09	End of Duplicate Event data
02:02:13	Duplicate Event:Location = 263 JAMES FLETCHER DR,FAVONA,AUCKLAND: @SIMS PACIFIC
02:02:13	INC INFO:
02:02:13	METALS MANUKAU, Type = STRU - STRUCTURE FIRE, Caller Name = RAILWAYS CORP,
02:02:13	Caller Ph Number = [REDACTED], Caller Address = 538021 SALEYARDS ROAD, OTAHUHU,
02:02:13	AUCKLAND CITY, Call Source = 111, Event Source = Fire 111
02:02:13	End of Duplicate Event data
02:02:48	Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = STRU -
02:02:48	INC INFO: BUILDING FIRE
02:02:48	STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc
02:02:48	InfoBUILDING FIRE, Event Source = Fire 111
02:02:48	End of Duplicate Event data
02:03:13	AMBO EVENT 0042-1-2018/03/07-FIR LINKED AT 07/03/2018 02:03:13
02:03:16	Unit OTAH311 [ K99 : PROPERTY FIRE WELL INV]
02:03:21	FIR2AMB FYI 2ND ALARM BUILDING FIRE
02:03:27	FIR2POL FYI 2ND ALARM BUILDING FIRE
02:03:49	Unit MANG351 [ K2 : IN ATTENDANCE AT INCIDENT]
02:04:08	Unit MANG351 [ K2 : IN ATTENDANCE AT INCIDENT]
02:04:13	FIR2AMB: AFFIRM
02:04:15	Unit OTAH311 [ KC : UNIT CALLING]
02:04:27	Unit ELLE274 [ K1 : PROCEEDING TO INCIDENT]
02:04:30	Unit PAPA347 [ K1 : PROCEEDING TO INCIDENT]
02:04:34	Unit OTAH311 [ SITREP : ] 3RD ALARM
02:04:44	INC INFO: BUILDING FIRE - TX 3RD ALARM
02:04:51	** Alarm level updated to 3
02:04:51	** Recommended unit AUCK205 for requirement AERIAL (>12.0 km)
02:04:51	** Recommended unit PARN255 for requirement AERIAL (>11.7 km)
02:04:51	** Recommended unit AVON6015 for requirement BAT (>12.6 km)
02:04:51	** Recommended unit AUCKOSU4 for requirement CANT (>1.6 km)
02:04:51	** Recommended unit OTAR331 for requirement PUMP (>6.0 km)
02:04:51	** Recommended unit ONEH221 for requirement PUMP (>5.5 km)
02:04:51	** Recommended unit MTRO621 for requirement PUMP (>8.8 km)
02:04:55	Unit OTAR3318 [ K1 : PROCEEDING TO INCIDENT]
02:05:04	FIR2POL - FIRE GONE THIRD ALARM YOUR RESPONSE REQ

02:05:05 Unit PAPA344 [ K1 : PROCEEDING TO INCIDENT]  
02:05:17 FIR2AMB FIRE GONE THIRD ALARM YOUR RESPONSE REQ NOW  
02:06:14 Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = STRU -  
02:06:14 INC INFO: BUILDING FIRE  
02:06:14 STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc InfoBUILDING  
02:06:14 FIRE , Event Source = Fire 111  
02:06:14 End of Duplicate Event data  
02:06:55 Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = STRU -  
02:06:55 INC INFO: BUILDING FIRE  
02:06:55 STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc  
02:06:55 InfoBUILDING FIRE, Event Source = Fire 111  
02:06:55 End of Duplicate Event data  
02:07:08 Unit OTAR331 [ K1 : PROCEEDING TO INCIDENT]  
02:07:15 Unit OTAR331 [ K1 : PROCEEDING TO INCIDENT]  
02:07:17 Unit AUCKOSU3 [ K1 : PROCEEDING TO INCIDENT]  
02:07:30 Unit MTRO621 [ K1 : PROCEEDING TO INCIDENT]  
02:07:52 Unit ONEH221 [ K1 : PROCEEDING TO INCIDENT]  
02:07:58 Unit AUCKOSU3 [ K1 : PROCEEDING TO INCIDENT]  
02:08:04 NOIT AMB VIA PHONE THEIR ATTEND REQUIRED - 3RD ALARM  
02:08:11 Unit AVON607 [ K1 : PROCEEDING TO INCIDENT]  
02:08:15 Unit PARN255 [ K1 : PROCEEDING TO INCIDENT]  
02:08:19 Unit AVON6015 [ K1 : PROCEEDING TO INCIDENT]  
02:08:20 Unit OTAH311 [ KC : UNIT CALLING]  
02:08:23 Unit AUCK205 [ K1 : PROCEEDING TO INCIDENT]  
02:08:32 INC INFO: BUILDING FIRE  
02:08:32 Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = STRU -  
02:08:32 STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc  
02:08:32 InfoBUILDING FIRE , Event Source = Fire 111  
02:08:32 End of Duplicate Event data  
02:08:59 Unit OTAH311 [ SITREP : ] 1 LARGE PILE OF RECYCLING DEBRIRE ON FIRE - BRIGADE  
02:08:59 ATTEMPTING TO GAIN ACCESS  
02:09:34 INC INFO: BUILDING FIRE  
02:09:34 Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = STRU -  
02:09:34 STRUCTURE FIRE, Caller Name = NEW ZEALAND RAILWAYS CORPORATION, Caller Ph Number  
02:09:34 = [REDACTED], Caller Address = TELECOM CELLULAR 027, BLENHEIM, MARLBOROUGH  
02:09:34 DISTRICT, Call Source = 111Inc InfoBUILDING FIRE , Event Source = Fire 111  
02:09:34 End of Duplicate Event data  
02:09:48 COVERING UNIT MANU301 DISPATCHED TO STATION  
02:09:48 TERMINAL: D0710063  
02:10:27 COVERING UNIT REMU211 DISPATCHED TO STATION ELLERSLIE

02:10:27	D0710063
02:11:04	COVERING UNIT GLEN641 DISPATCHED TO STATION AVONDALE
02:11:04	D0710063
02:11:32	Unit PAPA347 [ K2 : IN ATTENDANCE AT INCIDENT]
02:11:47	Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = STRU -
02:11:47	INC INFO: BUILDING FIRE
02:11:47	STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc
02:11:47	InfoBUILDING FIRE, Event Source = Fire 111
02:11:47	End of Duplicate Event data
02:11:48	Unit MTRO621 [ KC : UNIT CALLING]
02:12:26	Unit MTRO621 [ SITREP : ] DELAYED DUE TO NOTIFIED CLOSUE OF MOTORWAY
02:12:36	Unit PAPA344 [ K2 : IN ATTENDANCE AT INCIDENT]
02:12:39	Unit AVON607 [ SITREP : ] ALSO DELEYPD DUE TO CLOSURE
02:12:54	Unit ELLE274 [ K2 : IN ATTENDANCE AT INCIDENT]
02:13:20	Unit OTAR3318 [ K2 : IN ATTENDANCE AT INCIDENT]
02:13:29	Unit AUCKOSU6 [ K1 : PROCEEDING TO INCIDENT]
02:14:18	Unit COUNTIES2 [ K1 : PROCEEDING TO INCIDENT]
02:14:26	Unit AUCKCITY4 [ K1 : PROCEEDING TO INCIDENT]
02:14:27	COVERING UNIT MTWE237 DISPATCHED TO STATION OTAHUHU
02:14:27	D0710063
02:14:30	Unit OTAR331 [ K2 : IN ATTENDANCE AT INCIDENT]
02:14:53	Unit OTAR331 [ K2 : IN ATTENDANCE AT INCIDENT]
02:15:08	COVERING UNIT STHE241 DISPATCHED TO STATION MT
02:15:08	TERMINAL: D0710063
02:16:17	Unit PAPA347 [ KC : UNIT CALLING]
02:16:30	Unit AUCKCITY5 [ K1 : PROCEEDING TO INCIDENT]
02:16:39	Unit ONEH221 [ K2 : IN ATTENDANCE AT INCIDENT]
02:16:52	Unit PAPA347 [ K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SSO OPAI
02:17:29	xxx.xxxxx@xxxxx.xxx
02:19:35	Unit FICOUNT1 [ K1 : PROCEEDING TO INCIDENT]
02:19:48	FIR2POL - NEG, YOU ARE REQUIRED TO ATTEND AS PER 3RD ALARM
02:21:41	Unit MTRO621 [ K2 : IN ATTENDANCE AT INCIDENT]
02:22:03	Unit AUCK205 [ K2 : IN ATTENDANCE AT INCIDENT]
02:22:12	INC INFO: BUILDING FIRE
02:22:12	Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = STRU -
02:22:12	STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc
02:22:12	InfoBUILDING FIRE , Event Source = Fire 111
02:22:12	End of Duplicate Event data
02:25:52	Unit PARN255 [ K2 : IN ATTENDANCE AT INCIDENT]
02:29:38	Unit AVON607 [ K2 : IN ATTENDANCE AT INCIDENT]

02:30:23	Unit AUCKOSU6 [ K2 : IN ATTENDANCE AT INCIDENT]
02:30:32	Unit FICOUNT1 [ K2 : IN ATTENDANCE AT INCIDENT]
02:31:02	Unit AUCKCITY4 [ K2 : IN ATTENDANCE AT INCIDENT]
02:31:15	Unit COUNTIES2 [ K2 : IN ATTENDANCE AT INCIDENT]
02:31:56	Unit AUCKOSU3 [ K2 : IN ATTENDANCE AT INCIDENT]
02:33:05	INC INFO: FIRE IN VICINITY
02:33:05	Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = MIN -
02:33:05	MINOR, Caller Name = CODA GP LIMITED, Caller Ph Number = [REDACTED], Caller
02:33:05	Address = TELECOM CELLULAR 027, FITZROY, NEW PLYMOUTH DISTRICT, Call Source =
02:33:05	111Inc InfoFIRE IN VICINITY , Event Source = Fire 111
02:33:05	End of Duplicate Event data
02:34:23	Unit AVON6015 [ K2 : IN ATTENDANCE AT INCIDENT]
02:35:09	Unit OTAH311 [ KC : UNIT CALLING]
02:35:33	Unit OTAH311 [ SITREP : ] HOSE LAYER REQUIRED
02:36:04	Unit AUCKOSU4 [ K1 : PROCEEDING TO INCIDENT]
02:37:25	Unit MTWE237 [ K1 : PROCEEDING TO INCIDENT]
02:38:47	Unit AUCKOSU4 [ K1 : PROCEEDING TO INCIDENT]
02:42:03	Unit OTAR3318 [ KC : UNIT CALLING]
02:42:23	Unit OTAR3318 [ K44 : COMMAND OR CONTROL POINT ESTABLISHED - OIC AND LOCATION]
02:42:23	SIMS COMMAND
02:42:35	Unit OTAR3318 [ K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SSO OPAI
02:43:03	Unit OTAR3318 [ KC : UNIT CALLING]
02:43:53	Unit OTAR3318 [ SITREP : ] LARGE FIRE INVOLVING MOTOR VEHICLE RECYCLING AREA -
02:43:53	APPROX 20X20M - MULTIPLE LPD AND AERIAL APPLAINCE IN USE
02:44:02	Unit AUCKCITY5 [ SITREP : ] COPY
02:44:07	Unit AUCKCITY5 [ K2 : IN ATTENDANCE AT INCIDENT]
02:44:58	Unit OTAH3112 [ K1 : PROCEEDING TO INCIDENT]
02:46:03	Unit MTWE237 [ K2 : IN ATTENDANCE AT INCIDENT]
02:46:26	Unit OTAH3112 [ K2 : IN ATTENDANCE AT INCIDENT]
02:49:19	Unit OTAR3318 [ KC : UNIT CALLING]
02:49:38	Unit OTAR3318 [ K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] AAC MONRAD
02:58:39	Unit OTAR3318 [ KC : UNIT CALLING]
02:59:53	Unit FICOUNT1 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]
03:00:10	Unit OTAR3318 [ SITREP : ] COMMAND STRUCTURE: OIC FRE AAC MONRAD - OPERATIONS
03:00:10	SSO OPAI - WATER SUPPLY SSO WEBSTER - SAFETY OFFICER SO KNIGHT - SECTOR ONE
03:00:10	SSO
03:00:10	LANE - SECTOR 3 SSO RUSSBRIDGE
03:04:44	INC INFO: BUILDING FIRE
03:04:44	Duplicate Event:Location = 263 JAMES FLETCHER DR,FAVONA,AUCKLAND: @SIMS PACIFIC
03:04:44	METALS MANUKAU, Type = STRU - STRUCTURE FIRE, Caller Name = VODAFONE NEW ZEALAND

03:04:44 LTD, Caller Ph Number = [REDACTED], Caller Address = 79 LNP FICT,, Call Source =  
03:04:44 111Inc InfoBUILDING FIRE , Event Source = Fire 111  
03:04:44 End of Duplicate Event data  
03:05:44 Duplicate Event:Location = 263 JAMES FLETCHER DR,FAVONA,AUCKLAND: @SIMS PACIFIC  
03:05:44 METALS MANUKAU, Type = STRU - STRUCTURE FIRE, Caller Ph Number = [REDACTED]  
03:05:44 Call Source = 111Inc InfoBUILDING FIRE , Event Source = Fire 111  
03:05:45 INC INFO: BUILDING FIRE  
03:05:45 End of Duplicate Event data  
03:13:36 Duplicate Event:Location = 263 JAMES FLETCHER DR,FAVONA,AUCKLAND: @SIMS PACIFIC  
03:13:36 INC INFO: FIRE IN VICINITY  
03:13:36 METALS MANUKAU, Type = STRU - STRUCTURE FIRE, Caller Ph Number = [REDACTED],  
03:13:36 Call Source = 111Inc InfoFIRE IN VICINITY , Event Source = Fire 111  
03:13:36 End of Duplicate Event data  
03:19:48 Unit OTAR3318 [ KP : PRIORITY MESSAGE]  
03:20:33 Unit OTAR3318 [ KP : PRIORITY MESSAGE] TX 4TH ALARM ASSEMBLY POINT BEACH ROAD  
03:20:33 AND JAMES FLETCHER DR  
03:20:45 INC INFO: BUILDING FIRE - TX 4TH ALARM  
03:21:06 \*\* Alarm level updated to 4  
03:21:06 \*\* Recommended unit REMU211 for requirement PUMP (>5.8 km)  
03:21:06 \*\* No recommendation for requirement AERIAL  
03:22:09 FIR2POL/AMB: 4TH ALARM NOW TRANSMITTED  
03:23:01 Unit STHE241 [ K1 : PROCEEDING TO INCIDENT]  
03:23:08 Unit REMU211 [ K1 : PROCEEDING TO INCIDENT]  
03:23:24 Unit OTAR3318 [ KC : UNIT CALLING]  
03:23:30 INC INFO: RECYCLING PILE FIRE - TX 4TH ALARM  
03:23:35 Unit MANU301 [ K1 : PROCEEDING TO INCIDENT]  
03:24:52 Unit OTAR3318 [ SITREP : ] PILE OF SHREDDED MOTOR VEHICLES - APPROX 50X20M  
03:24:52 ORIGINAL SIZE OF FIRE IS APPROX 500 SQUARE METERS. 2 AERIALS IN USE.  
03:24:52 ESTABLISHING GROUND MONITORS. ESTABLISH FURTHER WATER SUPPLIES.  
03:25:42 Unit MANU301 [COMCEN COM : MESSAGE] SAP PASSED  
03:25:42 Unit REMU211 [COMCEN COM : MESSAGE] SAP PASSED  
03:25:42 Unit STHE241 [COMCEN COM : MESSAGE] SAP PASSED  
03:25:50 Unit OTAR3318 [ KC : UNIT CALLING]  
03:26:33 Unit OTAR3318 [COMCEN COM : MESSAGE] 4TH ALARM PDA REQUESTS 1 AERIAL - NILL FREE  
03:26:33 IN AUCKLAND  
03:26:46 Unit OTAR3318 [ SITREP : ] NO FURTHER AERIALS ARE REQUIRED  
03:27:50 Unit AUCKOSU4 [ K2 : IN ATTENDANCE AT INCIDENT]  
03:27:59 Unit AUCKOSU4 [ K2 : IN ATTENDANCE AT INCIDENT]  
03:28:17 Unit OTAR3318 [ KC : UNIT CALLING]  
03:28:38 Unit AUCKOSU4 [ K2 : IN ATTENDANCE AT INCIDENT] VIA SIMS COMMAND

03:30:58	Unit COUNTIES3 [ K1 : PROCEEDING TO INCIDENT]
03:31:28	Unit COUNTIES4 [ K1 : PROCEEDING TO INCIDENT]
03:31:38	Unit MANU301 [ K2 : IN ATTENDANCE AT INCIDENT]
03:31:40	xxx.xxxxx@xxxxxxxxxxxxxxxx.xx AND xxx.xxxxx@xxxxx.xxx
03:32:05	Unit REMU211 [ K2 : IN ATTENDANCE AT INCIDENT]
03:34:03	Unit STHE241 [ K2 : IN ATTENDANCE AT INCIDENT]
03:35:35	Unit COUNTIES1 [ K1 : PROCEEDING TO INCIDENT]
03:35:59	COVERING UNIT HOWI321 DISPATCHED TO STATION
03:35:59	TERMINAL: D0710063
03:38:02	Unit COUNTIES3 [ K2 : IN ATTENDANCE AT INCIDENT]
03:40:04	COVERING UNIT GREY261 DISPATCHED TO STATION ELLERSLIE AT
03:40:04	D0710063
03:47:09	Unit COUNTIES4 [ K2 : IN ATTENDANCE AT INCIDENT]
03:47:24	COVERING UNIT PARN251 DISPATCHED TO STATION MT
03:47:24	TERMINAL: D0710063
03:47:42	CD DUTY MANAGER [REDACTED]
03:48:10	COVERING UNIT BIRK821 DISPATCHED TO STATION PARNELL AT
03:48:10	D0710063
03:58:53	Unit COUNTIES1 [ K2 : IN ATTENDANCE AT INCIDENT]
04:01:41	Unit OTAR3318 [ KC : UNIT CALLING]
04:02:19	Unit OTAR3318 [ SITREP : ] CONTACT WATERCARE AND ASK TO BOOST WATER MAINS TO
04:02:19	MAXIUM FLOW
04:09:06	INC INFO: FIRE SEEN
04:09:06	Duplicate Event:Location = 263 JAMES FLETCHER DR,FAVONA,AUCKLAND: @SIMS PACIFIC
04:09:06	METALS MANUKAU, Type = STRU - STRUCTURE FIRE, Caller Ph Number = [REDACTED]
04:09:06	Call Source = 111Inc InfoFIRE SEEN, Event Source = Fire 111
04:09:06	End of Duplicate Event data
04:13:11	Unit OTAR3318 [COMCEN COM : MESSAGE] DETAILS RE WATERCARE PASSED
04:18:33	Unit OTAR3318 [ KC : UNIT CALLING]
04:19:08	Unit OTAR3318 [ SITREP : ] ON CALL MECHANIC RESPOND TO THIS INCIDENT AS THE
04:19:08	BREAKS ON 3112 WILL NOT RELEASE
04:19:47	** Cross Referenced to Event # F2496620 at: 07/03/18 04:19:47
04:23:32	Unit OTAR3318 [COMCEN COM : MESSAGE] PRESTIGE ETA PASSED (F2496620)
04:44:34	FIR2POL - IF YOU ARE STILL IN ATTENDANCE ARE YOYU ABLE TO LIASE WITH THE COMMAND
04:44:34	UNIT REGARDING THIS TO AVOID CONFUSION
04:44:47	Unit OTAR3318 [COMCEN COM : MESSAGE] DETAILS FROM POLICE PASSED
04:45:09	Unit OTAR3318 [ KC : UNIT CALLING]
04:45:44	Unit OTAR3318 [ K26-1 : APPLIANCE STILL ENGAGED, NO ADDITIONAL DEVELOPMENTS]
04:45:44	MAINTAINING DELIVERIES AS PER STATUS QUO
04:47:55	FIR2POL - COPY, AS WE ARE UNSURE WHERE FIRE OPS SUPPORT HAVE SET UP CORDONS /

04:47:55 DIVERSIONS AS THAT IS RUN THROUGH THE ICP

04:48:33 Unit OTAR3318 [ SITREP : ] (PHONE) ADVISE JTOC JAMES FLETCHER WILL BE CLOSED FOR

04:48:33 AT LEAST ANOTHER 4 HOURS FROM SAVILL DR TO WALMSLEY RD OTAHUHU

04:52:45 Unit OTAR3318 [ KC : UNIT CALLING]

04:53:20 Unit OTAR3318 [ SITREP : ] PRESTIGE TO RESPOND WITH FUEL TRAILOR

04:57:54 Unit OTAR3318 [ KC : UNIT CALLING]

04:58:49 Unit OTAR3318 [ SITREP : ] INCIDENT SITE HAS WATER CONTAINMENT POND WHICH WILL

04:58:49 CONTAIN RUN OFF FOR A FEW MORE HOURS - COUNCIL POLLUTION WILL NEED TO BE ADVISED

04:58:49 RE THIS

05:01:52 Unit OTAR3318 [ KC : UNIT CALLING]

05:02:24 Unit OTAR3318 [ SITREP : ] ETA FOR PRESTIGE

05:04:10 Unit OTAR3318 [ KC : UNIT CALLING]

05:05:06 IS IN THE TANK - HE MAY HAVE TO FILL IT UP BEFORE HE GETS TO THE SCENE

05:05:08 Unit OTAR3318 [ SITREP : ] ADVISE MIDDLEMORE HOSPITAL THAT WE HAVE A LARGE FIRE

05:05:08 AT THIS LOCATION AND IT IS POSSIBLE THAT THE SMOKE MAY DRIFT TOWARDS THIER

05:05:08 LOCATION

05:06:06 Unit OTAR3318 [COMCEN COM : MESSAGE] PRESTIGE ETA PASSED

05:25:34 Unit OTAR3318 [ KC : UNIT CALLING]

05:25:55 Unit OTAR3318 [ K26-1 : APPLIANCE STILL ENGAGED, NO ADDITIONAL DEVELOPMENTS]

05:26:46 Unit OTAR3318 [ KC : UNIT CALLING]

05:28:03 Unit OTAR3318 [ SITREP : ] STILL AWAITING PRESTIGE

05:28:53 AREA

05:34:55 Unit OTAR3318 [ KC : UNIT CALLING]

05:36:35 Unit OTAR3318 [ SITREP : ] NOTIFY AIAL OF THIS FIRE DUE TO THE POSSIBLITY OF

05:36:35 SMOKE DRIFT INTO THE FLIGHT PATH - CONTACT PUBLIC HEALTH ADVISE THEM OF SMOKE

05:36:35 DRIFT ACCROSS RESIDENTAL AREA - CONFIRM TRAFFIC MANAGEMENT HAVE BEEN NOTIFIED

05:42:11 Unit OTAR3318 [COMCEN COM : MESSAGE] DETAILS FROM JTOC PASSED

05:56:35 Unit OTAR3318 [ KC : UNIT CALLING]

05:57:27 Unit OTAR3318 [ SITREP : ] ARRANGE 3 APPLIANCES FOR RELEIF CREWS

05:57:35 Unit OTAR3318 [ KC : UNIT CALLING]

05:58:04 Unit OTAR3318 [ SITREP : ] APPLIANCES TO RESPOND NORMAL ROAD SPEED AND REPORT TO

05:58:04 COMMAND UNIT

06:01:16 Unit GREY261 [ K1 : PROCEEDING TO INCIDENT]

06:02:22 Unit TEAT661 [ K1 : PROCEEDING TO INCIDENT]

06:02:31 COVERING UNIT BIRK821 DISPATCHED TO STATION ELLERSLIE AT

06:02:31 D0710063

06:03:22 COVERING UNIT DEVO811 DISPATCHED TO STATION PARNELL AT

06:03:22 D0710063

06:04:20 Unit ALBA851 [ K2 : IN ATTENDANCE AT INCIDENT]  
06:10:27 Unit ALBA851 [ K1 : PROCEEDING TO INCIDENT]  
06:26:37 Unit TEAT661 [ K2 : IN ATTENDANCE AT INCIDENT]  
06:28:56 Unit GREY261 [ K2 : IN ATTENDANCE AT INCIDENT]  
06:29:45 MEDIA PERSON IN WGTN  
06:29:55 PHONE GEOFF PURCELL ON HIS CELLPHONE TO ORGANISE  
06:44:59 Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = STRU -  
06:44:59 INC INFO: MASSIVE FIRE VISIBLE FROM RAILWAY STATION  
06:44:59 STRUCTURE FIRE, Caller Ph Number = [REDACTED], Call Source = 111Inc InfoMASSIVE  
06:44:59 FIRE VISIBLE FROM RAILWAY STATION, Event Source = Fire 111  
06:44:59 End of Duplicate Event data  
06:47:15 Unit AUCKOSU2 [ K1 : PROCEEDING TO INCIDENT]  
06:47:36 Unit OTAR3318 [ KC : UNIT CALLING]  
06:47:44 Unit AUCKOSU2 [ K2 : IN ATTENDANCE AT INCIDENT]  
06:48:43 Unit PARN255 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]  
06:49:26 Unit OTAR3318 [ SITREP : ] WHO ARE THE 3 APPLIANCES THAT ARE RELIEVING ...  
06:49:43 Unit OTAR3318 [COMCEN COM : MESSAGE] ALBA851, TEAT641 AND GREY621  
06:50:02 Unit ALBA851 [ K2 : IN ATTENDANCE AT INCIDENT]  
06:50:43 1  
06:51:07 Unit AUCKOSU3 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]  
06:52:24 Unit OTAR3318 [ SITREP : ] CAN YOU TELL ME THE WHEREABOUT OF 851  
06:52:45 Unit ALBA851 [ SITREP : ] WE HAVE JUST PULLED UP AT JAMES FLETCHER DRIVE  
06:52:56 Unit OTAR3318 [ SITREP : ] COPIED  
06:53:45 INC INFO: ASTRONG SMELL OF BURNING PLASTIC  
06:53:45 Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = MIN -  
06:53:45 MINOR, Caller Ph Number = [REDACTED], Caller Address = [REDACTED] JIMMY WARD CRES,  
06:53:45 AUCKLAND AIRPORT, Call Source = 111Inc InfoASTRONG SMELL OF BURNING PLASTIC,  
06:53:45 Event Source = Fire 111  
06:53:45 End of Duplicate Event data  
07:11:54 ..  
07:12:28 GLEN641 ARE HEADING TO GLEN EDEN TO SWAP CREWS AND THEN RETURNING TO  
AVONDALE ON  
07:12:28 STANDBY  
07:12:29 ..  
07:15:05 INC INFO: HUGE FIRE  
07:15:05 Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = STRU -  
07:15:05 STRUCTURE FIRE, Caller Name = ONEZONE COMMUNICATIONS LIMITED, Caller Ph Number =  
07:15:05 [REDACTED], Caller Address = [REDACTED] SEACLIFFE, Call Source = 111Inc InfoHUGE FIRE,  
07:15:05 Event Source = Fire 111  
07:15:05 End of Duplicate Event data



07:17:19	Unit MANG351 [ KC : UNIT CALLING]
07:17:53	Unit MANG351 [ K10 : RECOMMISSIONING]
07:22:44	Unit OTAR3318 [ KC : UNIT CALLING]
07:24:52	Unit AUUCKCITY4 [ SITREP : ] [PHONE] WE HAVE ARRANGED BY PHONE FOR THE AUCKLAND
07:24:52	CITY VAN TO BRING OUT THE GREEN WATCH AUUCK205 CREW AND WE HAVE ARRANGED FOR THE
07:24:52	MT WELLINGTON VAN TO BRING OUT THE MT WELLINGTON AND ELLERSLIE GREEN WATCH
07:24:52	CREWS. THEY WILL THEN TRANSPORT THE BLUE WATCH CREWS BACK TO THEIR STATIONS. YOU
07:24:52	CAN ATTACH THE VANS TO THE CALL BUT NO NEED TO PUT BELLS DOWN. IN ABOUT AN HOUR
07:24:52	YOU CAN PUT THE VANS BACK K7
07:25:41	Unit MTWE2329 [ K1 : PROCEEDING TO INCIDENT]
07:25:46	Unit OTAR3318 [ SITREP : ] 1600 TONNES OF SCRAP METAL WHITE WARE AND CARS ON
07:25:46	FIRE. DEEP SEATED FIRE THAT WILL BURN ALL DAY AND POSSIBLY LONGER. FIRE
07:25:46	CONTAINED TO SINGLE PILE 180 BY 80 BY 15 MRTS HIGH EXPOSURES COOLED. TYPE 4 TYPE
07:25:46	6 ARIAL MONITORS IN USE. 4 GROUND MONITORS AND 1LPD IN USE. ROTATING CREWS TO
07:25:46	SWAP OUT NIGHT PERSONAL FOR GREEN WATCH DAY SHIFTS.
07:25:54	Unit AUUCK2029 [ K1 : PROCEEDING TO INCIDENT]
07:26:15	Unit AUUCK2029 [ K38 : ASSOCIATE THIS UNIT TO EVENT - EVENT ADDRESS]
07:26:15	Unit MTWE2329 [ K38 : ASSOCIATE THIS UNIT TO EVENT - EVENT ADDRESS]
07:26:39	Unit AUUCK2029 [ K38 : ASSOCIATE THIS UNIT TO EVENT - EVENT ADDRESS] BRINGING OUT
07:26:39	RELIEF CREW FOR AUUCK205
07:26:59	Unit MTWE2329 [ K38 : ASSOCIATE THIS UNIT TO EVENT - EVENT ADDRESS] BRINGING OUT
07:26:59	RELIEF CREW FOR MTWE237 AND ELLE274
07:34:48	ADVICE GIVEN
07:34:48	Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = MIN -
07:34:48	INC INFO: TOXIC SMOKE SMELL
07:34:48	MINOR, Caller Ph Number = [REDACTED], Caller Address = 132 CHALFONT, Call
07:34:48	Source = 111Inc InfoTOXIC SMOKE SMELL, Event Source = Fire 111
07:34:48	End of Duplicate Event data
07:35:16	Unit ALBA851 [ KC : UNIT CALLING]
07:36:58	Unit ALBA851 [ SITREP : ] PAPATOETOE CREW RETURNING TO STATION ON 851 CAN YOU
07:40:16	Unit WAITEMATA3 [ K1 : PROCEEDING TO INCIDENT]
07:40:53	Unit WAITEMATA3 [ K1 : PROCEEDING TO INCIDENT]
07:46:26	INC INFO: SMOKE IN THE VICINITY
07:46:26	Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = MIN -
07:46:26	MINOR, Caller Ph Number = [REDACTED] Call Source = 111Inc InfoSMOKE IN THE
07:46:26	VICINITY , Event Source = Fire 111
07:46:26	End of Duplicate Event data
07:57:00	Unit MANG351 [ K1 : PROCEEDING TO INCIDENT]

07:57:14 Unit MANG351 [ K2 : IN ATTENDANCE AT INCIDENT]

08:00:10 INCIDENT

08:00:45 - TRIED TO PUT THRU TO R CALLISTER BUT ENGAGED - ██████████ SPOKEN TO GARY LANE AND

08:00:45 HE WILL HEAD ON

08:00:46 DOWN THERE NOW

08:21:21 DEVO811 CREW HEADING TO MECHANICS BAY TO BE TAKEN BACK TO DEVONPORT VIA POLICE

08:21:21 BOAT DEODAR - DEVONPORT GREEN WACH CREW RETURNING TO MECHANICS BACK TO CREW

08:21:21 DEVO811

08:49:57 Unit WAITEMATA3 [ K2 : IN ATTENDANCE AT INCIDENT]

08:55:39 Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = ADV -

08:55:39 ADVISED, Caller Name = ██████████, Caller Ph Number = ██████████, Caller

08:55:39 Address = TELECOM CELLULAR 027,, Call Source = EXCHInc InfoSEEKING ADVICE ON

08:55:39 TOXIC FUMES FROM FIRE, Event Source = North Admin A

08:55:40 ADVISED TO RING PUBLIC HEALTH

08:55:40 INC INFO: SEEKING ADVICE ON TOXIC FUMES FROM FIRE

08:55:40 End of Duplicate Event data

08:58:08 COVERING UNIT GLEN641 DISPATCHED TO STATION MANGERE AT

08:58:08 D0710063

08:59:57 COVERING UNIT TEAT664 DISPATCHED TO STATION AVONDALE

08:59:57 D0710063

09:04:40 Unit REMU211 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

09:06:39 Unit ALBA851 [ KC : UNIT CALLING]

09:07:05 Unit ALBA851 [ K10 : RECOMMISSIONING]

09:13:52 Unit MANU301 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

09:16:06 Unit MANG351 [ KC : UNIT CALLING]

09:16:41 Unit MANG351 [ SITREP : ] WE WILL BE K10 RETURNING TO ONEHUNGA WITH ONEHUNGA

09:16:41 CREW

09:16:51 Unit MANG351 [ K10 : RECOMMISSIONING]

09:21:32 Unit MTWE2329 [ K2 : IN ATTENDANCE AT INCIDENT]

09:21:38 Unit AUCK2029 [ K2 : IN ATTENDANCE AT INCIDENT]

09:27:31 Unit OTAR3318 [ KC : UNIT CALLING]

09:27:40 Unit OTAR3318 [ KC : UNIT CALLING]

09:29:15 Unit OTAR3318 [ SITREP : ] OBTAIN ETA OTARA GREEN WATCH CREW

09:41:06 Unit OTAR3318 [ KC : UNIT CALLING]

09:41:53 Unit OTAR3318 [ SITREP : ] WORK SAFE REP AND A HAZNO OFFICER REQUIRED TO ATTEND

09:41:53 SCENE

09:45:51 5701712 WORKSAFE REF NO

09:45:53 Unit OTAR3318 [ SITREP : ] CAN WE HAVE THE TEATATU DAYCREW LIGHTS AND SIRENS TO

09:45:53 THE FIREGROUND TO REPORT TO THE ICU

09:46:24 NO ETA AVAILABLE FOR WORKSAFE - WILL BE FWDED TO INSPECTORS AND THEY WILL MAKE A

09:46:24 DECISION AS TO ATTENDANCE

09:47:13 WORKSHOPS ADV 3112 IS ALL FIXED

09:48:10 Unit TEAT664 [ K1 : PROCEEDING TO INCIDENT]

09:49:17 Unit OTAR3318 [ SITREP : ] BY PHONE CAN U HAVE AUUCKANDS CU BRING OUT ALL

09:49:17 AVAILABLE HAND HELD RADIOS AND BATTERIES - DON" T NEED TRUCK JUST HANDHELD RADIOS

09:49:17 AND BATTERIES - SPARE BATTERIES URGENTLY NEEDED

09:50:20 AL: PAGING ACK TIMED OUT FOR STATION: 1466 at 07/03/18 09:50:20

09:51:06 OUT

10:00:38 HAZNO OFFICER IS BEING NOTIFIED - HAS DETAILS TO PHONE IN AS THEY ARE ON CALL

10:06:40 Unit TEAT664 [ K2 : IN ATTENDANCE AT INCIDENT]

10:21:39 Unit TEAT664 [ KC : UNIT CALLING]

10:22:44 Unit TEAT664 [ KC : UNIT CALLING]

10:23:21 Unit TEAT664 [ SITREP : ] RETURNING TO STATION

10:23:30 Unit TEAT664 [ K10 : RECOMMISSIONING]

10:25:30 Unit OTAR3318 [ SITREP : ] [PHONE] EMAIL THROUGH AN ATTENDANCE SHEET SHOWING

10:25:30 WHAT IS CURRENTLY ON SCENE AT SIMS

10:27:01 Unit AUUCKCITY5 [ K6 : ON TELEPAGER]

10:39:21 COUNCIL ADVISE SOMEONE HAS BEEN ASSIGNED TO THE JOB - WAITING ON ETA

10:40:41 Unit MTWE2329 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]

10:40:58 Unit AUUCK2029 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]

11:23:06 Unit OTAR3318 [ KC : UNIT CALLING]

11:23:31 Unit AUUCKOSU2 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]

11:23:40 Unit OTAR3318 [ SITREP : ] CURRENT WEATHER REPORT FOR THIS INCIDENT

11:24:32 Unit MTRO621 [ K22-1 : UNIT AVAILABLE FOR A FURTHER EVENT]

11:26:45 Unit OTAR3318 [ SITREP : ] [PHONE] MTRO621 COMING AVAILABLE (ASKED TO GET THEM

11:26:45 TO GO TO PAPATOETOE STATION ON COVER)

11:26:54 Unit MTRO621 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]

11:27:13 COVERING UNIT MTRO621 DISPATCHED TO STATION

11:27:13 TERMINAL: D0710063

11:27:25 Unit OTAR3318 [ SITREP : ] [PHONE] MANG351 WILL BE AVAILABLE IN 5 TO 10 MINUTES

11:27:25 (@ 1125HRS). THEY ARE JUST GATHERING THEIR GEAR

11:30:33 KNOTS

11:31:19 GUSTING TO ABOUT 15/20 KNOTS, CURRENTLY OCCASIONAL SHOWERS SOME HEAVY WITH

11:31:19 POSIBLE THUNDERSTORMS

11:31:31 FROM NOW THROUGHOUT THE DAY

11:31:39 COVERING UNIT MANG351 DISPATCHED TO STATION OTARA AT

11:31:39 D0710063

11:32:05	Unit AUCKCITY4 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]
11:36:57	Unit COUNTIES2 [ K6 : ON TELEPAGER]
11:40:44	Unit AUCKOSU6 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]
11:44:44	COVERING UNIT GLEN641 DISPATCHED TO STATION MANUREWA
11:44:44	D0710063
11:49:03	Unit OTAR3318 [ SITREP : ] CAN YOU SEND AN UPDATED LIST OF TRUCKS CURRENTLY IN
11:49:03	ATT
11:50:26	COVERING UNIT BEAC437 DISPATCHED TO STATION HOWICK AT
11:50:26	D0710063
11:51:56	COVERING UNIT REMU211 DISPATCHED TO STATION ONEHUNGA
11:51:56	D0710063
12:15:28	Unit OTAR3318 [ KC : UNIT CALLING]
12:16:34	Unit OTAR3318 [ SITREP : ] CAN YOU CONTACT AN SSO IN CITY STATION AND GET THEM
12:16:34	TO CONTACT SIMS COMMAND ASAP
12:21:42	Unit OTAR3318 [ KC : UNIT CALLING]
12:22:28	Unit OTAR3318 [ SITREP : ] GREY261 IS AVAILABLE FOR FIRE CALLS THROUGH SIMS
12:22:28	COMMAND
12:22:53	Unit AUCKOSU2 [ K1 : PROCEEDING TO INCIDENT]
12:23:05	Unit AUCKOSU2 [ K2 : IN ATTENDANCE AT INCIDENT]
13:13:45	Unit OTAR3318 [ KC : UNIT CALLING]
13:15:37	Unit OTAR3318 [ SITREP : ] AM PURCELL TACTICS UNCHANGED FROM PREVIOUS
13:15:37	INFORMATIVE EXCAVATORS X 2 BREAKING UP PILE OF SCRAP METAL AND STEEL THAT WAS
13:15:37	FIRE SCRAP METAL BNG FED INTO SHREDDER WIND DIRECTION HAS CHANGED TO
13:15:37	WESTERLY
13:15:37	OTAHUHU BUSINESS ASSN HAS BEEN ADV OF ANY POTENTIAL SMOKE HAZARD
13:15:37	ANTICIPATED
13:15:37	JAMES FLETCHER RD WILL BE CLOSED UNTIL 1200 NOON TOMORROW AT WHICH POINT
13:15:37	CLOSURE
13:15:37	WILL BE REVISED RATIONALISING WATER SUPPLIES AND APPLIANCES AT THIS INCIDENT
13:18:18	Unit OTAR3318 [ SITREP : ] [PHONE] 4 X ADDITIONAL APPLIANCES NEEDED ON THE
13:18:18	FIREGROUND AT 1400HRS. REPORT TO THE INCIDENT COMMAND POINT. COMCEN CALL AS
13:18:18	TO
13:18:18	WHICH 4 APPLIANCES WE RESPOND.
13:18:33	Unit GREY261 [ K22-1 : UNIT AVAILABLE FOR A FURTHER EVENT]
13:29:20	Unit TITI691 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]
13:29:25	DEV811 COVER MOVE TO REMUERA STN
13:30:21	Unit BIRK821 [ K1 : PROCEEDING TO INCIDENT]
13:31:54	Unit TITI691 [ K1 : PROCEEDING TO INCIDENT]
13:34:00	Unit REGION1C [ K1 : PROCEEDING TO INCIDENT]
13:34:07	Unit REGION1C [ K2 : IN ATTENDANCE AT INCIDENT]
13:49:25	Unit OTAR3318 [ KC : UNIT CALLING]
13:50:16	Unit OTAR3318 [ SITREP : ] GREY261 WILL NEED TO UPLIFT NOMINAL ROLL TALLEY

13:54:15	Unit PARN251 [ K1 : PROCEEDING TO INCIDENT]
13:54:37	Unit PARN251 [ K1 : PROCEEDING TO INCIDENT]
13:56:24	Unit PARN251 [ K1 : PROCEEDING TO INCIDENT]
14:06:08	Unit BIRK821 [ K2 : IN ATTENDANCE AT INCIDENT]
14:16:46	Unit PARN251 [ K2 : IN ATTENDANCE AT INCIDENT]
14:28:46	Unit AUCKOSU4 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]
14:29:42	Unit AUCKOSU2 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]
14:33:55	INC INFO: LARGE FIRE VISIBLE FROM LV 38 OF THE METROPOLIS
14:33:55	Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = MIN -
14:33:55	MINOR, Caller Ph Number = [REDACTED], Caller Address = @THE METROPOLIS, Call
14:33:55	Source = 111Inc InfoLARGE FIRE VISIBLE FROM LV 38 OF THE METROPOLIS, Event
14:33:55	Source = Fire 111
14:33:55	End of Duplicate Event data
14:36:13	Unit OTAR3318 [ KC : UNIT CALLING]
14:36:44	Unit OTAR3318 [ SITREP : ] MANG351 RETURN TO FIRE GROUNND WHEN AVAILABLE FOR
14:36:44	CREW CHANGE OVERS
14:42:09	Unit TITI691 [ K2 : IN ATTENDANCE AT INCIDENT]
14:47:14	Unit OTAR3318 [ KC : UNIT CALLING]
14:48:08	Unit WAITEMATA3 [ K6 : ON TELEPAGER]
14:48:34	Unit OTAR3318 [ K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] AAM SHAW TACTICS
14:48:34	UNCHANGED FROM PREVIOUS SITREP CURRENTLY ASSESSING FOR RELEASE AND
14:48:34	STANDBYS
14:48:34	CONTINUING INTO THE NIGHT
14:55:05	Unit STHE241 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
15:00:24	Unit MANG351 [ K1 : PROCEEDING TO INCIDENT]
15:00:36	Unit OTAR3318 [ KC : UNIT CALLING]
15:01:34	Unit OTAR3318 [ SITREP : ] ARRANGE HOWICK LIGHTING PLANT ON SCENE AT 1900 HRS
15:14:08	Unit COUNTIES1 [ K6 : ON TELEPAGER]
15:14:45	Unit COUNTIES3 [ K6 : ON TELEPAGER]
15:15:51	Unit MTWE237 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
15:17:38	Unit OTAH311 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]
15:22:15	Unit OTAR3318 [ SITREP : ] [PHONE] CAN YOU SEND US AN EMAIL OF THE APPLIANCES
15:22:15	CURRENTLY ON THE INCIDENT
15:47:53	Unit COUNTIES4 [ K6 : ON TELEPAGER]
16:04:35	Unit AVON607 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
16:18:06	Unit OTAR3318 [ KC : UNIT CALLING]
16:19:03	Unit OTAR3318 [ SITREP : ] AAM SHAW ADVISE MANG351 TO RESPOND LIGHTS AND SIRENS
16:19:03	IF THEY ARE STUCK IN TRAFFIC TO FIRE GROUND
16:19:42	Unit MANG351 [ SITREP : ] COPIED
16:29:33	Unit MANG351 [ K2 : IN ATTENDANCE AT INCIDENT]

16:45:16 Unit OTAR3318 [ SITREP : ] WE REQ 4 PUMPS DOWN HERE AT 1800, WILL LEAVE IT TO  
16:45:16 YOU TO ARRANGE WHERE THEY ARE COMING FROM. WHEREVER IS FINE OBVIOUSLY LESS  
16:45:16 TRAVEL TIME THE BETTER  
16:49:48 Unit MANG351 [ KC : UNIT CALLING]  
16:50:16 Unit MANG351 [ K10 : RECOMMISSIONING]  
16:54:09 THERE 1800HRS  
16:59:32 MANUREWA  
17:08:34 Unit OTAR331 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]  
17:24:50 Unit OTAR3318 [ KC : UNIT CALLING]  
17:25:52 Unit OTAR3318 [ SITREP : ] CAN YOU ASK FIRE SUPPORT IS IT THERE INTENTION TO  
17:25:52 RETURN TO THE FIRE GROUND TONIGHT WITH THE CANTEEN UNIT .. FOR THE RELIEF CREW.  
17:26:23 Unit OTAR3318 [ KC : UNIT CALLING]  
17:26:31 Unit OTAR3318 [ KC : UNIT CALLING]  
17:27:41 Unit OTAR3318 [ SITREP : ] CANCEL THE FIRE SUPPORT THEY ARE ON SCENE  
17:38:55 Unit OTAR3318 [COMCEN COM : MESSAGE] VIA PHONE - RELIEF CREWS FRM PAPA387,  
17:38:55 HOWI321, BALM611 AND STHE241  
17:39:07 Unit PAPA348 [ K1 : PROCEEDING TO INCIDENT]  
17:43:25 Unit OTAR3318 [ SITREP : ] CAN THE 4 RESPONDING APPLIANCES RESPOND UNDER LIGHTS  
17:43:25 AND SIRENS  
17:47:24 Unit HOWI321 [ K1 : PROCEEDING TO INCIDENT]  
17:47:28 Unit PAPA387 [ K1 : PROCEEDING TO INCIDENT]  
17:47:36 Unit STHE241 [ K1 : PROCEEDING TO INCIDENT]  
17:47:41 Unit STHE241 [ K1 : PROCEEDING TO INCIDENT]  
17:48:06 Unit STHE241 [ K1 : PROCEEDING TO INCIDENT]  
17:49:25 Unit BALM611 [ K1 : PROCEEDING TO INCIDENT]  
17:50:23 - [REDACTED]  
17:50:49 CAN GO HOME -- NIGHT SHIFT OFFICER WON'T BE THERE TILL 6PM  
17:51:46 Unit AUCKOSU1 [ K1 : PROCEEDING TO INCIDENT]  
17:55:35 Unit OTAR3318 [ SITREP : ] [PHONE] CAN YOU PASS ANY PHONE NUMBERS YOU HAVE FOR  
17:55:35 TOTALCARE (NUMBERS PASSED FROM SOLIDUS)  
17:56:12 Unit AUCKOSU1 [ K2 : IN ATTENDANCE AT INCIDENT]  
18:00:14 Unit PAPA348 [ K2 : IN ATTENDANCE AT INCIDENT]  
18:00:53 Unit STHE241 [ K2 : IN ATTENDANCE AT INCIDENT]  
18:01:59 Unit OTAR3318 [ SITREP : ] [PHONE] MTWE237 TO RESPOND LIGHTS AND SIREN WHEN FREE  
18:01:59 Unit HOWI321 [ K2 : IN ATTENDANCE AT INCIDENT]  
18:01:59 FROM CURRENT CALL FOR RELIEF  
18:04:45 Unit PAPA387 [ K2 : IN ATTENDANCE AT INCIDENT]  
18:05:25 Unit OTAR3318 [ SITREP : ] ELLE TO COME TO FIRE GROUND IF POSS IN VAN ASAP  
18:07:51 REMAINING CREW  
18:09:35 Unit MTWE237 [ K1 : PROCEEDING TO INCIDENT]

18:11:12 Unit OTAR3318 [ SITREP : ] (PH) BALM611 - RESPOND ERD  
18:11:20 Unit BALM611 [COMCEN COM : MESSAGE] DETAILS PASSED  
18:18:26 Unit REGION1G [ K1 : PROCEEDING TO INCIDENT]  
18:18:38 Unit BALM611 [ K2 : IN ATTENDANCE AT INCIDENT]  
18:18:44 Unit OTAR3318 [ SITREP : ] SSO JENNER RESPOND MANU301 ERD TO INCIDENT PAPA387  
18:18:44 WILL RETURN TO PPAKURA ERD  
18:19:26 Unit REGION1G [ K1 : PROCEEDING TO INCIDENT]  
18:20:37 GRIDLOCK ON SAVILL - WANTED TO KNOW WHAT FENZ COULD DO ABOUT IT - ADVISED HIM TO  
18:20:37 TALK TO AUCKLAND TRANSPORT ABOUT THE DIVERSIONS IN PLACE  
18:20:58 MOTORIST ARE BEING AFFECTED FROM THE SMOKE  
18:21:59 Unit MANU301 [ K1 : PROCEEDING TO INCIDENT]  
18:22:04 Unit MANU301 [ K1 : PROCEEDING TO INCIDENT]  
18:24:55 Unit COUNTIES4 [ K1 : PROCEEDING TO INCIDENT]  
18:24:59 Unit MTWE237 [ K2 : IN ATTENDANCE AT INCIDENT]  
18:25:17 COLLEGE AND OTHER SCHOOLS AND BUSINESSES IN THE AREA ASKING IF THEY SHOULD OPEN  
18:25:17 TOMORROW, TRANSFERRED TO SIMS COMMAND OTAR3318 CELL PHONE.  
18:28:53 Unit OTAR3318 [COMCEN COM : MESSAGE] PARN2529 IS RESPONDING UNDER LIGHTS TO  
18:28:53 RELIEVE DAY CREWS  
18:29:08 SHAW TO CALL HIM - UNTIL TO CONTACT AAC COUNTIES3 PER PHONE, TRIED COMMAND UNIT  
18:29:08 OTAR3318 NO ANSWER, PAGED AAC COUNTIES3  
18:30:18 Unit OTAR3318 [ SITREP : ] CONFIRM ELLE CREW RESPONDING IN VAN - AFFIRM  
18:34:31 Unit PAPA387 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]  
18:35:02 Unit MANU301 [ K2 : IN ATTENDANCE AT INCIDENT]  
18:35:44 Unit AUCKOSU2 [ K38 : ASSOCIATE THIS UNIT TO EVENT - EVENT ADDRESS]  
18:35:52 Unit AUCKOSU2 [ K1 : PROCEEDING TO INCIDENT]  
18:36:48 Unit PARN2529 [ KC : UNIT CALLING]  
18:36:58 Unit PARN2529 [ K38 : ASSOCIATE THIS UNIT TO EVENT - EVENT ADDRESS]  
18:37:16 Unit PARN2529 [ K2 : IN ATTENDANCE AT INCIDENT]  
18:39:08 Unit REGION1G [ K2 : IN ATTENDANCE AT INCIDENT]  
18:42:23 Unit OTAR3318 [COMCEN COM : MESSAGE] (PH) DETAILS RE SMOKE CONCERNS ON SAVIL DR  
18:42:28 Unit COUNTIES4 [ K2 : IN ATTENDANCE AT INCIDENT]  
18:43:02 Unit OTAR3318 [ SITREP : ] (PH) COPY, NOT MUCH WE CAN DO - ADVISE THEM TO KEEP  
18:43:02 WINDOWS CLOSED AND AIRCON SET ON RECYCLING  
18:47:12 Unit HOWI3219 [ K1 : PROCEEDING TO INCIDENT]  
18:51:00 Unit OTAR3318 [COMCEN COM : MESSAGE] HOWI3219 IS K1  
18:52:04 Unit HOWI3219 [ KC : UNIT CALLING]  
18:52:34 Unit HOWI3219 [ SITREP : ] CONFIRM SAP  
18:52:49 Unit OTAR3318 [ KC : UNIT CALLING]

18:53:05	Unit OTAR3318 [COMCEN COM : MESSAGE] HOWI3219 IS WANTING TO CONFIRM SAP
18:53:32	Unit OTAR3318 [ SITREP : ] VIA STATION ROAD - HOSE RAMPS ARE IN PLACE
18:53:38	Unit HOWI3219 [ SITREP : ] COPY
18:53:39	WILL PAGE ON DUTY HPO TO CONTACT US.
18:56:08	Unit AUCKOSU2 [ K2 : IN ATTENDANCE AT INCIDENT]
19:02:17	0
19:04:40	Unit PAPA348 [ SITREP : ] SO WILLIAMS DAY SHIFT CREW RETURNING TO PAPATOETOE IN
19:04:40	PAPA348 AND PAP348 WILL GO K0 NO CREW
19:04:42	Unit HOWI3219 [ K2 : IN ATTENDANCE AT INCIDENT]
19:11:55	NO HPO KEN 021810774 TRANSFERRED TO OTAR3318
19:20:43	Unit AUCKOSU4 [ K38 : ASSOCIATE THIS UNIT TO EVENT - EVENT ADDRESS]
19:20:58	Unit AUCKOSU4 [ K1 : PROCEEDING TO INCIDENT]
19:21:07	Unit AUCKOSU4 [ K1 : PROCEEDING TO INCIDENT]
19:21:37	Unit PAPA348 [ K7 : AT NORMAL STATION]
19:23:57	Unit OTAR3318 [ KC : UNIT CALLING]
19:24:25	Unit OTAR3318 [ SITREP : ] AUCK2018 TO RESPOND WITH JUST THE FOOT BATHS
19:26:36	Unit OTAR3318 [COMCEN COM : MESSAGE] AUCK2018 IS SHOWING K0 - WILL CONFIRM WITH
19:26:36	CITY STATION
19:27:38	Unit OTAR3318 [ KC : UNIT CALLING]
19:27:39	AND RECOMMISSION BEFORE GOING K7 - ADVISED OF REQUEST TO RESPOND - AUCKLAND
19:27:39	CITY
19:27:39	SSO WILL PHONE FIRECOM TO LIASE
19:28:17	Unit OTAR3318 [ SITREP : ] IF ANY PERSONS HAVE CONCERN WITH SMOKE, VISIT -
19:28:17	WWW.ARPHS.GOV.T.NZ FOR ADVICE
19:32:16	Unit OTAR3318 [COMCEN COM : MESSAGE] DETAILS RE AUCK2018 RESPONSE PASSED
19:33:20	Unit AUCKOSU4 [ K2 : IN ATTENDANCE AT INCIDENT]
19:45:01	Unit TITI691 [ KC : UNIT CALLING]
19:45:20	Unit TITI691 [ K10 : RECOMMISSIONING]
19:47:42	Unit BIRK821 [ KC : UNIT CALLING]
19:48:02	Unit BIRK821 [ K10 : RECOMMISSIONING]
20:00:47	Unit AUCK2018 [ K1 : PROCEEDING TO INCIDENT]
20:03:25	Unit BALM611 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
20:15:01	ON STATION WITH NO APPLIANCE, WOULD LIKE TO KNOW IF THEY WILL BE GETTING AN
20:15:01	APPLIANCE
20:20:09	COMMGR1 ON TO IT
20:20:11	Unit AUCK2018 [ K2 : IN ATTENDANCE AT INCIDENT]
20:32:09	Unit AUCKOSU1 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]
20:36:49	Unit AUCK2018 [ K2 : IN ATTENDANCE AT INCIDENT]
20:36:50	Unit AUCK2018 [ K2 : IN ATTENDANCE AT INCIDENT]
20:40:00	Unit AUCK2018 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]



20:56:06	Unit TEAT661 [ K7 : AT NORMAL STATION]
21:13:48	Unit OTAR3318 [ SITREP : ] IC - AAC DELFOS) OPERATIONS - SSO MCKEOWN) - PLANNING
21:13:48	AND INTEL SSO MILLER) LOGISTICS - AC TRAVERS) SECTOR ONE - VAN BEERENDONK)
21:13:48	SECTOR 3 - SO MCRAE) SAFTEY - SO KERR) STAGING SO CARPENTER) STILL USING 3X
21:13:48	AERIALS, 1X GROUND MONITOR. 2X HPD, 3 DIGGERS AND LIGHTING. TACTICS STILL REMAIN
21:13:48	THE SAME - WIND HAS CHANGED TO A WESTERLY - (VIA PH)
21:13:58	Unit OTAR3318 [ K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] AAC DELFOS
21:15:02	Unit HOWI3219 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
21:38:57	FOR CREW CHANGE WITH ELLE274; @ 2230 PARN255 CHANGING OVER WITH AUCK205; @
21:38:57	MIDNIGHT AUCK2018 CREW CHANGE WITH OTAR3318; PAPA344 WILL BE RELEASED IN A
21:38:57	COUPLE OF HOURS
21:39:19	Unit MTWE237 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
21:47:04	Unit AUCKOSU2 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]
21:59:29	Unit TEAT661 [ K1 : PROCEEDING TO INCIDENT]
22:00:18	Unit PARN255 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]
22:05:04	Unit PARN255 [ K1 : PROCEEDING TO INCIDENT]
22:05:15	Unit PARN251 [ K1 : PROCEEDING TO INCIDENT]
22:05:15	Unit PARN2529 [ K1 : PROCEEDING TO INCIDENT]
22:05:34	Unit PARN2529 [ K7 : AT NORMAL STATION]
22:06:05	Unit PARN251 [ K2 : IN ATTENDANCE AT INCIDENT]
22:06:20	Unit PARN255 [ K1 : PROCEEDING TO INCIDENT]
22:08:15	Unit MANU301 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
22:22:03	Unit TEAT661 [ K2 : IN ATTENDANCE AT INCIDENT]
22:33:33	Unit PARN255 [ K2 : IN ATTENDANCE AT INCIDENT]
22:48:47	Unit OTAR331 [ K2 : IN ATTENDANCE AT INCIDENT]
22:53:33	Unit OTAR3318 [ KC : UNIT CALLING]
22:54:01	Unit OTAR3318 [ SITREP : ] CONTINUING TO MAKE SLOW PROGRESS
23:20:02	Unit ELLE274 [ K10 : RECOMMISSIONING]
23:27:10	Unit OTAR3318 [ KC : UNIT CALLING]
23:28:24	Unit OTAR3318 [ SITREP : ] NOTIFY WATERCARE THAT A HYDRANT OPPOSITE - 263 JAMES
23:28:24	FLETCHER DR IS UNABLE TO BE TURNED OFF.
23:35:40	Unit AUCK205 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
23:37:35	Unit PAPA344 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
23:47:40	Unit HOWI321 [ K10 : RECOMMISSIONING]
23:49:40	Unit PAPA347 [ KC : UNIT CALLING]
23:50:02	Unit PAPA347 [ K10 : RECOMMISSIONING]
00:03:35	Unit COUNTIES3 [ K1 : PROCEEDING TO INCIDENT]
00:11:57	Unit COUNTIES3 [ K2 : IN ATTENDANCE AT INCIDENT]
00:17:36	Unit TEAT661 [ K7 : AT NORMAL STATION]
00:32:24	Unit COUNTIES4 [ K6 : ON TELEPAGER]

00:32:42	Unit REGION1G [ K6 : ON TELEPAGER]
00:34:46	Unit REGION1C [ K6 : ON TELEPAGER]
00:37:00	Unit ELLE274 [ K7 : AT NORMAL STATION]
00:39:51	Unit ELLE274 [ K2 : IN ATTENDANCE AT INCIDENT]
00:53:27	Unit MTRO621 [ K1 : PROCEEDING TO INCIDENT]
00:53:38	Unit MTRO621 [ K2 : IN ATTENDANCE AT INCIDENT]
01:02:12	Unit REMU211 [ K2 : IN ATTENDANCE AT INCIDENT]
01:25:30	Unit STHE241 [ KC : UNIT CALLING]
01:25:36	Unit STHE241 [ KC : UNIT CALLING]
01:26:04	Unit STHE241 [ K10 : RECOMMISSIONING]
01:57:39	Unit MTRO621 [ KC : UNIT CALLING]
01:58:04	Unit MTRO621 [ K10 : RECOMMISSIONING]
01:58:26	Unit OTAR3318 [ SITREP : ] REQ 3 PUMPS @ 0500. 1 PUMP TO BE SSO AND ALSO SEND
01:58:26	PAPA377
01:59:47	** PAPA344 **
02:22:10	Unit OTAR3318 [ KC : UNIT CALLING]
02:22:24	Unit OTAR3318 [ K26-1 : APPLIANCE STILL ENGAGED, NO ADDITIONAL DEVELOPMENTS]
03:17:41	Unit OTAR3318 [ KC : UNIT CALLING]
03:17:56	Unit OTAR3318 [ K26-1 : APPLIANCE STILL ENGAGED, NO ADDITIONAL DEVELOPMENTS]
03:57:18	Unit OTAR3318 [ K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] AAC BOOTH
04:29:22	Unit PAPA344 [ K1 : PROCEEDING TO INCIDENT]
04:33:13	Unit OTAR3318 [ KC : UNIT CALLING]
04:33:25	Unit OTAR3318 [ K26-1 : APPLIANCE STILL ENGAGED, NO ADDITIONAL DEVELOPMENTS]
04:40:17	SEEM TO HAVE ACQUIRED A VAN, SHOULD THEY BRING IT TO FIREGROUND - SPOKE TO
04:40:17	COUNTIES3 JOHN BOOTH, HE ADVSS NEGATIVE WILL BE USED TO SHUTTLE ONCOMING DAY
04:40:17	CREW TO FIRE GROUND.
04:41:25	Unit AVON607 [ K2 : IN ATTENDANCE AT INCIDENT]
04:41:38	Unit PAPA344 [ K2 : IN ATTENDANCE AT INCIDENT]
04:43:50	Unit GREY261 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]
04:44:19	Unit GREY261 [ K1 : PROCEEDING TO INCIDENT]
04:44:41	Unit GREY261 [ K1 : PROCEEDING TO INCIDENT]
04:47:58	Unit MANG351 [ K1 : PROCEEDING TO INCIDENT]
05:02:27	Unit GREY261 [ K2 : IN ATTENDANCE AT INCIDENT]
05:02:33	Unit MANG351 [ K2 : IN ATTENDANCE AT INCIDENT]
05:02:40	Unit TEAT661 [ K2 : IN ATTENDANCE AT INCIDENT]
05:12:15	Unit PARN251 [ KC : UNIT CALLING]
05:12:31	Unit PARN255 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
05:12:45	Unit PARN251 [ SITREP : ] REMAINING K2 - RETURNING TO STATION
05:28:41	Unit TEAT661 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
05:30:54	Unit MANG351 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

05:35:12	Unit REMU211 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
05:40:35	Unit OTAR331 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
05:41:23	Unit OTAR3318 [ SITREP : ] (PH) OPERATIONS SSO LANE - SAFETY OFFICER SO DENCH.
05:41:23	REPLACEMENT CREWS ARE BEING ORGANISED FOR 0800
05:53:08	Unit OTAR3318 [ KC : UNIT CALLING]
05:53:57	Unit OTAR3318 [ SITREP : ] CREWS FROM 2 AERIALS AND 3 PUMPS RELIEVED -
05:53:57	CONTINUING TO COOL PILE
06:04:15	Unit PARN251 [ K7 : AT NORMAL STATION]
06:05:03	Unit OTAR3318 [ SITREP : ] (BY PHONE) REQUIRE WORKSHOPS TO ATTEND GREY261 HAS
06:05:03	BURST A CLEAR HOSE FROM RELIEF VALVE
06:05:55	Unit OTAR3318 [ KC : UNIT CALLING]
06:06:23	Unit OTAR3318 [ K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] AAC MONRAD
06:26:12	Unit COUNTIES1 [ K1 : PROCEEDING TO INCIDENT]
06:39:33	Unit OTAR3318 [COMCEN COM : MESSAGE] STANDBY FOR A PHONE CALL
06:40:21	Unit COUNTIES1 [ K2 : IN ATTENDANCE AT INCIDENT]
07:01:31	Unit ELLE274 [ KC : UNIT CALLING]
07:02:50	Unit OTAR3318 [COMCEN COM : MESSAGE] CALLER FROM ACROSS ROAD ASKING FOR
07:02:50	ACCESS
07:02:50	AT MIDDAY, IS THIS POSSIBLE?
07:02:58	Unit OTAR3318 [ SITREP : ] POSS SOONER
07:03:10	Unit ELLE274 [ K10 : RECOMMISSIONING]
07:11:50	Unit COUNTIES1 [ K6 : ON TELEPAGER]
07:21:44	Unit OTAR3318 [ KC : UNIT CALLING]
07:22:26	Unit OTAR3318 [ SITREP : ] WORKING WITH AMA TRAFFIC MANAGMENT TO OPEN JAMES
07:22:26	FLETCHER DRIVE
07:28:31	Unit GREY261 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
07:39:43	Unit OTAR3318 [ KC : UNIT CALLING]
07:40:25	Unit OTAR3318 [ SITREP : ] ADV OSU CAN THEY MOVE THEIR ABLUTIONS BLOCK
07:41:14	Unit AUCKOSU4 [ SITREP : ] CAN ABLUTIONS BLOCK BE MOVED ( ANSWERED BY OSU1 -
07:41:14	WILL BE THERE WITHIN HOUR TO UPLIFT)
07:51:57	Unit OTAR3318 [ KC : UNIT CALLING]
07:53:01	Unit OTAR3318 [ SITREP : ] ADV BRIG SUPPORT OFFICER WE HAVE LOOSE EQUIPMENT TO
07:53:01	BE PICKED UP AT 10AM
07:53:31	Unit OTAR3318 [ SITREP : ] PETER MURPHY (WHATS THE CALL SIGN?) STAND BY
07:54:29	Unit OTAR3318 [ KC : UNIT CALLING]
07:55:06	PETER MURPHY OHONED TO ADV HE IS ON THE WAY TO PICK UP LOOSE ITEMS FROM SIMS
07:55:06	COMMAND
07:55:10	Unit OTAR3318 [ SITREP : ] WILL CONTACT PETER MURPHY VIA PHONE (HE IS LISTENING
07:55:10	IN AND WILL ATTEND)
08:13:50	FROM OTARA FIRE ATTATCH TWO MORE TRUCKS OTARA331 AND ONE OTHER

08:14:50 THIS WAS ADVISED BY CRAIG MUNRO

08:14:56 Unit OTAR3318 [COMCEN COM : MESSAGE] ARE BUSINESSES ABLE TO GET THROUGH THE

08:14:56 CORDEN? (NEG BE ANOTHER 15 - 30 MINS, SOME PARTS OF IT ARE OPEN FOR SOME PEOPLE

08:14:56 TO GET THROUGH)

08:15:46 \*\* Requirement OTAR331 added for alarm level 4

08:15:52 \*\* Requirement OTAR331 removed for alarm level 4

08:18:17 Unit OTAH311 [ K1 : PROCEEDING TO INCIDENT]

08:18:32 Unit OTAR331 [ K1 : PROCEEDING TO INCIDENT]

08:20:14 Unit OTAR3318 [COMCEN COM : MESSAGE] OTAH311 RESPONDING ONE MAN DOWN, DO YOU

08:20:14 WANT ANOTHER PUMP OR REPLACE IT? (ONE MAN DOWN IS FINE)

08:23:42 Unit COUNTIES3 [ K6 : ON TELEPAGER]

08:25:50 Unit OTAH311 [ K2 : IN ATTENDANCE AT INCIDENT]

08:25:57 Unit OTAR3318 [ KC : UNIT CALLING]

08:26:30 Unit OTAR3318 [ SITREP : ] JAMES FLETCHER DR NOW OPEN

08:29:03 Unit AUCKOSU1 [ K1 : PROCEEDING TO INCIDENT]

08:31:24 Unit AUCKOSU1 [ KC : UNIT CALLING]

08:32:07 Unit AUCKOSU1 [ SITREP : ] CAN YOU ASCERTAIN FROM THE COMMAND UNIT, BEST ACCESS?

08:32:42 Unit OTAR3318 [ SITREP : ] EITHER ENTRY

08:32:51 Unit AUCKOSU1 [ SITREP : ] ACK

08:42:42 Unit OTAR331 [ K2 : IN ATTENDANCE AT INCIDENT]

08:48:50 Unit OTAR3318 [COMCEN COM : MESSAGE] ARE BOTH LANES OPEN FOR COMMUTERS?

08:48:50 (ROAD IS

08:48:50 OPEN WITH CONES AROUND THE INCIDENT)

08:54:31 Unit AUCKOSU1 [ K2 : IN ATTENDANCE AT INCIDENT]

09:07:25 ANOTHER 15MIN. THEN WE HAVE TO COME INTO CITY STATION FOR HPD HOSE

09:32:04 Duplicate Event:Location = 263 JAMES FLETCHER DR AUCKLAND @SIMS PACIFIC METALS

09:32:04 MANUKAUCross Street 1BEACH RDCross Street 2TUI ST, Type = ADV ADVISED, Subtype =

09:32:04 default, Caller Name = SIMS COMMAND WAYNE BRIDGER, Caller Ph Number =

09:32:04 [REDACTED] Call Source = EXCHAlarm Level1Inc InfoRELIEF CREWS, Event Source =

09:32:04 Central Admin

09:32:05 RELIEF CREWS FOR 0800

09:32:05 221, 351, 607, 274, 344 AT PRESENT

09:32:05 INC INFO: RELIEF CREWS

09:32:05 CONTACT THOSE STATION AND TOLD COMMANDER TO BE THERE BY 7AM IF POSSIBLE TO

09:32:05 SWAP

09:32:05 CREWS

09:32:05 \*\* LOI search completed at 08/03/18 06:10:03

09:32:05 NO RESPONSE MANGERE STATION

09:32:05 NO ANSWER FROM AVONDALE

09:32:05 NO RESPONSE MANGERE FIRE

09:32:05 NO RESPONSE ELLERSLIE @ 0631

09:32:05 MANGERE APPLIANCE IS AT MT ROSKILL STATION..

09:32:05 MT ROSKILL FIRE ASKING IF MT ROSKILL CREW OR MANGERE CREW TO MAN 351 FOR

09:32:05 RELIEF..

09:32:05 SIMS COMMAND ADV 351 WILL NEED TO RETURN TO MANGERE FOR MANGERE CREW TO

09:32:05 TAKE THE

09:32:05 APPLIANCE BACK TO THE INCIDENT

09:32:05 TAKE OVER

09:32:05 BACK

09:32:05 ..

09:32:05 FROM CIMS COMMAND - PAPA344 CREW REQUIRED - AVON607 CREW ORGANISED BY CIMS

09:32:05 COMMAND AND MANG351 REQUIRED

09:32:05 ONEHUNGA FIRE PHONED TO ASCERTAIN HOW THEY ARE GETTING THEIR APPLIANCE BACK

09:32:05 -

09:32:05 ADV THEY WILL CONTACT SIMS COMMAND DIRECTLY

09:32:06 \*\* Cross Referenced to Event # F2497360 at: 08/03/18 09:32:06

09:32:06 End of Duplicate Event data

09:44:03 Unit ONEH221 [ KC : UNIT CALLING]

09:45:52 Unit ONEH221 [ KC : UNIT CALLING]

09:46:27 Unit ONEH221 [ K10 : RECOMMISSIONING]

10:00:17 Unit OTAR3318 [ KC : UNIT CALLING]

10:00:33 Unit OTAR3318 [ KC : UNIT CALLING]

10:01:23 Unit OTAR3318 [ K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] K45 SSO POWER

10:19:27 Unit OTAR3318 [ SITREP : ] (VIA PHONE) WE ARE HAVING PROBLEMS WITH THE COMMAND

10:19:27 UNIT POWER TRIPPING OUT - WILL BE SENDING AN EMAIL THROUGH TO COMMS IF YOU CAN

10:19:27 FAX THAT ONWARDS FOR US - TO TOTAL CARE FOR REPLACEMENTS - ALL DETAILS WILL BE

10:19:27 IN THE EMAIL

10:27:32 Unit OTAR331 [ SITREP : ] VIA CELLPHONE (██████) CAN WE HAVE ELLE274 HERE BY

10:27:32 11:30 AND TEAT664 BY 1430

10:36:00 Unit OTAR3318 [COMCEN COM : MESSAGE] (VIA CELLPHONE) TEAT664 K0 NO AERIAL CAN

10:36:00 YOU ADVISE WHICH OTHER AERIAL YOU REQUIRE

10:38:47 Unit OTAH311 [ K7 : AT NORMAL STATION]

10:39:47 ████████ | OTARA PHONED - ADV TEAT664 CREW CAN MAN THE AERIAL ALREADY IN

10:39:47 ATTENDANCE

10:39:47 - IF THEY CAN PLEASE BE FIRST THERE AT 1130 - AND THEN ELLE274 AT 1430

10:47:24 Unit OTAH3112 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]

10:48:54 Unit AUCKOSU1 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]

10:57:20 Unit OTAR331 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

10:58:56 COVERING UNIT TITI691 DISPATCHED TO STATION AVONDALE AT

10:58:56 D0710063

11:30:00 Unit AUCKOSU4 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]

11:33:11 Unit TEAT661 [ K2 : IN ATTENDANCE AT INCIDENT]

11:33:52	Unit OTAR3318 [ KC : UNIT CALLING]
11:34:26	Unit OTAR3318 [ SITREP : ] TIC IN USE, BRIG DAMPENING HOT SPOTS WITH TYPE 4
11:34:26	AERIAL APPLIANCE
12:13:25	Unit OTAR3318 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]
12:14:18	Unit TEAT661 [ KC : UNIT CALLING]
12:14:47	Unit TEAT661 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
12:15:40	Unit PAPA344 [ KC : UNIT CALLING]
12:17:22	Unit PAPA344 [ K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SO SIMPSON
12:17:31	Unit PAPA344 [ K26-1 : APPLIANCE STILL ENGAGED, NO ADDITIONAL DEVELOPMENTS]
12:18:31	ABOVE K45 TO STATION OFFICER - NAME MAY BE INCORRECT
12:31:41	Unit AVON607 [ K7 : AT NORMAL STATION]
12:32:42	Unit AVON6015 [ K7 : AT NORMAL STATION]
12:37:10	Unit PAPA344 [ K26-1 : APPLIANCE STILL ENGAGED, NO ADDITIONAL DEVELOPMENTS] (VIA
12:37:10	PHONE)
13:06:01	Unit PRESTIGE1 [ K7 : AT NORMAL STATION]
13:20:02	Unit PAPA344 [ KC : UNIT CALLING]
13:20:26	Unit PAPA344 [ K26-1 : APPLIANCE STILL ENGAGED, NO ADDITIONAL DEVELOPMENTS]
13:57:41	Unit ELLE274 [ K1 : PROCEEDING TO INCIDENT]
13:59:39	Unit PAPA344 [ KC : UNIT CALLING]
14:00:01	Unit PAPA344 [ K26-1 : APPLIANCE STILL ENGAGED, NO ADDITIONAL DEVELOPMENTS]
14:18:59	Unit ELLE274 [ K2 : IN ATTENDANCE AT INCIDENT]
14:37:17	Unit PAPA344 [ KC : UNIT CALLING]
14:37:52	Unit PAPA344 [ K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] SO DALEY
14:59:44	Unit PAPA344 [ KC : UNIT CALLING]
15:00:31	Unit PAPA344 [ SITREP : ] K10 RETURNING TO STATION ALL COMMS TO GO THROUGH
15:00:31	ELLE274
15:00:39	Unit PAPA344 [ K10 : RECOMMISSIONING]
15:28:10	Unit ELLE274 [COMCEN COM : MESSAGE] NO REPLY R/T X 2 - EXTERNAL ALERT
15:28:36	Unit ELLE274 [COMCEN COM : MESSAGE] ARE OVERNIGHT STANDBYS LIKELY? IF SO WILL LU
15:28:36	STAY ON SITE?
15:30:27	Unit ELLE274 [ SITREP : ] VIA LANDLINE SMALL PILE OF METAL NEEDS TO BE TURNED
15:30:27	OVER PROBABLY LOOKING AT ANOTHER 2 HOURS WILL CALL FOR ANOTHER TRUCK LATER TO
15:30:27	ASSIST (DO YOU REQUIRE STANDBYS OVERNIGHT) NEGATIVE
15:38:49	Duplicate Event: JAMES FLETCHER DR AUCKLAND MERGE ALL 111'S FOR SIMS
15:38:49	INC INFO: SMOKE IN AREA
15:38:49	INCIDENTCross Street 1FAVONA RDCross Street 2BEACH RD, Type = ADV ADVISED,
15:38:49	** LOI search completed at 07/03/18 08:00:40
15:38:49	CALLER DESCRIBED THICK GREY SMOKE IN AREA
15:38:49	Subtype = default, Caller Ph Number = [REDACTED] Caller Address = [REDACTED] CHADWICK
15:38:49	CR,MANGERE EAST,AUCKLAND, Call Source = 111Alarm Level1Inc InfoSMOKE IN AREA ***

15:38:49 CHANING TO ADVISED DUE TO SMOKE TRAVELLING FROM THE JAMES FLETCHER 4TH ALARM

15:38:49 \*\* Event Type changed from MIN to ADV at: 07/03/18 08:01:54

15:38:49 DO NOT DELETE\*\*

15:38:49 \*\* Event Priority changed from 2 to 9 at: 07/03/18 08:01:55

15:38:49 \*\* Event Location changed from "TENNESSEE AV,/WICKMAN WAY,MANGERE EAST,AUCKLAND"

15:38:49 to "JAMES FLETCHER DR,FAVONA,AUCKLAND" at: 07/03/18 08:13:42

15:38:49 \*\* LOI search completed at 07/03/18 08:13:43

15:38:49 Duplicate Event: PUKAKI RD AUCKLANDCross Street 1CYCLAMEN RD, Type = ADV

15:38:49 ADVISED, Subtype = default, Caller Ph Number = [REDACTED], Call Source =

15:38:49 111Alarm Level1Inc InfoSMOKE IN THE VICINITY , Event Source = Fire 111

15:38:49 End of Duplicate Event data

15:38:49 INC INFO: SMOKE IN THE VICINITY

15:38:49 \*\* Cross Referenced to Event # F2496663 at: 07/03/18 08:15:20

15:38:49 \*\* LOI search completed at 07/03/18 08:14:51

15:38:49 Duplicate Event: AUCKLANDCross Street 1UNNAMED RDCross Street 2FAVONA RD, Type =

15:38:49 TD NIL

15:38:49 HEADLINE: LARGE SMOKE SIGHTED - NIL FLAMES SIGHTED

15:38:49 1F ADV ASSIST FIRE/AMBULANCE/TRAFFIC ADVISED, Subtype = 2 default, Caller Name =

15:38:49 \*\* LOI search completed at 07/03/18 08:12:51

15:38:49 [REDACTED], Caller Ph Number = [REDACTED], Caller Address = [REDACTED] HURITAO

15:38:49 LA,PAPAKURA,AUCKLAND, Call Source = PHONEAlarm Level1Inc InfoLARGE SMOKE SIGHTED

15:38:49 RRRR

15:38:49 RRRR

15:38:49 - NIL FLAMES SIGHTED , Event Source = Police 111

15:38:49 [POL2AMB] RGR.. NOTED

15:38:49 INFMT IS CALLING FROM RIMU ROAD NEAR MOTORWAY

15:38:49 SMOKE LOOKS LIKE IS ON FAVONA RD - UK WHERE ALONG THERE

15:38:49 SMOKE SMELLS LIKE CHEMICALS OR RUBBISH SMELL

15:38:49 ADVISED WILL PASS ONTO FIRE

15:38:49 NNNN

15:38:49 THIS IS FROM JAMES FLETCHER FIRE

15:38:49 \*\* Event Type changed from POL2FIR to ADV at: 07/03/18 08:17:07

15:38:49 \*\* Event Priority changed from 2 to 9 at: 07/03/18 08:17:07

15:38:49 End of Duplicate Event data

15:38:49 \*\* Cross Referenced to Event # F2496665 at: 07/03/18 08:17:20

15:38:49 Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = ADV -

15:38:49 INC INFO: SMOKE NUISANCE

15:38:49 ADVISED, Caller Ph Number = [REDACTED], Caller Address = [REDACTED] FERGUSSON,

15:38:49 MANGERE, Call Source = 111Inc InfoSMOKE NUISANCE, Event Source = Fire 111

15:38:49	End of Duplicate Event data
15:38:49	Duplicate Event: ARCHBOYD AV AUCKLANDCross Street 1KIRKELLA CRCross Street
15:38:49	** Cross Referenced to Event # F2496793 at: 07/03/18 10:10:16
15:38:49	End of Duplicate Event data
15:38:49	INC INFO: STRONG SMELL OF SMOKE
15:38:49	** LOI search completed at 07/03/18 10:10:09
15:38:49	2BICKNELL RD, Type = ADV ADVISED, Subtype = default, Caller Ph Number =
15:38:49	██████████, Call Source = 111Alarm Level1Inc InfoSTRONG SMELL OF SMOKE , Event
15:38:49	Source = Fire 111
15:38:49	Duplicate Event: ARCHBOYD AV AUCKLANDCross Street 1KIRKELLA CRCross Street
15:38:49	2BICKNELL RD, Type = ADV ADVISED, Subtype = default, Call Source = 111Alarm
15:38:49	Level1Inc InfoSTRONG SMELL OF SMOKE
15:38:49	INC INFO: STRONG SMELL OF SMOKE
15:38:49	** Cross Referenced to Event # F2496795 at: 07/03/18 10:13:03
15:38:49	End of Duplicate Event data
15:38:49	INC INFO: STRONG SMELL OF SMOKE
15:38:49	INC INFO: STRONG SMELL OF SMOKE
15:38:49	** LOI search completed at 07/03/18 10:12:55
15:38:49	INADVERTENTLY CLOSED
15:38:49	** Event F2496659 has been reopened at: 07/03/18 10:48:00
15:38:49	** LOI search completed at 07/03/18 10:48:01
15:38:49	Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = MIN -
15:38:49	ADVISE GIVEN
15:38:49	ADVICE GIVEN
15:38:49	MINOR, Caller Ph Number = ██████████, Caller Address = █ CHELSEA , Call Source
15:38:49	= 111Inc InfoSMELL OF ACRID SMOKE, Event Source = Fire 111
15:38:49	INC INFO: SMELL OF ACRID SMOKE
15:38:49	INC INFO: SMELL OF ACRID SMOKE
15:38:49	End of Duplicate Event data
15:38:49	ADVICE GIVEN
15:38:49	Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = ADV -
15:38:49	ADVISED, Caller Ph Number = ██████████ Caller Address = █ MANGERE R, Call
15:38:49	INC INFO: SMELL OF SMOKE
15:38:49	Source = 111Inc InfoSMELL OF SMOKE, Event Source = Fire 111
15:38:49	End of Duplicate Event data
15:38:49	INC INFO: SMELL OF SMOKE
15:38:49	Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = MIN -
15:38:49	MINOR, Caller Name = PREPAID/SPARK, Caller Ph Number = ██████████, Caller
15:38:49	Address = █ WINDOMA, Call Source = 111Inc InfoSMELL OF SMOKE, Event Source =
15:38:49	Fire 111

Released under the Official Information Act



15:38:49 End of Duplicate Event data  
15:38:49 ADVICE GIVEN  
15:38:49 Duplicate Event:Location = JAMES FLETCHER DR,FAVONA,AUCKLAND, Type = MIN -  
15:38:49 MINOR, Caller Name = [REDACTED], Caller Ph Number = [REDACTED] Caller  
15:38:49 INC INFO: SMOKE INHALATION  
15:38:49 Address = [REDACTED] MANGERE ROAD, OTAHUHU, AUCKLAND CITY, Call Source = 111Inc  
15:38:49 InfoSMOKE INHALATION, Event Source = Fire 111  
15:38:49 End of Duplicate Event data  
15:38:49 Duplicate Event:Location = [REDACTED]MANGERE RD AUCKLAND, 1Cross Street 1WALMSLEY  
15:38:49 TD NOW  
15:38:49 HEADLINE: HOUSE HAS FILLED UP WITH SMOKE FROM FIRE IN NEARBY AREA  
15:38:49 RDCross Street 2AWA ST, Type = ADV 2I ADVISED INFORMATION, Subtype = default 2,  
15:38:49 .  
15:38:49 Caller Name = [REDACTED] Caller Ph Number = [REDACTED], Call Source =  
15:38:49 \*\* LOI search completed at 07/03/18 14:30:11  
15:38:49 PHONEAlarm Level1Inc InfoHOUSE HAS FILLED UP WITH SMOKE FROM FIRE IN NEARBY  
15:38:49 AREA, Event Source = Police 111  
15:38:49 RRRR  
15:38:49 INFMT HAS CALLED FIRE ALREADY  
15:38:49 RRRR  
15:38:49 FIRETOPOLICE: YES THIS IS FROM THE FLETCHER DRIVE 4TH ALARM FIRE THAT IS STILL  
15:38:49 BURNING  
15:38:49 \*\* Event Type changed from POL2FIR to ADV at: 07/03/18 14:32:22  
15:38:49 \*\* Event Priority changed from 2 to 9 at: 07/03/18 14:32:23  
15:38:49 ADVISED NOTED  
15:38:49 TO REMOVE SELF FROM PROPERTY IF NEED BE  
15:38:49 End of Duplicate Event data  
15:38:49 \*\* Cross Referenced to Event # F2497010 at: 07/03/18 14:33:09  
15:38:49 INC INFO: SMOKE IN AREA \*\*\* DO NOT DELETE\*\*  
15:38:49 \*\* Event Location changed from "JAMES FLETCHER DR,FAVONA,AUCKLAND" to "JAMES  
15:38:49 FLETCHER DR,FAVONA,AUCKLAND: EVENT FOR ALL 111 FOR SIMS INCIDENT" at: 08/03/18  
15:38:49 00:56:46  
15:38:49 \*\* Event Location changed from "JAMES FLETCHER DR,FAVONA,AUCKLAND: EVENT FOR ALL  
15:38:49 111 FOR SIMS INCIDENT" to "JAMES FLETCHER DR,FAVONA,AUCKLAND: MERGE ALL 111'S  
15:38:49 FOR SIMS INCIDENT" at: 08/03/18 00:57:07  
15:38:53 End of Duplicate Event data  
15:38:54 \*\* Cross Referenced to Event # F2496659 at: 08/03/18 15:38:54  
15:41:40 Unit ELLE274 [ SITREP : ] CAN WE GET ANOTHER APPLIANCE TO BE HERE 1615 WE ALSO  
15:41:40 NEED TO TRANSPORT THE DEL HOSE IN A VAN OF SOME DESCRIPTION TO MT WELLINGTON I  
15:41:40 ASSUME FOR WASHING AND CLEANING

15:46:07	CAN PICK THEM UP TOMORROW MORNING AND TAKE THEM TO OTAHUHU
15:46:56	MANGERE WILL GO K1 SHORTLY
15:48:42	Unit ELLE274 [COMCEN COM : MESSAGE] EXT ALERT - STANDBY FOR PHONE CALL
15:51:39	Unit ELLE274 [COMCEN COM : MESSAGE] DETAILS PASSED ABOUT PETER MURPHY ABLE TO
15:51:39	PICK HOSE UP TOMORROW ELLE274 WILL FIND SAFE PLACE AND LET US KNOW SO WE CAN
15:51:39	PASS IT ON TO PETER MURPHY
15:53:26	HIM KNOW WHEN WE KNOW WHERE HOSES ARE BEING LEFT
15:56:47	Unit MANG351 [ K2 : IN ATTENDANCE AT INCIDENT] FIRECOM VIA AVL
16:01:57	Unit ELLE274 [ KC : UNIT CALLING]
16:02:40	Unit ELLE274 [ STOP : MESSAGE] FEEDER LINES BEING MADE UP, INCIDENT LEFT WITH
16:02:40	MANAGEMENT
16:03:08	//HAZ//
16:13:05	Unit ELLE274 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
16:18:18	Unit MANG351 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]
16:56:32	HOSES DOWN WHERE THE TYPE 4 WAS BASED ABOUT 1/2 WAY INTO THE COMPLEX BY THE
16:56:32	DISPATCHERS OFFICE AREA - DRIVE THRU GATES AND CONTINUE TO WHERE THE BULK OF
16:56:32	THE FIRE WAS - MANAGEMENT ARE AWARE A VAN WILL BE COMING TO PICK THEM UP
16:56:32	TOMORROW
17:11:47	UNIT ALBA851 RESPONSE TIME [NULL] ADJUSTED TO
17:11:47	UNIT PARN2529 RESPONSE TIME [NULL] ADJUSTED TO
17:12:20	UNIT AUCK2029 ALERT TIME [NULL] ADJUSTED TO
17:12:20	** Assigned Result Code: STRU, Detailed Event Type: 1500, Qualifier 1: Q1,
17:12:20	UNIT AUCKOSU3 ALERT TIME [NULL] ADJUSTED TO
17:12:20	Qualifier 2:
17:12:21	UNIT COUNTIES3 ALERT TIME [NULL] ADJUSTED TO
17:12:21	UNIT PAPA348 ALERT TIME [NULL] ADJUSTED TO
17:12:21	UNIT PARN251 ALERT TIME [NULL] ADJUSTED TO
17:12:21	UNIT MTWE2329 ALERT TIME [NULL] ADJUSTED TO
17:12:21	UNIT COUNTIES2 ALERT TIME [NULL] ADJUSTED TO
17:12:21	UNIT BIRK821 ALERT TIME [NULL] ADJUSTED TO
17:12:22	UNIT PARN251 ALERT TIME [NULL] ADJUSTED TO
17:12:22	UNIT REGION1G ALERT TIME [NULL] ADJUSTED TO
17:12:22	UNIT REGION1C ALERT TIME [NULL] ADJUSTED TO
17:12:22	UNIT TITI691 ALERT TIME [NULL] ADJUSTED TO
17:12:22	UNIT PARN251 ALERT TIME [NULL] ADJUSTED TO
17:12:22	UNIT PARN251 ALERT TIME [NULL] ADJUSTED TO
17:12:23	UNIT WAITEMATA3 ALERT TIME [NULL] ADJUSTED TO

**Incident**

CAD Number F2496594

Incident Reporter Chris Lane  
 Incident Controller  
 Distance Travelled (km)  
 Delay In Receiving Call

**Property Details**

Occupant  
 Building Owner  
 General Property Use Industrial, Manufacturing  
 Special Property Use Manufacture: Iron, Steel (raw products)  
 Purpose Group

**Actions**

Persons Reported Trapped  
 Evacuation Status  
 Action Prior 1  
 Action Prior 2  
 Action Taken Extinguishment only: Includes isolating fuel/power

**Civilians**

Civilians Rescued 0  
 Civilians Extricated 0  
 Civilians Assisted 0  
 Civilians Evacuated 0

**Origin**

Location  
 Level

**Equipment Used**

Quantity	Equipment
1	Low pressure delivery
6	Monitor
3	Aerial Ladder/Platform

**Equipment Involved**

Equipment Involved  
 Year  
 Make

Model

Fire

Arrival Condition Totally involved fire

Heat Source

Termination Stage

First Object Ignited

First Object Material

Second Object Ignited

Second Object Material

Indicated Cause Unable to classify

Certainty of Cause Low

Age of Person

Ethnicity

Gender

FAIP Service Offered No FAIP Service Accepted No

Comments

3/9/2018 11:33:34 AM

Reporter Comments

ALBA851 ARRIVAL time changed from 06:04:20 to maintain time sequence.  
PARN2529 ENROUTE time changed from 22:05:15 to maintain time sequence.  
--FENZ App Support.



3/15/2018 9:57:24 AM

Reporter Comments

FSO Requested at incident F2496594 on 07 Mar 2018 01:55

Robert Watson

3/15/2018 4:35:39 PM

Reporter Comments

Due to the Nature of the disposition of the material involved in fire and the methods required to control the fire a comprehensive investigation into the origin and cause of the fire was not conducted.

The location of the fire was a metal shredding processing plant. The fire involved a pile of scrap metal approximately 180m x 80 m x 15 metres high. The metal was being accumulated as a part of the metal shredding process. Scrap metal objects of all forms are put through a shredding plant and chopped into small, approximately 50mm x 50mm pieces. The shredded material is separated into ferrous, non ferrous and other material as part of the process. The separated material is then transported off site.

The method required to control and extinguish the fire was by using the on site staff operating large capacity "grabbers", cranes, to move the material and open up the pile while large volumes of water were used by Fire and Emergency staff to extinguish exposed fire and cool material before it was placed into shredder. Due to space constraints it was not possible to simply spread the pile.

Anecdotal information received at the time of this investigation informs that earlier in the day there had been a fire in the pile that had apparently been extinguished by staff using the equipment present on the site.

Based on the evidence available at the time of this investigation, the classification of this incident has been recorded as accidental.

The fire has most likely been caused by an undetermined accidental ignition source such as an energised battery being short circuited causing an arc or contaminated organic material spontaneously igniting, in the metal pile. The fire earlier during the day may not have been completely extinguished. The cause of that fire is most likely the result of the same type of ignition source as described.

**Robert Watson**

Released under the Official Information Act