

SMS Incident Report

23/03/2022 15:30:30


Summary

CAD Number F3433650 **Status** Closed
Station Thorndon Station
Incident Started 02/03/2022 08:02:58 **Incident Ended** 03/03/2022 22:21:21
Incident Type 1599: Other Fire - not classified above
Common Name PARLIAMENT HOUSE
Address 1 Molesworth Street Pipitea
Alarm Method 111 Telephone **Alarm Level** 4
PFA Number
Zone 29232004
Map Grid E 1748764 **Map Grid N** 5428882
First Caller **First Caller Contact**
Incident Closed 03/03/2022 22:21:21
Report Completed 21:59, Mon 21 Mar 2022 by [REDACTED]

Responses

Call Sign	Type	Station Alert	Enroute Time	Arrival Time	Departed
THOR231	P1	08:04:11 02 Mar 2022	08:04:40 02 Mar 2022	08:06:29 02 Mar 2022	21:26:12 03 Mar 2022
KILB2416	HU	08:33:53 02 Mar 2022	08:55:32 02 Mar 2022	08:55:33 02 Mar 2022	21:31:11 03 Mar 2022
KILB241	P1	08:33:50 02 Mar 2022	08:33:57 02 Mar 2022	08:56:51 02 Mar 2022	21:30:57 03 Mar 2022
KARO261	P1	15:36:47 02 Mar 2022	15:38:05 02 Mar 2022	15:46:16 02 Mar 2022	11:12:59 03 Mar 2022
JOHN287	PR	15:42:48 02 Mar 2022	15:42:50 02 Mar 2022	15:49:57 02 Mar 2022	11:15:25 03 Mar 2022
THOR235	TL	15:44:09 02 Mar 2022	15:46:04 02 Mar 2022	15:50:12 02 Mar 2022	18:21:23 02 Mar 2022
BROO257	PR	15:42:52 02 Mar 2022	15:44:44 02 Mar 2022	15:50:57 02 Mar 2022	18:23:25 02 Mar 2022
WELL2118	CUHU	15:45:27 02 Mar 2022	15:47:47 02 Mar 2022	15:56:01 02 Mar 2022	19:45:52 03 Mar 2022
HUTT407	PR	15:59:01 02 Mar 2022	15:59:53 02 Mar 2022	16:04:24 02 Mar 2022	19:38:03 02 Mar 2022
PORI311	P1	15:58:58 02 Mar 2022	16:00:30 02 Mar 2022	16:05:19 02 Mar 2022	02:00:55 03 Mar 2022
FIWELLI07	FSO	15:53:17 02 Mar 2022	15:56:35 02 Mar 2022	16:10:07 02 Mar 2022	16:10:31 02 Mar 2022

WELL211	P1	15:32:58 02 Mar 2022	15:36:28 02 Mar 2022	16:13:21 02 Mar 2022	10:49:21 03 Mar 2022
DMWELLI	OF	16:22:43 02 Mar 2022	16:23:02 02 Mar 2022	16:23:03 02 Mar 2022	20:55:31 02 Mar 2022
GMWELLI01	OF	16:22:44 02 Mar 2022	16:23:11 02 Mar 2022	16:23:12 02 Mar 2022	23:00:46 02 Mar 2022
GMWELLI02	OF	16:22:45 02 Mar 2022	16:23:11 02 Mar 2022	16:23:12 02 Mar 2022	23:00:39 02 Mar 2022
REMU4915	BA	15:59:03 02 Mar 2022	16:01:03 02 Mar 2022	16:37:54 02 Mar 2022	20:37:31 02 Mar 2022
AVAL414	PM	16:37:01 02 Mar 2022	16:38:23 02 Mar 2022	16:41:29 02 Mar 2022	20:39:43 02 Mar 2022
SEAV421	PFT	16:37:04 02 Mar 2022	16:38:35 02 Mar 2022	16:57:23 02 Mar 2022	20:53:10 02 Mar 2022
PORI317	PR	16:44:59 02 Mar 2022	16:46:18 02 Mar 2022	17:01:04 02 Mar 2022	19:37:46 02 Mar 2022
GMWELLI06	OF	16:51:37 02 Mar 2022	16:54:37 02 Mar 2022	17:18:42 02 Mar 2022	20:42:02 02 Mar 2022
GMWELLI04	OF	19:03:12 02 Mar 2022	19:03:22 02 Mar 2022	19:25:18 02 Mar 2022	23:51:59 02 Mar 2022
NEWT221	P1	21:41:23 02 Mar 2022	21:42:20 02 Mar 2022	22:01:56 02 Mar 2022	02:53:43 03 Mar 2022
FIWELLI03	FSO	15:53:17 02 Mar 2022	15:56:47 02 Mar 2022		16:23:55 02 Mar 2022
NATOPS4	OF	17:22:58 02 Mar 2022			19:58:31 02 Mar 2022



Elapsed Times

Call Sign	Start To Alert	Alert To Arrival	Start To Arrival	Start To Departed
THOR231	00:01:13	00:02:18	00:03:31	37:23:14
KILB2416	00:30:55	00:21:40	00:52:35	37:28:13
KILB241	00:30:52	00:23:01	00:53:53	37:27:59
KARO261	07:33:49	00:09:29	07:43:18	27:10:01
JOHN287	07:39:50	00:07:09	07:46:59	27:12:27
THOR235	07:41:11	00:06:03	07:47:14	10:18:25
BROO257	07:39:54	00:08:05	07:47:59	10:20:27
WELL2118	07:42:29	00:10:34	07:53:03	35:42:54
HUTT407	07:56:03	00:05:23	08:01:26	11:35:05
PORI311	07:56:00	00:06:21	08:02:21	17:57:57
FIWELLI07	07:50:19	00:16:50	08:07:09	08:07:33

WELL211	07:30:00	00:40:23	08:10:23	26:46:23
DMWELLI	08:19:45	00:00:20	08:20:05	12:52:33
GMWELLI01	08:19:46	00:00:28	08:20:14	14:57:48
GMWELLI02	08:19:47	00:00:27	08:20:14	14:57:41
REMU4915	07:56:05	00:38:51	08:34:56	12:34:33
AVAL414	08:34:03	00:04:28	08:38:31	12:36:45
SEAV421	08:34:06	00:20:19	08:54:25	12:50:12
PORI317	08:42:01	00:16:05	08:58:06	11:34:48
GMWELLI06	08:48:39	00:27:05	09:15:44	12:39:04
GMWELLI04	11:00:14	00:22:06	11:22:20	15:49:01
NEWT221	13:38:25	00:20:33	13:58:58	18:50:45
FIWELLI03	07:50:19			08:20:57
NATOPS4	09:20:00			11:55:33

Notifications

Date	Time	Party Notified
02 Mar 2022	14:45:23	████████████████████████████████████████ AND KILB241 CREW - AWAITING MEETIN
02 Mar 2022	14:57:30	FROM GM ██████ RESPOND THOR231 UPPER MOLESWORTH STREET POLICE SPRAYED IN PET
02 Mar 2022	15:45:14	FIWELLI07 PAGED
02 Mar 2022	15:46:19	██████████ CALL SIN HE IS RESPONDING TO FIREGROUND DO NOT ATTACH ME YET - WILL
02 Mar 2022	15:49:48	GM ██████ MULTI 9 KG BOTTLES BOTTLES HAVE BEEN THROWN IN TO THE FIRE - CREWS
02 Mar 2022	15:50:15	JOHN287 - HILL ST ON TO MOLESWOTH LIASE WITH POLICE
02 Mar 2022	16:00:00	FIWELLI03 AND FIWELLI07 PAGEED 3RD ALARM
02 Mar 2022	16:00:09	AMBULANCE VIA INTERCAD
02 Mar 2022	16:01:04	WRC ENVIRONMENTAL PROTECTION DUTY OFFICER
02 Mar 2022	16:04:05	WREMO DUTY OFFICER
02 Mar 2022	16:07:28	WATER ENGINEER
02 Mar 2022	16:07:57	SSO ██████ ON CELL PHONE RE PORI311 ND TACTICS
02 Mar 2022	16:08:30	FI ██████ AND ██████ PAGED STAND DOWN (AS PER INSTRUCTIONS FROM ██████)
02 Mar 2022	16:12:10	DOC NORTH ISLAND FIRE ADVISOR PAGED
02 Mar 2022	16:14:19	REGION TE UPOKO RE 3RD ALARM AND K45 DM ██████
02 Mar 2022	16:15:12	ON CALL NATIONAL COMMANDERS GROUP RE 3RD ALARM AT PARLIMENT
02 Mar 2022	16:16:10	CREW ON STN FOR PORI312
02 Mar 2022	16:16:12	JOHN281 3 ON STATION 4TH ON THE WAY
02 Mar 2022	16:16:43	SOWELLI12 AS ON CALL WGTN NAT RE 3RD ALARM
02 Mar 2022	16:18:18	TRENTHAM FIRE FULLY CREWED
02 Mar 2022	16:23:13	SOWELLI12 ACK PAGE

02 Mar 2022	16:28:00	JOHN281 NOW FULLY CREWED
02 Mar 2022	16:44:52	SEAV422 FULLY MANNED
02 Mar 2022	16:50:19	TAWA311 RE ACTIONS AND RESPONSES
02 Mar 2022	16:50:31	NEWT221 RE ACTIONS AND RESPONSE
02 Mar 2022	16:52:07	GMWELLI06 CALLS IN ADVISING HE IS RESPONDING TO INCIDENT FIRE TRAFFIC
02 Mar 2022	16:55:53	NEWT221 RE CREWING ANS REASOURCES
02 Mar 2022	17:02:26	NEWL291 RE CREWING AND RESOURCES
02 Mar 2022	17:02:39	PORI317 RE SITUATION AND RESPONSE REQUIREMENTS
02 Mar 2022	17:04:06	ON CALL COMCEN MGR - OPS MGR [REDACTED]
02 Mar 2022	17:06:26	OPS MGR [REDACTED] CALLS IN TO ACK PAGE
02 Mar 2022	17:06:45	NAT COMMANDERS GROUP RE 4TH ALARM
02 Mar 2022	17:10:46	PARA371 FULLY CREWED ON PARAPARAUMU STN
02 Mar 2022	17:15:44	[REDACTED] NATIONAL COMMANDERS GROUPO
02 Mar 2022	17:20:54	[REDACTED] CALLS IN [REDACTED] - WILL RESPOND TO FIRE GROUND
02 Mar 2022	17:21:24	[REDACTED] RE ANC [REDACTED] RESPONSE TO CMD UNIT
02 Mar 2022	17:22:52	[REDACTED] WELLINGTON VIA PAGE RE ANC [REDACTED] RESPONSE TO THE FIRE GROUND
02 Mar 2022	17:33:56	JOHNSONVILLE STN ADVISED VIA PHONE
02 Mar 2022	18:21:32	[REDACTED] - RE MIPS IN WELLINGTO
02 Mar 2022	18:22:45	MIPS DECLARED SM NORTHERN SM SOUTHERN DISTRICT WELLINGTON REGIONI TE U
02 Mar 2022	18:25:29	OPS MANAGER CENTRAL [REDACTED] ACK PAGE FOR MIPS
02 Mar 2022	18:33:23	POLICE VIA INTERCAD
02 Mar 2022	18:45:28	DOC ADVISER CALLED IN TO SEE WHAT WAS ON FIRE IF ANY FIRES - ADVISED OF SITU
02 Mar 2022	20:20:21	SSO [REDACTED] PORIRIUA ADVISED OF REQUEST FOR PORI311 TO BE AT MUSEUM ST BY 22:
02 Mar 2022	21:14:44	0600 STANDY ARE THOR231 AND KILB241
02 Mar 2022	22:03:57	MIPS STOOD DOWN SM NORTHERN SM SOUTHERN DISTRICT WELLINGTON REGION
02 Mar 2022	22:04:21	OPS MANAGER [REDACTED] EMAILED AS NATIONAL ON CALL COMCEN MANAGER
02 Mar 2022	22:04:31	WREMO DUT OFFICER ADVISED
03 Mar 2022	02:10:47	POWER CO GAS
03 Mar 2022	02:12:20	ADVISED POWER CO GAS TO RESPOND WHEN SAFE ONLY
03 Mar 2022	05:16:40	JOHN281 PHONES IN ASKING IF THEY NEED TO K25 JOHNSONVILLE STN AS JOHN287 IS
03 Mar 2022	07:19:52	[REDACTED] FROM DOC PHONED IN FOR UPDATE
03 Mar 2022	07:40:10	[REDACTED] CALLS IN FOR UPDATE OVERNIGHT - PUT THROUGH TO PARLIAMENT COMMAND

Message Log

Time	Message
08:03:57	INC INFO: ASSIST POLICE
08:03:57	** ELOI search completed at 03/02/22 08:03:57 - 1 result
08:04:01	** LOI search completed at 02/03/22 08:03:59
08:04:04	MSU Selcal used to Initiate Alerting. (THOR231 D092D2)
08:04:11	ALERTING_COMPLETED THOR231
08:04:41	Unit THOR231 [K1 : PROCEEDING TO INCIDENT]
08:04:49	Unit THOR231 [K1 : PROCEEDING TO INCIDENT]
08:06:29	Unit THOR231 [K2 : IN ATTENDANCE AT INCIDENT]
08:33:48	MSU Selcal used to Initiate Alerting. (KILB241 D04562)
08:33:48	MSU Selcal used to Initiate Alerting. (KILB2416 D09D82)
08:33:50	ALERTING_COMPLETED KILB241
08:33:53	ALERTING_COMPLETED KILB2416
08:33:58	Unit KILB241 [K1 : PROCEEDING TO INCIDENT]
08:34:08	Unit KILB241 [K1 : PROCEEDING TO INCIDENT]
08:34:24	Unit KILB2416 [K9 : OFF RT (STATE LOCATION)]
08:37:14	AL: PAGING ACK TIMED OUT FOR STATION: 2924 at 03-02-22 08:37:14
08:37:15	AL: PAGING ACK TIMED OUT FOR STATION: 2924 at 03-02-22 08:37:15
08:50:14	Alarm Timer Extended: 0
08:55:33	Unit KILB2416 [K2 : IN ATTENDANCE AT INCIDENT]
08:56:51	Unit KILB241 [K2 : IN ATTENDANCE AT INCIDENT]
09:35:37	Alarm Timer Extended: 0
09:38:23	Alarm Timer Extended: 0
09:41:38	Unit KILB241 [SITREP :] GM [REDACTED] - KILB241 KILB2416 HAVE BEEN DEPLOYED TO SET
09:41:38	UP HAZMAT TENT IN GRID REF N8 BESIDE THE WGTN FREE TENT - THEY WILL BE SUPPORTI
09:41:38	NG DECOM
09:54:34	Unit THOR231 [SITREP :] WE HAVE BEEN UP TO ASSIST WITH THE TENT AND ARE NOW RE
09:54:34	TURNING TO THORNDON STATION, WE WILL REMAIN ATTACHED TO THE CALL AND IF REQUIRED
09:54:34	WE CAN BE PAGED - WELL2118 IS ALSO COMING DOWN TO THE TENT TO DROP OFF HOSE RAM
09:54:34	PS AND WILL RETURN TO THIER OWN STATION.
10:28:43	Unit KILB241 [SITREP :] GM [REDACTED] - STAGE 3 DECOM UP AND RUNNING APPROX 10AM
14:45:23	G WITH LATE SHIFT INSPECTOR AND WILL ADVISE WHAT FURTHER ACTION IS REQUIRED
14:56:39	Unit THOR231 [K7 : AT NORMAL STATION]
14:56:54	PA Selcal used to Initiate Alerting. (THOR231 at 2923 THORNDON 188231)
14:56:57	ALERTING_COMPLETED THOR231
14:57:30	ROL

15:00:59 Unit THOR231 [COMCEN COM : MESSAGE] PROCEED TO UPPER MOLESWORTH STREET - POLICE

15:00:59 SPRAYED IN PETROL - THINGS ARE STARTING TO RARK UP AGAIN - PROCEED WITH CAUTION

15:01:33 Unit THOR231 [K1 : PROCEEDING TO INCIDENT]

15:14:54 Unit THOR231 [KC : UNIT CALLING]

15:16:04 Unit THOR231 [SITREP :] GM [REDACTED] - 3 X POLICE STAGE 3 DECOM CARRIED OUT -

15:16:04 AND ONE POLICE STAGE 2 DECOM CARRIED OU T

15:25:37 Unit THOR231 [K2 : IN ATTENDANCE AT INCIDENT]

15:31:47 Unit THOR231 [KC : UNIT CALLING]

15:32:36 Unit THOR231 [SITREP :] MAKE PUMPS 1 - WELL211 RESPOND TO HILL ST BY THE POLIC

15:32:36 E CORDON TO STAND BY AS COVER - WHILE WE RESPOND TO BALLANCE ST TO ASSIST WITH D

15:32:36 ECOM WITH KILB 241

15:32:55 PA Selcal used to Initiate Alerting. (WELL211 at 2921 WELLINGTON CITY 188211)

15:32:58 ALERTING_COMPLETED WELL211

15:34:49 Unit THOR231 [KC : UNIT CALLING]

15:35:17 Unit THOR231 [KC : UNIT CALLING]

15:35:18 Unit WELL211 [COMCEN COM : MESSAGE] FURTHER DETAILS PASSED

15:36:25 Unit THOR231 [SITREP :] RESPOND KARO261 - BALLENTRADE PLACE TO ASSIT WITH DECO

15:36:25 M

15:36:29 Unit WELL211 [K1 : PROCEEDING TO INCIDENT]

15:36:44 PA Selcal used to Initiate Alerting. (KARO261 at 2926 KARORI 188261)

15:36:47 ALERTING_COMPLETED KARO261

15:37:27 Unit THOR231 [KC : UNIT CALLING]

15:37:55 Unit THOR231 [K43 : ALL AVAILABLE PERSONNEL FULLY UTILISED] THOR231 WILL BE UNM

15:37:55 ANNED

15:38:05 Unit KARO261 [K1 : PROCEEDING TO INCIDENT]

15:39:19 COVERING UNIT JOHN287 DISPATCHED TO STATION WELLINGTON CITY AT 02/03/22 15:39:19

15:39:56 COVERING UNIT PORI311 DISPATCHED TO STATION JOHNSONVILLE AT 02/03/22 15:39:56 >>

15:41:03 Unit WELL211 [COMCEN COM : MESSAGE] STAND BY FOR UPDATE

15:41:10 Unit WELL211 [SITREP :] WE CAN SEE THE SMOKE

15:41:38 Unit THOR231 [KP : PRIORITY MESSAGE]

15:42:10 Unit THOR231 [KP : PRIORITY MESSAGE] TX 2ND ALARM - FIRE PARLIMENT GROUND - AND

15:42:10 HAZMAT INCIDENT ON BALLANCE ST

15:42:45 MSU Selcal used to Initiate Alerting. (JOHN287 D04ED2)

15:42:45 PA Selcal used to Initiate Alerting. (BROO257 at 2925 BROOKLYN 188251)

15:42:48 ALERTING_COMPLETED JOHN287

15:42:51 Unit JOHN287 [K1 : PROCEEDING TO INCIDENT]
15:42:52 ALERTING_COMPLETED BROO257
15:44:06 PA Selcal used to Initiate Alerting. (THOR235 at 2923 THORNDON 188231)
15:44:09 ALERTING_COMPLETED THOR235
15:44:45 Unit BROO257 [K1 : PROCEEDING TO INCIDENT]
15:45:07 PA Selcal used to Initiate Alerting. (WELL2118 at 2921 WELLINGTON CITY 188211)
15:45:24 Unit WELL2118 failed to contact via Selcal
15:45:27 ALERTING_COMPLETED WELL2118
15:46:04 Unit THOR235 [K1 : PROCEEDING TO INCIDENT]
15:46:12 AL: PAGING ACK TIMED OUT FOR STATION: 2928 at 03-02-22 15:46:12
15:46:12 Unit THOR235 [K1 : PROCEEDING TO INCIDENT]
15:46:16 Unit KARO261 [K2 : IN ATTENDANCE AT INCIDENT]
15:46:19 ADVISE
15:46:41 Unit KARO261 [K2 : IN ATTENDANCE AT INCIDENT]
15:46:46 ** Event Type changed from MIN to STRU at: 02/03/22 15:46:46
15:46:46 ** Event Priority changed from 2 to 1 at: 02/03/22 15:46:46
15:46:47 INC INFO: FIRE ON GROUND - TX 2ND ALARM
15:46:53 INC INFO: FIRE ON GROUNDS - TX 2ND ALARM
15:47:00 ** Cross Referenced to Event # F3434007 at: 02/03/22 15:47:00
15:47:16 COVERING UNIT HUTT407 DISPATCHED TO STATION WELLINGTON CITY AT 02/03/22 15:47:15
15:47:47 Unit WELL2118 [K1 : PROCEEDING TO INCIDENT]
15:47:59 COVERING UNIT NEWL291 DISPATCHED TO STATION JOHNSONVILLE AT 02/03/22 15:47:59 >>
15:49:27 Unit JOHN287 [COMCEN COM : MESSAGE] RESPOND TO MOLESWORTH ST AND LIASIW WITH POL
15:49:27 ICE SITE
15:49:48 TO TAKE UP DEFENSIVE FIRE TACTICS
15:49:57 Unit JOHN287 [K2 : IN ATTENDANCE AT INCIDENT]
15:50:12 Unit THOR235 [K2 : IN ATTENDANCE AT INCIDENT]
15:50:42 COVERING UNIT TAWA331 DISPATCHED TO STATION JOHNSONVILLE AT 02/03/22 15:50:42 >>
15:50:57 Unit BROO257 [K2 : IN ATTENDANCE AT INCIDENT]
15:51:29 Unit JOHN287 [COMCEN COM : MESSAGE] ALL APPLIANCES RESPONDING TO PARLIMENT GROUN
15:51:29 Unit KILB241 [COMCEN COM : MESSAGE] ALL APPLIANCES RESPONDING TO PARLIMENT GROUN
15:51:29 DS - THIS FIRE DOES INVOLVE MUILITPLE 9KG GAS CLYLINDERS - RESPOND WITH DEFENSIV
15:51:29 DS - THIS FIRE DOES INVOLVE MUILITPLE 9KG GAS CLYLINDERS - RESPOND WITH DEFENSIV
15:51:29 E FIRE TACTICS - FROM GM [REDACTED]
15:51:29 E FIRE TACTICS - FROM GM [REDACTED]
15:51:30 Unit KARO261 [COMCEN COM : MESSAGE] ALL APPLIANCES RESPONDING TO PARLIMENT GROUN

15:51:30 Unit THOR231 [COMCEN COM : MESSAGE] ALL APPLIANCES RESPONDING TO PARLIMENT GROUN

15:51:30 Unit THOR235 [COMCEN COM : MESSAGE] ALL APPLIANCES RESPONDING TO PARLIMENT GROUN

15:51:30 DS - THIS FIRE DOES INVOLVE MUILITPLE 9KG GAS CLYLINDERS - RESPOND WITH DEFENSIV

15:51:30 DS - THIS FIRE DOES INVOLVE MUILITPLE 9KG GAS CLYLINDERS - RESPOND WITH DEFENSIV

15:51:30 DS - THIS FIRE DOES INVOLVE MUILITPLE 9KG GAS CLYLINDERS - RESPOND WITH DEFENSIV

15:51:30 E FIRE TACTICS - FROM GM [REDACTED]

15:51:30 E FIRE TACTICS - FROM GM [REDACTED]

15:51:30 E FIRE TACTICS - FROM GM [REDACTED]

15:51:31 Unit WELL211 [COMCEN COM : MESSAGE] ALL APPLIANCES RESPONDING TO PARLIMENT GROUN

15:51:31 Unit KILB2416 [COMCEN COM : MESSAGE] ALL APPLIANCES RESPONDING TO PARLIMENT GROU

15:51:31 NDS - THIS FIRE DOES INVOLVE MUILITPLE 9KG GAS CLYLINDERS - RESPOND WITH DEFENSI

15:51:31 DS - THIS FIRE DOES INVOLVE MUILITPLE 9KG GAS CLYLINDERS - RESPOND WITH DEFENSIV

15:51:31 E FIRE TACTICS - FROM GM [REDACTED]

15:51:31 VE FIRE TACTICS - FROM GM [REDACTED]

15:51:32 Unit WELL2118 [COMCEN COM : MESSAGE] ALL APPLIANCES RESPONDING TO PARLIMENT GROU

15:51:32 NDS - THIS FIRE DOES INVOLVE MUILITPLE 9KG GAS CLYLINDERS - RESPOND WITH DEFENSI

15:51:32 VE FIRE TACTICS - FROM GM [REDACTED]

15:53:15 Pager used to Initiate Alerting.

15:53:15 Pager used to Initiate Alerting.

15:53:17 ALERTING_COMPLETED FIWELLI03

15:53:17 ALERTING_COMPLETED FIWELLI07

15:54:46 Unit KARO261 [KC : UNIT CALLING]

15:54:46 Unit FIWELLI07 [COMCEN COM : MESSAGE] RESPOND VIA BOWEN STREET TO WELL2118

15:55:29 Unit KARO261 [SITREP :] PLEASE RESPOND ALL 2ND ALRM APPLIANCE RESPOND TO MUSEU

15:55:29 M ST AND STAGE AT CNR MUSEUM IF THEY CAN - 2 FIRES ON LAWN OF PARLIMENT

15:55:59 Unit FIWELLI03 [COMCEN COM : MESSAGE] RESPOND VIA BOWEN STREET TO WELL2118

15:56:01 Unit WELL2118 [K2 : IN ATTENDANCE AT INCIDENT]

15:56:36 Unit FIWELLI07 [K1 : PROCEEDING TO INCIDENT]

15:56:47 Unit FIWELLI03 [K1 : PROCEEDING TO INCIDENT]

15:57:39 Unit KARO261 [KP : PRIORITY MESSAGE]

15:57:56 Unit KARO261 [KP : PRIORITY MESSAGE] TX 3RD ALARM - STAGING AREA MUSEUM ST

15:58:00 INC INFO: FIRE ON GROUNDS - TX 3RD ALARM

15:58:13 INC INFO: FIRE ON GROUNDS - TX 3RD ALARM - SFP MUSEUM ST

15:58:37 ** Alarm level updated to 3

15:58:37 ** Recommended unit REMU4915 for requirement BAT (>30.6 km)

15:58:37 ** Recommended unit
KILB2426 for requirement SUPPT (>5.0 km)

15:58:37 ** Recommended unit PORI311 for requirement PUMP (>1.9 km)

15:58:54 PA Selcal used to Initiate Alerting. (REMU4915 at 2949 REMUTAKA 188491)

15:58:54 MSU Selcal used to Initiate Alerting. (PORI311 D01652)

15:58:54 MSU Selcal used to Initiate Alerting. (HUTT407 D05792)

15:58:58 ALERTING_COMPLETED PORI311

15:59:01 ALERTING_COMPLETED HUTT407

15:59:03 ALERTING_COMPLETED REMU4915

15:59:12 COPY

15:59:54 Unit HUTT407 [K1 : PROCEEDING TO INCIDENT]

16:00:08 ** Event A00991990 of AMBO/N copied from F3433650 of NZFS/WN at: 02/03/22 16:00:08

16:00:08 08

16:00:10 AMBO EVENT 0395-2-2022/03/02-FIR LINKED AT 02/03/2022 16:00:10

16:00:30 Unit PORI311 [K1 : PROCEEDING TO INCIDENT]

16:00:40 FIR2AMB FYI ONLY- 2ND AND 3RD ALARM TRANSMITTED DUE TO FIRE ON PARLIAMENT GROUND

16:00:40 DS

16:01:03 Unit REMU4915 [K1 : PROCEEDING TO INCIDENT]

16:01:21 COVERING UNIT TAWA331 DISPATCHED TO STATION WELLINGTON CITY AT 02/03/22 16:01:20

16:01:32 FIR2AMB COPY - PART OF OUR PROCEDURES TO NOTIFY

16:02:23 AL: PAGING ACK TIMED OUT FOR STATION: 2931 at 03-02-22 16:02:23

16:04:24 .

16:04:25 Unit HUTT407 [K2 : IN ATTENDANCE AT INCIDENT]

16:04:26 .

16:04:39 COVERING UNIT JOHN281 DISPATCHED TO STATION JOHNSONVILLE AT 02/03/22 16:04:39 >>

16:05:08 [REDACTED], WELLINGTON - REQUESTS THAT [REDACTED] AND [REDACTED] BE PAGED TO

16:05:08 NO STAND DOWN - FIRE SAFETY NOT REQUIRED AT THIS EVENT

16:05:19 Unit PORI311 [K2 : IN ATTENDANCE AT INCIDENT]

16:06:23 .

16:06:53 CORRECTION TO ABOVE - DIRECTION TO STAND FIRE SAFETY DOWN CAME FROM [REDACTED]

16:06:53 [REDACTED]

16:06:55 .

16:06:56 Unit PORI311 [K2 : IN ATTENDANCE AT INCIDENT]

16:06:57 Unit PORI311 [COMCEN COM : MESSAGE] FROM GM [REDACTED] - GTWW LPD FROM BOWEN ST

16:06:57 TO ATTACK FIRE FROM THERE

16:07:42 GM [REDACTED] GET PORI311 TO GET 1 LPD TO WORK ON TENT FIRES FROM BOWEN
ADVISE SSO O

16:07:42 N FIRE GROUND AS CAN NOT GET HOLD OF ANYONW

16:08:14 .

16:08:30 SOAL)

16:08:32 .

16:08:45 COVERING UNIT AVAL414 DISPATCHED TO STATION WELLINGTON CITY AT 02/03/22
16:08:45

16:10:08 Unit FIWELLI07 [K2 : IN ATTENDANCE AT INCIDENT]

16:10:32 Unit FIWELLI07 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

16:11:20 Unit REMU4915 [COMCEN COM : MESSAGE] SFP CNR MUSEUM ST IF YOU CAN GET
THEIR SAFE

16:11:20 LY

16:11:44 Unit WELL2118 [KC : UNIT CALLING]

16:12:18 Unit REMU4915 [KC : UNIT CALLING]

16:12:47 Unit WELL2118 [K44 : COMMAND OR CONTROL POINT ESTABLISHED (STATE OIC AND
LOCATI

16:12:47 ON)] GM [REDACTED] - PARLIMENT COMMAND

16:13:21 Unit WELL211 [K2 : IN ATTENDANCE AT INCIDENT]

16:13:37 Unit REMU4915 [SITREP :] INQUIRY IN WHAT CHANNEL IGC ARE ON

16:13:53 Unit REMU4915 [COMCEN COM : MESSAGE] UNSURE - POSSIBLY ONE CHANNEL OR
ALPHA

16:15:43 NO DOC NORTH ISLAND ADVISOR ACK PAGE

16:17:44 Alarm Timer Extended: 0

16:22:41 Pager used to Initiate Alerting.

16:22:41 Pager used to Initiate Alerting.

16:22:43 ALERTING_COMPLETED DMWELLI

16:22:43 ALERTING_COMPLETED DMWELLI

16:22:44 ALERTING_COMPLETED GMWELLI01

16:22:45 ALERTING_COMPLETED GMWELLI02

16:23:03 Unit DMWELLI [K2 : IN ATTENDANCE AT INCIDENT]

16:23:12 Unit GMWELLI01 [K2 : IN ATTENDANCE AT INCIDENT]

16:23:12 Unit GMWELLI02 [K2 : IN ATTENDANCE AT INCIDENT]

16:23:56 Unit FIWELLI03 [K6 : ON PAGER (STATE LOCATION)]

16:25:04 Unit DMWELLI [SITREP :] DM [REDACTED] MULTI FIRE ON PARLIMENT LAWN INVOLVING
MULTIP

16:25:04 LE TENTS AND LPG CYLINDERS AWW MULTIPLE DELS AND 5 BA CREWS IN
DEFENSIVE MODE BE

16:25:04 HIND POLICE CORDEN. FIRE APPEARS TO BE CONTAINED BUT NOT EXT

16:25:52 Unit DMWELLI [SITREP :] COMMIT GMWELL01 AND GMWELL02 TO INCIDENT AS WELL

16:26:05 AL: PAGING ACK TIMED OUT FOR STATION: 2924 at 03-02-22 16:26:05

16:26:17 Unit WELL2118 [KC : UNIT CALLING]

16:26:44 Unit WELL2118 [K43 : ALL AVAILABLE PERSONNEL FULLY UTILISED]

16:28:04 Unit WELL2118 [KC : UNIT CALLING]

16:29:05 Unit WELL2118 [SITREP :] CAN YOU CONFIRM WHAT APPLIANCES ARE AT CITY STN - THO
16:29:05 RNDON AND J/VILL STN
16:30:11 Unit WELL2118 [COMCEN COM : MESSAGE] 2X APPLIANCES AT CITY STN - TAWA331 AND AVA
16:30:11 L414 - NO ONE AT THORNDON STN - JOHN281 AT JOHNSONVILLE STN - NEWL291 NEWTOWN S
16:30:11 TN - CAN MOVE AVAL414 TO THORNDON IF YOU REQUIRE
16:33:05 Unit WELL2118 [KC : UNIT CALLING]
16:34:32 Alarm Timer Extended: 0
16:34:33 Alarm Timer Extended: 0
16:34:34 Alarm Timer Extended: 0
16:34:34 Alarm Timer Extended: 0
16:35:06 Unit WELL2118 [SITREP :] (VIA PHONE) FROM [REDACTED], 2 CAREER PUMPS SENT TO MUSEUM STREET
16:35:06
16:36:54 MSU Selcal used to Initiate Alerting. (AVAL414 D08DE2)
16:36:54 PA Selcal used to Initiate Alerting. (SEAV421 at 2942 SEAVIEW 188421)
16:37:02 ALERTING_COMPLETED AVAL414
16:37:04 ALERTING_COMPLETED SEAV421
16:37:12 AL: PAGING ACK RECEIVED FROM STATION 2942 at 03-02-22 16:37:12
16:37:47 FIR2AMB FYI ONLY - THIS JOB IS NOW A 4TH ALARM
16:37:54 Unit REMU4915 [K2 : IN ATTENDANCE AT INCIDENT]
16:37:57 Unit DMWELLI [SITREP :] 2 CAREER CREWS REQUIRED (CREW STATUS OF PAID TRUCKS IN WGTN GIVEN) RESPOND AVAL414 AND SEAV421
16:37:57
16:38:23 Unit AVAL414 [K1 : PROCEEDING TO INCIDENT]
16:38:36 Unit SEAV421 [K1 : PROCEEDING TO INCIDENT]
16:39:12 ALL APPLIANCE PLEASE LOCK UP YOUR TRUCKS AND TAKE YOUR KEYS WITH YOU
16:39:53 Alarm Timer Extended: 0
16:40:45 Unit AVAL414 [COMCEN COM : MESSAGE] COPY MESSAGE RE KEYS AND TRUCKS
16:40:46 Unit SEAV421 [COMCEN COM : MESSAGE] COPY MESSAGE RE KEYS AND TRUCKS
16:40:56 Unit AVAL414 [SITREP :] COPIED
16:40:56 Unit SEAV421 [SITREP :] COPIED
16:41:30 Unit AVAL414 [K2 : IN ATTENDANCE AT INCIDENT]
16:43:40 COVERING UNIT PARA371 DISPATCHED TO STATION PARAPARAUMU AT 02/03/22 16:43:40 >>>
16:44:19 Unit GMWELLI02 [SITREP :] WE HAVE HAD A THREAT CALL THAT THE LAW BUILDING IS A CREDIBLE TARGET REQUIRE A PAID TRUCK TO STAND BY AT THE POLICE LAUNCH BASE
16:44:19
16:44:34 SM COMMENT ALL COVER TRUCKS TO GO FIRE TRAFFIC
16:44:56 PA Selcal used to Initiate Alerting. (PORI317 at 2931 PORIRUA 188311)
16:44:59 ALERTING_COMPLETED PORI317

16:45:57 Unit PORI317 [COMCEN COM : MESSAGE] RESPOND TO THE LADY LIZ LAUNCH BASE AND STAN

16:45:57 DBY

16:46:00 Unit DMWELLI [SITREP :] THESE PROTESTERS ARE GOING TO START TO DISPERSE PREPAR

16:46:00 E FOR ALARM ACTS AND MAL FIRE - RESPOND 1 TRUCK RESPONSE UNLESS CONFIRMED PROPER

16:46:00 TY FIRE

16:46:18 Unit PORI317 [K1 : PROCEEDING TO INCIDENT]

16:46:33 Unit DMWELLI [SITREP :] MOVE PORI317 TO THORNDON MOVE PARA377 TO PORIRUA AND P

16:46:33 ARA371 TO PARAPAUMU

16:48:19 AL: PAGING ACK TIMED OUT FOR STATION: 2931 at 03-02-22 16:48:19

16:51:35 Pager used to Initiate Alerting.

16:51:37 ALERTING_COMPLETED GMWELLI06

16:51:38 ALERTING_COMPLETED GMWELLI06

16:54:37 Unit GMWELLI06 [K1 : PROCEEDING TO INCIDENT]

16:54:59 AL: PAGING ACK TIMED OUT FOR STATION: 2948 at 03-02-22 16:54:59

16:57:23 Unit SEAV421 [K2 : IN ATTENDANCE AT INCIDENT]

16:58:18 Alarm Timer Extended: 0

16:58:20 Alarm Timer Extended: 0

16:58:20 Alarm Timer Extended: 0

17:01:04 Unit PORI317 [K2 : IN ATTENDANCE AT INCIDENT]

17:03:02 INC INFO: FIRE ON GROUNDS - TX 4TH ALARM - SFP MUSEUM ST

17:04:12 RE 4TH ALARM

17:04:38 Unit KARO261 [KC : UNIT CALLING]

17:05:53 Unit KARO261 [SITREP :] TRYING TO GET HOLD OF WHATEVER PORIRUA APPLIANCE IS ON

17:05:53 THE FIRE GROUND

17:06:29 Unit KARO261 [COMCEN COM : MESSAGE] THAT WILL BE PORI311 - I WILL EXERNALLY ALER

17:06:29 T THEM FOR YOU

17:17:09 Alarm Timer Extended: 0

17:17:09 Alarm Timer Extended: 0

17:17:09 Alarm Timer Extended: 0

17:17:10 Alarm Timer Extended: 0

17:18:42 Unit GMWELLI06 [K2 : IN ATTENDANCE AT INCIDENT]

17:21:34 Radio used to Initiate Alerting.

17:22:30 Alarm Timer Extended: 0

17:22:31 Alarm Timer Extended: 0

17:22:58 ALERTING_COMPLETED NATOPS4

17:24:12 Unit DMWELLI [SITREP :] MAKE TURN OUT IN TOWN VIA PAGER ONLY AND SEND JOB TO P

17:24:12 OLICE IF IT LOOKS LIKE IT IS PROTEST RELATED AND LET THE COMMAND UNIT KNOW

17:27:59 Unit WELL2118 [SITREP :] [REDACTED] - ALL TURNOUT IN WELLINGTON CITY A

17:27:59 REA TO BE SLIENT TURNOUT ONLY - NO VOICE - PAGER TURNOUT ONLY

17:30:07 Unit DMWELLI [SITREP :] POLICE HAVE REQUESTED THE USE OF OUR FIRE HOSES WE HAV

17:30:07 E REFUSED AND THEY HAVE TAKEN THEM UNDER THE CRIMES ACT

17:46:54 Unit THOR231 [KC : UNIT CALLING]

17:47:23 Unit THOR231 [SITREP :] PERMISSION TO SPEAK TO COMMAND UNIT

18:02:15 Alarm Timer Extended: 0

18:02:17 Alarm Timer Extended: 0

18:02:18 Alarm Timer Extended: 0

18:07:28 Unit WELL2118 [COMCEN COM : MESSAGE] VIC UNI HAS CALLED - REPORTS OF SKIP BIN ON

18:07:28 FIRE OUTSIDE RUTHERFORD HOUSE

18:08:57 Unit WELL2118 [SITREP :] WE WILL SORT IT

18:09:00 .

18:09:01 .

18:09:09 ** Cross Referenced to Event # F3434088 at: 02/03/22 18:09:09

18:09:10 ** Cross Referenced to Event # F3434087 at: 02/03/22 18:09:10

18:09:13 .

18:09:14 .

18:16:37 ** Cross Referenced to Event # F3434094 at: 02/03/22 18:16:37

18:21:17 Unit THOR235 [KC : UNIT CALLING]

18:21:23 Unit THOR235 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

18:22:45 POKO COMCEN MANAGER NATIONAL ON-CALL [REDACTED] WEATHER WARNING WELLINGTON

18:23:00 ** PFA/CPN search completed

18:23:26 Unit BROO257 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

18:33:23 ** Cross Referenced to Event # F3434090 at: 02/03/22 18:33:23

18:45:28 ATION

19:03:11 Pager used to Initiate Alerting.

19:03:12 ALERTING_COMPLETED GMWELLI04

19:03:22 Unit GMWELLI04 [K1 : PROCEEDING TO INCIDENT]

19:03:28 Unit WELL211 [K2 : IN ATTENDANCE AT INCIDENT]

19:06:37 AL: PAGING ACK TIMED OUT FOR STATION: 2837 at 03-02-22 19:06:37

19:25:18 Unit GMWELLI04 [K2 : IN ATTENDANCE AT INCIDENT]

19:28:51 Unit PORI311 [KC : UNIT CALLING]

19:29:45 Unit PORI311 [K10 : RE-COMMISSIONING APPLIANCE]

19:34:18 Unit JOHN287 [KC : UNIT CALLING]

19:34:34 Unit JOHN287 [K10 : RE-COMMISSIONING APPLIANCE]

19:37:46 Unit PORI317 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

19:38:04 Unit HUTT407 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
19:54:08 Alarm Timer Extended: 0
19:58:31 Unit NATOPS4 [K6 : ON PAGER (STATE LOCATION)]
20:15:23 Unit WELL2118 [SITREP :] NEWT221 AND PORI311 TO REPORT TO PARLIAMENT
COMMAND A
20:15:23 T MUSEUM STREET AT 2200 - ON [REDACTED] INSTRUCTION
20:20:21 00
20:20:43 Alarm Timer Extended: 0
20:34:54 Unit KARO261 [KC : UNIT CALLING]
20:35:14 Unit KARO261 [K10 : RE-COMMISSIONING APPLIANCE]
20:37:31 Unit REMU4915 [K7 : AT NORMAL STATION]
20:38:01 Unit WELL2118 [KC : UNIT CALLING]
20:38:13 Unit AVAL414 [KC : UNIT CALLING]
20:38:52 Unit WELL2118 [K45 : COMMAND RESPONSIBILITY CHANGED TO (STATE NAME)] AC
[REDACTED]
20:39:44 Unit AVAL414 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
20:41:30 Unit WELL2118 [SITREP :] STANDBY CREWS TO BE AVAILABLE FROM WELL2118 AC
[REDACTED] 2
20:41:30 200 - NEWT221 PORI311 0200 - JOHN287 KARO261 0600 - THOR231 SEAV241
20:42:03 Unit GMWELLI06 [K6 : ON PAGER (STATE LOCATION)]
20:52:04 Unit SEAV421 [KC : UNIT CALLING]
20:53:11 Unit SEAV421 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
20:55:32 Unit DMWELLI [K6 : ON PAGER (STATE LOCATION)]
21:08:48 Unit KILB241 [KC : UNIT CALLING]
21:09:40 Unit KILB241 [K10 : RE-COMMISSIONING APPLIANCE]
21:20:58 Unit WELL2118 [KC : UNIT CALLING]
21:22:38 Unit WELL2118 [SITREP :] FIRE IN A BUS STOP OR A STRUCTURE NEAR BUST STOP,
WE
21:22:38 ARE DEALING WITH THIS ON SCENE WITH POLICE
21:23:29 ** Cross Referenced to Event # F3434168 at: 02/03/22 21:23:29
21:32:25 PA Selcal used to Initiate Alerting. (PORI311 at 2931 PORIRUA 188311)
21:32:27 ALERTING_COMPLETED PORI311
21:33:42 Unit PORI311 [K1 : PROCEEDING TO INCIDENT]
21:35:46 AL: PAGING ACK TIMED OUT FOR STATION: 2931 at 03-02-22 21:35:46
21:41:20 PA Selcal used to Initiate Alerting. (NEWT221 at 2924 KILBIRNIE 188241)
21:41:23 ALERTING_COMPLETED NEWT221
21:42:09 INC INFO: RESPOND AS RELIEF CREW TO COMMAND POINT MUSEUM ST
21:42:21 Unit NEWT221 [K1 : PROCEEDING TO INCIDENT]
21:55:08 Unit PORI311 [K2 : IN ATTENDANCE AT INCIDENT]
22:01:57 Unit NEWT221 [K2 : IN ATTENDANCE AT INCIDENT]
22:02:02 Unit WELL2118 [KC : UNIT CALLING]
22:02:33 Unit WELL2118 [SITREP :] KILB2416 STILL ON SCENE

22:03:57 TE UPOKO WEATHER WARNING WELLINGTON PAGED

22:11:25 Unit WELL211 [KC : UNIT CALLING]

22:11:59 Unit WELL211 [K10 : RE-COMMISSIONING APPLIANCE]

22:21:54 Unit THOR231 [KC : UNIT CALLING]

22:22:26 Unit THOR231 [K10 : RE-COMMISSIONING APPLIANCE]

22:43:29 Alarm Timer Extended: 0

22:43:30 Alarm Timer Extended: 0

22:59:54 Unit WELL2118 [KC : UNIT CALLING]

23:00:35 Unit WELL2118 [K45 : COMMAND RESPONSIBILITY CHANGED TO (STATE NAME)] SSO
[REDACTED]

23:00:39 Unit GMWELLI02 [K6 : ON PAGER (STATE LOCATION)]

23:00:41 Unit WELL2118 [K26-1 : APPLIANCE STILL ENGAGED, NO ADDITIONAL DEVELOPMENTS]

23:00:46 Unit GMWELLI01 [K6 : ON PAGER (STATE LOCATION)]

23:51:59 Unit GMWELLI04 [K6 : ON PAGER (STATE LOCATION)]

01:42:28 PA Selcal used to Initiate Alerting. (JOHN287 at 2928 JOHNSONVILLE 188281)

01:42:28 PA Selcal used to Initiate Alerting. (KARO261 at 2926 KARORI 188261)

01:42:31 ALERTING_COMPLETED JOHN287

01:42:33 ALERTING_COMPLETED KARO261

01:45:11 Unit KARO261 [K1 : PROCEEDING TO INCIDENT]

01:45:49 AL: PAGING ACK TIMED OUT FOR STATION: 2928 at 03-03-22 01:45:49

01:48:19 Unit JOHN287 [K1 : PROCEEDING TO INCIDENT]

01:52:45 JOHN287 - SMELL OF GAS ECCLESTON HILL -IGC CHANNEL ALPHA 2

01:53:01 Unit KARO261 [K2 : IN ATTENDANCE AT INCIDENT]

01:55:32 ** Cross Referenced to Event # F3434226 at: 03/03/22 01:55:32

01:57:06 Unit JOHN287 [K2 : IN ATTENDANCE AT INCIDENT]

02:00:56 Unit PORI311 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

02:08:56 Unit WELL2118 [SITREP :] SLIGHT SMELL OF GAS DETECTED FROM METER AT 21 ECCLEST

02:08:56 ON HILL, CAN WE PLEASE ADVISE GAS WHEN THEY FIND OUT ITS SAFE TO RESPOND IT WILL

02:08:56 NEED TO BE CHECKED OUT

02:37:30 Alarm Timer Extended: 0

02:37:30 Alarm Timer Extended: 0

02:48:21 Unit WELL2118 [KC : UNIT CALLING]

02:49:01 Unit WELL2118 [KC : UNIT CALLING]

02:49:58 Unit WELL2118 [K45 : COMMAND RESPONSIBILITY CHANGED TO (STATE NAME)] SSO
[REDACTED]

02:53:04 Unit NEWT221 [KC : UNIT CALLING]

02:53:44 Unit NEWT221 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

05:16:40 STILL OUT, ADVISED DECISION MADE NOT TO COVER GIVEN THE CIRCUMSTANCES OF PARLIAM

05:16:40 ENT EVENT AND JOHN287 HEADING HOME AT 0600

05:41:11 PA Selcal used to Initiate Alerting. (KILB241 at 2924 KILBIRNIE 188241)

05:41:11 PA Selcal used to Initiate Alerting. (THOR231 at 2923 THORNDON 188231)

05:41:14 ALERTING_COMPLETED KILB241

05:41:16 ALERTING_COMPLETED THOR231

05:43:58 Unit THOR231 [K1 : PROCEEDING TO INCIDENT]

05:44:32 AL: PAGING ACK TIMED OUT FOR STATION: 2924 at 03-03-22 05:44:32

05:48:22 Unit THOR231 [K2 : IN ATTENDANCE AT INCIDENT]

05:50:27 Unit KILB241 [K1 : PROCEEDING TO INCIDENT]

05:58:04 Unit WELL2118 [KC : UNIT CALLING]

05:58:25 ** Alarm level updated to 4

05:58:37 Unit WELL2118 [K45 : COMMAND RESPONSIBILITY CHANGED TO (STATE NAME)] SSO
[REDACTED]

05:58:42 Unit WELL2118 [K26-1 : APPLIANCE STILL ENGAGED, NO ADDITIONAL DEVELOPMENTS]

05:59:49 Unit JOHN287 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

06:03:02 Unit KILB241 [K2 : IN ATTENDANCE AT INCIDENT]

06:04:16 Unit KARO261 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

06:28:52 Alarm Timer Extended: 0

06:43:06 Alarm Timer Extended: 0

07:46:37 Unit KILB241 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

07:46:48 MSU Selcal used to Initiate Alerting. (WELL211 D0F932)

07:46:55 ALERTING_COMPLETED WELL211

07:47:06 Unit WELL211 [K2 : IN ATTENDANCE AT INCIDENT]

08:33:48 Alarm Timer Extended: 0

09:32:36 Unit THOR231 [COMCEN COM : MESSAGE] CAN YOU MAKE CONTACT WITH GM [REDACTED]
VIA CELL

09:32:36 PHONE

09:32:47 Unit THOR231 [SITREP :] ACK

10:30:29 PA Selcal used to Initiate Alerting. (JOHN287 at 2928 JOHNSONVILLE 188281)

10:30:29 PA Selcal used to Initiate Alerting. (KARO261 at 2926 KARORI 188261)

10:30:32 ALERTING_COMPLETED JOHN287

10:30:35 ALERTING_COMPLETED KARO261

10:31:30 Unit JOHN287 [K1 : PROCEEDING TO INCIDENT]

10:31:41 COVERING UNIT PORI311 DISPATCHED TO STATION JOHNSONVILLE AT 03/03/22
10:31:40 >>

10:33:08 Unit KARO261 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

10:33:59 AL: PAGING ACK TIMED OUT FOR STATION: 2928 at 03-03-22 10:33:59

10:35:24 Radio used to Initiate Alerting.

10:35:25 ALERTING_COMPLETED KARO261

10:35:45 Unit KARO261 [K1 : PROCEEDING TO INCIDENT]

10:39:37 Unit KARO261 [K2 : IN ATTENDANCE AT INCIDENT]

10:47:18 Unit JOHN287 [K2 : IN ATTENDANCE AT INCIDENT]

10:49:22 Unit WELL211 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

11:13:00 Unit KARO261 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

11:15:07 Unit WELL2118 [KC : UNIT CALLING]

11:15:26 Unit JOHN287 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

11:17:12 Unit WELL2118 [SITREP :] SSO [REDACTED] - SPOT FIRES BEING CHECKED WITH TIC. FRO

11:17:12 NT OF PARLIAMENT NOW A CRIME SCENE MADE BY POL. DECON TO REMAIN ON SITE. 231 ARR

11:17:12 ANGING COVER FOR DAY

11:19:25 Unit WELL2118 [KC : UNIT CALLING]

11:20:12 Unit WELL2118 [SITREP :] CANW E HAVE YOUR SM CALL SSO [REDACTED] AT PARLIAMENT C

11:20:12 OMMAND [REDACTED]

11:24:45 PA Selcal used to Initiate Alerting. (KILB241 at 2924 KILBIRNIE 188241)

11:24:48 ALERTING_COMPLETED KILB241

11:27:19 Unit KILB241 [K1 : PROCEEDING TO INCIDENT]

11:28:12 AL: PAGING ACK TIMED OUT FOR STATION: 2924 at 03-03-22 11:28:12

11:51:23 Unit KILB241 [K2 : IN ATTENDANCE AT INCIDENT]

12:43:52 Alarm Timer Extended: 0

12:43:53 Alarm Timer Extended: 0

16:41:59 Unit WELL2118 [SITREP :] KILB241 WILL STAY ATTACHED TO EVENT KILB241 GREEN WAT

16:41:59 CH - MAKE UP THE THE DECOM TENT AND KILB2416 WILL RETURN TO KILBIRNIE STN THOR23

16:41:59 1 WILL STAY ATTACHED TO EVENT AND THOR231 GREEN WATCH WILL MAKE A DECISION TONIG

16:41:59 HT IF THEY STAY ON WELL2118 WILL BE PACKING UP SHORTLY

19:45:16 Unit WELL2118 [KC : UNIT CALLING]

19:45:44 Unit WELL2118 [K45 : COMMAND RESPONSIBILITY CHANGED TO (STATE NAME)] SSO [REDACTED] O

19:45:44 N THOR231

19:45:52 Unit WELL2118 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

21:18:26 Unit THOR231 [STOP : MESSAGE]

21:18:50 Unit THOR231 [SITREP :] KILB241 AND KILB2416 RETURNED TO STATION

21:26:13 Unit THOR231 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

21:30:58 Unit KILB241 [K7 : AT NORMAL STATION]

21:31:12 Unit KILB2416 [K7 : AT NORMAL STATION]

22:21:20 UNIT KILB2416 RESPONSE TIME [NULL] ADJUSTED TO 20220302085532ND AT 03/03/2022 22

22:21:20 UNIT DMWELLI RESPONSE TIME [NULL] ADJUSTED TO 20220302162302ND AT 03/03/2022 22:

22:21:20 UNIT GMWELLI01 RESPONSE TIME [NULL] ADJUSTED TO 20220302162311ND AT 03/03/2022 2

22:21:20 UNIT GMWELLI02 RESPONSE TIME [NULL] ADJUSTED TO 20220302162311ND AT 03/03/2022 2

22:21:21 ** Assigned Result Code: STRU, Detailed Event Type: 1500

Incident

CAD Number F3433650
Incident Reporter [REDACTED]
Incident Controller
Distance Travelled (km)
Delay In Receiving Call

Property Details

Occupant
Building Owner
General Property Use Recreational, Assembly - not classified above
Special Property Use Lawn area, Backyard, Garden area, Patio area
Purpose Group

Actions

Persons Reported Trapped
Evacuation Status
Action Prior 1
Action Prior 2
Action Taken Fire related - not classified above

Civilians

Civilians Rescued	0
Civilians Extricated	0
Civilians Assisted	0
Civilians Evacuated	0

Origin

Location
Level

Equipment Used

Quantity	Equipment
6	Low pressure delivery

Equipment Involved

Equipment Involved

Year

Make

Model

Fire

Arrival Condition	Large fire
Heat Source	Unable to classify
Termination Stage	
First Object Ignited	
First Object Material	
Second Object Ignited	
Second Object Material	
Indicated Cause	Unlawful
Certainty of Cause	Medium
Age of Person	Unknown
Ethnicity	Unknown
Gender	
FAIP Service Offered	Unknown

Released under the Official Information Act 1982

Exposure Number 1

Incident Type 1599: Other Fire - not classified above
Address Pipitea
Distance Exposure Travelled
Surface Material of Exterior Wall
Construction Material of Roof
Method of Heat Transfer

Property Details

Occupant
Building Owner
General Property Use Recreational, Assembly - not classified above
Special Property Use Lawn area, Backyard, Garden area, Patio area
Purpose Group

Actions

Persons Reported Trapped
Evacuation Status
Action Prior 1
Action Prior 2
Action Taken Fire related - not classified above

Civilians

Civilians Rescued 0
Civilians Extricated 0
Civilians Assisted 0
Civilians Evacuated 0

Origin

Location
Level

Equipment Used

Quantity	Equipment
4	Low pressure delivery

Equipment Involved

Equipment Involved
Year
Make

Model

Casualties

Casualty Number 1

Gender	Male	
Age		30
Apparent Injury	Sprain, strain	
Ethnicity	Unknown	
Severity of Injury	Minor (Status 4)	
Bleeding		
Action by Fire Fighters	Assisted ambulance personnel	
Condition Before Injury	Unknown	
How Removed	Removed by Ambulance	
Location at Ignition	Person on property	
Factor Preventing Escape	Other	
Activity When Injured	Other	
Cause of Injury	Other	
Victim Aware of Fire	Unable to classify	
Room Where Victim Found		
Location Where Victim Found		
Familiarity With Property		

Exposure Number 2

Incident Type 1599: Other Fire - not classified above
Address Pipitea
Distance Exposure Travelled
Surface Material of Exterior Wall
Construction Material of Roof
Method of Heat Transfer

Property Details

Occupant
Building Owner
General Property Use Recreational, Assembly - not classified above
Special Property Use Lawn area, Backyard, Garden area, Patio area
Purpose Group

Actions

Persons Reported Trapped
Evacuation Status
Action Prior 1
Action Prior 2
Action Taken Fire related - not classified above

Civilians

Civilians Rescued 0
Civilians Extricated 0
Civilians Assisted 0
Civilians Evacuated 0

Origin

Location
Level

Equipment Used

Quantity	Equipment
4	Low pressure delivery

Equipment Involved

Equipment Involved
Year
Make

Model

Casualties

Casualty Number 1

Gender	████	
Age		████
Apparent Injury	██████████	
Ethnicity	██████	
Severity of Injury	██████████	
Bleeding		
Action by Fire Fighters	██████████	
Condition Before Injury	██████████	
How Removed	███	
Location at Ignition	██████	
Factor Preventing Escape	███	
Activity When Injured	██████████	
Cause of Injury	██████████	
Victim Aware of Fire	██████	
Room Where Victim Found		
Location Where Victim Found		
Familiarity With Property		

Released under the Official Information Act 1982

Exposure Number 3

Incident Type 1599: Other Fire - not classified above
Address Thorndon
Distance Exposure Travelled
Surface Material of Exterior Wall
Construction Material of Roof
Method of Heat Transfer

Property Details

Occupant
Building Owner
General Property Use Recreational, Assembly - not classified above
Special Property Use Lawn area, Backyard, Garden area, Patio area
Purpose Group

Actions

Persons Reported Trapped
Evacuation Status
Action Prior 1
Action Prior 2
Action Taken Fire related - not classified above

Civilians

Civilians Rescued 0
Civilians Extricated 0
Civilians Assisted 0
Civilians Evacuated 0

Origin

Location
Level

Equipment Used

Quantity	Equipment
2	Low pressure delivery

Equipment Involved

Equipment Involved
Year
Make

Model

Comments

3/3/2022 10:42:13 PM

Reporter Comments

Freedom Occupation Protest,

[REDACTED]

3/21/2022 9:59:07 PM

Reporter Comments

Freedom Protest - multiple fires on the lawn of parliament, multiple crews extinguishing multiple fires using LPD's off base pump and hydrants

[REDACTED]

Released under the Official Information Act 1982