e:					
	Address:			D.O.B.	
nder:	G.P.			GP Phone No.	
tus and Dates: n Date:		*	Expected Review Date:		*
External support	rt people and		Expected Review Date.		
Name of contact	it people and	Phone No.	Comment:		
•• Care Team:					
worker:			* Search Clear T	elephone:	
e Team:			*		
chiatrist or		Search Cle	ar T	elephone:	
erapist: Social Worker is:		Search Cle		elephone:	
er Clinician:		Search Cle		elephone:	
T Care Team			.ui .		
T Therapist:		* Search C	lear	elephone:	
lls Facilitator:		Search Cle	ar 💦	elephone:	
lls Facilitator:				elephone:	
Diagnosis (DSM	I-IV-TR Criter	ia):			
IS I:					*
IC 11.			`		
IS II:		3			11
IS III:			ξίΨ		
			`		11
ny medical conditio	ns to be aware	ot).			
		×/Ce			
		A.V.			
Summary of His	story and Ass	essment/Conceptu	alisation of Service Us	er:	
)			
Risk:	S				
mmary of risk and	current risk: (su	icidality; acute; interm	ittent; chronic; not current)		
sk to others:					
Treatment Outl	ine:				

Treatment goals:

Medications and any Known Allergies:

😑 Skills:

Skills: (Identify the skills the client has learnt or is able to apply)

😑 Crisis Plan:

Usual crisis presentation: include indicators of increased high suicide risk.

Clinical contact Monday to Friday 8:30am to 5:00pm.

Clinical contact after hours, weekends and nights:

Guidelines for crisis worker pre self-harm. (expression of suicidal thoughts/intent/plan).

What helps?
Office
What doesn't help?
Guidelines post self-harm:
edut
Obtaining treatment for physical injury/overdose:
Ongoing acute suicidality:

m Act 198

Respite: (Where and what, criteria, aims, guidelines, duration and frequency)

Inpatient Treatment Approach:

Type A: Time limited inpatient stay:

Type B: Or negotiated transfer of treatment to inpatient team:

teria:	
าร:	
idelines for inpatient tea	m:
ntingencies:	00.
	ACT
ngth of stay:	
ice of Mental Health Act	(MHA):
Names of Participati	ing Parties in this Plan: * Designation:
Other Parties Involv	
Name:	Designation/role: Signed Date:
N	
	<< If this field blank. Choose Referral at Top of Pagel
	Print Save Draft Save Active. Discharge Exit Cancel

• •

12/4/23, 3:35 PM Recovery Plan - Health Care + Recovery (Dundrum)

Recovery Plan - I	Health Care	+ Recovery (Dundru	m)				
Ē								
NHI:		lame:					Phone No.	
Age:		ddress:					D.O.B.	
Gender:		6.P.					GP Phone No.	
First Section -	General		-0					
Date: Legal Status: Legal Status (RC and		*		мн	Service Setting:		▼	*
next review):								
Legal Status is from i.PM upd Health Care Pla Health Care Plan Ov (Describe consumer's	an Overview /erview:					nd recovery needs	and risk formulatior	n. State which overall go
Further studies	s or testing t	o be complete		Responsible Sta	aff Member		D	ate Initiated:
X							Search Clear	
New								
Dundrum-3 PC PC1 - Physical	1 - Physical Pillar 1 quide		1 Self	~				
Health	Pillar 1 guide	Ass	sessed				C.	
PC1 - Physical	Health	Sco	ore:				N	
(Treatment / Rehabilit		per Comprehensi	ve Summa	ry)				
						dilon		
Comment on why this	; (treatment / r	ehabilitative) goal	is to be ad	dressed in the	e upcoming review	w period.		
					40			
PC1 - Physical	Health Plan							
Plan:			Ту	pe of Interventi	on:		Staff Responsible	2:
×				. c. (50			
New PC1 - Goal Rev Evaluation: Achieved		Other (Describe) 〇		Offi				
Comment:				0				
Dundrum-3 PC PC2 - Mental	2 - Mental H Pillar 2 guide	PC As	2 Self sessed ore:	~				
PC2 - Mental H		nau Campushanai						
(Treatment / Rehabilit		Per Comprenensi		ry)				
Comment on why this	(treatment / r	ehabilitative) goal	is to be ad	dressed in the	e upcoming review	w period.		
	ele							
PC2 - Mental H	ealth Plan		_				01.00 B	
Plan:			Ту	pe of Interventi	on:		Staff Responsible	3
New PC2 - Goal Rev Evaluation: Achieved		Other (Describe) \bigcirc						
Comment:								
Dundrum-3 PC PC3 - Drugs	3 - Drugs an Pillar 3 guide	PC	3 Self sessed	~				
	d Alcohol	Sco	ore:					
PC3 - Drugs an (Treatment / Rehabilit		per Comprehensi	ve Summa	ry)				

...

12/4/23, 3:35 PM Recovery Plan - Health Care + Recovery (Dundrum)

Comment on why this (treatment / rehabilitative) goal is to be addressed in the upcoming review period.

😑 РСЗ -	Drugs and Alcohol Plan			
X Plan:		Type of Intervention:		Staff Responsible:
	Goal Review			
_	Achieved Ongoing Other (Describe)			
Comment:				
😑 Dundi	rum-3 PC4 - Problem Behaviours			
PC4 - Prob Behaviours				
_	Score Problem Behaviours			
_	/ Rehabilitative) Goal (as per Comprehensive	e Summary)		•
				Sol
Comment	// on why this (treatment / rehabilitative) goal is	s to be addressed in the upcomin	g review period.	
				Č.
			\bigtriangledown	
– PC4 -	Problem Behaviours Plan		·	
Plan:		Type of Intervention:	`O`	Staff Responsible:
×				
New				
_	Goal Review Achieved O Ongoing O Other (Describe) O		· () ·	
Comment:				
		g		
	on why this (treatment / rehabilitative) goal is		g review period.	
Plan:		Type of Intervention:		Staff Responsible:
×	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
New				
_	Goal Review			
Comment:				
🗏 Dundi	rum-3 PC6 - Education, Occupation, C	reativity		
PC6 -	✔ Pillar 6 guide PC6 :	Self 🗸		
Education, Occupation				
	Education, Occupation, Creativity			
(Treatment	: / Rehabilitative) Goal (as per Comprehensive	e Summary)		
Comment	on why this (treatment / rehabilitative) goal is	s to be addressed in the upcomin	g review period.	
PC6 -	Education, Occupation, Creativity Pla	n		

. . .

12/4/23, 3:35 PM Recovery Plan - Health Care + Recovery (Dundrum)

	Plan:			Type of Intervention:	S	Staff Responsible:
X						
New						
_	C6 - Goal		_			
Evalu	ation: Achie	eved \bigcirc Ongoing \bigcirc Othe	er (Describe) 🔿			
Comn	nent:					
_						
📃 D	undrum-		Social Networks, F	riends and Intimacy		
	Family	✔ Pillar 7 guide	PC7 Self	~		
and S Netwo			Assessed Score:			
	is and		Score.			
Intim	-					
_		ily and Social Netw				
(Treat	ment / Rel	nabilitative) Goal (as pe	er Comprehensive Sum	nary)		
Comn	nent on wh	y this (treatment / reha	abilitative) goal is to be	addressed in the upcoming re	eview period.	^
						o' k
-			/}			
😑 P		ily and Social Netw	orks, Friends and I	=		X
\mathbf{v}	Plan:			Type of Intervention:		staff Responsible:
×						
Now						
New	C7 - Goal	Deview				
_		eved O Ongoing O Othe	(5 1)		× U	
		eved \bigcirc Ongoing \bigcirc Othe	er (Describe) U			
Comn	ient:					
=		3 PC8 - Cultural an		ess	\sim	
		ural and Spiritual A		,		
(Ireat	ment / Rei	nabilitative) Goal (as pe	er Comprenensive Sumi	nary)		
Comn	nent on wh	y this (treatment / reha	abilitative) goal is to be	addressed in the upcoming re	eview period.	
				O		
				0		
P		ural and Spiritual A	wareness Plan			
×	Plan:			Type of Intervention:	ء ا	Staff Responsible:
\mathbf{O}						
New						
_	C8 - Goal	Poviow				
_		eved O Ongoing O Othe				
		eved \bigcirc Ongoing \bigcirc Othe				
Comn	ient:	0	, C			
— -)			
		4 Recovery Items	DC1	Salf y		
KC I ·	Stability	Recovery 1 guide	RC1 Asse	Self 🗸		
			Scor	e:		
RC 2 ·	Insight	Recovery 2 guide	RC2			
			Asse	essed e:		
RC 3 -		Recovery 3 guide	RC3	Self 🗸		
	peutic			essed		
Rappo RC 4	· Leave	Recovery 4 guide	Scor RC4			
		According in guide	Asse	essed		
B	. .		Scor			
RC 5 · Risk 1	· Dynamic tems	Recovery 5 guide	RC5 Asse	Self V essed		
NSK I			Scor			
	Victim	Recovery 6 guide	RC6			
Sensi Items			Asse Scor	essed		
	Hope	Recovery 7 guide	RC7			
		, , , , , , , , , , , , , , , , ,	Asse	essed		
— -			Scor	e:		
_	-	/haiora Review	×			
Tanga Plan	ita Whaiora	a has reviewed the	*			
	ta Whaiora	a Approves	~			
		a Perspective				
· anyo		cropective				

Administration Detail:

...

2/4/23, 3:35 PM	Recovery Plan - Health	Care + F	Recovery (D	undrum)				
Last Update:	Ву:					D	esignation:	
Contributors:								
		Print	Save Draft	Save Active	Exit	Cancel		

Released under the Office Information Actives

12/4/23, 3:28 PM

•	•	•	

	risis Assessr	ment and Home Trea	tment			
Ð Ð						
emographics:						
HI:	Name:				Phone No.	
ge:	Address:				D.O.B.	
ender:	GP:				GP Phone No.	
Status and Date	:5:	Ne	xt Review / Stop Date:			*
resentation and F	ormulation:				-	
						*
Risk Assessmen	t: Risk Levels				//	7
Date:		to Self: Risk to Others:		sk to Property:	Physical or Medical:	Progression of Illness:
ew		✓	~	~	~	· ·
^^ se New Button above	to add a now ris	k accossmont!			C	6
						0
se (X) to delete empt Risk Assessmen		-			X	
		example Overdoses, Self M	utilation, Violent behavior	urs, and to whon	n, and helpful interver	ntions:
				•. (
hnicity:		*			Cultural Input	
omment:					Required?	
_			<u>x</u>	0		
MDT and Clinica	Discussion:	tings:			Attendees:	
	Discussion.				Attenuees.	
*			c.C.			
			O.			
	*		<u>}</u>		*	
lew r large discussions use a Cor	mmunity Progress Note	e and summarise the discussion abo	ve.			
^^						
se New Button above						
se (X) to delete empt Medications:	y row if none are	being recorded				
Medications.						
	0	O				
	<u> </u>					
Daily Plan: Date:	Re	commendations & Plan:				
<	_* 🛍 🛛 🗌]
\mathbf{Q}						
ew					/	*
New Daily Plan should be ad	ded following each MD	T meeting				
A A Section Above	to add a new da	ily plan!				
se (X) to delete empt						
Discharge Plan:						
efer To:			✓ Re	ferral Date:		
Administration						
ast	* By:		Designa	ation:		

Last	
Update:	
Contributo	ors:

This document should only be printed for temporary or Service User use.

	Save Draft Save Active Discharge Exit Cancel
Expand All Spell Check Search Page Clear Codes	Expand All Spell Check Search Page Clear Codes

Released under the Offical Information Act, 1982

12/4/23, 3:38 PM Recovery Play - MH Services for Older People

•	٠	•

// preview version only

Ð	lay - MH	Services	for Older People					
Ð								
emographi HI:		lame:			Phone No.			
ge:		ddress:			D.O.B.			
ender:		iP:			GP Phone No.			
					GP Phone No.			
atus and D an Date:	Dates:		*	Expected Review Date:		*		
egal Status:								
-	automatica	ally undated	l (from i PM) each time th	ne Recovery Plan form is edited. Ea	lits will be over writ	ten next undate		
an Focus (Service U	ser / Ser	vice Provider)?	to facilitate their own care select 'Ser				
the Treatment	t Plan will be	used solely	by a Service Provider or Care	er select 'Service Provider.'		0.		
lan Focus:				✔ *		2		
ocial Indica								
ccommodatio tatus:	on		✓ * Definitions		×			
ependants:	□ No	ne 🗌 Infants,	Children + Adolescents (0-17)	Adult (18 - 64) Elderly (65+) Oth	er*			
upport eeds:			•		Y			
eeds: etails:								
					<u>ر</u>	1/		
aid mployment: select one) ccupation:	O Not in paid	l employment	(<1 hr / wk) O Part time pa	id (1 - 30 hr /wk) OFull Time Employme	ent (>30 hr / wk) 〇 F	etired *		
ducation /	OPre-school OPrimary Intermediate OSecondary OTertiary OTertiary Other NZQA Other / Non NZQA None *							
raining:	O Pre-school O Primary O Intermediate O Secondary O Tertiary O Trades / Other NZQA O Other / Non NZQA O None *							
escription:								
eaningful								
ctivities:						// *		
	Carer Role	Child Care	/ Parenting 🗌 Community Cen	tre 🗋 Voluntary Work 🗌 Recreation / Spor	t 🗌 Other 🗌 None*			
sual GP				* Practice:				
P			*					
ngagement evel:								
reatment P								
ackground	and Prese	entation S	Summary:					
		5						
rimary or Pre	esenting Pro	blem:			*			
My) Risk Su		3						
ly Understand		isks and M	y Safety Plan					
	50							
	Y							
						11		
			ed by the Risk Statement. R	isk strategies should be reflected in go	oals and interventions			
ervice User	-							
his area can b ervice User Pe			tatement, Overarching Go	al for Recovery, Relationship with	Family / Support Ne	etworks.		
			,		,,	-		
amily / Wha	anau Pers	pective:						

Transition / Discharge Plan(s):

Strategies for next transition from high to low acuity; or to primary care and self management.

This section can be used for inpatient to community and community to primary care transitions.

				// *
Main Objective	25:			
1.				
		/ *		
2.				
3.				
4.				
				0
5.				0
			<u>(</u>	
Other Objectiv	'es:			
•			~ ~ ~	
				/i
Completed Ob	jectives (Optional):			
This area can be us	sed to store completed objectives t	to share with the service user or pro	vider.	
		<u>ç</u>	^o	
Attach Document:	[Add Document]	2		
	Signs and Actions (Trigg	ers):		
1.	<u></u>			
		*		
2.				
				/i
3.				
4.				
	\sim			
Please ensure mos	t important Early Warning Sign is a	at top of the list		
Other Relevan				
This field can be	used to record: Service User Pe	erspective, Carer Perspective or o	other information relevant to th	e Service User's care.
	S			
Advanced Dire				
Advanced Directi Status:	ve	♥		
Details of Curr	ent Medications:			
If no relevant med	ications please state "none"		/*	
Service User S				
Keyworker:		* Search Clear	Telephone:	
Waikato DHB Tea	um:	v *	- P '	
Psychiatrist or			Telephone:	
Counsellor:		Search Clear	-	
Nurse:		Search Clear	Telephone:	
Doctor / GP:			Telephone:	
Support People:			Telephone:	
(external)				
Other Support Pe	ople:		Telephone:	

. . .

Administration Detail:	:					
Authored By:			Designa	tion:	*	
IPM Referral No.	*		<< If this field blank. Choose Referral at T		se Referral at Top of Page!	
	Expand All	Spell Check	Search Page	Clear Codes		

Released under the Offical Information Act 1982

12/4/23, 3:37 PM

•	•	

÷						
-						
_						
emographics:	Name:				Phone No.	
	Address:				D.O.B.	
Age:						
ender:	GP:				GP Phone No.	
lan Type:			\bigcirc			
eyworker:	🗢 Waikato Keyw	orker ONGO Keyw	orker ONGO Shared Care	k		
tatus and Dates: Ian Date:	·	*	-	pected Review Date:		< 0-0
egal Status:			-	spected Keview Date.		
2		(from i DM) oach	time the Recovery Plan f	mm is adited. Edits will b	e over written next update	
nstructions:			antly for use by the Service			
			the Service User in their own			
ocial Indicators:				riecovery.		
ccommodation		v * [Definitions		0	0
tatus:						
ependants:		is, cilluren + Adoleso	cents (0-17) Adult (18 - 64)	Uthery (05+)Uther*	×	
upport Needs:			▼		C>	
etails:						
aid Employment:	O Not in paid empl	oyment (<1 hr / wk)	\bigcirc Part time paid (1 - 30 hr /	vk) OFull Time Employment	(>30 hr/wk) ORetired *	
select one) ccupation:		, (,		,		
ducation / raining	⊖ Pre-school ⊖		diate O Secondary O Tert	ary OTrades / Other NZQA	Other / Non NZQA ONO	ne *
escription:				, Ç`		
leaningful ctivities:				ξO.		
						/ *
1.05	Carer Role Ch	ild Care / Parenting	Community Centre Volunta		_ Other L_ None*	
sual GP	I			Practice:		
P Engagement evel:			× *			
ervice User Pers	pective:					
his area can be use	d to record:					
					Courses and Markey and an	
lervice user reispec	tive, Wellness Sta				Support Networks.	
					Support Networks.	
		activent, overale			Support Networks.	
	tive, Wellness Sta				Support Networks.	
hared Perspectiv	tive, Wellness Sta		Solution Recovery, R		Support Networks.	
hared Perspectiv	tive, Wellness Sta ve: d to record:	8	een Service user & Clinici		Support Networks.	
hared Perspectiv	tive, Wellness Sta ve: d to record:	8	sthe		Support Networks.	
hared Perspectiv	tive, Wellness Sta ve: d to record:	8	sthe		Support Networks.	
hared Perspection his area can be use collaborative stated	tive, Wellness Sta ve: d to record: ment, mutually ag	8	sthe		Support Networks.	
hared Perspectiv his area can be use a collaborative state	tive, Wellness Sta ve: d to record: ment, mutually ag	8	sthe		Support Networks.	
hared Perspectiv his area can be use a collaborative state	tive, Wellness Sta ve: d to record: ment, mutually ag	8	sthe		Support Networks.	
hared Perspective his area can be use collaborative state	tive, Wellness Sta ve: d to record: ment, mutually ag	8	sthe		Support Networks.	
hared Perspectiv his area can be use a collaborative state amily / Whanau	tive, Wellness Sta ve: d to record: ment, mutually as Perspective:	8	sthe		Support Networks.	
hared Perspection his area can be use a collaborative state amily / Whanau	tive, Wellness Sta ve: d to record: ment, mutually as Perspective:	8	sthe		Support Networks.	
hared Perspection his area can be use collaborative state amily / Whanau ly Risk Summary his area can be use	tive, Wellness Sta ve: d to record: ment, mutually as Perspective:	greed upon, betw	sthe		Support Networks.	
hared Perspection his area can be use a collaborative state amily / Whanau his area can be use	tive, Wellness Sta ve: d to record: ment, mutually as Perspective:	greed upon, betw	sthe		Support Networks.	
hared Perspection his area can be use collaborative stated amily / Whanau his area can be use	tive, Wellness Sta ve: d to record: ment, mutually as Perspective:	greed upon, betw	sthe		Support Networks.	
hared Perspection his area can be use collaborative stated amily / Whanau y Risk Summary	tive, Wellness Sta ve: d to record: ment, mutually as Perspective:	greed upon, betw	sthe		Support Networks.	
hared Perspectiv his area can be use collaborative stated amily / Whanau by Risk Summary his area can be use by Understanding of	tive, Wellness Sta ve: d to record: ment, mutually as Perspective: d to record: My Risks and My	greed upon, betwo Safety Plan	sthe		Support Networks.	
hared Perspection his area can be use collaborative stated amily / Whanau y Risk Summary his area can be use y Understanding of arly Warning Sig	tive, Wellness Sta ve: d to record: ment, mutually as Perspective: d to record: My Risks and My	greed upon, betwo Safety Plan	sthe	ans / Clinical Team	Support Networks.	tter?
hared Perspectiv his area can be use collaborative stated amily / Whanau y Risk Summary his area can be use y Understanding of arly Warning Sig EW Signs / Trig	tive, Wellness Sta ve: d to record: ment, mutually as Perspective: d to record: My Risks and My gns, Triggers a	greed upon, betwo Safety Plan	een Service user & Clinici	ans / Clinical Team		tter?
hared Perspectiv his area can be use collaborative stated amily / Whanau by Risk Summary his area can be use by Understanding of arly Warning Sig EW Signs / Trig	tive, Wellness Sta ve: d to record: ment, mutually as Perspective: d to record: My Risks and My gns, Triggers a	greed upon, betwo Safety Plan	een Service user & Clinici	ans / Clinical Team		tter?
hared Perspective his area can be use a collaborative states amily / Whanau his area can be use by Understanding of arly Warning Sig EW Signs / Trig	tive, Wellness Sta ve: d to record: ment, mutually as Perspective: d to record: My Risks and My gns, Triggers a	greed upon, betwo Safety Plan	een Service user & Clinici	ans / Clinical Team		tter?
hared Perspection This area can be use a collaborative states amily / Whanau amily / Whanau his area can be use dy Understanding of arly Warning Sig	tive, Wellness Sta ve: d to record: ment, mutually as Perspective: d to record: My Risks and My gns, Triggers a	greed upon, betwo Safety Plan	een Service user & Clinici	ans / Clinical Team		tter?
hared Perspective his area can be use a collaborative states amily / Whanau Ny Risk Summary his area can be use Ay Understanding of arly Warning Sig EW Signs / Trig	tive, Wellness Sta ve: d to record: ment, mutually as Perspective: d to record: My Risks and My gns, Triggers a	greed upon, betwo Safety Plan	een Service user & Clinici	ans / Clinical Team		itter?
hared Perspective his area can be use a collaborative states amily / Whanau his area can be use by Understanding of arly Warning Sig EW Signs / Trig	tive, Wellness Sta ve: d to record: ment, mutually as Perspective: d to record: My Risks and My gns, Triggers a	greed upon, betwo Safety Plan	een Service user & Clinici	ans / Clinical Team		tter?
hared Perspection his area can be use collaborative stated amily / Whanau by Risk Summary his area can be use by Understanding of arly Warning Sig EW Signs / Trig	tive, Wellness Sta ve: d to record: ment, mutually as Perspective: d to record: My Risks and My gns, Triggers a	greed upon, betwo Safety Plan	een Service user & Clinici	ans / Clinical Team		tter?
hared Perspection his area can be use collaborative stated amily / Whanau his area can be use by Understanding of arly Warning Sig EW Signs / Trig	tive, Wellness Sta ve: d to record: ment, mutually as Perspective: d to record: My Risks and My gns, Triggers a	greed upon, betwo Safety Plan	een Service user & Clinici	ans / Clinical Team		tter?

12/4/23, 3:37 PM Recovery Play - Infant, Child and Adolescent MH

Find	ch Documents: Document: age Attachmen	[Add Document]				
×	Document ID:	Document Type:	Description:	Document Date:	*	Instructions: < Use the (X) to remove attachment
New					-	

Attached document changes (made above) may be applied when the form is next saved next. Use Save and Continue to force display change. Duplicates are only displayed once.

Attachments:

My Goals / Objectives Are: Actions, Interventions and Strengths: Comparison of the service of				Strengths:			By Whom/When?
						(10
							2
						<u> </u>	
area can be used to store completed goals / objectives to share with the service user.			. Other	Interventions		. By	Whom / When?
area can be used to store completed goals / objectives to share with the service user.					XV		
area can be used to store completed goals / objectives to share with the service user.				_	<u> </u>		
area can be used to store completed goals / objectives to share with the service user.							
ecord the care plan when the Service User is in Crisis ails of Current Medications: prevent medications please state "none" ier Information / MDT Review: field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record to the service User's care and recovery. field can be used to record to the service User's care and recovery. field can be used to record to the service User's car	to share with	th the ser	vice user.				
ecord the care plan when the Service User is in Crisis ails of Current Medications: prevent medications please state "none" ier Information / MDT Review: field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record to the service User's care and recovery. field can be used to record to the service User's care and recovery. field can be used to record to the service User's car				$\overline{\mathcal{N}}$			
ecord the care plan when the Service User is in Crisis ails of Current Medications: prevent medications please state "none" ier Information / MDT Review: field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record to the service User's care and recovery. field can be used to record to the service User's care and recovery. field can be used to record to the service User's car							
ecord the care plan when the Service User is in Crisis ails of Current Medications: prevent medications please state "none" ier Information / MDT Review: field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record to the service User's care and recovery. field can be used to record to the service User's care and recovery. field can be used to record to the service User's car			\rightarrow	*			
ails of Current Medications: prelevant medications please state "none" ter Information / MDT Review: field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any ad	icic		c. Co.				
be relevant medications please state "none" ther Information / MDT Review: field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. franced Directive: anced Directive: anced Directi	515						
be relevant medications please state "none" ther Information / MDT Review: field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. franced Directive: anced Directive: anced Directi							
be relevant medications please state "none" ther Information / MDT Review: field can be used to record any additional information relevant to the Service User's care and recovery. field can be used to record any additional information relevant to the Service User's care and recovery. franced Directive: anced Directive: anced Directi		0.					
Preservice Information / MDT Review: Tield can be used to record any additional information relevant to the Service User's care and recovery. Vanced Directive: anced Directive: anced Directive: anced Directive: anced Directive: ancharre: worker: </td <th></th> <td>V</td> <td></td> <td></td> <td></td> <td></td> <td></td>		V					
Preservice Information / MDT Review: Tield can be used to record any additional information relevant to the Service User's care and recovery. Vanced Directive: anced Directive: anced Directive: anced Directive: anced Directive: ancharre: worker: </td <th></th> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
field can be used to record any additional information relevant to the Service User's care and recovery.							
vanced Directive: anced Directive tus: charge Plan: ategies and plans for transition from high to low acuity including exit from service to primary care and/or self ma pport Team: worker: worker: * Search clear telephone: kato DHB Team * that is: Search clear telephone: Nurse is: Other Clinician is: Doctor or GP is: support people are: er people involved in my							
anced Directive tus: charge Plan: ategies and plans for transition from high to low acuity including exit from service to primary care and/or self ma oport Team: worker: worker: * chiatrist or Therapist: Search Clear Telephone: Nurse is: Other Clinician is: Search Clear Telephone: Doctor or GP is: support people are: er people involved in my	elevant to the	he Service	e User's care an	d recovery.			
anced Directive tus: charge Plan: ategies and plans for transition from high to low acuity including exit from service to primary care and/or self ma oport Team: worker: worker: * chiatrist or Therapist: Search Clear Telephone: Nurse is: Other Clinician is: Search Clear Telephone: Doctor or GP is: support people are: er people involved in my							
anced Directive tus: charge Plan: ategies and plans for transition from high to low acuity including exit from service to primary care and/or self ma oport Team: worker: worker: * chiatrist or Therapist: Search Clear Telephone: Nurse is: Other Clinician is: Search Clear Telephone: Doctor or GP is: support people are: er people involved in my							
tus: charge Plan: ategies and plans for transition from high to low acuity including exit from service to primary care and/or self ma pport Team: worker:* Search Clear Telephone: ikato DHB Team* chiatrist or Therapist:Search Clear Telephone: Nurse is:Search Clear Telephone: Other Clinician is:Search Clear Telephone: Other Clinician is:Search Clear Telephone: Doctor or GP is:Telephone: support people are:Telephone: er people involved in myTelephone:							
charge Plan: ategies and plans for transition from high to low acuity including exit from service to primary care and/or self ma poort Team: worker: worker: * Search Clear * Telephone: thato DHB Team * chiatrist or Therapist: Search Clear * Telephone: Nurse is: Search Clear * Telephone: Doctor or GP is: Support people are: er people involved in my * Telephone:			•				
attegies and plans for transition from high to low acuity including exit from service to primary care and/or self ma port Team: worker: worker: * Search Clear tatato DHB Team * chiatrist or Therapist: Search Clear Telephone: Nurse is: Other Clinician is: Search Clear Telephone: Doctor or GP is: support people are: er people involved in my		~					
worker: * Search Clear Telephone: ikato DHB Team * chiatrist or Therapist: Search Clear Nurse is: Search Clear Telephone: Other Clinician is: Search Clear Telephone: Doctor or GP is: Search Clear Telephone: support people are: Telephone: Telephone: er people involved in my Telephone: Telephone:		~					
worker: * Search Clear Telephone: ikato DHB Team * chiatrist or Therapist: Search Clear Nurse is: Search Clear Telephone: Other Clinician is: Search Clear Telephone: Doctor or GP is: Search Clear Telephone: support people are: Telephone: Telephone: er people involved in my Telephone: Telephone:	uity includir		from service to	primary care	and/or self ma	inagement. T	his section should be
worker: * Search Clear Telephone: ikato DHB Team * * chiatrist or Therapist: Search Clear Telephone: Nurse is: Search Clear Telephone: Other Clinician is: Search Clear Telephone: Doctor or GP is: Search Clear Telephone: support people are: Image: Clinician is: Telephone: er people involved in my Image: Clinician is: Telephone:	uity includir		from service to	primary care	and/or self ma	inagement. T	his section should be
worker: * Search Clear Telephone: ikato DHB Team * * chiatrist or Therapist: Search Clear Telephone: Nurse is: Search Clear Telephone: Other Clinician is: Search Clear Telephone: Doctor or GP is: Search Clear Telephone: support people are: Image: Clinician is: Telephone: er people involved in my Image: Clinician is: Telephone:	uity includir		from service to	primary care	and/or self ma	inagement. T	his section should be
ikato DHB Team chiatrist or Therapist: Search Nurse is: Search Clear Other Clinician is: Search Clear Telephone: Other Clinician is: Search Clear Telephone: Telephone: Telephone: Support people are: er people involved in my	uity includir		from service to	primary care	and/or self ma	nagement. T	his section should be
chiatrist or Therapist: Search Clear Telephone: Nurse is: Search Clear Telephone: Other Clinician is: Search Clear Telephone: Doctor or GP is: Search Clear Telephone: support people are: Telephone: Telephone: er people involved in my Telephone: Telephone:	,	ing exit 1		<u> </u>		anagement. T	his section should be
Nurse is: Search Clear Telephone: Other Clinician is: Search Clear Telephone: Doctor or GP is: Telephone: Telephone: support people are: Telephone: Telephone: er people involved in my Telephone: Telephone:	,	ing exit 1	ar.	<u> </u>		inagement. 1	his section should be
Other Clinician is: Search Clear Telephone: Doctor or GP is: Telephone: support people are: Telephone: er people involved in my Telephone:	* Search	ing exit 1	ar V	1	elephone:	inagement. T	his section should be
Doctor or GP is: Telephone: support people are: Telephone: er people involved in my Telephone:	* Search	ing exit f	ar V	1	elephone:	inagement. T	his section should be
support people are: Telephone: Telephone: Telephone:	* Search Search	ing exit f	ar v *	1	'elephone: 'elephone: 'elephone:	inagement. T	his section should be
er people involved in my Telephone:	* Search Search	ing exit f	ar v *	1	elephone: elephone: elephone: elephone:	inagement. 1	his section should be
	* Search Search	ing exit f	ar v *	1	elephone: elephone: elephone: elephone: elephone:	inagement. T	'his section should be *
	* Search Search	ing exit f	ar v *	1	elephone: elephone: elephone: elephone: elephone:	anagement. T	'his section should be *
	* Search Search	ing exit f	ar v *	1	elephone: elephone: elephone: elephone: elephone: elephone:	inagement. T	his section should be *
have concerns I will tact:	* Search Search	ing exit f	ar v *	1	elephone: elephone: elephone: elephone: elephone: elephone:	inagement. T	ihis section should be *

 $cwstest/ClinicalIntranet/iForm/Preview/MHFORMS/Input-MHFORMS_MHCATXPLAN-1.asp?Preview=Input&UserID=7201$

. . .

12/4/23, 3:37 PM

Recovery Play - Infant, Child and Adolescent MH

Administration De	tail:					
Authored By			* Search	Clear	Designation:	*
IPM Referral No.	*				<< If this field blank. Cl	noose Referral at Top of Page!
		Expand All	Spell Check	Search Page	Clear Codes	

Released under the Offical Information Actives Released under the Offical Information Actives of the Active of the

...