

# SMS Incident Report


31/10/2024 11:51:16

## Summary

**CAD Number** F4060429 **Status** Closed  
**Station** Parnell Station  
**Incident Started** 03/10/2024 01:08:10 **Incident Ended** 07/10/2024 15:45:08  
**Incident Type** 1101: Structure fire with damage  
**Common Name** SPARK ARENA  
**Address** 42-80 Mahuhu Crescent Auckland Central  
**Alarm Method** 111 Telephone **Alarm Level** 1  
**PFA Number**  
**Zone** 142505  
**Map Grid E** 1758359 **Map Grid N** 5920642  
**First Caller** [REDACTED] **First Caller Contact** [REDACTED]  
**Incident Closed** 07/10/2024 15:45:08  
**Report Completed** 14:35, Sun 06 Oct 2024 by [REDACTED]

## Responses

Call Sign	Type	Station Alert	Enroute Time	Arrival Time	Departed
PARN251	P1	01:09:29 03 Oct 2024	01:11:20 03 Oct 2024	01:16:58 03 Oct 2024	04:04:07 03 Oct 2024
AUCK207	PR	01:12:44 03 Oct 2024	01:14:41 03 Oct 2024	01:19:27 03 Oct 2024	03:10:43 03 Oct 2024
PARN255	HPNP	01:12:45 03 Oct 2024	01:15:06 03 Oct 2024	01:19:32 03 Oct 2024	01:26:09 03 Oct 2024
GREY261	P1	01:12:48 03 Oct 2024	01:14:57 03 Oct 2024	01:21:11 03 Oct 2024	02:06:40 03 Oct 2024
FIAUCKL02	FSO	01:39:58 03 Oct 2024	01:57:21 03 Oct 2024	02:59:44 03 Oct 2024	14:54:54 07 Oct 2024



## Elapsed Times

Call Sign	Start To Alert	Alert To Arrival	Start To Arrival	Start To Departed
PARN251	00:01:19	00:07:29	00:08:48	02:55:57
AUCK207	00:04:34	00:06:43	00:11:17	02:02:33
PARN255	00:04:35	00:06:47	00:11:22	00:17:59
GREY261	00:04:38	00:08:23	00:13:01	00:58:30
FIAUCKL02	00:31:48	01:19:46	01:51:34	09:46:44

## Notifications

Date	Time	Party Notified
03 Oct 2024	01:19:03	POLICE VIA INTERCAD
03 Oct 2024	01:46:36	PARN251 EXTERNAL ALERT

## Message Log

Time	Message
01:09:17	INC INFO: SMOKE IN VICINITY OF CARPARK BEHIND THE ARENA
01:09:17	<a href="https://web.pcl.govt.nz/?ecn=[REDACTED]">https://web.pcl.govt.nz/?ecn=[REDACTED]</a>
01:09:19	** LOI search completed at 03/10/24 01:09:18
01:09:23	** Recommended unit PARN251 for requirement PARN251 K9-20 (>1.8 km)
01:09:25	PA Selcal used to Initiate Alerting. (PARN251 at 1420 AUCKLAND CITY 182201)
01:09:29	ALERTING_COMPLETED PARN251
01:11:21	Unit PARN251 [ K1 : PROCEEDING TO INCIDENT]
01:11:36	FLAMES ATB SPREADING TO THE TREES
01:12:15	CALLER SAYS BLACK SMOKE AND ASHES EVERYWHERE
01:12:15	CALLER SAYS FIRE THREATENING BUILDING
01:12:30	** Event Priority changed from 2 to 1 at: 03/10/24 01:12:30
01:12:30	** Event Type changed from MIN to STRU at: 03/10/24 01:12:30
01:12:31	** Cross Referenced to Event # F4060431 at: 03/10/2024 01:12:31
01:12:32	INC INFO: FIRE THREATENING BUILDING
01:12:35	** Recommended unit AUCK207 for requirement PUMP (>1.8 km) ** Recommended unit
01:12:35	GREY261 for requirement PUMP (>3.8 km) ** Recommended unit PARN255 for requirem
01:12:35	ent AERIAL (>1.8 km)
01:12:40	PA Selcal used to Initiate Alerting. (GREY261 at 1426 GREY LYNN 182261)
01:12:40	PA Selcal used to Initiate Alerting. (AUCK207 at 1420 AUCKLAND CITY 182201)
01:12:41	PA Selcal used to Initiate Alerting. (PARN255 at 1420 AUCKLAND CITY 182201)
01:12:45	ALERTING_COMPLETED PARN255
01:12:45	ALERTING_COMPLETED AUCK207

01:12:48 ALERTING\_COMPLETED GREY261

01:13:16 TE TAOU CR

01:13:37 LOOKS LIKE AN ORANGE GLOW FROM A ROOM

01:14:16 POSSIBLY THE RAILWAY CAMPUS BUILDING

01:14:24 \*\* Event Location changed from "42-52 MAHUHU CR,AUCKLAND CENTRAL,AUCKLAND:  
@SPAR

01:14:24 K ARENA" to "26-46 TE TAOU CR,AUCKLAND CENTRAL,AUCKLAND: @THE RAILWAY  
CAMPUS" at

01:14:24 : 03/10/24 01:14:24

01:14:25 \*\* LOI search completed at 03/10/24 01:14:25

01:14:41 Unit AUCK207 [ K1 : PROCEEDING TO INCIDENT]

01:14:57 Unit GREY261 [ K1 : PROCEEDING TO INCIDENT]

01:15:06 Unit PARN255 [ K1 : PROCEEDING TO INCIDENT]

01:15:17 Unit PARN251 [COMCEN COM : MESSAGE] CALL DETAILS PASSED

01:16:58 (VERBAL) ENTRANCE OF SPARK ARENA

01:16:59 Unit PARN251 [ K77 : NOTHING SHOWING] (VERBAL) ENTRANCE OF SPARK ARENA

01:18:02 Unit PARN251 [COMCEN COM : MESSAGE] CALL FROM SPARK ARENA ADV A CAR FIRE  
IN THE

01:18:02 CAR PARK

01:18:27 CALLER STATES A SHED & CAR ARE FULLY ENGULFED

01:18:30 Unit PARN251 [ SITREP : ] COPY - COULD SECURITY MEET US

01:18:50 Unit PARN251 [ K99 : PROPERTY FIRE WELL INVOLVED] TWO VEH CAR FIRE - ONE  
HPD

01:18:50 TWO VEH CAR FIRE - ONE HPD

01:19:02 \*\* Event P060161988 of NZP/AC copied from F4060429 of NZFS/AK at: 03/10/24 01:19  
:02

01:19:10 FIR2POL: FIRE IN ATTENDANCE WITH TWO CARS ON FIRE

01:19:27 Unit AUCK207 [ K2 : IN ATTENDANCE AT INCIDENT]

01:19:32 Unit PARN255 [ K2 : IN ATTENDANCE AT INCIDENT]

01:21:11 Unit GREY261 [ K2 : IN ATTENDANCE AT INCIDENT]

01:22:46 --

01:22:57 \*\* Cross Referenced to Event # F4060430 at: 03/10/2024 01:22:57

01:22:59 \*\* Cross Referenced to Event # F4060435 at: 03/10/2024 01:22:58

01:26:10 Unit PARN255 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]

01:28:04 Unit AUCK207 [ KC : UNIT CALLING]

01:29:20 Unit AUCK207 [ SITREP : ] SO [REDACTED] - AT THE CARPARK AT THE REAR OF SPARK -  
ONE

01:29:20 CAR ON FIRE THREATENING SMALL BUILDING ADJACENT TO SPARK AREA AND  
ANOTHER PARKE

01:29:20 D CAR - ONE LPD, ONE HPD AND MULTIPLE BA WEARERES IN USE

01:29:33 Unit AUCK207 [COMCEN COM : MESSAGE] DO YOU REQ POST FIRE DECON OR  
POWER AUTHORIT

01:29:33 Y?

01:29:45 Unit AUCK207 [ SITREP : ] NOT AT THIS STAGE

01:37:34 Unit AUCK207 [ KC : UNIT CALLING]

01:38:09 Unit AUCK207 [ SITREP : ] CAN YOU GET FI TO CALL 207 MOBILE - OIC OF 251 WANTS  
T

01:38:09 O TALK TO [REDACTED] DIRECTLY

01:38:38 INC INFO: FIRE THREATENING BUILDING TOC 0108 TOA 0116

01:38:56 \*\* Event Location changed from "26-46 TE TAOU CR,AUCKLAND CENTRAL,AUCKLAND:  
@THE

01:38:56 RAILWAY CAMPUS" to "42-52 MAHUHU CR,AUCKLAND CENTRAL,AUCKLAND: @SPARK  
ARENA" at

01:38:56 : 03/10/24 01:38:56

01:38:58 \*\* LOI search completed at 03/10/24 01:38:58

01:39:56 Pager used to Initiate Alerting.

01:39:58 ALERTING\_COMPLETED FIAUCKL02

01:39:59 ALERTING\_COMPLETED FIAUCKL02

01:40:48 FI TO CALL 207 MOBILE - OIC OF 251 WANTS TO TALK TO [REDACTED] DIRECTLY

01:45:00 Unit PARN251 [ SITREP : ] SO [REDACTED] POLICE ON SCENE THIS IS SUSPICIOUS AND  
WE

01:45:00 DO REQUIRE THE FIRE INVESTIGATOR

01:46:07 Unit PARN251 [COMCEN COM : MESSAGE] NO RESPONSE VIA PHONE X2

01:47:20 FIAUCKLAND2 ACK PAGE - PUT THROUGH TO SO [REDACTED]

01:57:21 Unit FIAUCKL02 [ K1 : PROCEEDING TO INCIDENT]

01:59:38 Alarm Timer Extended: 0

01:59:39 Alarm Timer Extended: 0

02:00:32 Unit FIAUCKL02 [ KC : UNIT CALLING]

02:00:57 Unit FIAUCKL02 [ SITREP : ] ETA 50 MINUTES

02:02:00 Alarm Timer Extended: 0

02:06:40 Unit GREY261 [ K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

02:07:17 Unit PARN251 [ K12 : SUSPICIOUS FIRE]

02:35:22 Unit PARN251 [ KC : UNIT CALLING]

02:35:53 Unit PARN251 [ SITREP : ] VENTILATION AND OVERHAUL IN PROGRESS

02:59:44 Unit FIAUCKL02 [ K2 : IN ATTENDANCE AT INCIDENT]

03:00:01 Unit FIAUCKL02 [ K2 : IN ATTENDANCE AT INCIDENT]

03:10:23 Unit AUCK207 [ KC : UNIT CALLING]

03:10:44 Unit AUCK207 [ K10 : RE-COMMISSIONING APPLIANCE]

03:42:41 WITH PAR251 - Alarm Timer Extended: 60

03:42:58 -----

04:03:23 Unit PARN251 [ KC : UNIT CALLING]

04:03:59 Unit PARN251 [ STOP : MESSAGE] SCENE HANDED OVER TO FIRE INVESTIGATOR

04:04:08 Unit PARN251 [ K10 : RE-COMMISSIONING APPLIANCE]

05:34:18 Unit FIAUCKL02 [ SITREP : ] [PHONE WELFARE CHECK] I AM OK. I AM DOWN HERE BY  
MYS

05:34:18 ELF. I WOULD APPRECIATE CHECKS EVERY HOUR

05:34:27 Alarm Timer Extended: 60

06:36:34	FIAUCKL02 PAGED FOR WELFARE CHECK
06:36:37	Alarm Timer Extended: 0
06:43:44	Unit FIAUCKL02 [ SITREP : ] (VIA PHONE) I'M GOOD THANK YOU
06:52:22	Unit FIAUCKL02 [ SITREP : ] VIA NOW HAS SECURITY ON SITE WITH [REDACTED] NO FURTHER WEL
06:52:22	FARE CHECKS REQUIRED
11:00:23	Unit FIAUCKL02 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]
11:03:22	Unit FIAUCKL02 [ STOP : MESSAGE] - MANUAL TIME ENTERED 03/10/24 11:03:18 SCENE L
11:03:22	EFT WITH BUILDING MANAGEMENT
12:18:30	FIRE INVESTIGATION
12:18:32	** Event F4060429 has been reopened at: 07/10/24 12:18:32
12:18:34	** LOI search completed at 07/10/24 12:18:34
12:18:53	Pager used to Initiate Alerting.
12:18:55	ALERTING_COMPLETED FIAUCKL02
12:18:56	ALERTING_COMPLETED FIAUCKL02
12:19:40	Unit FIAUCKL02 [ K1 : PROCEEDING TO INCIDENT]
13:11:59	Unit FIAUCKL02 [ K2 : IN ATTENDANCE AT INCIDENT]
13:56:59	Alarm Timer Extended: 0
14:54:55	Unit FIAUCKL02 [ K4 : ON RT INSIDE NORMAL TURNOUT AREA]
14:56:16	Unit FIAUCKL02 [COMCEN COM : MESSAGE] - MANUAL TIME ENTERED 07/10/24 14:56:12 SC
14:56:16	ENE HANDED BACK TO PRIVATE INVESTIGATOR AND ...
15:07:46	COMCEN COM MESSAGE ABOVE MEANT TO BE A SITREP

## Incident

**CAD Number** F4060429  
**Incident Reporter** [REDACTED]  
**Incident Controller**  
**Distance Travelled (km)**  
**Delay In Receiving Call**

## Property Details

**Occupant** Spark Arena  
**Building Owner**  
**General Property Use** Commercial - not classified above  
**Special Property Use** Storage: Mineral product - not classified above  
**Purpose Group**

## Actions

### Persons Reported

Trapped

Evacuation Status Fully evacuated

Action Prior 1

Action Prior 2

Action Taken Extinguishment, salvage and ventilation

## Civilians

Civilians Rescued 0

Civilians Extricated 0

Civilians Assisted 0

Civilians Evacuated 0

## Origin

Location Garage, Carport, Vehicle storage, Storage Shed

Level Ground level

## Equipment Used

Quantity	Equipment
1	Hose reel, high pressure delivery
1	Low pressure delivery
1	Thermal Imaging Camera (TIC)

## Equipment Involved

Equipment Involved

Year

Make

Model

## Fire

Arrival Condition Totally involved fire

Heat Source Unable to classify

Termination Stage

First Object Ignited

First Object Material

Second Object Ignited

Second Object Material

Indicated Cause Unable to classify

Certainty of Cause Low

**Age of Person**

**Ethnicity**

**Gender**

**FAIP Service Offered**      Unknown

---

**Mobile**

**Vehicle Type**              Car, Taxi, Ambulance

**Licence Plate**

**Year**

**Make**                      Nissan

**Model**                     Juke

**Vehicle Type**              Car, Taxi, Ambulance

**Licence Plate**

**Year**

**Make**                      Mercedes- Benz

**Model**                     Sedan

Released Under the Official Information Act

**Exposure Number 1**

**Incident Type** 1201: Mobile Property Fire  
**Address** Auckland Central  
**Distance Exposure Travelled**  
**Surface Material of Exterior Wall**  
**Construction Material of Roof**  
**Method of Heat Transfer**

**Property Details**

**Occupant**  
**Building Owner**  
**General Property Use** Commercial - not classified above  
**Special Property Use** Storage: Concrete block, Tile, Building material  
**Purpose Group**

**Actions**

**Persons Reported Trapped**  
**Evacuation Status**  
**Action Prior 1**  
**Action Prior 2**  
**Action Taken** Extinguishment, salvage and ventilation

**Civilians**

<b>Civilians Rescued</b>	0
<b>Civilians Extricated</b>	0
<b>Civilians Assisted</b>	0
<b>Civilians Evacuated</b>	0

**Origin**

**Location**  
**Level**

**Equipment Used**

Quantity	Equipment
1	Hose reel, high pressure delivery
1	Low pressure delivery
1	Thermal Imaging Camera (TIC)



---

### Equipment Involved

---

Equipment Involved

Year

Make

Model

---

### Mobile

---

**Vehicle Type** Car, Taxi, Ambulance

**Licence Plate**

Year

**Make** Mercedes- Benz

**Model** Sedan

**Exposure Number 2**

**Incident Type** 1201: Mobile Property Fire  
**Address** Auckland Central  
**Distance Exposure Travelled**  
**Surface Material of Exterior Wall**  
**Construction Material of Roof**  
**Method of Heat Transfer**

**Property Details**

**Occupant**  
**Building Owner**  
**General Property Use** Commercial - not classified above  
**Special Property Use** Storage: Concrete block, Tile, Building material  
**Purpose Group**

**Actions**

**Persons Reported Trapped**  
**Evacuation Status**  
**Action Prior 1**  
**Action Prior 2**  
**Action Taken** Extinguishment, salvage and ventilation

**Civilians**

**Civilians Rescued** 0  
**Civilians Extricated** 0  
**Civilians Assisted** 0  
**Civilians Evacuated** 0

**Origin**

**Location**  
**Level**

**Equipment Used**

Quantity	Equipment
1	Hose reel, high pressure delivery
1	Low pressure delivery
1	Thermal Imaging Camera (TIC)

---

### Equipment Involved

---

Equipment Involved

Year

Make

Model

---

### Mobile

---

Vehicle Type Car, Taxi, Ambulance

Licence Plate

Year

Make Nissan

Model Juke

### Comments

10/6/2024 2:35:02 PM

Reporter Comments

---

Fully involved fire in storage shed, that spread to two motor vehicles parked adjacent to it, near the entrance. Undetermined cause, requested fire investigator.

