

SMS Incident Report

10/02/2025 16:17:20

Summary

CAD Number F4123512 **Status** Closed

Station Manurewa Station

Incident Started 08/01/2025 10:26:57 **Incident Ended** 08/01/2025 13:45:05

Incident Type 1599: Other Fire - not classified above

Common Name PHOENIX RECYCLING GROUP TAKANINI

Address / Takanini

Alarm Method 111 Telephone **Alarm Level** 1

PFA Number

Zone 143008

Map Grid E 1769976 **Map Grid N** 5899714


First Caller 9(2)a **First Caller Contact** 9(2)a

Incident Closed 08/01/2025 13:45:05

Report Completed 16:2, Wed 08 Jan 2025 by Out of Scope

Responses

Call Sign	Type	Station Alert	Enroute Time	Arrival Time	Departed
MANU301	P1	10:27:46 08 Jan 2025	10:28:03 08 Jan 2025	10:34:15 08 Jan 2025	13:03:25 08 Jan 2025
PAPA387	PR	10:28:09 08 Jan 2025	10:29:35 08 Jan 2025	10:35:28 08 Jan 2025	12:55:46 08 Jan 2025
PAPA344	PM	10:52:25 08 Jan 2025	10:53:22 08 Jan 2025	11:02:01 08 Jan 2025	12:35:23 08 Jan 2025
ACCOUMA02	OF	10:56:23 08 Jan 2025	10:56:58 08 Jan 2025	11:06:07 08 Jan 2025	12:27:28 08 Jan 2025
OTAH311	P1	11:14:59 08 Jan 2025	11:15:05 08 Jan 2025	11:40:01 08 Jan 2025	11:52:57 08 Jan 2025
OTAH3112	HL	11:15:46 08 Jan 2025	11:26:10 08 Jan 2025	11:44:16 08 Jan 2025	11:53:44 08 Jan 2025
AUCKOSU3	SV	11:25:31 08 Jan 2025	11:25:34 08 Jan 2025	11:47:39 08 Jan 2025	13:09:01 08 Jan 2025



Alert->1st
Arrival

Elapsed Times

Call Sign	Start To Alert	Alert To Arrival	Start To Arrival	Start To Departed
MANU301	00:00:49	00:06:29	00:07:18	02:36:28
PAPA387	00:01:12	00:07:19	00:08:31	02:28:49
PAPA344	00:25:28	00:09:36	00:35:04	02:08:26
ACCOUMA02	00:29:26	00:09:44	00:39:10	02:00:31
OTAH311	00:48:02	00:25:02	01:13:04	01:26:00
OTAH3112	00:48:49	00:28:30	01:17:19	01:26:47
AUCKOSU3	00:58:34	00:22:08	01:20:42	02:42:04

Notifications

Date	Time	Party Notified
08 Jan 2025	10:32:24	JTOC CONFIRM FIRE - CAMERA 396
08 Jan 2025	10:33:25	EVENT COPIED TO POLICE
08 Jan 2025	10:40:44	DUTY GMS AND GM COUNTIES MANUKAU GROUP PAGED FYI
08 Jan 2025	10:41:29	ACCOUMA05 <small>Out of Scope</small> ACKNOWLEDGED VIA AMS
08 Jan 2025	10:41:43	ACAUCKL03 <small>Out of Scope</small> ACKNOWLEDGED VIA AMS
08 Jan 2025	10:42:42	ACCOUMA01 <small>Out of Scope</small> ACKNOWLEDGED VIA AMS
08 Jan 2025	10:44:34	ACWAITE02 <small>Out of Scope</small> ACKNOWLEDGED VIA AMS
08 Jan 2025	10:52:37	UPDATED SITREP PAGED TO DUTY GMS AND GM COUNTIES MANUKAU GROUP
08 Jan 2025	10:52:45	ACCOUMA03 <small>Out of Scope</small> ACKNOWLEDGED VIA AMS
08 Jan 2025	11:02:18	TRAIN CONTROL HOLDING
08 Jan 2025	11:03:27	TRAIN CONTROL ADVISE NO TRAINS RUNNING BUT THEY HAVE WORKERS IN THE AREA AND
08 Jan 2025	12:38:52	TRAIN CONTROL WITH AN UPDATE

Message Log

Time	Message
10:27:28	https://web.pcl.govt.nz/?ecn=9(2)a
10:27:29	** LOI search completed at 08/01/25 10:27:29
10:27:30	INC INFO: RUBBISH FIRE
10:27:41	** Recommended unit MANU301 for requirement PUMP (>2.7 km)
10:27:43	MSU Selcal used to Initiate Alerting. (MANU301 D0FE22)
10:27:46	ALERTING_COMPLETED MANU301
10:28:02	** Requirement PUMP added for alarm level 1
10:28:03	Unit MANU301 [K1 : PROCEEDING TO INCIDENT]

10:28:04 ** Recommended unit PAPA387 for requirement PUMP (>3.7 km)

10:28:06 PA Selcal used to Initiate Alerting. (PAPA387 at 1438 PAPAKURA 182381)

10:28:09 ALERTING_COMPLETED PAPA387

10:28:10 CAUSED BY A BATTERY - OUTSIDE - NOT BIG AT THIS STAGE

10:29:35 Unit PAPA387 [K1 : PROCEEDING TO INCIDENT]

10:30:25 9(2)a [REDACTED] REPORTS LOTS OF SMOKE - NO REAL FLAMES TO SPEAK OF

10:31:05 ** Requirement PUMP removed for alarm level 1

10:31:09 ** Requirement PUMP added for alarm level 1

10:31:16 ** Requirement PUMP removed for alarm level 1

10:31:25 ** Requirement PUMP added for alarm level 1

10:31:28 ** Requirement PUMP added for alarm level 1

10:31:31 ** Requirement PUMP removed for alarm level 1

10:31:33 ** Requirement PUMP removed for alarm level 1

10:32:24 Unit MANU301 [COMCEN COM : MESSAGE] 3 CALLS RX HYDRANT O/S 18 RANGI

10:32:36 JTOC CONFIRM FIRE - CAMERA 396

10:33:01 VISBALE ON CAMERA - VERY LARGE AMOUNT OF THICK BLACK SMOKE

10:33:25 FIRE ADVISE DCC - REQUEST JOB TO BE SENT

10:33:25 ** Event P061216161 of NZP/UK copied from F4123512 of NZFS/AK at: 08/01/25 10:33

10:33:25 :25

10:33:28 ** Sending F4123512 to Police was blocked due to prior copy

10:33:50 FIR2POL OUR JOB - DCC ADVISED

10:34:16 Unit MANU301 [K99 : PROPERTY FIRE WELL INVOLVED]

10:35:28 Unit PAPA387 [K2 : IN ATTENDANCE AT INCIDENT]

10:35:44 Unit MANU301 [KC : UNIT CALLING]

10:36:27 Unit MANU301 [SITREP :] K99

10:38:45 Unit MANU301 [KC : UNIT CALLING]

10:39:44 Unit MANU301 [SITREP :] SFF [Out of Scope] 1 LOW VALUE SCRAP METAL FIRE 1 DECK
MONIT

10:39:44 OR IN USE

10:40:00 Unit MANU301 [COMCEN COM : MESSAGE] DO U REQ POWER AUTH? [NEG]

10:46:23 ** Cross Referenced to Event # F4123527 at: 08/01/25 10:46:23

10:51:01 Unit MANU301 [KP : PRIORITY MESSAGE]

10:51:29 Unit MANU301 [KP : PRIORITY MESSAGE] ATTACH 344 TO ASSISTANCE FOR SCRAP
METAL F

10:51:29 IRE APPROX 5 X 5 METERS

10:52:09 INC INFO: SCRAP METAL FIRE - MK P3

10:52:22 PA Selcal used to Initiate Alerting. (PAPA344 at 1434 PAPATOETOE 182347)

10:52:25 ALERTING_COMPLETED PAPA344

10:53:22 Unit PAPA344 [K1 : PROCEEDING TO INCIDENT]

10:56:22 Pager used to Initiate Alerting.

10:56:23 ALERTING_COMPLETED ACCOUMA02
10:56:23 ALERTING_COMPLETED ACCOUMA02
10:56:58 Unit ACCOUMA02 [K1 : PROCEEDING TO INCIDENT]
10:58:03 ACCOUMA01 (AC **Out of Scope**) ACK, DETAILS PASSED, MONITORING
10:58:57 POLICE WOULD LIKE TO KNOW IF ITS SAFE TO KEEP THE ON RAMP OPEN AT THIS TIME OR I
10:58:57 F IT NEEDS TO BE CLOSED
11:00:10 **9(2)a** CONCERNED ABOUT THE BLACK SMOKE BEING TOXIC - ADV TO CLOSE THEIR WINDOWS
11:00:10 AND STAY INDOORS. ADV IF CREWS ARE CONCERNED ABOUT SMOKE FOR RESIDENTS A EMA WIL
11:00:10 L BE SENT OUT
11:00:30 Unit PAPA344 [COMCEN COM : MESSAGE] POLICE WOULD LIKE TO KNOW IF ITS SAFE TO KEE
11:00:30 P THE ON RAMP OPEN AT THIS TIME OR IF IT NEEDS TO BE CLOSED
11:00:48 Unit PAPA344 [SITREP :] NO CLOSURES ARE NECESSARY
11:01:01 FIR2POL BRIGADE ADVISE NO RAMP CLOSURES ARE NECESSARY
11:02:01 Unit PAPA344 [K2 : IN ATTENDANCE AT INCIDENT]
11:03:27 WILL ADVISE THEM
11:03:47 Unit MANU301 [KC : UNIT CALLING]
11:04:26 Unit MANU301 [SITREP :] 1 DECK MONITOR IN USE FOAM IN USE
11:06:07 Unit ACCOUMA02 [K2 : IN ATTENDANCE AT INCIDENT]
11:12:32 Unit MANU301 [KC : UNIT CALLING]
11:13:01 Unit MANU301 [SITREP :] MK HL 1 TO PARK UP ON ENTRANCE OF RANGI STREET FOR FUR
11:13:01 THER INSTRUCTION
11:13:33 INC INFO: SCRAP METAL FIRE - MK HL 1
11:14:30 Alarm Timer Extended: 0
11:14:56 Phone used to Initiate Alerting.
11:14:56 MSU Selcal used to Initiate Alerting. (OTAH311 D0FE42)
11:14:59 ALERTING_COMPLETED OTAH311
11:15:05 Unit OTAH311 [K1 : PROCEEDING TO INCIDENT]
11:15:46 ALERTING_COMPLETED OTAH3112
11:16:04 Alarm Timer Extended: 0
11:20:14 Unit MANU301 [KC : UNIT CALLING]
11:20:25 Unit PAPA387 [KC : UNIT CALLING]
11:20:45 Unit MANU301 [SITREP :] TRANSITIONED TO AERIAL WATER ATTACK
11:21:06 Unit PAPA387 [SITREP :] INFORM OTAH3112 FF AT THE CORNER OF WESTBROOK AND RANG
11:21:06 I
11:25:30 Pager used to Initiate Alerting.
11:25:31 ALERTING_COMPLETED AUCKOSU3
11:25:34 Unit AUCKOSU3 [K1 : PROCEEDING TO INCIDENT]

11:25:42	Unit AUCKOSU3 [K1 : PROCEEDING TO INCIDENT]
11:26:10	Unit OTAH3112 [K1 : PROCEEDING TO INCIDENT]
11:40:01	Unit OTAH311 [K2 : IN ATTENDANCE AT INCIDENT]
11:44:16	Unit OTAH3112 [K2 : IN ATTENDANCE AT INCIDENT]
11:46:21	Unit MANU301 [KC : UNIT CALLING]
11:47:24	Unit MANU301 [SITREP :] FIRE AND OVERHAUL MODE - SCRAP PILE BEING DISMANTLED B
11:47:24	Y ON SITE HEAVY MACHINERY ONE HPD DAMPLING DOWN HOT SPOTS
11:47:40	Unit AUCKOSU3 [K2 : IN ATTENDANCE AT INCIDENT]
11:52:57	Unit OTAH311 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
11:53:44	Unit OTAH3112 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
11:54:32	Alarm Timer Extended: 0
11:54:33	Alarm Timer Extended: 0
12:23:38	Unit PAPA387 [K22-1 : APPLIANCE AVAILABLE FOR A FURTHER INCIDENT]
12:23:50	Unit MANU301 [KC : UNIT CALLING]
12:24:51	Unit MANU301 [SITREP :] FIRE EXTINGUISHED - 301 WILL REMAIN ON SCENE FOR HOT S
12:24:51	POTS AND COMPLETION OF OVERHAUL
12:27:28	Unit ACCOUMA02 [K6 : ON PAGER (STATE LOCATION)]
12:30:42	Alarm Timer Extended: 0
12:35:23	Unit PAPA344 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
12:55:46	Unit PAPA387 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
13:03:25	Unit MANU301 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
13:06:23	Unit MANU301 [STOP : MESSAGE] - MANUAL TIME ENTERED 08/01/25 13:06:02 INCIDENT
13:06:23	HANDED OVER TO MANAGEMENT
13:09:01	Unit AUCKOSU3 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

Incident

CAD Number F4123512

Incident Reporter **Out of Scope**

Incident Controller

Distance Travelled (km)

Delay In Receiving Call

Property Details

Occupant

Building Owner

General Property Use Industrial, Manufacturing

Special Property Use Car wrecker, Scrapyard

Purpose Group**Actions****Persons Reported Trapped****Evacuation Status****Action Prior 1****Action Prior 2****Action Taken** Extinguishment only: Includes isolating fuel/power**Civilians****Civilians Rescued** 0**Civilians Extricated** 0**Civilians Assisted** 0**Civilians Evacuated** 0**Origin****Location****Level****Equipment Used**

Quantity	Equipment
1	Aerial Ladder/Platform
1	Monitor
1	Hose reel, high pressure delivery

Equipment Involved**Equipment Involved****Year****Make****Model****Fire****Arrival Condition** Totally involved fire**Heat Source** Outside fire - unable to classify**Termination Stage****First Object Ignited****First Object Material****Second Object Ignited****Second Object Material**

Indicated Cause Unable to classify
Certainty of Cause High
Age of Person
Ethnicity
Gender
FAIP Service Offered Unknown

Comments

1/8/2025 4:02:19 PM

Reporter Comments

Phoenix Recycling Takanini.

Large pile of metal scrap including car parts well involved upon arrival. Contained to 2 areas approx. 10m x 10m each. Damage to stacked containers.

Tactics included deck monitor and transitioned to aerial attack in conjunction with onsite machinery used to infiltrate the pile.

It is undetermined but ;likely a battery had caused ignition despite stringent processes in place.

Out of Scope