

Fire and Emergency New Zealand Incident Report


CADNumber F4483401 Start Date Time 12 June 2026 19:15:33

Incident Details

Type: STRU 1st Caller:
Method: PFA
PFA: 414384
Result:
Location: UNKN2118 STEWART DUFF DR, RONGOTAI, WELLINGTON CITY NZTM: E 1751606 N 5423115
Common Name: WELLINGTON INTERNATIONAL AIRPORT MAIN TERMINAL
Zone: 292424 Station: 2924 KILBIRNIE
Incident Info: FIRE IN SOUTH WEST PIER TX 4TH ALARM MAKE AQUAVAC 1

Incident History

Created: 19:15:33 12 Jun 2026 Elapsed Time (hh:mm:ss)
Confirmed: 19:15:33 12 Jun 2026 00:00:00
Alerted: 19:15:46 12 Jun 2026 00:00:13
1st Response: 19:15:53 12 Jun 2026 00:00:20
1st Arrival: 19:23:07 12 Jun 2026 00:07:34
2nd Arrival: 19:24:49 12 Jun 2026 00:09:16
3rd Arrival: 19:30:36 12 Jun 2026 00:15:03
Stop:
Closed: 12:45:04 13 Jun 2026 17:29:31



Responses

Alarm Level	Call Sign	Dispatched		Response Time	Arrival Time	Departed	
		Day	Time			Day	Time
4	KILB241	12	19:15:49	19:17:31	19:23:07	12	22:56:09
4	NEWT221	12	19:15:46	19:15:53	19:24:49	12	23:01:16
4	WELL211	12	19:21:39	19:22:11	19:30:36	12	22:55:45
4	WELL2118	12	19:23:34	19:25:25	19:33:51	12	23:08:52
4	NEWT225	12	19:21:36	19:22:51	19:34:15	12	23:01:20
4	THOR231	12	19:22:43	19:23:40	19:34:57	12	23:11:34
4	BROO257	12	19:23:39	19:24:36	19:35:31	12	22:55:59

4	KARO261	12	19:23:42	19:25:17	19:38:11	12	23:01:55
4	KILB2426	12	19:23:34	19:39:03	19:47:46	13	11:58:37
4	KILB2427	12	19:47:33	19:48:22	19:50:59	12	22:55:07
4	REMU4915	12	19:23:37	19:25:19	20:02:42	12	22:56:25
4	JOHN281	12	19:58:20	19:59:03	20:05:49	12	21:57:19
4	JOHN287	12	19:58:17	20:00:23	20:06:18	12	23:12:01
4	THOR235	12	20:02:03	20:03:11	20:12:00	12	22:07:42
4	ACWELLI06	12	20:03:39	20:06:51	20:25:59	12	23:11:47
4	ACWELLI04	12	19:59:29	20:00:05	20:32:17	12	23:11:41
4	FIWELLI05	13	05:56:07	20:07:46	20:42:38	13	11:56:44
4	AVAL411	12	20:50:05	20:52:34	21:00:23	12	22:08:19
4	PORI311	12	20:50:08	20:51:25	21:06:24	12	21:57:06
4	CDWELLI	12	21:01:30	21:02:02	21:20:47	12	23:09:55
4	VSOWELLI04	12	22:16:33	22:16:39	23:35:19	12	23:50:01
4	FIWELLI01	13	07:15:37	07:15:43	07:37:34	13	11:56:48

Cover Moves

Call Sign	Start Time	End Time
AVAL411	12 19:29:23	12 20:07:22
AVAL411	12 20:07:33	12 22:08:19
JOHN281	12 19:27:45	12 21:57:20
JOHN287	12 19:26:26	12 23:12:02
NEWL291	12 20:07:07	12 20:54:13
NEWL291	12 20:54:22	12 22:35:19
PORI311	12 20:08:27	12 21:57:43
PORI311	12 21:57:53	13 00:06:29
PORI312	12 21:00:19	12 21:00:35
PORI312	12 21:00:49	12 23:36:49
PORI317	12 20:59:22	12 23:48:17
TAWA331	12 20:07:25	12 20:55:01
TAWA331	12 20:55:12	12 22:34:19
TITA341	12 20:58:56	12 23:46:49

Notifications

Date	Party Notified
19:18:01	AMBULANCE VIA INTERCAD
19:18:02	EVENT COPIED TO POLICE
19:21:08	FROM FIRE IN SOUTH WEST PIER WELLINGTON AIRPORT MAKE SECOND ALARM
19:22:06	ACWELLI04 RE 2ND ALARM
19:22:35	ACWELLI04 Out of Scope ACKNOWLEDGED VIA AMS
19:24:02	ACWELLI04 CALLS IN TO ACK PAGE WILL MONITOR
19:53:04	POWERCO GAS
19:53:18	WELLINGTON ELECTRICITY

19:59:13 ACWELLI04 RE 3RD ALARM
 19:59:27 ACWELLI04 Out of Scope ACKNOWLEDGED VIA AMS
 19:59:44 PAGED FI WELLINGTON RE 3RD ALARM NOT
 19:59:57 DISTRICT HUTT/WGTN/WAIRARAPA
 20:00:00 FIWELLI05 Out of Scope ACKNOWLEDGED VIA AMS
 20:00:16 EQPTEUPO01 Out of Scope ACKNOWLEDGED VIA AMS
 20:00:17 ACWELLI06 Out of Scope ACKNOWLEDGED VIA AMS
 20:00:21 ACWELLI06 Out of Scope ACKNOWLEDGED VIA AMS
 20:00:27 EQPTEUPO02 Out of Scope ACKNOWLEDGED VIA AMS
 20:00:29 EQUIPMENT TE UPOKO GROUP
 20:00:42 CDWELLI Out of Scope ACKNOWLEDGED VIA AMS
 20:00:46 CA2DCEAPD Out of Scope ACKNOWLEDGED VIA AMS
 20:00:51 ACWELLI13 Out of Scope RE 3RD ALARM
 20:01:05 ACWELLI13 Out of Scope ACKNOWLEDGED VIA AMS
 20:01:17 ACWELLI13 Out of Scope ACKNOWLEDGED VIA AMS
 20:01:31 ACWELLI08 Out of Scope ACKNOWLEDGED VIA AMS
 20:01:38 REGION TE UPOKO RE 3RD ALARM
 20:01:43 CDWELLI Out of Scope ACKNOWLEDGED VIA AMS
 20:02:22 NATIONAL MEDIA SUPPORT RE 3RD ALARM
 20:02:45 NTLMEDIA3 Out of Scope ACKNOWLEDGED VIA AMS
 20:03:55 AC Out of Scope CALLS IN WILL RESPOND TO INCIDENT
 20:06:02 GREATER WELLINGTON REGIONAL COUNCIL RE POLLUTION CONTROL OFFICER
 20:06:33 ACWELLI04 Out of Scope CALLS IN FOR UPDATE
 20:07:17 WATER ENGINEER
 20:08:23 WATER ENGINEER VM LEFT
 20:09:11 EQPTEUPO03 Out of Scope ACKNOWLEDGED VIA AMS
 20:15:02 EQPTEUPO03 Out of Scope ACKNOWLEDGED VIA AMS
 20:16:04 FIWELLI05 CALLS IN VIA PHONE. WHAT IS THE BEST ACCESS? (CRASH FIRE, GATE A, B Y
 THE OLD AIRPORT FIRE STATION)
 20:17:18 EQPTEUPO02 Out of Scope ACKNOWLEDGED VIA AMS
 20:21:14 WELLINGTON ELECTRICTY FOR ETA
 20:22:00 CA2DCEAPD Out of Scope ACKNOWLEDGED VIA AMS
 20:22:26 WELLINGTON ELECTRICTY - ETA 15 TO 20 MINS
 20:50:39 NATIONAL COMMANDERS GROUP RE 4TH ALARM
 20:52:25 ANCTEUPO Out of Scope ACKNOWLEDGED VIA AMS
 20:54:08 Out of Scope CALLS IN AS ON CALL NAT COMMANDER
 20:54:46 DISTRICT WGTN RE 4TH ALARM
 20:55:19 ACWELLI08 Out of Scope ACKNOWLEDGED VIA AMS
 20:55:24 REGION TE UPOKO RE 4TH ALARM
 20:55:26 CDWELLI Out of Scope ACKNOWLEDGED VIA AMS
 20:55:38 CDWELLI Out of Scope ACKNOWLEDGED VIA AMS
 20:55:45 CDWELLI Out of Scope ACKNOWLEDGED VIA AMS
 20:55:54 ACWELLI13 Out of Scope ACKNOWLEDGED VIA AMS
 20:56:18 NATIONAL MEDIA SUPPORT RE 4TH ALARM
 20:56:44 NTLMEDIA3 Out of Scope ACKNOWLEDGED VIA AMS
 20:57:00 OM CENTRAL (Out of Scope) RE 4TH ALARM
 20:58:12 CENTCOM1 Out of Scope ACKNOWLEDGED VIA AMS

21:02:30 CD [Out of Scope] CALLS IN AS ON CALL DISTRICT TE UPOKO AND WILL RESPOND
 21:03:47 AC [Out of Scope] CALLS IN CONFIRMING HE WILL COVER WGTN AND HUTT/WAIRARAPA
 21:06:06 CENTCOM1 [Out of Scope] ACKNOWLEDGED VIA AMS
 21:12:25 OPS [Out of Scope] CALLS IN DETAILS PASSED
 21:21:56 FIWELL05 GOING K4 - NOTHING CAN BE DONE UNTIL THE FIRE FIGHTING IS DONE
 22:03:06 VSO PAGED GEAR REPLACEMENT FOR JOHN281
 22:05:47 VSO WELL CALLS IN VIA PHONE. DETAILS PASSED
 22:11:16 AVAL411 TO CITY STATIN AND RELIEVE TAWA331
 22:29:02 FIWELL05 CALLS IN VIA PHONE. REQUESTS A PAGE AT 0600 13/06 TO RESPOND TO THE AIRPORT FIRE JOB
 22:48:51 VSO WELLINGTON TO CALL AIRPORT COMMAND
 22:49:54 VSOWELLI04 [Out of Scope] ACKNOWLEDGED VIA AMS
 22:50:02 VSOWELLI04 [Out of Scope] ACKNOWLEDGED VIA AMS
 22:53:50 FIWELL05 CALLS IN VIA PHONE. REQ TO BE TRANSFERED TO AIRPORT OPS (AFFIRM)

Message Log

Time	Message
19:15:33	AL: 414384 19:15:33 INITIAL - ALARM
19:15:33	PANEL: MAIN TERMINAL BUILDING SVR
19:15:33	** LOI search completed at 12/06/26 19:15:33
19:15:38	** PFA/CPN search completed
19:15:39	** PFA/CPN search completed
19:15:40	** Recommended unit KILB241 for requirement PUMP (>1.4 km)
19:15:40	** Recommended unit NEWT221 for requirement PUMP (>3.7 km)
19:15:43	Unit KILB241 alerting initiated by Station PA (KILBIRNIE 188241)
19:15:43	Unit NEWT221 alerting initiated by Vehicle Radio (D0FD22)
19:15:46	Unit NEWT221 alerting completed successfully
19:15:49	Unit KILB241 alerting completed successfully
19:15:53	Unit NEWT221 [K1 : PROCEEDING TO INCIDENT]
19:17:31	Unit KILB241 [K1 : PROCEEDING TO INCIDENT]
19:17:42	Unit KILB241 [K1 : PROCEEDING TO INCIDENT]
19:17:52	AES REAL EMERGENCY: SMOKE ALARM ACTIVATION (PFA) LVL 2 - SOUTH WEST
19:17:59	** Event A01440978 of AMBO/N copied from F4483401 of NZFS/WN at: 12/06/26 19:17:
19:17:59	59
19:18:00	AMBO EVENT 0357-2-2026/06/12-FIR LINKED AT 12/06/2026 19:18:00
19:18:00	** Event P066686113 of NZP/WL copied from F4483401 of NZFS/WN at: 12/06/26 19:18
19:18:00	:00
19:18:17	***** Privacy filter – refer to footer *****
19:18:21	***** Privacy filter – refer to footer *****
19:18:23	FIR2POL FIR2AMB FYI
19:18:46	FIR2POL FIR2AMB FIRE ALARM ACTIVATION AT WELLINGTON AIRPORT MAIN TERMINAL
19:19:06	AL: PAGING ACK TIMED OUT FOR STATION: 2924 at 12-06-26 19:19:06
19:19:19	***** Privacy filter – refer to footer *****
19:19:20	***** Privacy filter – refer to footer *****

19:19:27 ***** Privacy filter – refer to footer *****

19:19:27 ***** Privacy filter – refer to footer *****

19:19:28 ***** Privacy filter – refer to footer *****

19:19:28 ***** Privacy filter – refer to footer *****

19:19:31 ***** Privacy filter – refer to footer *****

19:19:43 ***** Privacy filter – refer to footer *****

19:20:00 HYDRANT IN THE MAIN TERMINAL SOUTH CAR PARK ON 200 MM MAIN

19:20:37 ** Event Type changed from SPRNKLR to STRU at: 12/06/26 19:20:37

19:21:23 ***** Privacy filter – refer to footer *****

19:21:23 ** Sending F4483401 to Ambulance was blocked due to prior copy

19:21:23 ** Sending F4483401 to Police was blocked due to prior copy

19:21:26 ** Recommended unit NEWT225 for requirement AERIAL (>2.8 km)

19:21:26 ** Recommended unit WELL211 for requirement PUMP (>4.6 km)

19:21:30 ***** Privacy filter – refer to footer *****

19:21:33 Unit NEWT225 alerting initiated by Station PA (NEWTOWN 188221)

19:21:33 Unit WELL211 alerting initiated by Station PA (WELLINGTON CITY 188211)

19:21:36 Unit NEWT225 alerting completed successfully

19:21:39 Unit WELL211 alerting completed successfully

19:22:11 Unit WELL211 [K1 : PROCEEDING TO INCIDENT]

19:22:16 FIR2POL FIR2AMB REPORTS OF FIRE IN SOUTH WEST PIER FROM CRASH FIRE AT WGTN AIR PORT

19:22:16 PORT

19:22:29 ** Requirement PPV added for alarm level 1

19:22:29 FIR2POL FIR2AMB THIS IS NOW AT 2ND ALARM

19:22:31 ** Recommended unit THOR231 for requirement ADHOC PPV (>6.4 km)

19:22:40 Unit THOR231 alerting initiated by Station PA (THORNDON 188231)

19:22:43 Unit THOR231 alerting completed successfully

19:22:51 Unit NEWT225 [K1 : PROCEEDING TO INCIDENT]

19:22:56 Unit NEWT225 [K1 : PROCEEDING TO INCIDENT]

19:23:02 INC INFO: FIRE IN SOUTH WEST PIER TX 2ND ALARM

19:23:07 Unit KILB241 [K88 : PROPERTY FIRE APPARENTLY SMALL]

19:23:23 ** Alarm level updated to 2

19:23:23 ** Recommended unit WELL2118 for requirement COMU (>4.6 km)

19:23:23 ** Recommended unit REMU4915 for requirement BAT (>32.0 km)

19:23:23 ** Recommended unit KILB2426 for requirement SUPPT (>1.4 km)

19:23:23 ** Recommended unit BROO257 for requirement PUMP (>4.8 km)

19:23:23 ** Recommended unit KARO261 for requirement PUMP (>7.4 km)

19:23:30 Unit WELL2118 alerting initiated by Station PA (WELLINGTON CITY 188211)

19:23:30 Unit REMU4915 alerting initiated by Station PA (REMUTAKA 188491)

19:23:30 Unit KILB2426 alerting initiated by Pager

19:23:31 Unit BROO257 alerting initiated by Station PA (BROOKLYN 188251)

19:23:31 Unit KARO261 alerting initiated by Station PA (KARORI 188261)

19:23:34 Unit WELL2118 alerting completed successfully

19:23:35 Unit KILB2426 alerting completed successfully
 19:23:35 Unit KILB2426 alerting completed successfully
 19:23:37 Unit REMU4915 alerting completed successfully
 19:23:39 Unit BROO257 alerting completed successfully
 19:23:40 Unit THOR231 [K1 : PROCEEDING TO INCIDENT]
 19:23:42 Unit KARO261 alerting completed successfully
 19:24:18 ***** Privacy filter – refer to footer *****
 19:24:36 Unit BROO257 [K1 : PROCEEDING TO INCIDENT]
 19:24:36 Unit NEWT225 [KC : UNIT CALLING]
 19:24:49 Unit NEWT221 [K2 : IN ATTENDANCE AT INCIDENT]
 19:25:09 WELLINGTON OSU - 90 SECONDS AMS CREW THRESHOLD NOT MET - 4 TOTAL - 0 DRIVER,
 3 C
 19:25:09 REW, 1 OFFICER
 19:25:17 Unit KARO261 [K1 : PROCEEDING TO INCIDENT]
 19:25:19 Unit REMU4915 [K1 : PROCEEDING TO INCIDENT]
 19:25:25 Unit WELL2118 [K1 : PROCEEDING TO INCIDENT]
 19:26:26 COVERING UNIT JOHN287 DISPATCHED TO STATION NEWTOWN AT 12/06/26 19:26:26
 19:26:56 AL: PAGING ACK TIMED OUT FOR STATION: 2924 at 12-06-26 19:26:56
 19:27:21 ** PFA/CPN search completed
 19:27:46 COVERING UNIT JOHN281 DISPATCHED TO STATION WELLINGTON CITY AT 12/06/26
 19:27:45
 19:27:50 ** Cross Referenced to Event # F4483412 at: 12/06/26 19:27:49
 19:27:53 Unit KARO261 [KC : UNIT CALLING]
 19:28:44 COVERING UNIT PORI311 DISPATCHED TO STATION JOHNSONVILLE AT 12/06/26 19:27:55
 >>
 19:29:11 Unit AVAL411 [K7 : AT NORMAL STATION]
 19:29:23 COVERING UNIT AVAL411 DISPATCHED TO STATION THORNDON AT 12/06/26 19:29:23
 19:30:05 ***** Privacy filter – refer to footer *****
 19:30:36 Unit WELL211 [K2 : IN ATTENDANCE AT INCIDENT]
 19:30:44 ***** Privacy filter – refer to footer *****
 19:30:44 ***** Privacy filter – refer to footer *****
 19:31:40 Unit KILB241 [KC : UNIT CALLING]
 19:32:24 Unit KILB241 [SITREP :] RESPONDING APPLIANCEFS TO PROCEED TO GATE A AT CRASH
 F
 19:32:24 IRE
 19:33:41 ** Cross Referenced to Event # F4483412 at: 12/06/2026 19:33:41
 19:33:51 Unit WELL2118 [K2 : IN ATTENDANCE AT INCIDENT]
 19:34:15 Unit NEWT225 [K2 : IN ATTENDANCE AT INCIDENT]
 19:34:55 ***** Privacy filter – refer to footer *****
 19:34:57 Unit THOR231 [K2 : IN ATTENDANCE AT INCIDENT]
 19:35:31 Unit BROO257 [K2 : IN ATTENDANCE AT INCIDENT]
 19:36:27 Unit WELL2118 [COMCEN COM : MESSAGE] CAN WE HAVE A SITREP WHEN AVAILABLE
 19:36:51 Unit NEWT221 [KC : UNIT CALLING]
 19:38:07 Unit NEWT221 [SITREP :] CAN WE GET A THIRD RESPONDING PUMNP TO COME TO
 AIRSIDE
 19:38:07 GATE A (KARO261 TO DO THIS)
 19:38:11 Unit KARO261 [K2 : IN ATTENDANCE AT INCIDENT]
 19:38:35 Unit KARO261 [SITREP :] COPY - AIRSIDE VIA GATE ALPHA

19:39:03 Unit KILB2426 [K1 : PROCEEDING TO INCIDENT]
 19:39:18 Unit KILB2426 [KC : UNIT CALLING]
 19:39:48 Unit KILB2426 [SITREP :] RESPONDING DRIVER AND 2
 19:41:43 Unit WELL2118 [COMCEN COM : MESSAGE] STILL AWAITING A SITREP (COPY GETTING ONE F
 19:41:43 OR YOU NOW)
 19:43:05 Unit WELL2118 [KC : UNIT CALLING]
 19:43:44 Unit KILB2426 [KC : UNIT CALLING]
 19:44:05 Unit WELL2118 [SITREP :] SSO 1 SMALL FIRE IN MACHINERY CURRENTLY 3 CREWS AT
 19:44:05 WO
 19:44:05 RK 2 IN BA WITH 2 DELIVERIES
 19:44:05 Unit KILB2426 [KC : UNIT CALLING]
 19:46:51 Unit KILB2426 [SITREP :] CAN WE HAVE SFP
 19:47:06 Unit KILB2426 [COMCEN COM : MESSAGE] GATE A CRASH FIRE (COPIED)
 19:47:32 Unit KILB2427 alerting initiated by Pager
 19:47:33 Unit KILB2427 alerting completed successfully
 19:47:33 Unit KILB2427 alerting completed successfully
 19:47:46 Unit KILB2426 [K2 : IN ATTENDANCE AT INCIDENT]
 19:48:22 Unit KILB2427 [K1 : PROCEEDING TO INCIDENT]
 19:50:57 AL: PAGING ACK TIMED OUT FOR STATION: 2924 at 12-06-26 19:50:57
 19:50:59 Unit KILB2427 [K2 : IN ATTENDANCE AT INCIDENT]
 19:51:00 ***** Privacy filter – refer to footer *****
 19:51:50 Unit NEWT221 [KC : UNIT CALLING]
 19:51:56 ***** Privacy filter – refer to footer *****
 19:52:17 Unit NEWT221 [K11E : ELECTRICAL AUTHORITY REQUIRED]
 19:52:29 Unit NEWT221 [K11G : GAS AUTHORITY REQUIRED]
 19:53:37 Unit WELL2118 [KC : UNIT CALLING]
 19:54:05 Unit WELL2118 [K44 : COMMAND OR CONTROL POINT ESTABLISHED (STATE OIC AND
 19:54:05 LOCATI
 19:54:05 ON)] AIRPORT COMMAND
 19:55:34 *****AIRPORT COMMAND*****
 19:55:56 ***** Privacy filter – refer to footer *****
 19:57:04 Unit NEWT221 [KP : PRIORITY MESSAGE]
 19:57:38 Unit NEWT221 [SITREP :] TXT 3RD ALARM ASSEMBLY AREA GATE A
 19:57:47 INC INFO: FIRE IN SOUTH WEST PIER TX 3RD ALARM
 19:57:58 INC INFO: FIRE IN SOUTH WEST PIER TX 3RD ALARM
 19:58:09 ** Alarm level updated to 3
 19:58:09 ** Recommended unit JOHN287 for requirement PUMP (>2.8 km)
 19:58:09 ** Recommended unit
 19:58:09 JOHN281 for requirement PUMP (>4.6 km)
 19:58:14 Unit JOHN287 alerting initiated by Station PA (NEWTOWN 188221)
 19:58:14 Unit JOHN281 alerting initiated by Station PA (WELLINGTON CITY 188211)
 19:58:17 Unit JOHN287 alerting completed successfully
 19:58:20 Unit JOHN281 alerting completed successfully
 19:59:03 Unit JOHN281 [K1 : PROCEEDING TO INCIDENT]
 19:59:26 Unit JOHN281 [COMCEN COM : MESSAGE] RESPOND TO GATE A
 19:59:29 ACWELLI04 Out of Scope K38 VIA AMS

19:59:29 Unit JOHN281 [KC : UNIT CALLING]
 20:00:00 Unit JOHN281 [COMCEN COM : MESSAGE] GATE A CRASH FIRE
 20:00:02 FIWELLI05 [Out of Scope] K38 VIA AMS
 20:00:05 Unit ACWELLI04 [K1 : PROCEEDING TO INCIDENT]
 20:00:18 Unit WELL2118 [KC : UNIT CALLING]
 20:00:23 Unit JOHN287 [K1 : PROCEEDING TO INCIDENT]
 20:00:24 FIR2AMB 3RD ALARM FIRE AT WELLINGTON AIRPORT. YOU RESPONSE REQUESTED
 20:01:01 Unit WELL2118 [SITREP :] CREWS TO GATE A OLD FIRE STATION
 20:01:03 Unit WELL2118 [KP : PRIORITY MESSAGE]
 20:01:35 Unit WELL2118 [KP : PRIORITY MESSAGE] MAKE AERIALS 1
 20:01:37 AL: PAGING ACK TIMED OUT FOR STATION: 2928 at 12-06-26 20:01:37
 20:01:37 AL: PAGING ACK TIMED OUT FOR STATION: 2928 at 12-06-26 20:01:37
 20:01:48 FIWELLI05 [Out of Scope] HAS RESPONDED VIA AMS - ETA 40 MINS (20:42)
 20:01:50 ** Requirement AERIAL added for alarm level 3
 20:01:56 ** Recommended unit THOR235 for requirement AERIAL (>4.6 km)

 20:02:00 Unit THOR235 alerting initiated by Station PA (WELLINGTON CITY 188211)
 20:02:03 Unit THOR235 alerting completed successfully
 20:02:07 .
 20:02:09 POWERCO GAS CALL BACK WITH ETA - 40 MINS
 20:02:10 .
 20:02:42 Unit REMU4915 [K2 : IN ATTENDANCE AT INCIDENT]
 20:03:11 Unit THOR235 [K1 : PROCEEDING TO INCIDENT]
 20:03:19 Unit JOHN287 [KC : UNIT CALLING]
 20:03:28 Unit JOHN281 [COMCEN COM : MESSAGE] GATE A OLD FIRE STATION
 20:03:29 Unit JOHN287 [COMCEN COM : MESSAGE] GATE A OLD FIRE STATION
 20:03:37 Unit ACWELLI06 alerting initiated by Pager
 20:03:39 Unit ACWELLI06 alerting completed successfully
 20:03:39 Unit ACWELLI06 alerting completed successfully
 20:04:04 Unit JOHN287 [STOP : MESSAGE] CONFIRM IS COMMAND CHANNEL HAS BEEN SET UP
 20:04:05 AS DISTRI
 20:04:30 Unit JOHN287 [COMCEN COM : MESSAGE] UNABLE TO CONFIRM IF COMMAND CHANNEL
 20:04:30 HAS BEE
 20:04:30 N SET UP
 20:04:43 ***** Privacy filter – refer to footer *****
 20:05:49 Unit JOHN281 [K2 : IN ATTENDANCE AT INCIDENT]
 20:05:52 ***** Privacy filter – refer to footer *****
 20:05:52 ***** Privacy filter – refer to footer *****
 20:06:19 Unit JOHN287 [K2 : IN ATTENDANCE AT INCIDENT]
 20:06:51 Unit ACWELLI06 [K1 : PROCEEDING TO INCIDENT]
 20:07:07 COVERING UNIT NEWL291 DISPATCHED TO STATION THORNDON AT 12/06/26 20:07:06
 20:07:07 AL: PAGING ACK TIMED OUT FOR STATION: 2948 at 12-06-26 20:07:07
 20:07:25 COVERING UNIT TAWA331 DISPATCHED TO STATION JOHNSONVILLE AT 12/06/26 20:07:25
 20:07:25 >>
 20:07:33 COVERING UNIT AVAL411 DISPATCHED TO STATION NEWTOWN AT 12/06/26 20:07:33
 20:07:46 Unit FIWELLI05 [K1 : PROCEEDING TO INCIDENT]
 20:07:55 ***** Privacy filter – refer to footer *****
 20:07:55 ***** Privacy filter – refer to footer *****

20:08:21 ***** Privacy filter – refer to footer *****

20:08:27 COVERING UNIT PORI311 DISPATCHED TO STATION WELLINGTON CITY AT 12/06/26
20:08:27

20:08:53 Alarm Timer Extended: 0

20:08:53 Alarm Timer Extended: 0

20:11:02 Alarm Timer Extended: 0

20:12:00 Unit THOR235 [K2 : IN ATTENDANCE AT INCIDENT]

20:14:59 Unit WELL2118 [KC : UNIT CALLING]

20:16:04 Y THE OLD AIRPORT FIRE STATION)

20:16:40 Unit WELL2118 [SITREP :] SSO Out of Scope 1 SMALL FIRE CONTINUES IN TERNMAL ATTACK

20:16:40 2 CREWS SUPPORTED BY AERIAL OPERATIONS EVACUATION OF AREA HAS BEEN COMPLETE

20:16:53 Alarm Timer Extended: 0

20:16:54 Alarm Timer Extended: 0

20:16:55 Alarm Timer Extended: 0

20:19:05 Alarm Timer Extended: 0

20:20:01 Unit WELL2118 [KC : UNIT CALLING]

20:20:30 Unit WELL2118 [SITREP :] CAN WE HAVE AN ETA FOR POWERCO

20:20:57 Unit WELL2118 [COMCEN COM : MESSAGE] WE WILL GIVE POWER ANOTHER CALL FOR ETA

20:24:37 Unit WELL2118 [K11E-1 : ELECTRICAL AUTHORITY IN ATTENDANCE]

20:25:08 ***** Privacy filter – refer to footer *****

20:25:08 ***** Privacy filter – refer to footer *****

20:25:08 ***** Privacy filter – refer to footer *****

20:25:08 ***** Privacy filter – refer to footer *****

20:25:08 ***** Privacy filter – refer to footer *****

20:25:11 ***** Privacy filter – refer to footer *****

20:25:11 ***** Privacy filter – refer to footer *****

20:25:59 Unit ACWELLI06 [K2 : IN ATTENDANCE AT INCIDENT]

20:28:12 Alarm Timer Extended: 0

20:29:47 ***** Privacy filter – refer to footer *****

20:30:41 ***** Privacy filter – refer to footer *****

20:30:41 ***** Privacy filter – refer to footer *****

20:30:53 ***** Privacy filter – refer to footer *****

20:31:22 Alarm Timer Extended: 0

20:32:17 Unit ACWELLI04 [K2 : IN ATTENDANCE AT INCIDENT]

20:37:21 ***** Privacy filter – refer to footer *****

20:37:22 ***** Privacy filter – refer to footer *****

20:37:40 Unit THOR235 [KC : UNIT CALLING]

20:38:05 Alarm Timer Extended: 0

20:38:57 Unit THOR235 [SITREP :] IF YOU HAVE ANY PRORITY CALLS FOR AERIALS YOU CAN CALL

20:38:57 THEM THROUGH AIRPORT COMMAND

20:42:38 Unit FIWELLI05 [K2 : IN ATTENDANCE AT INCIDENT]

20:43:16 Alarm Timer Extended: 0

20:45:31 Unit WELL2118 [KC : UNIT CALLING]

20:47:21 Alarm Timer Extended: 0

20:47:22 Alarm Timer Extended: 0

20:49:12 Unit WELL2118 [KP : PRIORITY MESSAGE]
 20:49:32 Unit WELL2118 [KP : PRIORITY MESSAGE] TXT 4TH ALARM
 20:49:36 INC INFO: FIRE IN SOUTH WEST PIER TX 4TH ALARM
 20:49:55 ** Alarm level updated to 4
 20:49:55 ** Recommended unit AVAL411 for requirement PUMP (>2.8 km)
 20:49:55 ** Recommended unit
 20:49:55 PORI311 for requirement PUMP (>4.6 km)

 20:50:02 Unit AVAL411 alerting initiated by Station PA (NEWTOWN 188221)
 20:50:03 Unit PORI311 alerting initiated by Station PA (WELLINGTON CITY 188211)
 20:50:06 Unit AVAL411 alerting completed successfully
 20:50:08 Unit PORI311 alerting completed successfully
 20:50:30 FIR2AMB WE ARE NOW AT 4TH ALARM
 20:51:25 Unit PORI311 [K1 : PROCEEDING TO INCIDENT]
 20:51:26 Unit PORI311 [K1 : PROCEEDING TO INCIDENT]
 20:51:32 Unit WELL2118 [KC : UNIT CALLING]
 20:52:07 ***** Privacy filter – refer to footer *****
 20:52:34 Unit AVAL411 [K1 : PROCEEDING TO INCIDENT]
 20:53:19 ***** Privacy filter – refer to footer *****
 20:53:25 Unit WELL2118 [KC : UNIT CALLING]
 20:53:30 AL: PAGING ACK TIMED OUT FOR STATION: 2931 at 12-06-26 20:53:30
 20:53:40 Alarm Timer Extended: 0
 20:53:44 ***** Privacy filter – refer to footer *****
 20:54:23 COVERING UNIT NEWL291 DISPATCHED TO STATION NEWTOWN AT 12/06/26 20:54:22
 20:55:12 COVERING UNIT TAWA331 DISPATCHED TO STATION WELLINGTON CITY AT 12/06/26 20:55:12
 20:55:49 Unit WELL2118 [KC : UNIT CALLING]
 20:55:57 Unit WELL2118 [KC : UNIT CALLING]
 20:57:27 Unit WELL2118 [KC : UNIT CALLING]
 20:57:33 Unit WELL2118 [KC : UNIT CALLING]
 20:58:50 ***** Privacy filter – refer to footer *****
 20:58:50 ***** Privacy filter – refer to footer *****
 20:58:56 COVERING UNIT TITA341 DISPATCHED TO STATION PORIRUA AT 12/06/26 20:58:56
 20:59:14 Unit WELL2118 [SITREP :] ADC ABLE WORKING IN 3 SECTORS ATTEMPTING TO GAIN ACCE
 20:59:14 SS TO SOURCE OF FIRE CREWS AT WORK CUTTING INTO EXT WALL FOR ACCESS. THORN 235 M
 20:59:14 AY BE MADE AVAILABLE TO ALL SECOND ALARMS OR GREATER RESPONSES
 20:59:22 COVERING UNIT PORI317 DISPATCHED TO STATION THORNDON AT 12/06/26 20:59:22
 20:59:25 ***** Privacy filter – refer to footer *****
 20:59:28 Unit AVAL411 [KC : UNIT CALLING]
 21:00:06 ***** Privacy filter – refer to footer *****
 21:00:20 COVERING UNIT PORI312 DISPATCHED TO STATION PORIRUA AT 12/06/26 21:00:19
 21:00:23 Unit AVAL411 [K2 : IN ATTENDANCE AT INCIDENT]
 21:00:42 ***** Privacy filter – refer to footer *****
 21:00:42 ***** Privacy filter – refer to footer *****
 21:00:49 COVERING UNIT PORI312 DISPATCHED TO STATION JOHNSONVILLE AT 12/06/26 21:00:49
 >>
 21:01:28 Unit CDWELLI alerting initiated by Pager

21:01:30 Unit CDWELLI alerting completed successfully
 21:01:30 Unit CDWELLI alerting completed successfully
 21:01:30 Unit CDWELLI alerting completed successfully
 21:01:30 Unit CDWELLI alerting completed successfully
 21:01:31 Unit CDWELLI alerting completed successfully
 21:01:31 Unit CDWELLI alerting completed successfully
 21:01:59 ***** Privacy filter – refer to footer *****
 21:02:02 Unit CDWELLI [K1 : PROCEEDING TO INCIDENT]
 21:03:00 Unit PORI311 [KC : UNIT CALLING]
 21:03:44 Unit PORI311 [COMCEN COM : MESSAGE] SFP GATE A CRASH FIRE OLD STATION
 21:06:24 Unit PORI311 [K2 : IN ATTENDANCE AT INCIDENT]
 21:06:36 Unit WELL2118 [KC : UNIT CALLING]
 21:08:04 Alarm Timer Extended: 0
 21:08:37 Unit WELL2118 [SITREP :] COMMANDER [Out of Scope] SMALL FIRE APPEARS TO BE IN CEILING ACCESS SPACE OF OLD ESCALETOR ADJACENT TO KORU LOUNGE GAINING ACCESS TO SOURCE OF
 21:08:37 FIRE CONTINUES TO BE A PPRIORITY
 21:16:31 Alarm Timer Extended: 0
 21:17:39 Unit FIWELLI05 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
 21:20:47 Unit CDWELLI [K2 : IN ATTENDANCE AT INCIDENT]
 21:20:53 Unit WELL2118 [KC : UNIT CALLING]
 21:22:55 Unit WELL2118 [SITREP :] CREWS HAS INVESTIGATED CAVITY Y ABOVE ELEVATOR NSOF P
 21:22:55 RESENTY 2 AERIAL CREWS CONTINUING TO REMOVE MATERIAL INVESTIGATING FURTHER
 21:26:31 ***** Privacy filter – refer to footer *****
 21:26:31 ***** Privacy filter – refer to footer *****
 21:27:16 ***** Privacy filter – refer to footer *****
 21:27:16 ***** Privacy filter – refer to footer *****
 21:34:54 Unit WELL2118 [KC : UNIT CALLING]
 21:36:54 Unit WELL2118 [SITREP :] ADC [Out of Scope] STILL WORKING TO LOCATE SEAT OF FIRE REMOVE EXT WALL PANNELING 2 AERIALS 2 INTERIOR CREW AND 2 EXT CREW
 21:40:48 Alarm Timer Extended: 0
 21:42:36 Unit WELL2118 [KC : UNIT CALLING]
 21:43:22 Unit WELL2118 [SITREP :] ABOUT TO BEGIN DE ESCALATION FROM 4TH ALARM DOWN TO 3
 21:43:22 RD ALARM RESPONSE
 21:46:30 Alarm Timer Extended: 0
 21:46:31 Alarm Timer Extended: 0
 21:50:16 Unit WELL2118 [KC : UNIT CALLING]
 21:50:24 Unit WELL2118 [KC : UNIT CALLING]
 21:51:26 Unit WELL2118 [KC : UNIT CALLING]
 21:51:27 Unit WELL2118 [SITREP :] FURTHER TO DE ESCALTION PLAN APPLIANCES WHO WILL BE R
 21:51:27 ELEASED AVAL411 JOHN281 THOR235 AND PORI311 THEY ARE IN THE PROCESS OF BEING REL
 21:51:27 ASSED NOW
 21:52:25 Unit WELL2118 [SITREP :] FIRE IS NOW EXT SALVAGE OPS COMMENCING DE ESCALTION W

21:52:25 ILL CONTINUE FROM HERE
 21:56:10 Unit PORI311 [KC : UNIT CALLING]
 21:56:28 Unit PORI311 [SITREP :] WE HAVE BEEN RELEASED
 21:56:52 Unit JOHN281 [KC : UNIT CALLING]
 21:57:06 Unit PORI311 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
 21:57:20 Unit JOHN281 [K10 : RE-COMMISSIONING APPLIANCE]
 21:57:53 COVERING UNIT PORI311 DISPATCHED TO STATION NEWTOWN AT 12/06/26 21:57:53
 22:01:21 Alarm Timer Extended: 0
 22:01:22 Alarm Timer Extended: 0
 22:02:33 ** Cross Referenced to Event # F4483472 at: 12/06/26 22:02:33
 22:07:42 Unit WELL2118 [KC : UNIT CALLING]
 22:07:42 Unit THOR235 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
 22:08:19 Unit AVAL411 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
 22:10:03 Unit WELL2118 [SITREP :] RELEASING WELL211 KILB241 NEWT221
 22:12:47 ***** Privacy filter – refer to footer *****
 22:13:37 Unit WELL2118 [KC : UNIT CALLING]
 22:14:14 ***** Privacy filter – refer to footer *****
 22:14:14 ***** Privacy filter – refer to footer *****
 22:14:48 Unit WELL2118 [SITREP :] CREWS CONTINUING TO CARRY OUT SALVAGE WITH 2 PPV FOR
 22:14:48 VENT LIASING WITH STAFF AT AIRPORT ABOUT CLEANUP FACILITIES
 22:16:32 Unit VSOWELLI04 alerting initiated by Pager
 22:16:33 Unit VSOWELLI04 alerting completed successfully
 22:16:34 Unit VSOWELLI04 alerting completed successfully
 22:16:34 Unit VSOWELLI04 alerting completed successfully
 22:16:34 Unit VSOWELLI04 alerting completed successfully
 22:16:39 Unit VSOWELLI04 [K1 : PROCEEDING TO INCIDENT]
 22:29:02 ***** Privacy filter – refer to footer *****
 22:29:02 ***** Privacy filter – refer to footer *****
 22:33:20 Unit WELL2118 [KC : UNIT CALLING]
 22:34:56 Unit WELL2118 [SITREP :] SALVAGE OPS CONTINUING WORKING CLOSELY WITH AIRPORT
 22:34:56 SECURITY TO CORDON OFF SELECTED AREAS FOR INV TOMMORROW
 22:46:02 Unit WELL2118 [KC : UNIT CALLING]
 22:47:23 Unit WELL2118 [SITREP :] VSO TO CONTACT 9(2)a RE SUPPLY FOR UNIFORM
 22:47:53 Unit WELL2118 [K11V : VOLUNTEER SUPPORT OFFICER REQUIRED] TO CONTACT
 22:55:07 9(2)a
 22:55:07 Unit KILB2427 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
 22:55:09 Unit WELL211 [KC : UNIT CALLING]
 22:55:21 Unit KILB2426 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
 22:55:41 Unit WELL211 [SITREP :] WE HAVE BEEN RELEASED HEADING TO STATION K10
 22:55:43 Unit BROO257 [KC : UNIT CALLING]
 22:55:45 Unit KILB241 [KC : UNIT CALLING]
 22:55:46 Unit WELL211 [K10 : RE-COMMISSIONING APPLIANCE]
 22:56:00 Unit BROO257 [K10 : RE-COMMISSIONING APPLIANCE]
 22:56:09 Unit KILB241 [K10 : RE-COMMISSIONING APPLIANCE]
 22:56:26 Unit REMU4915 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
 22:57:08 ***** Privacy filter – refer to footer *****

22:57:09 ***** Privacy filter – refer to footer *****

22:59:46 Unit WELL2118 [KC : UNIT CALLING]

23:00:26 Unit WELL2118 [K45 : COMMAND RESPONSIBILITY CHANGED TO (STATE NAME)] AIRPORT CR

23:00:26 ASH FIRE LEAVING SCENE IN THEIR HANDS AND FENZ RESPONSE WILL DEPART

23:01:00 Unit NEWT221 [KC : UNIT CALLING]

23:01:17 Unit NEWT221 [K10 : RE-COMMISSIONING APPLIANCE]

23:01:20 Unit NEWT225 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

23:01:37 Unit KARO261 [KC : UNIT CALLING]

23:01:55 Unit KARO261 [K10 : RE-COMMISSIONING APPLIANCE]

23:04:05 ***** Privacy filter – refer to footer *****

23:04:20 ***** Privacy filter – refer to footer *****

23:08:52 Unit WELL2118 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

23:09:55 Unit CDWELLI [K6 : ON PAGER (STATE LOCATION)]

23:11:12 Unit THOR231 [KC : UNIT CALLING]

23:11:34 Unit THOR231 [K10 : RE-COMMISSIONING APPLIANCE]

23:11:42 Unit ACWELLI04 [K6 : ON PAGER (STATE LOCATION)]

23:11:44 Unit JOHN287 [KC : UNIT CALLING]

23:11:47 Unit ACWELLI06 [K6 : ON PAGER (STATE LOCATION)]

23:12:02 Unit JOHN287 [K10 : RE-COMMISSIONING APPLIANCE]

23:19:20 STAND DOWN RECEIVED FROM EAS

23:35:19 Unit VSOWELLI04 [K2 : IN ATTENDANCE AT INCIDENT]

23:50:01 Unit VSOWELLI04 [K6 : ON PAGER (STATE LOCATION)]

00:45:04 ***** Privacy filter – refer to footer *****

00:45:04 ***** Privacy filter – refer to footer *****

00:45:04 ***** Privacy filter – refer to footer *****

05:55:38 FIRE INVESTIGATION

05:55:40 ** Event F4483401 has been reopened at: 13/06/26 05:55:40

05:55:42 ** LOI search completed at 13/06/26 05:55:41

05:56:05 Unit FIWELLI05 alerting initiated by Pager

05:56:07 Unit FIWELLI05 alerting completed successfully

05:56:07 Unit FIWELLI05 alerting completed successfully

05:59:29 AL: PAGING ACK TIMED OUT FOR STATION: 2948 at 13-06-26 05:59:29

06:09:21 Unit FIWELLI05 [K1 : PROCEEDING TO INCIDENT]

06:50:11 Unit FIWELLI05 [K2 : IN ATTENDANCE AT INCIDENT]

06:59:28 Unit FIWELLI05 [K2 : IN ATTENDANCE AT INCIDENT]

07:15:36 Unit FIWELLI01 alerting initiated by Radio

07:15:37 Unit FIWELLI01 alerting completed successfully

07:15:43 Unit FIWELLI01 [K1 : PROCEEDING TO INCIDENT]

07:37:34 Unit FIWELLI01 [K2 : IN ATTENDANCE AT INCIDENT]

07:47:55 Alarm Timer Extended: 0

08:20:15 Unit FIWELLI05 [SITREP :] WONT NEED ANY WELFARE CHECKS TODAY.

08:20:20 Alarm Timer Extended: 0

08:31:46 INC INFO: FIRE IN SOUTH WEST PIER TX 4TH ALARM MAKE AQUAVAC 1

08:31:54 Unit KILB2426 alerting initiated by Pager

08:31:55 Unit KILB2426 alerting completed successfully

08:31:56 Unit KILB2426 alerting completed successfully
08:31:56 FI [Out of Scope] CALLS IN - WANTS KILB2426 TURNED OUT FOR AQUAVAC - TO RESPOND TO THE
LOA
08:31:56 DING ZONE AND CALL FI [Out of Scope] ON ARRIVAL
08:35:15 AL: PAGING ACK TIMED OUT FOR STATION: 2924 at 13-06-26 08:35:15
08:48:45 Unit KILB2426 [K1 : PROCEEDING TO INCIDENT]
08:48:49 Unit KILB2426 [KC : UNIT CALLING]
08:49:20 Unit KILB2426 [SITREP :] SFP
08:49:31 Unit KILB2426 [COMCEN COM : MESSAGE] TO RESPOND TO THE LOADING ZONE AND CALL
FI
08:49:31 [Out of Scope] ON ARRIVAL
08:52:44 Unit KILB2426 [K2 : IN ATTENDANCE AT INCIDENT]
08:53:37 Unit KILB2426 [KC : UNIT CALLING]
08:55:08 Unit KILB2426 [SITREP :] CAN WE GET FI INV NUMBER
08:55:23 Unit KILB2426 [COMCEN COM : MESSAGE] ILL PAGE IT TO YOU
09:57:20 Alarm Timer Extended: 0
11:56:07 Unit FIWELLI01 [KC : UNIT CALLING]
11:56:44 Unit FIWELLI05 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
11:56:48 Unit FIWELLI01 [K6 : ON PAGER (STATE LOCATION)]
11:56:51 Unit FIWELLI01 [SITREP :] INVESTIGATION COMPLETE, MYSELF FI 5 AND OSU HAVE DEP
11:56:51 ARTED
11:58:38 Unit KILB2426 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
12:45:04 ***** Privacy filter – refer to footer *****
12:45:04 ***** Privacy filter – refer to footer *****
12:45:04 ***** Privacy filter – refer to footer *****

Additional Calls Message Log

Time	Message
19:33:41	***** Privacy filter – refer to footer *****
19:33:41	***** Privacy filter – refer to footer *****
19:33:41	***** Privacy filter – refer to footer *****
19:33:41	***** Privacy filter – refer to footer *****
19:33:41	***** Privacy filter – refer to footer *****
19:33:41	***** Privacy filter – refer to footer *****
19:33:41	***** Privacy filter – refer to footer *****
19:33:41	***** Privacy filter – refer to footer *****
19:33:41	***** Privacy filter – refer to footer *****
19:33:41	***** Privacy filter – refer to footer *****
19:33:41	***** Privacy filter – refer to footer *****
19:33:41	***** Privacy filter – refer to footer *****