

Fire and Emergency New Zealand Incident Report

CADNumber F4487976 Start Date Time 20 June 2026 16:59:59

Incident Details

Type: VEG 1st Caller: 9(2)(a) 9(2)(a)

Method: 111

PFA:

Result:

Location: 248 GULCH RD, WARD, MARLBOROUGH DISTRICT NZTM: E 1691803 N 5368453


Common Name:

Zone: 322942 Station: 3210 FLAXBOURNE

Incident Info: HEDGE FIRE - 4TH ALARM

Incident History

		Elapsed Time (hh:mm:ss)
Created:	16:59:59 20 Jun 2026	
Confirmed:	17:00:47 20 Jun 2026	00:00:48
Alerted:	17:01:03 20 Jun 2026	00:01:04
1st Response:	17:07:36 20 Jun 2026	00:07:37
1st Arrival:	17:16:58 20 Jun 2026	00:16:59
2nd Arrival:	17:23:47 20 Jun 2026	00:23:48
3rd Arrival:	17:45:30 20 Jun 2026	00:45:31
Stop:	01:54:21 21 Jun 2026	08:54:22
Closed:	12:15:29 22 Jun 2026	43:15:30



Responses

Alarm Level	Call Sign	Dispatched Day	Dispatched Time	Response Time	Arrival Time	Departed Day	Departed Time
4	FLAX1072	20	17:01:03	17:11:39	17:16:58	20	22:48:14
4	FLAX1071	20	17:01:03	17:13:37	17:23:47	21	12:41:38
4	BLEN0975	20	17:01:04	17:07:36	17:45:30	20	23:57:47
4	SEDD297	20	17:26:18	17:31:57	17:48:42	20	22:12:57
4	BLEN242	20	17:27:14	17:33:08	18:04:51	20	23:07:46
4	RENW2626	20	17:26:21	17:31:21	18:14:40	20	23:18:59
4	BLEN0976	20	17:27:13	17:31:53	18:15:03	21	00:19:13

4	RARA5775	20	17:26:36	17:31:52	18:19:31	20	22:35:32
4	BLN241	20	18:09:22	18:10:52	18:45:56	20	23:14:06
4	BLN247	20	18:09:23	18:17:13	18:49:12	20	22:36:32
4	VSONELSM04	20	18:54:34	18:54:51	19:11:29	22	11:32:26
4	SONELSM08	20	18:23:10	18:48:38	19:22:51	20	21:23:38
4	WAIH4975	20	18:38:30	18:45:24	19:42:03	20	22:28:05
4	SONELSM07	20	18:27:19	18:28:37	20:15:54	20	23:31:35
4	NELS2118	20	18:10:49	18:17:57	20:17:15	20	22:46:36
4	CDNELSM	20	18:31:10	18:36:56	20:30:51	20	22:13:55
4	NELS2121	20	18:10:49	18:12:31	20:34:40	20	22:52:37
4	TASM4725	20	18:47:34	19:00:12	21:33:20	21	02:04:47
4	TASM4771	20	18:47:33	18:51:18	21:47:07	21	02:04:43
4	KORO7871	20	22:12:05	22:12:20	23:05:37	21	01:51:38
4	VSONELSM03	20	23:58:17	23:58:55	23:59:51	21	00:52:42
4	NORT0525	21	06:02:58	06:03:43	07:10:28	21	17:07:49
4	BURN9171	20	20:55:56			20	20:56:20
4	EVENTSCC4	21	01:53:03			21	17:11:24
4	NELS21AMS1	20	18:43:15			20	21:30:46
4	TASM4726	20	18:47:33			20	19:13:59

Cover Moves

Call Sign	Start Time	End Time
NELS211	20 19:05:43	
NELS212	20 18:42:16	20 21:41:37
PICT307	20 18:16:40	20 21:07:32

Notifications

Date	Party Notified
17:27:47	DISTRICT NELSON/MARLB - 2ND ALARM
17:28:48	ACNELSM02 Out of Scope ACKNOWLEDGED VIA AMS
17:32:14	SONELSM07 Out of Scope ACK PAGED - DETAILS PASSED - WILL MONITOR FOR NOW
17:32:43	VSO NELSON MARLBOROUGH PAGED 2ND ALARM
17:32:50	VSONELSM04 Out of Scope ACKNOWLEDGED VIA AMS
18:11:22	DISTRICT NELSON/MARLB - 3RD ALARM
18:12:13	ACNELSM02 Out of Scope ACKNOWLEDGED VIA AMS
18:12:41	SONELSM07 Out of Scope ACKNOWLEDGED VIA AMS
18:12:53	AMBULANCE VIA INTERCAD
18:12:53	EVENT COPIED TO POLICE
18:13:42	VSO NELSON/MARL PAGED RE 3RD ALARM
18:13:48	ACCANTE07 Out of Scope ADVISED IF ABLE TO ATTEND - WILL BE A 2 HOUR DRIVE - NEED DC Out of Scope TO BE AWARE
18:16:50	VSONELSM04 Out of Scope ACKNOWLEDGED VIA AMS
18:17:22	DISTRICT NELSON/MARLB - 3RD ALARM
18:19:07	EQUIPMENT TE IHU GROUP - 3RD ALARM NOTIFICATION

18:20:08 REGION TE IHU - 3RD ALARM
 18:20:28 EQPTEIHU01 Out of Scope ACKNOWLEDGED VIA AMS
 18:22:00 CDWESTC Out of Scope ACKNOWLEDGED VIA AMS
 18:39:50 NTLMEDIA2 Out of Scope ACKNOWLEDGED VIA AMS
 18:41:48 VSO NELS/MARL PAGED RE 4TH ALARM
 18:42:11 DISTRICT NELSON/MARLB - 4TH ALARM
 18:42:22 ACNELSM02 Out of Scope ACKNOWLEDGED VIA AMS
 18:42:58 VSONELSM04 Out of Scope ACKNOWLEDGED VIA AMS
 18:43:09 REGION TE IHU - 4TH ALARM
 18:44:31 NATIONAL MEDIA SUPPORT PAGED RE 4TH ALARM
 18:44:56 NTLMEDIA2 Out of Scope ACKNOWLEDGED VIA AMS
 18:45:40 OM NORTHERN - 4TH ALARM
 18:45:41 CDWESTC (Out of Scope) ACK 4TH ALARM (REGION)
 18:45:44 NORTHCOM2 Out of Scope ACKNOWLEDGED VIA AMS
 18:45:44 NORTHCOM2 Out of Scope ACKNOWLEDGED VIA AMS
 18:46:04 NTLMEDIA2 Out of Scope ACKNOWLEDGED VIA AMS
 18:46:05 NTLMEDIA2 Out of Scope ACKNOWLEDGED VIA AMS
 18:48:03 NATIONAL COMMANDERS GROUP - 4TH ALARM
 18:48:15 DEPNATCMR3 Out of Scope ACKNOWLEDGED VIA AMS
 18:48:27 NTLMEDIA2 Out of Scope ACKNOWLEDGED VIA AMS
 18:53:07 NATIONAL COMMANDERS GROUP - Out of Scope ACK PAGE
 20:07:29 DISTRICT NELS/MARLB - 9(2)(a)
 20:07:36 ACNELSM02 Out of Scope ACKNOWLEDGED VIA AMS
 20:07:41 REGION TE IHU - 9(2)(a)
 20:10:15 CFO RENWICK - CONTACT COMCEN
 20:12:10 ON CALL HSO TE IHU (DUTY) PAGED 9(2)(a) NOTIFICATION
 20:12:12 CDWESTC (REGION ON CALL) ACK PAGE 9(2)(a)
 20:15:18 DCFO RENWICK MADE AWARE RE 9(2)(a)
 21:14:05 MARLBOROUGH LINES
 09:55:49 NIWA

Message Log

Time	Message
17:00:47	https://web.pcl.govt.nz/?ecn=9(2)(a)
17:00:49	** LOI search completed at 20/06/26 17:00:48
17:00:51	INC INFO: HEDGE FIRE
17:00:55	** Recommended unit FLAX1071 for requirement RPUMP (>2.8 km) ** Recommended uni
17:00:55	t FLAX1072 for requirement RPUMP (>2.7 km) ** Recommended unit BLEN0975 for req
17:00:55	uirement TANKER (>35.2 km)
17:00:59	Unit FLAX1071 alerting initiated by Station Radio/Siren (FLAXBOURNE 191101)
17:00:59	Unit FLAX1072 alerting initiated by Station Radio/Siren (FLAXBOURNE 191101)
17:00:59	Unit BLEN0975 alerting initiated by Pager
17:01:03	Pager turnout error - request Id 0

17:01:03 Unit FLAX1071 alerting completed successfully
 17:01:03 Unit FLAX1072 alerting completed successfully
 17:01:04 Unit BLEN0975 alerting completed successfully
 17:01:22 IN THE HEDGE - BURNOFF - EMBERS HAVE BEEN PICKED UP WITH WIND
 17:01:52 9(2)(a)
 17:02:11 ACCESS FROM THE ROAD
 17:02:17 NIL WATER ON SITE
 17:02:30 WIND HEAVY - NOR WEST
 17:02:36 FLAXBOURNE - 90 SECONDS AMS CREW THRESHOLD NOT MET - 0 TOTAL - 0 DRIVER, 0
 CREW,
 17:02:36 0 OFFICER
 17:04:29 AL: PAGING ACK TIMED OUT FOR STATION: 3209 at 20-06-26 17:04:29
 17:07:36 Unit BLEN0975 [K1 : PROCEEDING TO INCIDENT]
 17:09:59 Unit BLEN0975 [K1 : PROCEEDING TO INCIDENT]
 17:11:39 Unit FLAX1072 [K1 : PROCEEDING TO INCIDENT]
 17:13:00 Unit FLAX1071 [KC : UNIT CALLING]
 17:13:38 Unit FLAX1071 [K1 : PROCEEDING TO INCIDENT]
 17:16:58 Unit FLAX1072 [K2 : IN ATTENDANCE AT INCIDENT]
 17:22:28 Unit FLAX1071 [KC : UNIT CALLING]
 17:23:23 Unit FLAX1071 [SITREP :] RC Out of Scope HEDGE FIRE FULLY INVOLVED 2 HOUSES THAT
 CO
 17:23:23 ULD BE THREATENED FIRE HAS JUMPED ROAD INTO A 2ND HEDGE AND CLOSE TO
 HOUSE
 17:23:47 ENTERED BY COMMS
 17:23:48 Unit FLAX1071 [K66 : VEGETATION, SCRUB OR RUBBISH FIRE] ENTERED BY COMMS
 17:24:15 Unit FLAX1071 [COMCEN COM : MESSAGE] DO YOU REQUIRE MORE RESOURCES ?
 17:24:41 Unit FLAX1071 [SITREP :] ATTACH 1 MORE PUMP AND 1 MORE TANKER
 17:25:40 INC INFO: HEDGE FIRE - TX 2ND ALARM
 17:25:54 Unit BLEN0975 [KC : UNIT CALLING]
 17:25:58 Unit BLEN0975 [KC : UNIT CALLING]
 17:26:00 Unit FLAX1071 [SITREP :] TX 2ND ALARM - NIL EVACS REQUIRED
 17:26:09 ** Alarm level updated to 2
 17:26:09 ** Recommended unit SEDD297 for requirement PUMP (>17.7 km)
 ** Recommended unit
 17:26:09 RARA5775 for requirement TANKER (>48.0 km)
 ** Recommended unit RENW2626 for re
 17:26:09 quirement RENW2626 (>42.8 km)
 17:26:12 Unit SEDD297 alerting initiated by Station Radio/Siren (SEDDON 191291)
 17:26:13 Unit RARA5775 alerting initiated by Station Radio/Siren (RARANGI 191571)
 17:26:13 Unit RENW2626 alerting initiated by Station Radio/Siren (RENEWICK 191261)
 17:26:18 Unit SEDD297 alerting completed successfully
 17:26:21 Unit RENW2626 alerting completed successfully
 17:26:33 Unit RARA5775 alerting failed
 17:26:36 Unit RARA5775 alerting completed successfully
 17:27:10 Unit BLEN0976 alerting initiated by Pager
 17:27:11 Unit BLEN242 alerting initiated by Station Radio/Siren (BLENHEIM 191241)
 17:27:13 Unit BLEN0976 alerting completed successfully
 17:27:14 Unit BLEN242 alerting completed successfully

17:27:31 SM NOTE: RESPOND BLEN0976 AND BLEN242 - OVER TOP OF 2ND ALARM RESOURCES
DUE TO F

17:27:31 URTHUR INFO - IF NOT REQUIRED WILL USE BLEN242 FOR COVER

17:27:52 SEDDON - 90 SECONDS AMS CREW THRESHOLD NOT MET - 1 TOTAL - 1 DRIVER, 0 CREW,
0 O

17:27:52 FFICER

17:27:53 RENWICK - 90 SECONDS AMS CREW THRESHOLD NOT MET - 3 TOTAL - 1 DRIVER, 0 CREW
2

17:27:53 OFFICER

17:29:41 AL: PAGING ACK TIMED OUT FOR STATION: 3229 at 20-06-26 17:29:41

17:30:41 AL: PAGING ACK TIMED OUT FOR STATION: 3209 at 20-06-26 17:30:41

17:31:21 Unit RENW2626 [K1 : PROCEEDING TO INCIDENT]

17:31:52 Unit RARA5775 [K1 : PROCEEDING TO INCIDENT]

17:31:53 Unit BLEN0976 [K1 : PROCEEDING TO INCIDENT]

17:31:57 Unit SEDD297 [K1 : PROCEEDING TO INCIDENT]

17:32:01 Unit RENW2626 [K1 : PROCEEDING TO INCIDENT]

17:32:09 Unit RARA5775 [K1 : PROCEEDING TO INCIDENT]

17:32:34 -

17:32:45 ACNELSM02 (DAVIES) - ACK PAGE UPDATED

17:33:08 Unit BLEN242 [K1 : PROCEEDING TO INCIDENT]

17:37:15 Unit BLEN242 [K1 : PROCEEDING TO INCIDENT]

17:38:07 Unit SEDD297 [KC : UNIT CALLING]

17:39:19 Unit FLAX1072 [SITREP :] CAN WE GET ETA FOR PUMPS AND TANKERS? (ALL
APPLIANCES

17:39:19 K1) COPY WE JUST NEED WATER AND MAN POWER WILL AWAIT FURTHER APPLIANCES

17:42:49 Unit SEDD297 [COMCEN COM : MESSAGE] HEDGE FIRE WHICH HAS JUMPED ROAD IS
NEAR 3 P

17:42:49 ROPERTIES - FLAXBORNE IS HAPPY WITH RESOURCES. WE ARE WORKING FOR AN
UPDATED SI

17:42:49 TREP IF WE DON'T HAVE ONE BEFORE YOU GET TO SCENE CAN YOU GET ONE ON
ARRIVAL

17:45:30 Unit BLEN0975 [K2 : IN ATTENDANCE AT INCIDENT]

17:46:51 Unit BLEN0975 [KC : UNIT CALLING]

17:47:32 Unit BLEN0975 [SITREP :] FIRE IS APPROX 1 HECTARE MULTIPLE FIRES IN HEDGE ROWS

17:47:32 OKAY WITH CURRENT RESOURCES ALL CREWS GTW

17:48:37 Unit SEDD297 [COMCEN COM : MESSAGE] SEE YOU ARE PULLING UP TO SCENE - CAN
YOU GE

17:48:37 T AN UPDATE ON THREATENED STRUCTURES

17:48:42 Unit SEDD297 [K2 : IN ATTENDANCE AT INCIDENT]

17:52:24 WAIK

17:54:29 Unit BLEN242 [KC : UNIT CALLING]

17:56:25 Unit BLEN242 [KC : UNIT CALLING]

17:57:18 Alarm Timer Extended: 0

17:58:14 Unit FLAX1071 [SITREP :] (VIA PHONE) - RC Out of Scope - STIL DEFENDING 2 HOUSE - S

17:58:14 TRONG WIND - SEDON AND BLEN HERE CURRENTLY

18:01:06 Unit RENW2626 [KC : UNIT CALLING]

18:02:08 Unit BLEN242 [SITREP :] (VIA PHONE) SSO Out of Scope - REQUESTED UPDATE (PASSED DETAI
LS) REQUEST IF MORE INFORMATION COMES THROUGH TO PASS TO APPLIANCE VIA
RADIO

18:02:41 Unit RENW2626 [SITREP :] HAS THERE BEEN A SFP GIVEN (SFP ON GULCH RD) COPY

18:03:46 Unit FLAX1071 [KP : PRIORITY MESSAGE]
 18:04:04 Unit FLAX1071 [KC : UNIT CALLING]
 18:04:27 Unit FLAX1071 [KC : UNIT CALLING]
 18:04:51 Unit BLEN242 [K2 : IN ATTENDANCE AT INCIDENT]
 18:06:55 Unit FLAX1071 [KP : PRIORITY MESSAGE] NIL CONTACT VIA RADIO X 3
 18:07:13 Unit BLEN242 [KP : PRIORITY MESSAGE]
 18:08:04 Unit BLEN242 [KP : PRIORITY MESSAGE] SSO Out of Scope - MK URBAN PUMPS 2 - 1
 STRUCTURE
 18:08:04 INVOLVED IN FIRE - MULTIPLE STRUCTURES ON FIRE
 18:08:16 INC INFO: HEDGE FIRE - TX 2ND ALARM - MK PUMPS 2
 18:08:22 ** Requirement PUMP added for alarm level 2
 18:08:25 ** Requirement PUMP added for alarm level 2
 18:08:29 ** Requirement PUMP added for alarm level 2
 18:08:42 ** Requirement PUMP removed for alarm level 2
 18:08:45 ** Recommended unit BLEN241 for requirement PUMP (>37.3 km)

 18:08:50 Unit BLEN242 [KC : UNIT CALLING]
 18:09:10 ** Requirement PUMP added for alarm level 2
 18:09:16 ** Recommended unit BLEN247 for requirement PUMP (>37.3 km)

 18:09:19 Unit BLEN241 alerting initiated by Station Radio/Siren (BLENHEIM 191241)
 18:09:19 Unit BLEN247 alerting initiated by Station Radio/Siren (BLENHEIM 191241)
 18:09:23 Unit BLEN241 alerting completed successfully
 18:09:23 Unit BLEN247 alerting completed successfully
 18:09:26 Unit BLEN242 [KP : PRIORITY MESSAGE]
 18:09:49 Unit BLEN242 [KP : PRIORITY MESSAGE] TX 3RD ALARM VEG
 18:10:02 INC INFO: HEDGE FIRE - TX 3RD ALARM - MK PUMPS 2
 18:10:06 ** Requirement PUMP removed for alarm level 2
 18:10:07 ** Requirement PUMP removed for alarm level 2
 18:10:09 ** Requirement PUMP removed for alarm level 2
 18:10:15 RINGING WOODBOURNE STN
 18:10:42 ** Alarm level updated to 3
 18:10:42 ** Recommended unit NELS2118 for requirement COMU (>92.7 km)
 ** Recommended unit
 18:10:42 t NELS2121 for requirement NELSON_ISV (>92.7 km)

 18:10:45 Unit NELS2118 alerting initiated by Station PA (NELSON 191211)
 18:10:46 Unit NELS2121 alerting initiated by Station PA (NELSON 191211)
 18:10:49 Unit NELS2118 alerting completed successfully
 18:10:50 Unit NELS2121 alerting completed successfully
 18:10:52 Unit BLEN241 [K1 : PROCEEDING TO INCIDENT]
 18:11:22 Unit BLEN241 [K1 : PROCEEDING TO INCIDENT]
 18:11:50 Unit RENW2626 [KC : UNIT CALLING]
 18:12:17 Unit BLEN241 [K7 : AT NORMAL STATION]
 18:12:31 Unit NELS2121 [K1 : PROCEEDING TO INCIDENT]
 18:12:45 FIR2POL FIR2AMB - 3RD ALARM FIRE HERE ONE STRUCTURE LOST
 18:12:51 ** Event A01443207 of AMBO/S copied from F4487976 of NZFS/NL at: 20/06/26 18:12:
 18:12:51 51

18:12:52 ** Event P066766073 of NZP/BM copied from F4487976 of NZFS/NL at: 20/06/26 18:12

18:12:52 :52

18:12:53 AMBO EVENT 0637-3-2026/06/20-FIR LINKED AT 20/06/2026 18:12:53

18:13:04 ***** Privacy filter – refer to footer *****

18:13:04 ***** Privacy filter – refer to footer *****

18:13:04 ***** Privacy filter – refer to footer *****

18:13:04 ***** Privacy filter – refer to footer *****

18:13:04 ***** Privacy filter – refer to footer *****

18:13:07 ***** Privacy filter – refer to footer *****

18:13:29 ***** Privacy filter – refer to footer *****

18:13:33 .

18:13:36 ***** Privacy filter – refer to footer *****

18:13:38 ***** Privacy filter – refer to footer *****

18:13:48 DC **Out of Scope** TO BE AWARE

18:14:13 AL: PAGING ACK TIMED OUT FOR STATION: 3221 at 20-06-26 18:14:13

18:14:40 Unit RENW2626 [K2 : IN ATTENDANCE AT INCIDENT]

18:15:03 Unit BLEN0976 [K2 : IN ATTENDANCE AT INCIDENT]

18:15:12 FIREMASTER WOODBOURNE HAPPY TO COVER MOVE TO BLENHEIM

18:15:59 Unit NELS2118 [KC : UNIT CALLING]

18:16:07 Unit BLEN241 alerting initiated by Vehicle Radio (D95832)

18:16:11 Unit BLEN241 alerting completed successfully

18:16:22 Unit BLEN241 [K1 : PROCEEDING TO INCIDENT]

18:16:40 COVERING UNIT PICT307 DISPATCHED TO STATION BLENHEIM AT 20/06/26 18:16:39

18:17:02 SM NOTE: ACCANTE07 NOT REQUIRED FOR THIS EVENT

18:17:09 Unit BLEN242 [KC : UNIT CALLING]

18:17:13 Unit BLEN247 [K1 : PROCEEDING TO INCIDENT]

18:17:57 Unit NELS2118 [K1 : PROCEEDING TO INCIDENT]

18:18:05 Unit NELS2118 [SITREP :] NELS2111 AND 2118 ARE CROSS MANNED - CREW FOR NELS211

18:18:05 WILL BE K0

18:18:20 UNMANNED,

18:18:20 Unit NELS2118 [K0 : NOT AVAILABLE (STATE LOCATION)] UNMANNED,

18:18:36 ***** Privacy filter – refer to footer *****

18:18:47 .

18:19:00 Unit NELS2118 [K1 : PROCEEDING TO INCIDENT]

18:19:06 Unit BLEN242 [KC : UNIT CALLING]

18:19:13 Unit NELS2118 [K1 : PROCEEDING TO INCIDENT]

18:19:21 Alarm Timer Extended: 0

18:19:31 Unit RARA5775 [K2 : IN ATTENDANCE AT INCIDENT]

18:20:52 ***** Privacy filter – refer to footer *****

18:20:54 Unit BLEN242 [SITREP :] K45 SSO **Out of Scope** - ATWW WITH 2 CREW IN BA PROTECTING ONE

18:20:54 STRUCTURES - EXTG ANOTHER ONE - NEXT ARRIVING OFFICER TO ASSUM THE SAFETY

18:20:54 OFFICE

18:20:54 R ROLE - ON CALL EXEC TO GIVE US A CALL

18:21:00 Unit BLEN242 [K45 : COMMAND RESPONSIBILITY CHANGED TO (STATE NAME)] SSO **Out of Scope**

18:23:47 DCFO **Out of Scope** **Out of Scope** CALLED IN - HEADING TO WARD FOR COMMAND AND CONTROL -

18:23:47 REQUEST

18:23:47 T WOODBOURNE COVER TO BLENHEIM - ADVISED PICT307 ON COVER MOVE TO

BLENHEIM
 18:25:48 Alarm Timer Extended: 0
 18:26:07 Unit BLEN247 [K7 : AT NORMAL STATION]
 18:27:18 Unit SONELSM07 alerting initiated by Pager
 18:27:19 Unit SONELSM07 alerting completed successfully
 18:27:22 Unit BLEN247 [K1 : PROCEEDING TO INCIDENT]
 18:27:31 Unit SONELSM07 [K38 : ASSOCIATE THIS APPLIANCE TO EVENT (STATE EVENT ADDRESS)
 18:27:35 Unit BLEN247 [K1 : PROCEEDING TO INCIDENT]
 18:28:37 Unit SONELSM07 [K1 : PROCEEDING TO INCIDENT]
 18:28:42 Unit BLEN247 [SITREP :] CHANGING CHANNELS AND SEEN WE ARE REATTACHED (COPY CFP
 18:28:42 IS ON GULCH RD) ACK
 18:28:50 Unit SONELSM07 [SITREP :] ACK SFP
 18:29:32 Alarm Timer Extended: 0
 18:29:48 Unit SONELSM08 [KC : UNIT CALLING]
 18:30:21 Unit BLEN242 [KC : UNIT CALLING]
 18:30:44 AL: PAGING ACK TIMED OUT FOR STATION: 3221 at 20-06-26 18:30:44
 18:30:44 Unit NELS2118 [K7 : AT NORMAL STATION]
 18:31:31 Unit BLEN242 [KC : UNIT CALLING]
 18:34:06 Unit NELS2118 [K1 : PROCEEDING TO INCIDENT]
 18:34:17 Unit NELS2118 [K1 : PROCEEDING TO INCIDENT]
 18:35:09 Unit NELS2121 [K1 : PROCEEDING TO INCIDENT]
 18:35:56 -
 18:36:14 Unit CDNELSM [KC : UNIT CALLING]
 18:36:35 Alarm Timer Extended: 0
 18:36:41 SM LIAISED WITH POLICE COMS ALPHA - REQUESTING A POLICE UNIT ATTEND AS LIAISON -
 18:36:41 STRUCTURES LOST AND POSSIBILITY TO ESCALATE - WIND EXTREMELY HIGH IN THE AREA -
 18:36:41 WE ARE CURRENTLY AT 3RD ALARM LEVEL
 18:36:55 Unit CDNELSM [K38 : ASSOCIATE THIS APPLIANCE TO EVENT (STATE EVENT ADDRESS)]
 18:36:56 Unit CDNELSM [K1 : PROCEEDING TO INCIDENT]
 18:37:05 Unit BLEN242 [KP : PRIORITY MESSAGE]
 18:37:47 Unit BLEN242 [KP : PRIORITY MESSAGE] ATTACH ANOTHER TANKER -
 18:37:49 ***** Privacy filter – refer to footer *****
 18:38:11 INC INFO: HEDGE FIRE - TX 3RD ALARM - MK PUMPS 2 - MK TANKERS 4
 18:38:17 ** Requirement TORT added for alarm level 3
 18:38:25 ** Recommended unit WAIH4975 for requirement ADHOC TORT (>42.2 km)
 18:38:29 Unit WAIH4975 alerting initiated by Pager
 18:38:30 Unit WAIH4975 alerting completed successfully
 18:38:50 ***** Privacy filter – refer to footer *****
 18:38:51 INC INFO: HEDGE FIRE - TX 3RD ALARM - MK PUMPS 3 - MK TANKERS 4
 18:40:03 WAIHOPAI - 90 SECONDS AMS CREW THRESHOLD NOT MET - 3 TOTAL - 1 DRIVER, 2 CREW, 0
 18:40:03 OFFICER
 18:40:28 ***** Privacy filter – refer to footer *****
 18:40:33 INC INFO: HEDGE FIRE - TX 4TH ALARM
 18:40:35 NELS2118 - REQUEST AMS FOR NELS214

18:41:36 ** Alarm level updated to 4

18:41:41 .

18:42:16 COVERING UNIT NELS212 DISPATCHED TO STATION NELSON AT 20/06/26 18:42:16

18:42:19 FIR2POL FIR2AMB THIS IS NOW AT A 4TH ALARM - REQUEST YOUR ATTENDANCE PLEASE

18:42:37 ***** Privacy filter – refer to footer *****

18:42:50 FIR2POL COPY THANKS

18:43:06 Unit CDNELSM [COMCEN COM : MESSAGE] BE ADVISED THIS IS NOW 4TH ALARM VEG (COPY)

18:43:13 Unit NELS21AMS1 alerting initiated by Pager

18:43:15 Unit NELS21AMS1 alerting completed successfully

18:43:31 CULV661

18:44:24 .

18:44:32 .

18:44:47 NELSON AVAILABILITY - 90 SECONDS AMS CREW THRESHOLD NOT MET - 0 TOTAL - 0 DRIVER

18:44:47 , 0 CREW, 0 OFFICER

18:45:15 .

18:45:24 Unit WAIH4975 [K1 : PROCEEDING TO INCIDENT]

18:45:44 Unit SONELSM08 [KC : UNIT CALLING]

18:45:48 ACNELSM02 CRAIG DAVIES TO ATTACH AND TURNOUT OUT TASM4725 TASM4726 TASM4771

18:45:56 Alarm Timer Extended: 0

18:45:56 Unit BLEN241 [K66 : VEGETATION, SCRUB OR RUBBISH FIRE]

18:46:27 NELSON AVAILABILITY HAS BEEN DOWN - AWAITING WHAT APPLIANCES WILL BE SENT

18:46:51 INC INFO: HEDGE FIRE - TASMAN RURAL REQUIRED

18:47:30 Unit TASM4771 alerting initiated by Pager

18:47:31 Unit TASM4726 alerting initiated by Pager

18:47:31 Unit TASM4725 alerting initiated by Pager

18:47:33 Unit TASM4771 alerting completed successfully

18:47:33 Unit TASM4726 alerting completed successfully

18:47:34 Unit TASM4725 alerting completed successfully

18:48:38 Unit SONELSM08 [K1 : PROCEEDING TO INCIDENT]

18:49:12 Unit BLEN247 [K2 : IN ATTENDANCE AT INCIDENT]

18:50:43 .

18:50:55 AL: PAGING ACK TIMED OUT FOR STATION: 3247 at 20-06-26 18:50:55

18:50:55 AL: PAGING ACK TIMED OUT FOR STATION: 3247 at 20-06-26 18:50:55

18:50:55 AL: PAGING ACK TIMED OUT FOR STATION: 3247 at 20-06-26 18:50:55

18:50:59 NELS212 FULLY CREWED ON STATION - AVAILABLE

18:51:00 .

18:51:18 Unit TASM4771 [K1 : PROCEEDING TO INCIDENT]

18:51:47 ** Requirement TORT removed for alarm level 3

18:51:58 INC INFO: HEDGE FIRE - 4TH ALARM

18:52:59 -

18:54:07 Unit BLEN242 [KC : UNIT CALLING]

18:54:33 Unit VSONELSM04 alerting initiated by Radio

18:54:34 Unit VSONELSM04 alerting completed successfully

18:54:51 Unit VSONELSM04 [K1 : PROCEEDING TO INCIDENT]

18:55:25 VSONELM04 [Out of Scope] HAS BEEN REQUEST TO ATTEND AC [Out of Scope]
 18:55:36 Unit SONELSM07 [K1 : PROCEEDING TO INCIDENT]
 18:55:44 Alarm Timer Extended: 0
 18:55:45 Alarm Timer Extended: 0
 18:57:42 Unit BLEN242 [SITREP :] SSO [Out of Scope] - MULTIPLE FIRES BURNING IN HEDGES - EXTREME
 18:57:42 FIRE RISK - CREW HAS WITHDRAWN DUE TO SAFETY CONCERNS (CAN YU CONFIRM
 HIOW MANY
 18:57:42 STRU LOST OR AT RISK) 2 ON FIRE CURRENTLY - NONE LOST - STILL WORKING TO
 PROTEC
 18:57:42 T THE INITIAL STRU - WHERE IS THE NEXT TANKER COMING FROM (WAIHOPE VALLEY
 AND TA
 18:57:42 SMAN RURAL ALSO BEEN ATTACHED - YOU ARE 1 TANKER SHORT OF 5TH AALRM) COPY
 18:59:54 -
 19:00:12 Unit TASM4725 [K1 : PROCEEDING TO INCIDENT]
 19:00:34 Unit BLEN242 [KC : UNIT CALLING]
 19:01:20 Alarm Timer Extended: 0
 19:02:49 -
 19:03:01 SM LIAISED WITH OIC - WILL PROVIDE A DETAILED SITREP SHORTLY
 19:04:58 -
 19:05:07 FROM ACNELSM02 - K25 NELS211 TO BLENHEIM STN
 19:05:08 -
 19:05:43 COVERING UNIT NELS211 DISPATCHED TO STATION BLENHEIM AT 20/06/26 19:05:43
 19:09:04 Unit WAIH4975 [K1 : PROCEEDING TO INCIDENT]
 19:09:11 NELSON STN ADVISES NELS214 WILL BE RESPONDING TO BLENHEIM STN SHORTLY -
 AWAITING
 19:09:11 AMS CREW
 19:09:12 -
 19:09:12 ***** Privacy filter – refer to footer *****
 19:09:23 FIR2POL SFP ON GULCH RD
 19:10:01 ***** Privacy filter – refer to footer *****
 19:10:14 Unit BLEN242 [SITREP :] (VIA PHONE) SSO [Out of Scope] - MULTIPLE FIRE STILL BURNING 80
 19:10:14 % CONTAINED - CREWS BACK AT WORK EXT TO STRU - WATER SUPPLY, 90,000L TANK
 DOWN R
 19:10:14 OAD - MAY BE ABLE TO RELEASE TANKER SOON INCIDENT CONTROL - SSO [Out of Scope] FIRE
 OP CO
 19:10:14 MAND - SO [Out of Scope] SECTOR 1 - SO NOTE SECTOR 2 - SO [Out of Scope] VEG SECTOR - RC
 [Out of Scope] W
 19:10:14 ATER SUPPLY OFFICER - RC HODGSON SAFETY OFFICER - SO [Out of Scope] LOGISTICS -
 SSO [Out of Scope]
 19:10:14 [Out of Scope]
 19:10:37 MULTIPLE FIRE STILL BURNING 80% CONTAINED - CREWS BACK AT WORK EXT TO STRU -
 WAT
 19:10:37 ER SUPPLY, 90,000L TANK DOWN ROAD - MAY BE ABLE TO RELEASE TANKER SOON
 INCIDE
 19:10:37 NT CONTROL - SSO [Out of Scope]
 FIRE OP COMAND - SO [Out of Scope]
 SECTOR 1 - SO NOTE
 SECTOR 2 -
 19:10:37 SO [Out of Scope]
 VEG SECTOR - RC [Out of Scope]
 WATER SUPPLY OFFICER - RC [Out of Scope]
 SAFETY O

19:10:37 FFICER - SO [Out of Scope]
LOGISTICS - SSO [Out of Scope]

19:10:51 FIR2POL OUR APPLIANCES ARE SHOWING OUTSIDE 229 GULCH RD - IF YOU CAN
RESPOND THE

19:10:51 RE AS THE SFP

19:11:30 Unit VSONELSM04 [K2 : IN ATTENDANCE AT INCIDENT]

19:11:38 ***** Privacy filter – refer to footer *****

19:11:48 FIR2POL ACK

19:12:27 Unit TASM4725 [COMCEN COM : MESSAGE] SFP ON GULCH RD (ACK)

19:13:29 Unit TASM4771 [SITREP :] ACK SFP (HOW ARE YOU LOOKING FOR CREW 4726) THAT
WON"

19:13:29 T BE CREWED - ALL PERSONAL ON 4771 AND 4725

19:13:54 Unit TASM4726 [KE : UNABLE TO PROCEED (STATE REASON)] NIL CREW

19:13:59 Unit TASM4726 [K7 : AT NORMAL STATION]

19:17:01 Unit NELS2118 [K1 : PROCEEDING TO INCIDENT]

19:19:31 Unit NELS2118 [K7 : AT NORMAL STATION]

19:22:35 .

19:22:51 Unit SONELSM08 [K2 : IN ATTENDANCE AT INCIDENT]

19:22:52 NELS214 IS K4 AND ENROUTE TO BLENHEIM STN

19:23:23 SONELM08 [Out of Scope] K2 VIA PHONE

19:25:03 ***** Privacy filter – refer to footer *****

19:25:03 ***** Privacy filter – refer to footer *****

19:25:47 Unit NELS2118 [K1 : PROCEEDING TO INCIDENT]

19:26:02 Unit NELS2118 [K1 : PROCEEDING TO INCIDENT]

19:26:22 ***** Privacy filter – refer to footer *****

19:26:52 Alarm Timer Extended: 0

19:27:04 NELS2118 - REQUESTING WEATHER FORECAST TO BE SENT THROUGH TO ICU

19:27:09 ***** Privacy filter – refer to footer *****

19:27:09 ***** Privacy filter – refer to footer *****

19:28:32 WILL SEND THE WEATER FORECAST THROUGH TO SONELM08 ALSO

19:30:00 Alarm Timer Extended: 0

19:33:03 WILL SEND THE WEATHER FORECAST TO:
ICU.NELSON
[Out of Scope]
SONELSM07 [Out of Scope]
)
SONELSM08 [Out of Scope]
Unit SONELSM07 [K1 : PROCEEDING TO INCIDENT]

19:33:03)
SONELSM08 [Out of Scope]
Unit SONELSM07 [K1 : PROCEEDING TO INCIDENT]

19:37:18 .

19:37:43 [Out of Scope] (PICTON) - IF WE TAKE ANOTHER APPLIANCE PLEASE CALL FIRST (AFFIRM)

19:37:44 .

19:38:17 CORECTION - CFO [Out of Scope]

19:42:03 Unit WAIH4975 [K2 : IN ATTENDANCE AT INCIDENT]

19:42:10 Unit SONELSM07 [K1 : PROCEEDING TO INCIDENT]

19:42:45 Unit NELS2121 [K1 : PROCEEDING TO INCIDENT]

19:43:02 Unit NELS2121 [K1 : PROCEEDING TO INCIDENT]

19:51:01 Unit TASM4725 [K1 : PROCEEDING TO INCIDENT]

19:51:19 Unit TASM4725 [K1 : PROCEEDING TO INCIDENT]

19:54:22 Unit SONELSM07 [K1 : PROCEEDING TO INCIDENT]

19:55:36 Alarm Timer Extended: 0
 19:55:43 Unit RENW2626 [KC : UNIT CALLING]
 19:56:49 Unit RENW2626 [KC : UNIT CALLING]
 19:59:40 Unit RENW2626 [SITREP :] FIRE IN SECTION 1 CONTAINED - CREWS ATWW MOPPING UP -
 19:59:40 FIRE IN SECTOR 2 STILL UNDERWAY - CREWS WORKING TO PROTECT STURCTURE -
 NOW LOST
 19:59:40 1 STRUCTURE - ALL CREW FULLY UTLISED
 20:00:04 Unit RENW2626 [KC : UNIT CALLING]
 20:01:36 Unit RENW2626 [KC : UNIT CALLING]
 20:03:06 Unit RENW2626 [SITREP :] K11A-1 - 9(2)(a)
 20:03:06 9(2)(a)
 20:03:15 Unit RENW2626 [K11A-1 : AMBULANCE IN ATTENDANCE]
 20:03:55 Alarm Timer Extended: 0
 20:05:28 Unit TASM4771 [K1 : PROCEEDING TO INCIDENT]
 20:15:07 -
 20:15:54 Unit SONELSM07 [K2 : IN ATTENDANCE AT INCIDENT]
 20:17:15 Unit NELS2118 [K2 : IN ATTENDANCE AT INCIDENT]
 20:17:19 Unit TASM4725 [K1 : PROCEEDING TO INCIDENT]
 20:17:28 Unit TASM4725 [K1 : PROCEEDING TO INCIDENT]
 20:17:36 Unit TASM4725 [K1 : PROCEEDING TO INCIDENT]
 20:18:15 Unit TASM4725 [K1 : PROCEEDING TO INCIDENT]
 20:18:34 Unit TASM4725 [K1 : PROCEEDING TO INCIDENT]
 20:19:57 ***** Privacy filter – refer to footer *****
 20:22:58 Alarm Timer Extended: 0
 20:23:14 Unit CDNELSM [K1 : PROCEEDING TO INCIDENT]
 20:30:51 Unit CDNELSM [K2 : IN ATTENDANCE AT INCIDENT]
 20:34:40 Unit NELS2121 [K2 : IN ATTENDANCE AT INCIDENT]
 20:41:51 Unit NELS2118 [K36 : CONTACT COMMUNICATIONS CENTRE BY PHONE]
 20:44:09 Unit TASM4725 [K1 : PROCEEDING TO INCIDENT]
 20:48:30 Unit FLAX1071 [K2 : IN ATTENDANCE AT INCIDENT]
 20:56:20 Unit BURN9171 [K7 : AT NORMAL STATION]
 20:56:26 Alarm Timer Extended: 0
 20:58:01 Alarm Timer Extended: 0
 21:02:04 Unit NELS2118 [K44 : COMMAND OR CONTROL POINT ESTABLISHED (STATE OIC AND
 LOCATI
 21:02:04 ON)] GULCH COMMAND
 21:02:35 Unit NELS2118 [SITREP :] FIRE NOW CONTAINED - ALL SECTORES WORKING TO DAMPEN
 D
 21:02:35 OWN - STARTING TO RELEASE APPLIANCES FROM THIS EVENT
 21:11:00 Alarm Timer Extended: 0
 21:12:15 Unit NELS2118 [KC : UNIT CALLING]
 21:13:43 Unit NELS2118 [K11P : POLICE REQUIRED]
 21:13:56 IGNORE ABOVE
 21:14:02 Unit NELS2118 [K11E : ELECTRICAL AUTHORITY REQUIRED]
 21:15:13 -
 21:15:19 CFO Out of Scope AWARE RE 9(2)(a)
 21:15:19 MARLBOROUGH LINES ETA AT LEAST 1 HOUR (40 MINS DRIVE FROM TOWN)
 21:16:10 Unit NELS2118 [COMCEN COM : MESSAGE] ETA FOR POWER 1 HR (ACK)

21:16:13 Alarm Timer Extended: 0

21:23:05 Unit NELS2118 [KC : UNIT CALLING]

21:23:32 Unit NELS2118 [SITREP :] ETA REQUIRED ON TASMAN TANKER

21:23:38 Unit SONELSM08 [K6 : ON PAGER (STATE LOCATION)]

21:26:42 Unit TASM4725 [K36 : CONTACT COMMUNICATIONS CENTRE BY PHONE]

21:27:00 Unit TASM4771 [KC : UNIT CALLING]

21:28:10 TASMAN - ETA 30MINS

21:28:54 Unit NELS2118 [COMCEN COM : MESSAGE] ETA 30 MINS FOR THE SMOKE CHASE AND RURAL P

21:28:54 UMP (ACK)

21:30:06 Alarm Timer Extended: 0

21:30:46 Unit NELS21AMS1 [K7 : AT NORMAL STATION]

21:33:20 Unit TASM4725 [K2 : IN ATTENDANCE AT INCIDENT]

21:44:41 Unit BLEN247 [K22-1 : APPLIANCE AVAILABLE FOR A FURTHER INCIDENT]

21:47:07 Unit TASM4771 [K2 : IN ATTENDANCE AT INCIDENT]

21:55:18 ***** Privacy filter – refer to footer *****

21:55:18 ***** Privacy filter – refer to footer *****

21:59:43 Unit NELS2118 [SITREP :] (VIA PHONE) - SFF Out of Scope - WRAPPING UP NOW - ADV THAT

21:59:43 NELS2118 HAS BEEN IN CONTACT WITH KOROMIKO WHO WILL MOST LIKELY BE COMING OUT -

21:59:43 ETA 10-15MIN FOR K1

22:04:21 Unit NELS2118 [KC : UNIT CALLING]

22:08:12 Unit NELS2118 [SITREP :] POWER ON SCENE - AMB HAVE DEPARTED - CREWS ARE DEMOBI

22:08:12 LISING - TASMAN AND KOROMIKO WIL BE HERE OVERNIGHT TO MONITOR AND ADDITIONAL CRE

22:08:12 WS WILL BE BACK ON SITE TOMORROW TO ASSIST

22:09:13 Unit NELS2118 [K11E-1 : ELECTRICAL AUTHORITY IN ATTENDANCE]

22:09:30 Unit NELS2118 [KC : UNIT CALLING]

22:10:05 Unit NELS2118 [K45 : COMMAND RESPONSIBILITY CHANGED TO (STATE NAME)] CFO Out of Scope

22:10:05 (TASMAN)

22:11:47 Unit SEDD297 [KC : UNIT CALLING]

22:12:20 Unit KORO7871 [K1 : PROCEEDING TO INCIDENT]

22:12:22 Unit KORO7871 [K38 : ASSOCIATE THIS APPLIANCE TO EVENT (STATE EVENT ADDRESS)]

22:12:57 Unit SEDD297 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

22:13:01 Unit SEDD297 [SITREP :] BEEN RELEASED FROM INCIDENT AND GOING K4

22:13:52 KOROMIKO - 90 SECONDS AMS CREW THRESHOLD NOT MET - 0 TOTAL - 0 DRIVER, 0 CREW, 0

22:13:52 OFFICER

22:13:56 Unit CDNELSM [K6 : ON PAGER (STATE LOCATION)]

22:17:32 Alarm Timer Extended: 0

22:25:27 -

22:25:38 ADVISED SEDDON STN THAT RENW267 CAN HEAD HOME

22:25:40 -

22:28:05 Unit WAIH4975 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

22:30:33 Unit NELS2118 [KC : UNIT CALLING]

22:31:28 Unit NELS2118 [SITREP :] GULCH COMMAND WILL BE SHUTTING DOWN - COMMAND POINT W

22:31:28 ILL BE TASM4771

22:32:00 Alarm Timer Extended: 0

22:35:32 Unit RARA5775 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

22:36:32 Unit BLEN247 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

22:46:11 Unit FLAX1071 [KC : UNIT CALLING]

22:46:37 Unit NELS2118 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

22:46:58 Unit FLAX1071 [SITREP :] 1071 AND 1072 ARE RETURNING TO STN - BEEN STOOD DOWN

22:47:26 Unit FLAX1071 [K7 : AT NORMAL STATION]

22:48:15 Unit FLAX1072 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

22:52:38 Unit NELS2121 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

23:05:37 Unit KORO7871 [K2 : IN ATTENDANCE AT INCIDENT]

23:06:25 Unit BLEN241 [K22-1 : APPLIANCE AVAILABLE FOR A FURTHER INCIDENT]

23:07:26 Unit BLEN242 [KC : UNIT CALLING]

23:07:46 Unit BLEN242 [K10 : RE-COMMISSIONING APPLIANCE]

23:14:07 Unit BLEN241 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

23:16:00 Unit RENW2626 [KC : UNIT CALLING]

23:18:24 Unit RENW2626 [KC : UNIT CALLING]

23:19:00 Unit RENW2626 [K10 : RE-COMMISSIONING APPLIANCE]

23:21:29 ** Cross Referenced to Event # F4488060 at: 20/06/26 23:21:28

23:31:35 Unit SONELSM07 [K6 : ON PAGER (STATE LOCATION)]

23:40:00 Unit VSONELSM04 [SITREP :] (VIA PHONE) - NORTHBANK WILL BE COMING 21/06 07:30

23:40:00 TO RELIEVE TASMAN AND KOROMIKO (ACK)

23:47:49 Alarm Timer Extended: 0

23:57:47 Unit BLEN0975 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

23:58:49 Unit VSONELSM04 [K38 : ASSOCIATE THIS APPLIANCE TO EVENT (STATE EVENT ADDRESS)]

23:58:49 ATTACH ME - WILL BE ATTENDING TO ASSIST WITH GEAR SWOP

23:58:56 Unit VSONELSM03 [K1 : PROCEEDING TO INCIDENT]

23:59:51 Unit VSONELSM03 [K2 : IN ATTENDANCE AT INCIDENT]

00:00:00 Unit VSONELSM03 [K2 : IN ATTENDANCE AT INCIDENT]

00:05:28 Unit BLEN0976 [K2 : IN ATTENDANCE AT INCIDENT]

00:07:22 Unit TASM4771 [KC : UNIT CALLING]

00:09:12 Unit TASM4771 [SITREP :] CFO Out of Scope - COLD TRAILING AT THE MOMENT OVER HOTSPOT

00:09:12 S - 2 FORESTRY DELIVERIES IN USE - PRETTY QUIET OVER HERE

00:19:13 Unit BLEN0976 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

00:40:14 Alarm Timer Extended: 0

00:49:39 Unit VSONELSM04 [K6 : ON PAGER (STATE LOCATION)]

00:52:42 Unit VSONELSM03 [K6 : ON PAGER (STATE LOCATION)]

01:51:39 Unit KORO7871 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

01:52:13 Unit TASM4771 [KC : UNIT CALLING]

01:54:21 Unit TASM4771 [K47 : STOP MESSAGE: MESSAGE UNCHANGED FROM SITREP] GOT RAIN HERE

01:54:21 NOW - HAPPY THAT IT IS OUT (DO YOU KNOW IF ANYONE WILL BE ATTENDING TOMORROW) U

01:54:21 NSURE - ON CALL EXEC WAS GOING TO ARRANGE FURTHER CREWS BUT NOT SURE - CAN WE GE

01:54:21 T SOME WELFARE CHECKS ON THE WAY HOME AS WE ARE 3 HRS AWAY

02:04:43 Unit TASM4771 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

02:04:47 Unit TASM4725 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

05:34:29 0

06:03:11 Unit NORT0525 [K38 : ASSOCIATE THIS APPLIANCE TO EVENT (STATE EVENT ADDRESS)]

06:03:18 Unit NORT0525 [K39-1 : TRANSMIT K1]

06:03:43 Unit NORT0525 [K1 : PROCEEDING TO INCIDENT]

06:05:15 NORTHBANK - 90 SECONDS AMS CREW THRESHOLD NOT MET - 0 TOTAL - 0 DRIVER, 0 CREW,

06:05:15 0 OFFICER

06:49:48 Unit NORT0525 [K39 : RE-TRANSMIT YOUR CURRENT STATUS (VERBAL OR MSU)]

06:50:21 Unit NORT0525 [SITREP :] JUST DRIVING INTO SEDDON

07:10:28 Unit NORT0525 [K2 : IN ATTENDANCE AT INCIDENT]

07:11:35 Unit NORT0525 [K2 : IN ATTENDANCE AT INCIDENT]

07:21:34 Unit NORT0525 [K1 : PROCEEDING TO INCIDENT]

07:22:14 Unit NORT0525 [K2 : IN ATTENDANCE AT INCIDENT]

07:22:19 Unit NORT0525 [KC : UNIT CALLING]

07:23:21 VERBAL

07:23:21 Unit NORT0525 [K88 : PROPERTY FIRE APPARENTLY SMALL] VERBAL

07:23:47 Unit NORT0525 [SITREP :] NIL WIND - HAVING A WALK AROUND TO TAKE A LOOK

08:03:38 Alarm Timer Extended: 0

08:14:54 Unit NORT0525 [COMCEN COM : MESSAGE] NIL ANSWER ON R/T X3 NIL ANSWER FROM EXTERN

08:14:54 AL ALERT

08:15:32 CT CALLING RDC MAPP PERSONAL CELL

08:19:02 Unit NORT0525 [SITREP :] (VIA PHONE) RC [Out of Scope] - BEST CONTACT RC [Out of Scope] 9(2)(a)

08:19:02 9(2)(a) NO WIND STILL 88% RH AND TEMPERATURE IS 15 DEGREES LITTLE BIT OF FLAME IN H

08:19:02 EDGE CLOSE TO HOUSE - THERE IS SMOKE POPPING UP AROUND BURNT HEDGES ON A COUPLE

08:19:02 OF DIFFERENT FLANKS - STILL ASSESING TO DETERMINE IF FURTHER RESCOURCES REQ, WE

08:19:02 HAVE PORTABLE DAM WITH 7,500L OF WATER - WE ARE EXPECTING RAIN TODAY SO SHOULD B

08:19:02 E ALRIGHT

08:19:53 RC [Out of Scope] 9(2)(a)

08:38:56 Unit VSONELSM04 [K38 : ASSOCIATE THIS APPLIANCE TO EVENT (STATE EVENT ADDRESS)]

08:39:01 Unit VSONELSM04 [K1 : PROCEEDING TO INCIDENT]

08:39:01 Unit VSONELSM04 [K39-1 : TRANSMIT K1]

08:48:29 ACNELSM02 DAVIES UPDATED ABOVE SITREP - WILL CONTACT RC [Out of Scope] DIRECTLY

08:58:32 Unit NORT0525 [KC : UNIT CALLING]

09:02:15 Unit NORT0525 [SITREP :] NW BREEZE 12.3KM PER HOUR - TEMP 15 - RH98% - CHASING

09:02:15 A FEW HOT SPOTS - SMOKE IS ALONG TWO DIFFERENT HEDGES - 9(2)(a) COMING WITH DIGG

09:02:15 ER TO PULL OUT ONE HEDGE COMPLETELY

09:03:54 Unit NORT0525 [SITREP :] AND SMOKE IN ANOTHER TREE THAT HE WILL PUSH OVER

09:30:15 Unit VSONELSM04 [K2 : IN ATTENDANCE AT INCIDENT]

09:54:49 Unit VSONELSM04 [SITREP :] (VIA PHONE) CAN WE HAVE ANOTHER 12 HOUR FORECAST

09:54:49 -

09:54:49 EMAIL TO VSONELSM04 EMAIL

10:29:59 Unit VSONELSM04 [SITREP :] (VIA PHONE) WORKING WITH 1 EXCAVATOR ND CREWS TO CO

10:29:59 OL HOTSPOTS - WE HAVE REQ FLAXBORNE STATION TO RPOVIDE WATER - THEY WULL GO K1

10:29:59 IN 45 MINUTES

10:50:39 Unit NORT0525 [KC : UNIT CALLING]

10:52:30 Unit NORT0525 [SITREP :] WIND GUST 1.2KMPH NW - TEMP 15DEG - RH93 - DIGGER ON

10:52:30 SITE PULLING HEDGE APART

10:52:44 Alarm Timer Extended: 0

11:00:46 FORECAST SENT TO VSONELSM04

11:28:57 Unit FLAX1071 [K1 : PROCEEDING TO INCIDENT]

11:29:01 Unit FLAX1071 [K2 : IN ATTENDANCE AT INCIDENT]

12:12:50 Alarm Timer Extended: 0

12:33:46 Unit VSONELSM04 [SITREP :] VIA PHONE - WORKING WITH DIGGER ON HOT SPOTS - GOIN

12:33:46 G TO BE REMOVING ONE TREE THAT WAS STILL ON FIRE - KEEPING AN EYE ON WEATHER WIT

12:33:46 H WIND CHANGE AT 1PM

12:37:47 Unit VSONELSM04 [K6 : ON PAGER (STATE LOCATION)]

12:41:38 Unit FLAX1071 [K7 : AT NORMAL STATION]

15:19:50 Unit NORT0525 [KC : UNIT CALLING]

15:21:21 Unit NORT0525 [SITREP :] TEMP 10.3 HUMIDITY 100% AT 1400 WE PUT OUT TWO SMOKER

15:21:21 S - LIGHT DRIZZLE - TRYING TO CLEAN UP HOSES AND WILL MONITOR FOR NEXT HOUR AND

15:21:21 A HALF

17:00:13 Unit NORT0525 [KC : UNIT CALLING]

17:01:41 Unit NORT0525 [SITREP :] WIND 8 SOUTHERLY TEMP 8.8 HUMIDITY 100 - STOPPED RAIN

17:01:41 ING - NO FURTHER FLARE UPS - NO SIGN OF SMOKERS - PACKED UP AND GOING TO HEAD HO

17:01:41 ME

17:07:49 Unit NORT0525 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

17:11:24 Unit EVENTSCC4 [K7 : AT NORMAL STATION]

17:45:11 ***** Privacy filter – refer to footer *****

17:45:11 ***** Privacy filter – refer to footer *****

17:45:11 ***** Privacy filter – refer to footer *****

10:05:10 INADVERTENTLY CLOSED

10:05:26 ** Event F4487976 has been reopened at: 22/06/26 10:05:26

10:05:27 ** LOI search completed at 22/06/26 10:05:27

10:05:43 Unit VSONELSM04 [K1 : PROCEEDING TO INCIDENT]

10:05:57 Unit VSONELSM04 [K38 : ASSOCIATE THIS APPLIANCE TO EVENT (STATE EVENT ADDRESS)]

10:05:57 VIA PHONE - GOING TO CHECK HOTSPOTS

10:07:23 Unit VSONELSM04 [K1 : PROCEEDING TO INCIDENT]

10:25:19 Unit VSONELSM04 [K1 : PROCEEDING TO INCIDENT]

10:25:39 Unit VSONELSM04 [K2 : IN ATTENDANCE AT INCIDENT]

11:07:02 Alarm Timer Extended: 0

11:31:39 Unit VSONELSM04 [KC : UNIT CALLING]

11:32:16 Unit VSONELSM04 [STOP : MESSAGE] LAST OF GEAR REMOVED AND HOTSPOTS CHECKED WITH

11:32:16 NIL FOUND

11:32:26 Unit VSONELSM04 [K6 : ON PAGER (STATE LOCATION)]
12:15:29 ***** Privacy filter – refer to footer *****
12:15:29 ***** Privacy filter – refer to footer *****
12:15:29 ***** Privacy filter – refer to footer *****