



APPLICATION FORM

Outdoor pyrotechnic display
written agreement and notification
H4-2a FM

Complete this form when seeking Fire Service written agreement for an outdoor pyrotechnic display. Your answers should reflect the complexity and size of the display and should have been reached in conjunction with appropriate parties such as the event organiser, building or land owner. Email the completed form and supporting documentation to fireinfo@fire.org.nz

Section A – Contact details	
Person in charge of display	[REDACTED]
Address of person in charge	[REDACTED]
Contact phone number	[REDACTED] Mobile phone number
Fax or email	
Confirmation	<p>Name [REDACTED] Signature.....</p> <p>I confirm a site inspection post firing will be conducted to ensure no subsequent fire occurs.</p> <p>Privacy Statement</p> <p>Personal information you provide in this application form will be collected, used, and held by the Fire Service in accordance with the Privacy Act 1993. The information will be used to assess and determine your application for the Fire Service's agreement to your proposed pyrotechnic display. You have the right to ask for a copy of any personal information we hold about you, and to ask for it to be corrected if you think it is wrong. If you'd like to ask for a copy of your information, or to have it corrected, please contact us at privacy@fire.org.nz</p>
Section B – Pyrotechnic display information requirements	
Physical address of display	217 Greenlane West road, Epsom, Auckland. ASB Showgrounds
Latitude and longitude (marine locations)	Location display fired from, if known, e.g., barge, shore. Latitude and longitude details essential for maritime/marine locations.
Display:	Date: 30/12/2018, 31/12/2018 and 1/1/2019 Time: 9pm each night

Leading Integrated fire and emergency services for a safer New Zealand

www.fire.org.nz

Te Manatū o ngā ratonga ohotata kia haumarū ake ai a Aotearoa

Section C – Supporting documentation

Released under the Official Information Act 1982

Attach a display plan that is scaled, marked and labelled with the:

- discharge area
- exclusion zone
- position of firing points, number of fringes from each point, and direction of flight of pyrotechnics
- audience location and evacuation routes
- position, number and types of firefighting equipment
- buildings within the exclusion zone if applicable.

Details of arrangements for identifying exclusion zone

If the firing involves a display height over 60 m, describe the arrangements for the treatment or safeguarding of the ground and any vegetation so that a fire cannot spread more than five metres from the point of ignition/erupton.

As per check list attached and entire exclusion zone is tar seal


For Official New Zealand Fire Service use only

To be completed by the Area Manager

Additional firefighting capability specified by an Area Manager

Written agreement of the Area Manager

Note: This application is not subject to variation once signed. A variation requires a new written agreement.

Name	GLENN MENZIES.	Date	26/03/2018.
Position	AAC		
Area	A	Region	1
I agree to the above outdoor display in accordance with the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001, clause 39(2)		Signature	

BLACK DRAGON FIREWORKS And KIWI THUNDER FIREWORKS

15 March 2018

Professional display, job sheet and check list:

Job sheet for ASB showgrounds, Easter Show fireworks display's x 3 to be held on 30th, 31st of March and 1st of April 2018 at approximately 9.00pm each night. These are level 2 fireworks displays.

These are 3 separate applications for fireworks displays, however each display is identical save for the date.

Check list:

1. Plan of discharge area. Completed and attached. Please note the exclusion Zone requires 50 metres minimum clearance around the firing zone, we have allowed for up to 60 metres.
2. Area to be secured by temporary wire and mesh fencing and on-site Guards.
3. All display shells will be fired in mortar tube bundles of 40, and to be secured in mortar racks which will be secured to the tar seal using sand bags. The cakes will be secured to the tar seal in the same manner as the mortar racks. All products will be covered leading up to ignition for rain protection.
4. All products will be fired by remote control and electric ignition method. Power won't be available to the product until 10 minutes to firing, [REDACTED] will supervise the firing of the fireworks using a remote controlled electronic firing system, [REDACTED] is also the approved handler in charge of the display.
5. All burnt product will be watered down 20 minutes after firing and cleaned and removed off the site.
6. All mortars and display shells will be used in accordance with regulation 43 of the Hazardous Substances Regulations 2001.
7. All pyrotechnic products will be dealt with in accordance with regulation 42 of the Hazardous Substances Regulations 2001.

8. The cakes and display shells, are products supplied from the Wangton Fireworks company in china, and imported to New Zealand by Black Dragon Fireworks Limited. The products are both 1.4G and 1.3G
9. All relevant parties have been informed as required by the Act, and as a matter of courtesy and safety precaution additional parties have also been notified. These include the following:

Auckland central Fire Chief - application
Auckland City Council - application
Westpac Helicopter - [REDACTED]
Coastguard - [REDACTED]
Auckland Central Police [REDACTED]
Department of labour - application
Greenlane hospital [REDACTED]
CAA

Other:

All safety precautions will be taken to provide a safe display. There will be a number of staff with fire fighting gear including:

1 x 15 litre water spritzers
3 x 9kg fire extinguishers
Torches
1st aid kit
Fire blanket
Ear plugs

The event will only go ahead if the wind is below 30 km/hr and the certified handler deems it safe enough to fire.

There will be a number of static guards available at the event to keep the public out of the exclusion zone.

There is a full safety plan attached to this application including Company safety policy.

Once the display has been fired, and a 20 minute cool down period has ended, [REDACTED] and designated staff will inspect the burnt product, water down any hot spots and the area will then be cleared of debris.

List of pyrotechnic products:

- 80 x 2.5" display shells per display
- 12 x large ground cakes per display

Total products = 92 per display

Application for an Outdoor Pyrotechnics Display Test Certificate

See regulation 40 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001

This form, along with a detailed display plan and copies of approved handler test certificates, should be submitted to a test certifier well in advance of the planned date of the display to allow ample time for the test certifier to evaluate the information and to discuss any issues with you before approving or declining your application.

A list of Test Certifiers is available at: <http://www.epa.govt.nz/search-databases/Pages/testcertifiers-search.aspx>

Select the Explosives/Fireworks option before beginning your search.

Person with overall responsibility for the display

Full name

Company

Address

Home phone number

Work phone number

Mobile phone number

Email

Client Details

* Full name

Company

Address

Work phone number

Mobile phone number

Application for an Outdoor Pyrotechnics Display Test Certificate

Email

[Redacted]

Consent of owner of property or owner's delegate

Owner's full name

AD Shingwood

Address

[Redacted]

Home phone number

Work phone number

Mobile phone number

[Redacted]

Email

[Redacted]

Signature

[Redacted]

Date

Approved handler in charge of the display pyrotechnics

Full name

[Redacted]

Address

[Redacted]

Home phone number

[Redacted]

Work phone number

Mobile phone number

Email

Test certificate details of approved handler in charge

(attach a copy AND complete the following):

Approved handler test certificate number

AHPO007

Released under the Official Information Act 1982

Application for an Outdoor Pyrotechnics Display Test Certificate

Expiry date 24/9/2018

Valid for hazard class ~~1.1G 1.2G~~ 1.3G 1.4G (strike out any that do not apply)

Level of Approved Handler (see final page for a list of pyrotechnic articles available at each Level) Level 2

Special conditions of test certificate Maximum Aerial shell size 125mm

Name of Test Certifier who issued the approved handler test certificate Aaron Donald

Details of the Display

Display location (provide GPS coordinates if known)

Date of display Friday 30/3/2018, Saturday 31/3/2018, Sunday 1/4/2018

Time of display 9pm each night

Postponement date(s) Nil

Type of firings (Indoor, outdoor or both) outdoor

Number of firings (actual number of pyrotechnic articles to be used in the display) 92

Address of display (include city and postal code) 217 Greenlane West, Greenlane, Auckland

Additional People

List others who will participate under the direct supervision of the approved handler in charge. Include other approved handlers and candidates for approved handler test certificates.

Name(s)



Test Certificate Number(s) (if relevant)

Pyrotechnics Supplier

Released under the Official Information Act 1982

Application for an Outdoor Pyrotechnics Display Test Certificate

Company name [Redacted]

Address [Redacted]

Work phone number [Redacted]

Mobile phone number [Redacted]

Email [Redacted]

Display Plan

A copy of the display plan must be attached and include:

- ✓ A site plan of the discharge area and the exclusion zone, including any exclusion zone for indoor pyrotechnics as required under regulation 45(2)(d) of the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001;
- ✓ Details of arrangements for identifying and securing discharge area and exclusion zone;
- ✓ The name of the manufacturer, and the size, type and number of pyrotechnic articles to be used;
- ✓ Details of positioning of firing points and mortar tubes and the methods of firing;
- ✓ The names and responsibilities of all authorised persons operating the display;
- ✓ An indication that the requirements of regulation 42 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001 will be met;
- ✓ Where indoor pyrotechnics are used, an indication that the requirements of regulation 45(4)(b) of the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001 will be met;
- ✓ In the case of aerial displays over 60m in height, an indication that the requirements of regulation 43 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001 will be met.

Approvals

(refer regulation 39 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001)

Prior written approval of the display must be obtained from the following agencies (where relevant). Refer to the Code of Practice for Outdoor Pyrotechnic Displays for details on when and how to apply for these approvals.

A. NZ Fire Service (for displays within an urban fire district)

Application for approval made (circle one) **Yes** / No

Written approval obtained (circle one) Yes / **No**

If approval has already been obtained, attach a copy of the approval to this application form.

Released under the Official Information Act 1982

Application for an Outdoor Pyrotechnics Display Test Certificate

The application form is available on the NZ Fire Service website <http://www.fire.org.nz>

B. A rural fire authority (RFA) (for displays in rural areas)

Application for approval made (circle one) **Yes/No**

Written approval obtained (circle one) **Yes/No**

If approval has already been obtained, attach a copy of the approval to this application form.

The application form is available on the NZ Fire Service website <http://www.fire.org.nz> (NB your application will need to be forwarded to the Rural Fire Authority for approval. See www.rfa.org.nz)

C. Civil Aviation Authority (CAA) or Air Traffic Control (ATC) Authority as relevant

Depending on the location of the display, prior written approval must be obtained from either CAA or the local ATC authority. Refer to HSNO Code of Practice 30-2 for Outdoor Pyrotechnic Displays on our website (www.worksafe.govt.nz) for information on which air safety agency to approach for permission in any given circumstance. CAA and ATC contact details are also provided in the COP.

Application for approval made (circle one) **Yes/No**

Written approval obtained (circle one) **Yes/No** *Not required*

If approval has already been obtained, attach a copy of the approval to this application form.

D. Harbourmaster (for displays on or over water)

Application for approval made (circle one) **Yes/No**

Written approval obtained (circle one) **Yes/No**

If approval has already been obtained, attach a copy of the approval to this application form.

Notifications

(refer regulation 29 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001)

The following agencies must be notified of the display at least three working days before the display. Refer to the Code of Practice for Outdoor Pyrotechnic Displays for further details on notification requirements or contact a test certifier for advice on pre-display notification requirements.

A. WorkSafe New Zealand

Application for an Outdoor Pyrotechnics Display Test Certificate

Notification made (circle one)

Yes/No

If yes, attach a copy of notification advice

B. Maritime New Zealand (for displays on or over water)

Notification made (circle one)

Yes/No

If yes, attach a copy of notification advice

Signature

Pursuant to the Hazardous Substances and New Organisms (HSNO) Act 1996, the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001, and the Code of Practice for Outdoor Pyrotechnic Displays (HSNOCOP30-2), I hereby make an application for a test certificate for an outdoor pyrotechnics display:

Printed name of Applicant

Signature of Applicant

Date 20/3/2018

CHECKLIST

Have you attached:

- Copy of the display plans
- Copy of the approved handler test certificate
- Copies of the necessary approvals and notifications

Released under the Official Information Act 1982

APPROVED HANDLER TEST CERTIFICATE

Issued pursuant to Section 82 of the Hazardous Substances and New Organisms Act 1996

Name: [REDACTED]
 Date of Birth: [REDACTED]

Residential contact details: [REDACTED]
 Telephone: [REDACTED]

Work contact details:
 TTPNZ
 PO Box 13770 Onehunga
 Telephone: [REDACTED]

This certificate is issued in accordance with Regulation 5 of the Hazardous Substances and New Organisms (Personnel Qualifications) Regulations 2001. This certifies that the handler has met the relevant requirements for the substances and lifecycles specified below:

Substances/Classes:
Explosives - Pyrotechnics
Class 1.3G, 1.4G, 1.4S

Lifecycles:
Storage, Use, Disposal

Conditions:

1. Unless surrendered or revoked beforehand, this certificate shall remain in force until 15/10/2020 and may be renewed thereafter by an authorised test certifier.
2. This certificate must be produced at the request of an enforcement officer appointed under the HSNO Act 1996.
3. No Aerial Shell

Special conditions:

The certificate is limited to handlers in control of substances used in:

- Outdoor pyrotechnic displays Indoor pyrotechnic displays

The certificate is limited to handlers in control of:

- Level 1 Level 2 Level 3

The certificate is limited to handlers in control of the following display types:

- | | |
|--|--|
| <input type="checkbox"/> Hand fired | <input type="checkbox"/> Floating vessels and floating platforms |
| <input checked="" type="checkbox"/> Electrically fired | <input type="checkbox"/> Moving platforms |
| <input checked="" type="checkbox"/> General outdoor | <input type="checkbox"/> Aircraft |
| <input type="checkbox"/> Elevated position | <input type="checkbox"/> Stadiums |

Aaron Donald
Test Certifier Registration # 301

Certificate: AHP035
Issue date: 14/10/2015

45 Target Court Glenfield Auckland NZ
 Phones: 09 215 8333
 Fax: 07 823 1592
 Mobile: 021 511 291
 Email: info@hazsubs.co.nz
 Website: www.hazsubs.co.nz



Released under the Official Information Act 1982

APPROVED HANDLER TEST CERTIFICATE

Issued pursuant to Section 82 of the Hazardous Substances and New Organisms Act 1996

Name: [REDACTED]
Date of Birth: [REDACTED]

Residential contact details:
[REDACTED]
Telephone: [REDACTED]

Work contact details:
TTPNZ
PO Box 13770 Onehunga
Telephone: [REDACTED]

This certificate is issued in accordance with Regulation 5 of the Hazardous Substances and New Organisms (Personnel Qualifications) Regulations 2001. This certifies that the handler has met the relevant requirements for the substances and lifecycles specified below:

Substances/Classes:
Explosives - Pyrotechnics
Class 1.3G, 1.4G, 1.4S

Lifecycles:
Storage, Use, Disposal

Conditions:

1. *Unless surrendered or revoked beforehand, this certificate shall remain in force until 13/10/2020 and may be renewed thereafter by an authorised test certifier.*
2. *This certificate must be produced at the request of an enforcement officer appointed under the HSNO Act 1996.*
3. *No Aerial Shell*

Special conditions:

The certificate is limited to handlers in control of substances used in:

- Outdoor pyrotechnic displays Indoor pyrotechnic displays

The certificate is limited to handlers in control of:

- Level 1 Level 2 Level 3

The certificate is limited to handlers in control of the following display types:

- | | |
|--|--|
| <input type="checkbox"/> Hand fired | <input type="checkbox"/> Floating vessels and floating platforms |
| <input checked="" type="checkbox"/> Electrically fired | <input type="checkbox"/> Moving platforms |
| <input checked="" type="checkbox"/> General outdoor | <input type="checkbox"/> Aircraft |
| <input type="checkbox"/> Elevated position | <input type="checkbox"/> Stadiums |


Aaron Donald
Test Certifier Registration # 301

Certificate: AHP033
Issue date: 12/10/2015

4D Target Court Glenfield Auckland NZ
Phone: 09 215 6333
Fax: 07 823 1592
Mobile: 021 511 251
Email: info@hazsubs.co.nz
Website: www.hazsubs.co.nz

CONTROLLED SUBSTANCE REGULATIONS 1996

WORK CERTIFICATE

TEST CERTIFICATE

Approved Handler

Issued pursuant to Section 82 of the
Hazardous Substances and New Organisms Act 1996

Issued to:



Contact Details:



Certificate: AHP0007
Date of Issue: 25/9/2013
Date of Expiry: 24/9/2018

This certificate is issued in accordance with Regulation 5 of the Hazardous Substances and New Organisms (Personal Qualifications) Regulations 2001. This certifies that the Approved Handler has met the relevant requirements for the substances and life cycles specified below.

Lifecycles for the Substances below: Use, Storage, Transport, Disposal

Class	Substance	Type	Lifecycles
1.3G, 1.4G	Pyrotechnics	Pyrotechnics	Use

Conditions:

Unless surrendered or revoked beforehand, this Certificate shall remain in force until the above date and may be renewed thereafter by an authorized Test Certifier. This Certificate must be produced at the request of an Enforcement Officer appointed under the HSNO Act 1996.

Special Conditions:

Level 2 Handler, Maximum Aerial Shell size 125mm
General Outdoor, Hand and Electrical firing

Aaron Donald
Test Certifier
Registration # 381



Released under the Official Information Act 1982